Soumitesh Chakravorty

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/238562/publications.pdf

Version: 2024-02-01

22 papers 2,048 citations

623734 14 h-index 677142 22 g-index

26 all docs

26 docs citations

26 times ranked 3591 citing authors

#	Article	IF	CITATIONS
1	Xpert MTB/XDR: a 10-Color Reflex Assay Suitable for Point-of-Care Settings To Detect Isoniazid, Fluoroquinolone, and Second-Line-Injectable-Drug Resistance Directly from Mycobacterium tuberculosis-Positive Sputum. Journal of Clinical Microbiology, 2021, 59, .	3.9	43
2	Inactivation of SARS-CoV-2 virus in saliva using a guanidium based transport medium suitable for RT-PCR diagnostic assays. PLoS ONE, 2021, 16, e0252687.	2.5	11
3	Sample collection and transport strategies to enhance yield, accessibility, and biosafety of COVID-19 RT-PCR testing. Journal of Medical Microbiology, 2021, 70, .	1.8	3
4	A Simple Reverse Transcriptase PCR Melting-Temperature Assay To Rapidly Screen for Widely Circulating SARS-CoV-2 Variants. Journal of Clinical Microbiology, 2021, 59, e0084521.	3.9	48
5	Multicenter Evaluation of the Cepheid Xpert Xpress SARS-CoV-2 Test. Journal of Clinical Microbiology, 2020, 58, .	3.9	146
6	Detection of drug resistant Mycobacterium tuberculosis by high-throughput sequencing of DNA isolated from acid fast bacilli smears. PLoS ONE, 2020, 15, e0232343.	2.5	7
7	Automatic Identification of Individual <i>rpoB</i> Gene Mutations Responsible for Rifampin Resistance in Mycobacterium tuberculosis by Use of Melting Temperature Signatures Generated by the Xpert MTB/RIF Ultra Assay. Journal of Clinical Microbiology, 2019, 58, .	3.9	18
8	Sensitive Detection of Francisella tularensis Directly from Whole Blood by Use of the GeneXpert System. Journal of Clinical Microbiology, 2017, 55, 291-301.	3.9	10
9	The New Xpert MTB/RIF Ultra: Improving Detection of <i>Mycobacterium tuberculosis</i> and Resistance to Rifampin in an Assay Suitable for Point-of-Care Testing. MBio, 2017, 8, .	4.1	431
10	Evaluation of a Rapid Molecular Drug-Susceptibility Test for Tuberculosis. New England Journal of Medicine, 2017, 377, 1043-1054.	27.0	129
11	Molecular Drug-Susceptibility Test for Tuberculosis. New England Journal of Medicine, 2017, 377, 2403-2404.	27.0	6
12	Detection of Isoniazid-, Fluoroquinolone-, Amikacin-, and Kanamycin-Resistant Tuberculosis in an Automated, Multiplexed 10-Color Assay Suitable for Point-of-Care Use. Journal of Clinical Microbiology, 2017, 55, 183-198.	3.9	47
13	A snapshot of the predominant single nucleotide polymorphism cluster groups of Mycobacterium tuberculosis clinical isolates in Delhi, India. Tuberculosis, 2016, 100, 72-81.	1.9	5
14	Genotypic Susceptibility Testing of Mycobacterium tuberculosis Isolates for Amikacin and Kanamycin Resistance by Use of a Rapid Sloppy Molecular Beacon-Based Assay Identifies More Cases of Low-Level Drug Resistance than Phenotypic Lowenstein-Jensen Testing. Journal of Clinical Microbiology, 2015, 53, 43-51.	3.9	32
15	Comparative Evaluation of Sloppy Molecular Beacon and Dual-Labeled Probe Melting Temperature Assays to Identify Mutations in Mycobacterium tuberculosis Resulting in Rifampin, Fluoroquinolone and Aminoglycoside Resistance. PLoS ONE, 2015, 10, e0126257.	2.5	12
16	Importance of Cough and M. tuberculosis Strain Type as Risks for Increased Transmission within Households. PLoS ONE, 2014, 9, e100984.	2.5	32
17	Tuberculosis Diagnostics in the New Millennium: Role in TB Identification and Control. Tuberculosis Research and Treatment, 2012, 2012, 1-2.	0.6	6
18	Rapid, High-Throughput Detection of Rifampin Resistance and Heteroresistance in Mycobacterium tuberculosis by Use of Sloppy Molecular Beacon Melting Temperature Coding. Journal of Clinical Microbiology, 2012, 50, 2194-2202.	3.9	38

#	Article	IF	CITATIONS
19	Rapid Detection of Fluoroquinolone-Resistant and Heteroresistant Mycobacterium tuberculosis by Use of Sloppy Molecular Beacons and Dual Melting-Temperature Codes in a Real-Time PCR Assay. Journal of Clinical Microbiology, 2011, 49, 932-940.	3.9	48
20	Rapid Universal Identification of Bacterial Pathogens from Clinical Cultures by Using a Novel Sloppy Molecular Beacon Melting Temperature Signature Technique. Journal of Clinical Microbiology, 2010, 48, 258-267.	3.9	48
21	Rifampin Resistance, Beijing-W Clade-Single Nucleotide Polymorphism Cluster Group 2 Phylogeny, and the Rv2629 191-C Allele in <i>Mycobacterium tuberculosis</i> Strains. Journal of Clinical Microbiology, 2008, 46, 2555-2560.	3.9	23
22	A detailed analysis of 16S ribosomal RNA gene segments for the diagnosis of pathogenic bacteria. Journal of Microbiological Methods, 2007, 69, 330-339.	1.6	876