

Barbara E Jones

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2387439/publications.pdf>

Version: 2024-02-01

87
papers

13,278
citations

28242

55
h-index

60583

81
g-index

88
all docs

88
docs citations

88
times ranked

6347
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrophysiology of sleep-wake systems. , 2021, , .		0
2	Chemical neuroanatomy of sleep-wake systems. , 2021, , .		0
3	Arousal and sleep circuits. <i>Neuropsychopharmacology</i> , 2020, 45, 6-20.	2.8	131
4	Discharge and Role of GABA Pontomesencephalic Neurons in Cortical Activity and Sleep-Wake States Examined by Optogenetics and Juxtacellular Recordings in Mice. <i>Journal of Neuroscience</i> , 2020, 40, 5970-5989.	1.7	6
5	In memoriam Michel Jouvet 1925-2017. <i>Sleep Medicine</i> , 2018, 41, 116-117.	0.8	1
6	The mysteries of sleep and waking unveiled by Michel Jouvet. <i>Sleep Medicine</i> , 2018, 49, 14-19.	0.8	7
7	Discharge and Role of Acetylcholine Pontomesencephalic Neurons in Cortical Activity and Sleep-Wake States Examined by Optogenetics and Juxtacellular Recording in Mice. <i>ENeuro</i> , 2018, 5, ENEURO.0270-18.2018.	0.9	35
8	Principal cell types of sleep-wake regulatory circuits. <i>Current Opinion in Neurobiology</i> , 2017, 44, 101-109.	2.0	45
9	Homeostatic regulation through GABA and acetylcholine muscarinic receptors of motor trigeminal neurons following sleep deprivation. <i>Brain Structure and Function</i> , 2017, 222, 3163-3178.	1.2	11
10	Homeostatic Changes in GABA and Glutamate Receptors on Excitatory Cortical Neurons during Sleep Deprivation and Recovery. <i>Frontiers in Systems Neuroscience</i> , 2017, 11, 17.	1.2	28
11	Homeostatic Changes in GABA and Acetylcholine Muscarinic Receptors on GABAergic Neurons in the Mesencephalic Reticular Formation following Sleep Deprivation. <i>ENeuro</i> , 2017, 4, ENEURO.0269-17.2017.	0.9	7
12	Control of Sleep-Wake States: Acetylcholine . , 2017, , .		0
13	GABA Receptors on Orexin and Melanin-Concentrating Hormone Neurons Are Differentially Homeostatically Regulated Following Sleep Deprivation. <i>ENeuro</i> , 2016, 3, ENEURO.0077-16.2016.	0.9	22
14	Neuroscience: What Are Cortical Neurons Doing during Sleep?. <i>Current Biology</i> , 2016, 26, R1147-R1150.	1.8	6
15	Orexin Neurons Respond Differentially to Auditory Cues Associated with Appetitive versus Aversive Outcomes. <i>Journal of Neuroscience</i> , 2016, 36, 1747-1757.	1.7	38
16	Discharge Profiles across the Sleep-Waking Cycle of Identified Cholinergic, GABAergic, and Glutamatergic Neurons in the Pontomesencephalic Tegmentum of the Rat. <i>Journal of Neuroscience</i> , 2014, 34, 4708-4727.	1.7	244
17	The Role of Hcr/Orx and MCH Neurons in Sleep-Wake State Regulation. <i>Sleep</i> , 2013, 36, 1769-1772.	0.6	37
18	Somatostatin varicosities contain the vesicular GABA transporter and contact orexin neurons in the hypothalamus. <i>European Journal of Neuroscience</i> , 2012, 36, 3388-3395.	1.2	5

#	ARTICLE	IF	CITATIONS
19	Immunohistochemical evidence for synaptic release of GABA from melanin-concentrating hormone containing varicosities in the locus coeruleus. <i>Neuroscience</i> , 2012, 223, 269-276.	1.1	48
20	Neurobiology of waking and sleeping. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2011, 98, 131-149.	1.0	53
21	Sleep-Deprivation Regulates $\hat{\pm}$ -2 Adrenergic Responses of Rat Hypocretin/Orexin Neurons. <i>PLoS ONE</i> , 2011, 6, e16672.	1.1	24
22	Rat Hypocretin/Orexin Neurons Are Maintained in a Depolarized State by TRPC Channels. <i>PLoS ONE</i> , 2010, 5, e15673.	1.1	25
23	Immunohistochemical evidence for synaptic release of glutamate from orexin terminals in the locus coeruleus. <i>Neuroscience</i> , 2010, 169, 1150-1157.	1.1	72
24	GABAergic neurons intermingled with orexin and MCH neurons in the lateral hypothalamus discharge maximally during sleep. <i>European Journal of Neuroscience</i> , 2010, 32, 448-457.	1.2	127
25	Melanin-concentrating hormone neurons discharge in a reciprocal manner to orexin neurons across the sleep-wake cycle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 2418-2422.	3.3	394
26	Activity Profiles of Cholinergic and Intermingled GABAergic and Putative Glutamatergic Neurons in the Pontomesencephalic Tegmentum of Urethane-Anesthetized Rats. <i>Journal of Neuroscience</i> , 2009, 29, 4664-4674.	1.7	104
27	Glia, Adenosine, and Sleep. <i>Neuron</i> , 2009, 61, 156-157.	3.8	41
28	Discharge Profiles of Identified GABAergic in Comparison to Cholinergic and Putative Glutamatergic Basal Forebrain Neurons across the Sleep-Wake Cycle. <i>Journal of Neuroscience</i> , 2009, 29, 11828-11840.	1.7	181
29	Muscarinic and orexin receptors on GABAergic and other neurons in the rat mesopontine tegmentum and their potential role in sleep-wake state control. <i>Journal of Comparative Neurology</i> , 2008, 510, 607-630.	0.9	56
30	Modulation of Cortical Activation and Behavioral Arousal by Cholinergic and Orexinergic Systems. <i>Annals of the New York Academy of Sciences</i> , 2008, 1129, 26-34.	1.8	143
31	Projections from basal forebrain to prefrontal cortex comprise cholinergic, GABAergic and glutamatergic inputs to pyramidal cells or interneurons. <i>European Journal of Neuroscience</i> , 2008, 27, 654-670.	1.2	243
32	Dynamic changes in GABAA receptors on basal forebrain cholinergic neurons following sleep deprivation and recovery. <i>BMC Neuroscience</i> , 2007, 8, 15.	0.8	32
33	Stereological estimates of the basal forebrain cell population in the rat, including neurons containing choline acetyltransferase, glutamic acid decarboxylase or phosphate-activated glutaminase and colocalizing vesicular glutamate transporters. <i>Neuroscience</i> , 2006, 143, 1051-1064.	1.1	187
34	Vesicular glutamate (VGLut), GABA (VGAT), and acetylcholine (VACht) transporters in basal forebrain axon terminals innervating the lateral hypothalamus. <i>Journal of Comparative Neurology</i> , 2006, 496, 453-467.	0.9	53
35	Innervation of orexin/hypocretin neurons by GABAergic, glutamatergic or cholinergic basal forebrain terminals evidenced by immunostaining for presynaptic vesicular transporter and postsynaptic scaffolding proteins. <i>Journal of Comparative Neurology</i> , 2006, 499, 645-661.	0.9	102
36	Orexin and MCH neurons express c-Fos differently after sleep deprivation vs. recovery and bear different adrenergic receptors. <i>European Journal of Neuroscience</i> , 2005, 21, 2807-2816.	1.2	185

#	ARTICLE	IF	CITATIONS
37	Basic Mechanisms of Sleep-Wake States. , 2005, , 136-153.		118
38	Discharge of Identified Orexin/Hypocretin Neurons across the Sleep-Waking Cycle. Journal of Neuroscience, 2005, 25, 6716-6720.	1.7	778
39	Is the basalo-cortical system simply an extra-thalamic relay of the ascending reticular activating system? A discourse with Mircea Steriade. Thalamus & Related Systems, 2005, 3, 275.	0.5	0
40	Cholinergic Basal Forebrain Neurons Burst with Theta during Waking and Paradoxical Sleep. Journal of Neuroscience, 2005, 25, 4365-4369.	1.7	417
41	From waking to sleeping: neuronal and chemical substrates. Trends in Pharmacological Sciences, 2005, 26, 578-586.	4.0	518
42	Opposite effects of noradrenaline and acetylcholine upon hypocretin/orexin versus melanin concentrating hormone neurons in rat hypothalamic slices. Neuroscience, 2005, 130, 807-811.	1.1	112
43	Exclusive Postsynaptic Action of Hypocretin-Orexin on Sublayer 6b Cortical Neurons. Journal of Neuroscience, 2004, 24, 6760-6764.	1.7	142
44	Nicotinic Enhancement of the Noradrenergic Inhibition of Sleep-Promoting Neurons in the Ventrolateral Preoptic Area. Journal of Neuroscience, 2004, 24, 63-67.	1.7	120
45	Activity, modulation and role of basal forebrain cholinergic neurons innervating the cerebral cortex. Progress in Brain Research, 2004, 145, 157-169.	0.9	251
46	Gabaergic neurons with β 2-adrenergic receptors in basal forebrain and preoptic area express c-Fos during sleep. Neuroscience, 2004, 129, 803-810.	1.1	96
47	Sleep-Wake Related Discharge Properties of Basal Forebrain Neurons Recorded With Micropipettes in Head-Fixed Rats. Journal of Neurophysiology, 2004, 92, 1182-1198.	0.9	115
48	Paradoxical REM sleep promoting and permitting neuronal networks. Archives Italiennes De Biologie, 2004, 142, 379-96.	0.1	78
49	Parvalbumin, calbindin, or calretinin in cortically projecting and GABAergic, cholinergic, or glutamatergic basal forebrain neurons of the rat. Journal of Comparative Neurology, 2003, 458, 11-31.	0.9	172
50	Alpha 2 adrenergic receptors on GABAergic, putative sleep-promoting basal forebrain neurons. European Journal of Neuroscience, 2003, 18, 723-727.	1.2	72
51	Rhythmically Discharging Basal Forebrain Units Comprise Cholinergic, GABAergic, and Putative Glutamatergic Cells. Journal of Neurophysiology, 2003, 89, 1057-1066.	0.9	123
52	The Wake-Promoting Hypocretin/Orexin Neurons Are in an Intrinsic State of Membrane Depolarization. Journal of Neuroscience, 2003, 23, 1557-1562.	1.7	156
53	Arousal systems. Frontiers in Bioscience - Landmark, 2003, 8, s438-451.	3.0	486
54	Selective Action of Orexin (Hypocretin) on Nonspecific Thalamocortical Projection Neurons. Journal of Neuroscience, 2002, 22, 7835-7839.	1.7	144

#	ARTICLE	IF	CITATIONS
55	c-Fos expression in dopaminergic and GABAergic neurons of the ventral mesencephalic tegmentum after paradoxical sleep deprivation and recovery. <i>European Journal of Neuroscience</i> , 2002, 15, 774-778.	1.2	108
56	Evidence for glutamate, in addition to acetylcholine and GABA, neurotransmitter synthesis in basal forebrain neurons projecting to the entorhinal cortex. <i>Neuroscience</i> , 2001, 107, 249-263.	1.1	157
57	Effects of glutamate agonist versus procaine microinjections into the basal forebrain cholinergic cell area upon gamma and theta EEG activity and sleep-wake state. <i>European Journal of Neuroscience</i> , 2000, 12, 2166-2184.	1.2	122
58	c-Fos Expression in GABAergic, Serotonergic, and Other Neurons of the Pontomedullary Reticular Formation and Raphe after Paradoxical Sleep Deprivation and Recovery. <i>Journal of Neuroscience</i> , 2000, 20, 4669-4679.	1.7	113
59	Discharge Profiles of Juxtacellularly Labeled and Immunohistochemically Identified GABAergic Basal Forebrain Neurons Recorded in Association with the Electroencephalogram in Anesthetized Rats. <i>Journal of Neuroscience</i> , 2000, 20, 9252-9263.	1.7	142
60	Discharge Properties of Juxtacellularly Labeled and Immunohistochemically Identified Cholinergic Basal Forebrain Neurons Recorded in Association with the Electroencephalogram in Anesthetized Rats. <i>Journal of Neuroscience</i> , 2000, 20, 1505-1518.	1.7	162
61	Neurotensin-Induced Bursting of Cholinergic Basal Forebrain Neurons Promotes \hat{I}^3 and \hat{I}^1 Cortical Activity Together with Waking and Paradoxical Sleep. <i>Journal of Neuroscience</i> , 2000, 20, 8452-8461.	1.7	124
62	The interpretation of physiology. <i>Behavioral and Brain Sciences</i> , 2000, 23, 955-956.	0.4	5
63	Differential c-Fos Expression in Cholinergic, Monoaminergic, and GABAergic Cell Groups of the Pontomesencephalic Tegmentum after Paradoxical Sleep Deprivation and Recovery. <i>Journal of Neuroscience</i> , 1999, 19, 3057-3072.	1.7	259
64	Pharmacological characterization and differentiation of non-cholinergic nucleus basalis neurons in vitro. <i>NeuroReport</i> , 1998, 9, 61-65.	0.6	36
65	Differential Modulation of High-Frequency \hat{I}^3 -Electroencephalogram Activity and Sleep-Wake State by Noradrenaline and Serotonin Microinjections into the Region of Cholinergic Basalis Neurons. <i>Journal of Neuroscience</i> , 1998, 18, 2653-2666.	1.7	258
66	GABAergic and other noncholinergic basal forebrain neurons, together with cholinergic neurons, project to the mesocortex and isocortex in the rat. <i>Journal of Comparative Neurology</i> , 1997, 383, 163-177.	0.9	296
67	GABAergic and other noncholinergic basal forebrain neurons, together with cholinergic neurons, project to the mesocortex and isocortex in the rat. , 1997, 383, 163.		1
68	GABAergic and other noncholinergic basal forebrain neurons, together with cholinergic neurons, project to the mesocortex and isocortex in the rat. <i>Journal of Comparative Neurology</i> , 1997, 383, 163-177.	0.9	9
69	Differential Oscillatory Properties of Cholinergic and Non-cholinergic Nucleus Basalis Neurons in Guinea Pig Brain Slice. <i>European Journal of Neuroscience</i> , 1996, 8, 169-182.	1.2	87
70	GABAergic neurons in the rat pontomesencephalic tegmentum: Codistribution with cholinergic and other tegmental neurons projecting to the posterior lateral hypothalamus. <i>Journal of Comparative Neurology</i> , 1995, 363, 177-196.	0.9	315
71	Projections of GABAergic and cholinergic basal forebrain and GABAergic preoptic-anterior hypothalamic neurons to the posterior lateral hypothalamus of the rat. <i>Journal of Comparative Neurology</i> , 1994, 339, 251-268.	0.9	168
72	Codistribution of GABA- with acetylcholine-synthesizing neurons in the basal forebrain of the rat. <i>Journal of Comparative Neurology</i> , 1993, 329, 438-457.	0.9	363

#	ARTICLE	IF	CITATIONS
73	Chapter 5: The organization of central cholinergic systems and their functional importance in sleep-waking states. <i>Progress in Brain Research</i> , 1993, 98, 61-71.	0.9	199
74	GABA-synthesizing neurons in the medulla: Their relationship to serotonin-containing and spinally projecting neurons in the rat. <i>Journal of Comparative Neurology</i> , 1991, 313, 349-367.	0.9	116
75	Immunohistochemical study of choline acetyltransferase-immunoreactive processes and cells innervating the pontomedullary reticular formation in the rat. <i>Journal of Comparative Neurology</i> , 1990, 295, 485-514.	0.9	176
76	Neurotoxic lesions of the dorsolateral pontomesencephalic tegmentum-cholinergic cell area in the cat. II. Effects upon sleep-waking states. <i>Brain Research</i> , 1988, 458, 285-302.	1.1	428
77	Distribution of acetylcholine and catecholamine neurons in the cat brainstem: A choline acetyltransferase and tyrosine hydroxylase immunohistochemical study. <i>Journal of Comparative Neurology</i> , 1987, 261, 15-32.	0.9	275
78	Modification of Paradoxical Sleep Following Transections of the Reticular Formation at the Pontomedullary Junction. <i>Sleep</i> , 1986, 9, 1-23.	0.6	96
79	The need for a new model of sleep cycle generation. <i>Behavioral and Brain Sciences</i> , 1986, 9, 409-411.	0.4	2
80	The efferent projections from the reticular formation and the locus coeruleus studied by anterograde and retrograde axonal transport in the rat. <i>Journal of Comparative Neurology</i> , 1985, 242, 56-92.	0.9	914
81	Computer graphics analysis of sleep-wakefulness state changes after pontine lesions. <i>Brain Research Bulletin</i> , 1984, 13, 53-68.	1.4	71
82	Atlas of catecholamine perikarya, varicosities and pathways in the brainstem of the cat. <i>Journal of Comparative Neurology</i> , 1983, 215, 382-396.	0.9	290
83	Understanding the physiological correlates of a behavioral state as a constellation of events. <i>Behavioral and Brain Sciences</i> , 1981, 4, 482-483.	0.4	2
84	Toward an understanding of the basic mechanisms of the sleep-waking cycle. <i>Behavioral and Brain Sciences</i> , 1978, 1, 495-495.	0.4	9
85	Ascending projections of the locus coeruleus in the rat. II. Autoradiographic study. <i>Brain Research</i> , 1977, 127, 23-53.	1.1	818
86	Effects of locus coeruleus lesions upon cerebral monoamine content, sleep-wakefulness states and the response to amphetamine in the cat. <i>Brain Research</i> , 1977, 124, 473-496.	1.1	312
87	The effect of lesions of catecholamine-containing neurons upon monoamine content of the brain and EEG and behavioral waking in the cat. <i>Brain Research</i> , 1973, 58, 157-177.	1.1	252