Edmund Juszczak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/239124/publications.pdf

Version: 2024-02-01

73 papers 15,987 citations

201385 27 h-index 79541 **73** g-index

84 all docs 84 docs citations

84 times ranked 28243 citing authors

#	Article	IF	Citations
1	Dexamethasone in Hospitalized Patients with Covid-19. New England Journal of Medicine, 2021, 384, 693-704.	13.9	8,063
2	Moderate Hypothermia to Treat Perinatal Asphyxial Encephalopathy. New England Journal of Medicine, 2009, 361, 1349-1358.	13.9	1,471
3	Effect of Hydroxychloroquine in Hospitalized Patients with Covid-19. New England Journal of Medicine, 2020, 383, 2030-2040.	13.9	1,013
4	Lopinavir–ritonavir in patients admitted to hospital with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial. Lancet, The, 2020, 396, 1345-1352.	6.3	569
5	Association Between Administration of IL-6 Antagonists and Mortality Among Patients Hospitalized for COVID-19. JAMA - Journal of the American Medical Association, 2021, 326, 499.	3.8	498
6	Oxygen Saturation and Outcomes in Preterm Infants. New England Journal of Medicine, 2013, 368, 2094-2104.	13.9	424
7	Bifidobacterium breve BBG-001 in very preterm infants: a randomised controlled phase 3 trial. Lancet, The, 2016, 387, 649-660.	6.3	305
8	Association Between Oxygen Saturation Targeting and Death or Disability in Extremely Preterm Infants in the Neonatal Oxygenation Prospective Meta-analysis Collaboration. JAMA - Journal of the American Medical Association, 2018, 319, 2190.	3.8	294
9	Treatment of Neonatal Sepsis with Intravenous Immune Globulin. New England Journal of Medicine, 2011, 365, 1201-1211.	13.9	284
10	Ursodeoxycholic acid versus placebo in women with intrahepatic cholestasis of pregnancy (PITCHES): a randomised controlled trial. Lancet, The, 2019, 394, 849-860.	6.3	183
11	Moderate hypothermia within 6 h of birth plus inhaled xenon versus moderate hypothermia alone after birth asphyxia (TOBY-Xe): a proof-of-concept, open-label, randomised controlled trial. Lancet Neurology, The, 2016, 15, 145-153.	4.9	170
12	Outcomes of Two Trials of Oxygen-Saturation Targets in Preterm Infants. New England Journal of Medicine, 2016, 374, 749-760.	13.9	161
13	Reporting of Multi-Arm Parallel-Group Randomized Trials. JAMA - Journal of the American Medical Association, 2019, 321, 1610.	3.8	158
14	Computerised interpretation of fetal heart rate during labour (INFANT): a randomised controlled trial. Lancet, The, 2017, 389, 1719-1729.	6.3	146
15	Enteral lactoferrin supplementation for very preterm infants: a randomised placebo-controlled trial. Lancet, The, 2019, 393, 423-433.	6.3	137
16	Nursing home placement in the Donepezil and Memantine in Moderate to Severe Alzheimer's Disease (DOMINO-AD) trial: secondary and post-hoc analyses. Lancet Neurology, The, 2015, 14, 1171-1181.	4.9	124
17	Planned early delivery or expectant management for late preterm pre-eclampsia (PHOENIX): a randomised controlled trial. Lancet, The, 2019, 394, 1181-1190.	6.3	112
18	Controlled Trial of Two Incremental Milk-Feeding Rates in Preterm Infants. New England Journal of Medicine, 2019, 381, 1434-1443.	13.9	98

#	Article	IF	CITATIONS
19	Analgesic efficacy and safety of morphine in the Procedural Pain in Premature Infants (Poppi) study: randomised placebo-controlled trial. Lancet, The, 2018, 392, 2595-2605.	6.3	81
20	Prophylactic antibiotics in the prevention of infection after operative vaginal delivery (ANODE): a multicentre randomised controlled trial. Lancet, The, 2019, 393, 2395-2403.	6.3	81
21	Oxygen targeting in preterm infants using the Masimo SET Radical pulse oximeter. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2011, 96, F429-F433.	1.4	71
22	A randomised controlled trial of the probiotic Bifidobacterium breve BBG-001 in preterm babies to prevent sepsis, necrotising enterocolitis and death: the Probiotics in Preterm infantS (PiPS) trial. Health Technology Assessment, 2016, 20, 1-194.	1.3	67
23	CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. BMJ, The, 2021, 373, n857.	3.0	65
24	Mechanisms Affecting the Gut of Preterm Infants in Enteral Feeding Trials. Frontiers in Nutrition, 2017, 4, 14.	1.6	50
25	The Microbiome of Infants Recruited to a Randomised Placebo-controlled Probiotic Trial (PiPS Trial). EBioMedicine, 2017, 20, 255-262.	2.7	32
26	The Speed of Increasing milk Feeds: a randomised controlled trial. BMC Pediatrics, 2017, 17, 39.	0.7	28
27	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. Research Integrity and Peer Review, 2018, 3, 9.	2.2	28
28	Enteral lactoferrin to prevent infection for very preterm infants: the ELFIN RCT. Health Technology Assessment, 2018, 22, 1-60.	1.3	28
29	Elective freezing of embryos versus fresh embryo transfer in IVF: a multicentre randomized controlled trial in the UK (E-Freeze). Human Reproduction, 2022, 37, 476-487.	0.4	23
30	Supplemental Iodide for Preterm Infants and Developmental Outcomes at 2 Years: An RCT. Pediatrics, 2017, 139, e20163703.	1.0	20
31	The WHEAT pilot trialâ€"WithHolding Enteral feeds Around packed red cell Transfusion to prevent necrotising enterocolitis in preterm neonates: a multicentre, electronic patient record (EPR), randomised controlled point-of-care pilot trial. BMJ Open, 2019, 9, e033543.	0.8	16
32	Study protocol: baby-OSCAR trial: Outcome after Selective early treatment for Closure of patent ductus ARteriosus in preterm babies, a multicentre, masked, randomised placebo-controlled parallel group trial. BMC Pediatrics, 2021, 21, 100.	0.7	16
33	The INFANT trial. Lancet, The, 2017, 390, 28.	6.3	15
34	Ursodeoxycholic acid versus placebo in the treatment of women with intrahepatic cholestasis of pregnancy (ICP) to improve perinatal outcomes: protocol for a randomised controlled trial (PITCHES). Trials, 2018, 19, 657.	0.7	15
35	A multicentre, randomised controlled trial of position during the late stages of labour in nulliparous women with an epidural: clinical effectiveness and an economic evaluation (BUMPES). Health Technology Assessment, 2017, 21, 1-176.	1.3	15
36	Two speeds of increasing milk feeds for very preterm or very low-birthweight infants: the SIFT RCT. Health Technology Assessment, 2020, 24, 1-94.	1.3	15

3

#	Article	IF	Citations
37	Continued uncertainty regarding treatment of patent ductus arteriosus in premature infants and the role of clinical trials. Seminars in Fetal and Neonatal Medicine, 2018, 23, 267-272.	1.1	14
38	Planned delivery or expectant management for late preterm pre-eclampsia: study protocol for a randomised controlled trial (PHOENIX trial). Trials, 2019, 20, 85.	0.7	14
39	Randomised Controlled Trials for Informing Perinatal Care. Neonatology, 2020, 117, 8-14.	0.9	14
40	Application of the matched nested case-control design to the secondary analysis of trial data. BMC Medical Research Methodology, 2020, 20, 117.	1.4	13
41	Computerised interpretation of the fetal heart rate during labour: a randomised controlled trial (INFANT). Health Technology Assessment, 2018, 22, 1-186.	1.3	13
42	Glibenclamide and metfoRmin versus stAndard care in gEstational diabeteS (GRACES): a feasibility open label randomised trial. BMC Pregnancy and Childbirth, 2017, 17, 316.	0.9	12
43	Safety and efficacy of 2% chlorhexidine gluconate aqueous versus 2% chlorhexidine gluconate in 70% isopropyl alcohol for skin disinfection prior to percutaneous central venous catheter insertion in preterm neonates: the ARCTIC randomised-controlled feasibility trial protocol. BMJ Open, 2019, 9, e028022.	0.8	12
44	Electronic fetal monitoring during labour and anxiety levels in women taking part in a RCT. British Journal of Midwifery, 2013, 21, 394-403.	0.1	11
45	Study protocol: NeoCLEAR: Neonatal Champagne Lumbar punctures Every time – An RCT: a multicentre, randomised controlled 2 × 2 factorial trial to investigate techniques to increase lumbar puncture success. BMC Pediatrics, 2020, 20, 165.	0.7	11
46	Accounting for deaths in neonatal trials: is there a correct approach?. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F193-F197.	1.4	10
47	Protocol for a scoping review to support development of a CONSORT extension for randomised controlled trials using cohorts and routinely collected health data. BMJ Open, 2018, 8, e025266.	0.8	10
48	Twoâ€year followâ€up of infant and maternal outcomes after planned early delivery or expectant management for late preterm preâ€eclampsia (<scp>PHOENIX</scp>): A randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1654-1663.	1.1	10
49	Methods and results used in the development of a consensus-driven extension to the Consolidated Standards of Reporting Trials (CONSORT) statement for trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE). BMJ Open, 2021, 11, e049093.	0.8	9
50	A blinded randomised placebo-controlled trial investigating the efficacy of morphine analgesia for procedural pain in infants: Trial protocol. Wellcome Open Research, 2016, 1, 7.	0.9	9
51	Compression stockings for preventing deep vein thrombosis in airline passengers. The Cochrane Library, 2021, 2021, CD004002.	1.5	8
52	Reporting transparency and completeness in Trials: Paper 2 - reporting of randomised trials using registries was often inadequate and hindered the interpretation of results. Journal of Clinical Epidemiology, 2022, 141, 175-186.	2.4	8
53	Protocol for a pilot randomised controlled trial of an intervention to increase the use of traffic light food labelling in UK shoppers (the FLICC trial). Pilot and Feasibility Studies, 2015, 1, 21.	0.5	7
54	Prophylactic antibiotics for the prevention of infection following operative vaginal delivery (ANODE): study protocol for a randomised controlled trial. Trials, 2018, 19, 395.	0.7	7

#	Article	IF	CITATIONS
55	Reporting transparency and completeness in trials: Paper 4 - reporting of randomised controlled trials conducted using routinely collected electronic records – room for improvement. Journal of Clinical Epidemiology, 2022, 141, 198-209.	2.4	7
56	A Pilot Randomized Controlled Trial of a Digital Intervention Aimed at Improving Food Purchasing Behavior: The Front-of-Pack Food Labels Impact on Consumer Choice Study. JMIR Formative Research, 2019, 3, e9910.	0.7	7
57	Very low-dose dexamethasone to facilitate extubation of preterm babies at risk of bronchopulmonary dysplasia: the MINIDEX feasibility RCT. Efficacy and Mechanism Evaluation, 2019, 6, 1-52.	0.9	7
58	Reporting transparency and completeness in trials: Paper 3 – trials conducted using administrative databases do not adequately report elements related to use of databases. Journal of Clinical Epidemiology, 2022, 141, 187-197.	2.4	7
59	Pulse Oximeter Saturation Targeting and Oximeter Changes in the Benefits of Oxygen Saturation Targeting (BOOST)-II Australia and BOOST-II UK Oxygen Trials. Journal of Pediatrics, 2019, 204, 301-304.e2.	0.9	6
60	Lactoferrin impact on gut microbiota in preterm infants with late-onset sepsis or necrotising enterocolitis: the MAGPIE mechanisms of action study. Efficacy and Mechanism Evaluation, 2021, 8, 1-88.	0.9	6
61	The COVID-19 pandemic has highlighted the need to invest in care home research infrastructure. Age and Ageing, 2022, 51, .	0.7	6
62	Reporting transparency and completeness in trials: Paper 1: Introduction - Better reporting for disruptive clinical trials using routinely collected data. Journal of Clinical Epidemiology, 2022, 141, 172-174.	2.4	5
63	Transfer of thawed frozen embryo versus fresh embryo to improve the healthy baby rate in women undergoing IVF: the E-Freeze RCT. Health Technology Assessment, 2022, 26, 1-142.	1.3	5
64	ESBL-producing Enterobacteriaceae in 24 neonatal units and associated networks in the south of England: no clustering of ESBL-producing <i>Escherichia coli</i> ion units or networks: TableÂ1 Journal of Antimicrobial Chemotherapy, 2016, 71, 1174-1177.	1.3	4
65	Economic evaluation alongside the Speed of Increasing milk Feeds Trial (SIFT). Archives of Disease in Childhood: Fetal and Neonatal Edition, 2020, 105, 587-592.	1.4	4
66	A study protocol for the development of a SPIRIT extension for trials conducted using cohorts and routinely collected data (SPIRIT-ROUTINE). HRB Open Research, 2021, 4, 82.	0.3	4
67	Intravenous co-amoxiclav to prevent infection after operative vaginal delivery: the ANODE RCT. Health Technology Assessment, 2019, 23, 1-54.	1.3	4
68	A paediatrician's guide to clinical trials units. Archives of Disease in Childhood: Education and Practice Edition, 2016, 101, 265-267.	0.3	3
69	Parental experiences of being approached to join multiple neonatal clinical trials: qualitative study (PARENT). Archives of Disease in Childhood: Fetal and Neonatal Edition, 2021, 106, 84-87.	1.4	2
70	Evaluation of the effectiveness of an incentive strategy on the questionnaire response rate in parents of premature babies: a randomised controlled Study Within A Trial (SWAT) nested within SIFT. Trials, 2021, 22, 554.	0.7	2
71	Ursodeoxycholic acid to reduce adverse perinatal outcomes for intrahepatic cholestasis of pregnancy: the PITCHES RCT. Efficacy and Mechanism Evaluation, 2020, 7, 1-42.	0.9	2
72	An evaluation of a combined psychological and parenting intervention for HIV-positive women depressed in the perinatal period, to enhance child development and reduce maternal depression: study protocol for the Insika Yomama cluster randomised controlled trial. Trials, 2021, 22, 914.	0.7	2

#	Article	lF	CITATIONS
73	Managing late preterm pre-eclampsia – Authors' reply. Lancet, The, 2020, 396, 308-309.	6.3	1