

# Wilson Nadruz Jr

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2396065/publications.pdf>

Version: 2024-02-01

173  
papers

3,679  
citations

147801

31  
h-index

182427

51  
g-index

178  
all docs

178  
docs citations

178  
times ranked

5832  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of carotid wall layers with atherosclerotic plaques and cardiac hypertrophy in hypertensive subjects. <i>Journal of Human Hypertension</i> , 2022, 36, 732-737.	2.2	3
2	Impact of the COVID-19 pandemic on blood pressure control: a nationwide home blood pressure monitoring study. <i>Hypertension Research</i> , 2022, 45, 364-368.	2.7	29
3	Rationale and design of the Brazilian diabetes study: a prospective cohort of type 2 diabetes. <i>Current Medical Research and Opinion</i> , 2022, 38, 523-529.	1.9	3
4	Compliance with Cardiovascular Prevention Guidelines in Type 2 Diabetes Individuals in a Middle-Income Region: A Cross-Sectional Analysis. <i>Diagnostics</i> , 2022, 12, 814.	2.6	1
5	Discrepancies in the diagnosis of hypertension in adolescents according to available office and home high blood pressure criteria. <i>Journal of Clinical Hypertension</i> , 2022, 24, 83-87.	2.0	1
6	Relationship Between Circulating MicroRNAs and Left Ventricular Hypertrophy in Hypertensive Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 798954.	2.4	3
7	Increased Serum Mir-150-3p Expression Is Associated with Radiological Lung Injury Improvement in Patients with COVID-19. <i>Viruses</i> , 2022, 14, 1363.	3.3	3
8	Impact of emergency short-stay unit opening on in-hospital global and cardiology indicators. <i>Journal of Evaluation in Clinical Practice</i> , 2021, 27, 1262-1270.	1.8	3
9	Prevalence of masked hypertension evaluated by home blood pressure monitoring in a large sample of patients with office blood pressure $\geq 140/90$ mmHg. <i>Blood Pressure Monitoring</i> , 2021, 26, 224-229.	0.8	1
10	Diretrizes Brasileiras de Hipertensão Arterial "2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 516-658.	0.8	340
11	Dapagliflozin effect on endothelial dysfunction in diabetic patients with atherosclerotic disease: a randomized active-controlled trial. <i>Cardiovascular Diabetology</i> , 2021, 20, 74.	6.8	44
12	Serum potassium levels provide prognostic information in symptomatic heart failure beyond traditional clinical variables. <i>ESC Heart Failure</i> , 2021, 8, 2133-2143.	3.1	5
13	Left Ventricular Concentric Geometric Patterns Are Associated With Worse Prognosis Among Patients With Type A Aortic Dissection. <i>Journal of the American Heart Association</i> , 2021, 10, e018273.	3.7	4
14	Cardiovascular safety of naltrexone and bupropion therapy: Systematic review and meta-analyses. <i>Obesity Reviews</i> , 2021, 22, e13224.	6.5	10
15	The impact of changing home blood pressure monitoring cutoff from 135/85 to 130/80 mmHg on hypertension phenotypes. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1447-1451.	2.0	6
16	Dapagliflozin increases the lean-to total mass ratio in type 2 diabetes mellitus. <i>Nutrition and Diabetes</i> , 2021, 11, 17.	3.2	8
17	Glucose-lowering Drugs and Hospitalization for Heart Failure: A Systematic Review and Additive-effects Network Meta-analysis With More Than 500 000 Patient-years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 3060-3067.	3.6	7
18	Differences in the diagnosis of high blood pressure using unattended and attended automated office blood pressure. <i>Journal of Human Hypertension</i> , 2021, , .	2.2	1

#	ARTICLE	IF	CITATIONS
19	Cardiac magnetic resonance assessment of right ventricular remodeling after anthracycline therapy. <i>Scientific Reports</i> , 2021, 11, 17132.	3.3	12
20	Dapagliflozin increases retinal thickness in type 2 diabetic patients as compared with glibenclamide: A randomized controlled trial. <i>Diabetes and Metabolism</i> , 2021, 47, 101280.	2.9	6
21	Previous Dengue Infection and Mortality in Coronavirus Disease 2019 (COVID-19). <i>Clinical Infectious Diseases</i> , 2021, 73, e1219-e1221.	5.8	17
22	What are the Optimal Reference Values for Home Blood Pressure Monitoring?. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 501-503.	0.8	2
23	The Reciprocal Relationship between LDL Metabolism and Type 2 Diabetes Mellitus. <i>Metabolites</i> , 2021, 11, 807.	2.9	17
24	Dapagliflozin reduces adiposity and increases adiponectin in patients with type 2 diabetes and atherosclerotic disease at short-term: an active-controlled randomised trial. <i>Diabetes and Metabolism</i> , 2021, 48, 101304.	2.9	1
25	Impact of Hypertension History and Blood Pressure at Presentation on Cardiac Remodeling and Mortality in Aortic Dissection. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 803283.	2.4	1
26	Association of Circulating miR-145-5p and miR-let7c and Atherosclerotic Plaques in Hypertensive Patients. <i>Biomolecules</i> , 2021, 11, 1840.	4.0	4
27	Lower bone mass is associated with subclinical atherosclerosis, endothelial dysfunction and carotid thickness in the very elderly. <i>Atherosclerosis</i> , 2020, 292, 70-74.	0.8	10
28	Excess weight mediates changes in HDL pool that reduce cholesterol efflux capacity and increase antioxidant activity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 254-264.	2.6	9
29	Correlation between office and home blood pressure in clinical practice. <i>Journal of Hypertension</i> , 2020, 38, 179-181.	0.5	12
30	Relationship between office isolated systolic or diastolic hypertension and white-coat hypertension across the age spectrum: a home blood pressure study. <i>Journal of Hypertension</i> , 2020, 38, 663-670.	0.5	16
31	Machine Learning Improves the Identification of Individuals With Higher Morbidity and Avoidable Health Costs After Acute Coronary Syndromes. <i>Value in Health</i> , 2020, 23, 1570-1579.	0.3	14
32	Rationale and design of the expanded combination of evolocumab plus empagliflozin in diabetes: EXCEED-BHS3 trial. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232095924.	2.5	10
33	Do baseline blood pressure and type of exercise influence level of reduction induced by training in hypertensive older adults? A meta-analysis of controlled trials. <i>Experimental Gerontology</i> , 2020, 140, 111052.	2.8	15
34	Ambulatory blood pressure phenotypes and isolated elevation of office central or brachial blood pressure. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1936-1940.	2.0	1
35	Association of left ventricular strain and E/e <sup>TM</sup> ratio with carotid wall layers. <i>Atherosclerosis</i> , 2020, 310, 109-110.	0.8	4
36	Reference values of office central blood pressure, pulse wave velocity, and augmentation index recorded by means of the Mobil <sup>®</sup> Graph PWA monitor. <i>Hypertension Research</i> , 2020, 43, 1239-1248.	2.7	21

#	ARTICLE	IF	CITATIONS
37	Mid- to Late-Life Time-Averaged Cumulative Blood Pressure and Late-Life Cardiac Structure, Function, and Heart Failure. <i>Hypertension</i> , 2020, 76, 808-818.	2.7	20
38	Association of pulmonary hypertension and right ventricular function with exercise capacity in heart failure. <i>ESC Heart Failure</i> , 2020, 7, 1635-1644.	3.1	13
39	Statin Use in the Early Phase of ST-Segment Elevation Myocardial Infarction Is Associated With Decreased QTc Dispersion. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2020, 25, 226-231.	2.0	1
40	Posicionamento Brasileiro sobre Hipertens�o Arterial Resistente “ 2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 114, 576-596.	0.8	8
41	Tratamento Medicamentoso da Hipertens�o: Do Trio de Ouro ao Octeto. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 115, 270-272.	0.8	4
42	Cardiovascular phenotype and prognosis of patients with heart failure induced by cancer therapy. <i>Heart</i> , 2019, 105, 34-41.	2.9	32
43	Monocytes of patients with unstable angina express high levels of chemokine and pattern-recognition receptors. <i>Cytokine</i> , 2019, 113, 61-67.	3.2	15
44	Circulating microRNAs, Vascular Risk, and Physical Activity in Spinal Cord-Injured Subjects. <i>Journal of Neurotrauma</i> , 2019, 36, 845-852.	3.4	21
45	Assessment of dapagliflozin effect on diabetic endothelial dysfunction of brachial artery (ADDENDA-BHS2 trial): rationale, design, and baseline characteristics of a randomized controlled trial. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 62.	2.7	9
46	ASSOCIATION OF RIGHT VENTRICULAR DYSFUNCTION WITH FUNCTIONAL CAPACITY AND RESPIRATORY EFFICIENCY IN HEART FAILURE AND THE IMPACT OF LVEF. <i>Journal of the American College of Cardiology</i> , 2019, 73, 885.	2.8	0
47	Blood pressure cutoffs for white-coat and masked effects in a large population undergoing home blood pressure monitoring. <i>Hypertension Research</i> , 2019, 42, 1816-1823.	2.7	12
48	Statin Short-term Inhibition of Insulin Sensitivity and Secretion During Acute Phase of ST-Elevation Myocardial Infarction. <i>Scientific Reports</i> , 2019, 9, 16401.	3.3	2
49	Noninvasive imaging assessment of rehabilitation therapy in heart failure with preserved and reduced left ventricular ejection fraction (IMAGING-REHAB-HF): design and rationale. <i>Therapeutic Advances in Chronic Disease</i> , 2019, 10, 204062231986837.	2.5	2
50	Impact of hypertension phenotypes on the office and 24-h pulse wave velocity and augmentation index in individuals with or without antihypertensive medication use. <i>Hypertension Research</i> , 2019, 42, 1989-1995.	2.7	9
51	Correlation between office and 24-hour ambulatory measures of pulse wave velocity, central augmentation index and central blood pressure. <i>Journal of Clinical Hypertension</i> , 2019, 21, 335-337.	2.0	7
52	Reciprocal Multifaceted Interaction Between HDL (High-Density Lipoprotein) and Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 1550-1564.	2.4	21
53	Omega-3 intake is associated with attenuated inflammatory response and cardiac remodeling after myocardial infarction. <i>Nutrition Journal</i> , 2019, 18, 29.	3.4	10
54	How should treated hypertensive patients with systolic blood pressure below 120 mmHg be managed?. <i>European Heart Journal</i> , 2019, 40, 2089-2090.	2.2	6

#	ARTICLE	IF	CITATIONS
55	Intensive treatment of hyperglycemia in the acute phase of myocardial infarction: the tenuous balance between effectiveness and safety – a systematic review and meta-analysis of randomized clinical trials. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 24-32.	0.7	4
56	Prevalence, treatment, and control of dyslipidemia in diabetic participants of two Brazilian cohorts: a place far from heaven. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 3-8.	0.7	2
57	Relationship Between Serum MicRNAs Expression And Cardiovascular Remodeling In Hypertensive Patients. <i>Atherosclerosis</i> , 2019, 287, e195.	0.8	0
58	Adverse interaction between HDL and the mass of myocardial infarction. <i>Atherosclerosis</i> , 2019, 281, 9-16.	0.8	8
59	Change of BNP between admission and discharge after ST-elevation myocardial infarction (Killip I) improves risk prediction of heart failure, death, and recurrent myocardial infarction compared to single isolated measurement in addition to the GRACE score. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 643-651.	1.0	21
60	Bioinformatics analysis of circulating miRNAs related to cancer following spinal cord injury. <i>Bioscience Reports</i> , 2019, 39, .	2.4	3
61	Temporal trends in the contribution of Chagas cardiomyopathy to mortality among patients with heart failure. <i>Heart</i> , 2018, 104, 1522-1528.	2.9	17
62	Adiposity, body composition and ventricular arterial stiffness in the elderly: the Atherosclerosis Risk in Communities Study. <i>European Journal of Heart Failure</i> , 2018, 20, 1191-1201.	7.1	34
63	Height-Based Equations Can Improve the Diagnosis of Elevated Blood Pressure in Children. <i>American Journal of Hypertension</i> , 2018, 31, 1059-1065.	2.0	5
64	Obesity and hypertension in Latin America: Current perspectives. <i>Hipertension Y Riesgo Vascular</i> , 2018, 35, 70-76.	0.6	34
65	New modifications of the blood pressure-to-height ratio for the diagnosis of high blood pressure in children. <i>Journal of Clinical Hypertension</i> , 2018, 20, 413-415.	2.0	5
66	Adverse outcome has a U-shaped relation with acute phase change in insulin sensitivity after ST-Elevation Myocardial Infarction. <i>International Journal of Cardiology</i> , 2018, 254, 16-22.	1.7	1
67	Impact of Regular Physical Activity on Adipocytokines and Cardiovascular Characteristics in Spinal Cord-Injured Subjects. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1561-1567.e1.	0.9	5
68	Widening Racial Differences in Risks for Coronary Heart Disease. <i>Circulation</i> , 2018, 137, 1195-1197.	1.6	24
69	Distinct factors are related to lower limb atherosclerosis in smokers and nonsmokers. <i>Journal of Hypertension</i> , 2018, 36, 2390-2397.	0.5	3
70	Resting Heart Rate and Chronotropic Response to Exercise: Prognostic Implications in Heart Failure Across the Left Ventricular Ejection Fraction Spectrum. <i>Journal of Cardiac Failure</i> , 2018, 24, 753-762.	1.7	18
71	Impact of 2017 ACC/AHA hypertension guidelines on the prevalence of white-coat and masked hypertension: A home blood pressure monitoring study. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1745-1747.	2.0	18
72	Anthracycline Therapy Is Associated With Cardiomyocyte Atrophy and Preclinical Manifestations of Heart Disease. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1045-1055.	5.3	109

#	ARTICLE	IF	CITATIONS
73	P-wave duration is a predictor for long-term mortality in post-CABG patients. PLoS ONE, 2018, 13, e0199718.	2.5	4
74	Declining Lung Function and Cardiovascular Risk. Journal of the American College of Cardiology, 2018, 72, 1109-1122.	2.8	74
75	Cardiovascular Dysfunction and Frailty Among Older Adults in the Community: The ARIC Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, glw199.	3.6	58
76	Race-Related Differences in Left Ventricular Structural and Functional Remodeling in Response to Increased Afterload. JACC: Heart Failure, 2017, 5, 157-165.	4.1	38
77	A new modified blood pressure-to-height ratio also simplifies the identification of high blood pressure in American children. Hypertension Research, 2017, 40, 792-793.	2.7	2
78	Reduced Sympathetic Stimulus and Angiotensin 1 <sup>7</sup> Are Related to Diastolic Dysfunction in Spinal Cord-Injured Subjects. Journal of Neurotrauma, 2017, 34, 2323-2328.	3.4	5
79	Racial Disparities in Risks of Stroke. New England Journal of Medicine, 2017, 376, 2089-2090.	27.0	24
80	IMPACT OF STATIN THERAPY ON COLLAGEN TURNOVER AND LEFT VENTRICLE FUNCTION AFTER ST-ELEVATION MYOCARDIAL INFARCTION: A RANDOMIZED CLINICAL TRIAL. Journal of the American College of Cardiology, 2017, 69, 156.	2.8	0
81	DOXORUBICIN-ASSOCIATED CARDIAC TISSUE REMODELING IN BREAST CANCER PATIENTS: A CARDIAC MAGNETIC RESONANCE STUDY. Journal of the American College of Cardiology, 2017, 69, 1562.	2.8	0
82	Carotid intima-media thickness is associated with media rather than intima thickness. Atherosclerosis, 2017, 261, 169-171.	0.8	6
83	Ferritin levels and risk of heart failure—the Atherosclerosis Risk in Communities Study. European Journal of Heart Failure, 2017, 19, 340-347.	7.1	51
84	Thickening of carotids changes before major weight loss after bariatric surgery. Atherosclerosis, 2017, 263, e144.	0.8	0
85	Prognostic Value of Cardiopulmonary Exercise Testing in Heart Failure With Reduced, Midrange, and Preserved Ejection Fraction. Journal of the American Heart Association, 2017, 6, .	3.7	98
86	Diastolic Dysfunction and Hypertension. Medical Clinics of North America, 2017, 101, 7-17.	2.5	69
87	Patients with chronic high spinal cord injury can be safely treated with neuromuscular electrical stimulation: cardiovascular function is unaffected. Medical Express, 2017, 4, .	0.2	1
88	Influence of cigarette smoking on cardiac biomarkers: the Atherosclerosis Risk in Communities (<sc>ARIC</sc>) Study. European Journal of Heart Failure, 2016, 18, 629-637.	7.1	38
89	Heart Failure and Midrange Ejection Fraction. Circulation: Heart Failure, 2016, 9, e002826.	3.9	84
90	ST-elevation myocardial infarction risk in the very elderly. BBA Clinical, 2016, 6, 108-112.	4.1	4

#	ARTICLE	IF	CITATIONS
91	Impact of Body Mass Index on the Accuracy of N-Terminal Pro-Brain Natriuretic Peptide and Brain Natriuretic Peptide for Predicting Outcomes in Patients With Chronic Heart Failure and Reduced Ejection Fraction. <i>Circulation</i> , 2016, 134, 1785-1787.	1.6	35
92	Smoking and Cardiac Structure and Function in the Elderly. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, e004950.	2.6	55
93	Impact of Adapted Sports Activities on the Progression of Carotid Atherosclerosis in Subjects With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 1034-1037.	0.9	11
94	Impact of Wheelchair Rugby on Body Composition of Subjects With Tetraplegia: A Pilot Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 92-96.	0.9	32
95	Carotid flow velocity/diameter ratio is a predictor of cardiovascular events in hypertensive patients. <i>Journal of Hypertension</i> , 2015, 33, 2054-2060.	0.5	15
96	Coronary artery calcification score is an independent predictor of the no-reflow phenomenon after reperfusion therapy in acute myocardial infarction. <i>Coronary Artery Disease</i> , 2015, 26, 562-566.	0.7	7
97	Quality of Life on Arterial Hypertension: Validity of Known Groups of MINICHAL. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 104, 299-307.	0.8	7
98	Gender influences the relationship between lung function and cardiac remodeling in hypertensive subjects. <i>Hypertension Research</i> , 2015, 38, 264-268.	2.7	6
99	Arterial tissue and plasma concentration of enzymatic-driven oxysterols are associated with severe peripheral atherosclerotic disease and systemic inflammatory activity. <i>Free Radical Research</i> , 2015, 49, 199-203.	3.3	23
100	Myocardial remodeling in hypertension. <i>Journal of Human Hypertension</i> , 2015, 29, 1-6.	2.2	176
101	Response to "The Correlation Between Modified Blood Pressure to Height Ratio and Age in Han Children". <i>American Journal of Hypertension</i> , 2015, 28, 286-286.	2.0	1
102	Enhanced parathyroid hormone levels are associated with left ventricle hypertrophy in very elderly men and women. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 697-704.	2.3	16
103	Glycosylated hemoglobin is associated with decreased endothelial function, high inflammatory response, and adverse clinical outcome in non-diabetic STEMI patients. <i>Atherosclerosis</i> , 2015, 243, 124-130.	0.8	17
104	A Modified Blood Pressure to Height Ratio Improves Accuracy for Hypertension in Childhood. <i>American Journal of Hypertension</i> , 2015, 28, 409-413.	2.0	15
105	Low HDL cholesterol but not high LDL cholesterol is independently associated with subclinical coronary atherosclerosis in healthy octogenarians. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 61-67.	2.9	14
106	HDL Size is More Accurate than HDL Cholesterol to Predict Carotid Subclinical Atherosclerosis in Individuals Classified as Low Cardiovascular Risk. <i>PLoS ONE</i> , 2014, 9, e114212.	2.5	12
107	Physical Activity and Improved Diastolic Function in Spinal Cord-Injured Subjects. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 887-892.	0.4	33
108	Response to Cold Pressor Test Predicts Long-Term Changes in Pulse Wave Velocity in Men. <i>American Journal of Hypertension</i> , 2014, 27, 157-161.	2.0	9

#	ARTICLE	IF	CITATIONS
109	Effect of Genetic Polymorphisms of Vascular Endothelial Growth Factor on Left Ventricular Hypertrophy in Patients With Systemic Hypertension. <i>American Journal of Cardiology</i> , 2014, 113, 491-496.	1.6	14
110	HDL levels and oxidizability during myocardial infarction are associated with reduced endothelial-mediated vasodilation and nitric oxide bioavailability. <i>Atherosclerosis</i> , 2014, 237, 840-846.	0.8	25
111	Elevated CETP activity during acute phase of myocardial infarction is independently associated with endothelial dysfunction and adverse clinical outcome. <i>Atherosclerosis</i> , 2014, 237, 777-783.	0.8	22
112	Onset of hypertension during pregnancy is associated with long-term worse blood pressure control and adverse cardiac remodeling. <i>Journal of the American Society of Hypertension</i> , 2014, 8, 827-831.	2.3	1
113	Low zinc levels is associated with increased inflammatory activity but not with atherosclerosis, arteriosclerosis or endothelial dysfunction among the very elderly. <i>BBA Clinical</i> , 2014, 2, 1-6.	4.1	28
114	Matrix metalloproteinases and left ventricular function and structure in spinal cord injured subjects. <i>Clinica Chimica Acta</i> , 2014, 437, 136-140.	1.1	7
115	Low-density lipoprotein cholesterol and radiotherapy-induced carotid atherosclerosis in subjects with head and neck cancer. <i>Radiation Oncology</i> , 2014, 9, 134.	2.7	15
116	C-reactive protein is independently associated with coronary atherosclerosis burden among octogenarians. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 19-23.	2.9	12
117	Lung age is related to carotid structural alterations in hypertensive subjects. <i>Journal of the American Society of Hypertension</i> , 2014, 8, 381-387.	2.3	0
118	Oxidized low-density lipoprotein, matrix-metalloproteinase-8 and carotid atherosclerosis in spinal cord injured subjects. <i>Atherosclerosis</i> , 2013, 231, 341-345.	0.8	18
119	Characterization of CD4+CD28null T cells in patients with coronary artery disease and individuals with risk factors for atherosclerosis. <i>Cellular Immunology</i> , 2013, 281, 11-19.	3.0	69
120	Physical activity is associated with improved subclinical atherosclerosis in spinal cord injury subjects independent of variation in traditional risk factors. <i>International Journal of Cardiology</i> , 2013, 167, 592-593.	1.7	17
121	Diabetes mellitus unawareness is a strong determinant of mortality in patients manifesting myocardial infarction. <i>Current Medical Research and Opinion</i> , 2013, 29, 1423-1427.	1.9	6
122	Association Between Glutathione S-Transferase M1 Polymorphism and Urinary Sodium Excretion in a Brazilian Population. <i>American Journal of Hypertension</i> , 2013, 26, 1024-1029.	2.0	3
123	Role of Transcytlemmal Water-Exchange in Magnetic Resonance Measurements of Diffuse Myocardial Fibrosis in Hypertensive Heart Disease. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 134-141.	2.6	89
124	Influence of the C242T Polymorphism of the p22-phox Gene (CYBA) on the Interaction between Urinary Sodium Excretion and Blood Pressure in an Urban Brazilian Population. <i>PLoS ONE</i> , 2013, 8, e81054.	2.5	7
125	Abstract 370: Oxidized Low-density Lipoprotein is Related to Carotid Atherosclerosis in Spinal Cord Injury Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, .	2.4	0
126	Leg Blood Pressure Measured in Orthostatic Posture Is Associated With Left Ventricular Mass in Normotensive Subjects. <i>American Journal of Hypertension</i> , 2012, 25, 1083-1087.	2.0	13



#	ARTICLE	IF	CITATIONS
127	Extensive Skin Necrosis Induced by Low-Molecular-Weight Heparin in a Patient With Systemic Lupus Erythematosus and Antiphospholipid Syndrome. <i>Journal of Clinical Rheumatology</i> , 2012, 18, 1.	0.9	4
128	Increased popliteal circumferential wall tension induced by orthostatic body posture is associated with local atherosclerotic plaques. <i>Atherosclerosis</i> , 2012, 224, 118-122.	0.8	8
129	Ambulatory blood pressure is associated with subclinical atherosclerosis in spinal cord injury subjects. <i>International Journal of Cardiology</i> , 2012, 154, 89-90.	1.7	7
130	Impact of leg blood pressure and body posture changes on aortic root diameter. <i>International Journal of Cardiology</i> , 2012, 158, 131-132.	1.7	1
131	Relationship between serum uric acid and internal carotid resistive index in hypertensive women: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 52.	1.7	39
132	Association between the C242T polymorphism in the <i>p22phox</i> gene with arterial stiffness in the Brazilian population. <i>Physiological Genomics</i> , 2012, 44, 587-592.	2.3	11
133	Common matrix metalloproteinase 2 gene haplotypes may modulate left ventricular remodelling in hypertensive patients. <i>Journal of Human Hypertension</i> , 2012, 26, 171-177.	2.2	31
134	Behavioural determinants of salt consumption among hypertensive individuals. <i>Journal of Human Nutrition and Dietetics</i> , 2012, 25, 334-344.	2.5	23
135	<i>CYBA</i> C242T polymorphism is associated with obesity and diabetes mellitus in Brazilian hypertensive patients. <i>Diabetic Medicine</i> , 2012, 29, e55-61.	2.3	10
136	Psychometric performance of the Brazilian version of the Mini-cuestionario de calidad de vida en la hipertensi3n arterial (MINICHAL). <i>Revista Latino-Americana De Enfermagem</i> , 2011, 19, 855-864.	1.0	4
137	Altered left ventricular diastolic function in subjects with spinal cord injury. <i>Spinal Cord</i> , 2011, 49, 65-69.	1.9	29
138	Mannose-binding lectin (MBL2) polymorphisms and inflammation in hypertensive patients. <i>International Journal of Immunogenetics</i> , 2011, 38, 525-527.	1.8	2
139	The C242T polymorphism of the p22-phox gene ( <i>CYBA</i> ) is associated with higher left ventricular mass in Brazilian hypertensive patients. <i>BMC Medical Genetics</i> , 2011, 12, 114.	2.1	17
140	Sodium Intake Is Associated with Carotid Artery Structure Alterations and Plasma Matrix Metalloproteinase-9 Upregulation in Hypertensive Adults13. <i>Journal of Nutrition</i> , 2011, 141, 877-882.	2.9	30
141	Hip circumference is associated with high density lipoprotein cholesterol response following statin therapy in hypertensive subjects. <i>Journal of Endocrinological Investigation</i> , 2011, 34, 680-4.	3.3	2
142	Isolated mitral valve prolapse is an independent predictor of aortic root size in a general population. <i>European Journal of Echocardiography</i> , 2010, 11, 302-305.	2.3	10
143	Quality of life, dyspnea and ventricular function in patients with hypertension. <i>Journal of Advanced Nursing</i> , 2010, 66, 2287-2296.	3.3	4
144	Subclinical atherosclerosis is related to injury level but not to inflammatory parameters in spinal cord injury subjects. <i>Spinal Cord</i> , 2010, 48, 740-744.	1.9	25

#	ARTICLE	IF	CITATIONS
145	Toll-Like Receptor 6 Ser249Pro Polymorphism Is Associated With Lower Left Ventricular Wall Thickness and Inflammatory Response in Hypertensive Women. <i>American Journal of Hypertension</i> , 2010, 23, 649-654.	2.0	27
146	Incidence of preoperative high blood pressure in cataract surgery among hypertensive and normotensive patients. <i>Indian Journal of Ophthalmology</i> , 2010, 58, 493.	1.1	9
147	Endothelial Nitric Oxide Synthase Haplotypes Associated with Hypertension Do Not Predispose to Cardiac Hypertrophy. <i>DNA and Cell Biology</i> , 2010, 29, 171-176.	1.9	23
148	The functional Toll-like receptor 4 Asp299Gly polymorphism is associated with lower left ventricular mass in hypertensive women. <i>Clinica Chimica Acta</i> , 2010, 411, 744-748.	1.1	12
149	Matrix metalloproteinase 9 gene haplotypes affect left ventricular hypertrophy in hypertensive patients. <i>Clinica Chimica Acta</i> , 2010, 411, 1940-1944.	1.1	30
150	FAK mediates the activation of cardiac fibroblasts induced by mechanical stress through regulation of the mTOR complex. <i>Cardiovascular Research</i> , 2010, 86, 421-431.	3.8	70
151	Development and reliability of an instrument to measure psychosocial determinants of salt consumption among hypertensive patients. <i>Revista Latino-Americana De Enfermagem</i> , 2009, 17, 701-707.	1.0	30
152	Reliability and validity of a semi-quantitative FFQ for sodium intake in low-income and low-literacy Brazilian hypertensive subjects. <i>Public Health Nutrition</i> , 2009, 12, 2168-2173.	2.2	44
153	Sex-specific hemodynamic and non-hemodynamic determinants of aortic root size in hypertensive subjects with left ventricular hypertrophy. <i>Hypertension Research</i> , 2009, 32, 956-961.	2.7	43
154	Carotid intima-media thickness is increased in patients with spinal cord injury independent of traditional cardiovascular risk factors. <i>Atherosclerosis</i> , 2009, 202, 29-31.	0.8	40
155	Upper Arm Circumference Is an Independent Predictor of Left Ventricular Concentric Hypertrophy in Hypertensive Women. <i>Hypertension Research</i> , 2008, 31, 1177-1183.	2.7	10
156	Postural Changes May Influence Popliteal Atherosclerosis by Modifying Local Circumferential Wall Tension. <i>Hypertension Research</i> , 2008, 31, 2059-2064.	2.7	12
157	Non-effect of p22-phox $\hat{\sim}$ 930A/G polymorphism on end-organ damage in Brazilian hypertensive patients. <i>Journal of Human Hypertension</i> , 2007, 21, 504-506.	2.2	23
158	Successful accomplishment of educational goals with clinical experience at public primary care facilities. <i>Medical Teacher</i> , 2007, 29, 600-605.	1.8	3
159	Tumor necrosis factor-alpha activates signal transduction in hypothalamus and modulates the expression of pro-inflammatory proteins and orexigenic/anorexigenic neurotransmitters. <i>Journal of Neurochemistry</i> , 2006, 98, 203-212.	3.9	55
160	Focal adhesion kinase mediates MEF2 and c-Jun activation by stretch: Role in the activation of the cardiac hypertrophic genetic program. <i>Cardiovascular Research</i> , 2005, 68, 87-97.	3.8	61
161	Phospholipid transfer protein activity in two cholestatic patients. <i>Sao Paulo Medical Journal</i> , 2004, 122, 175-177.	0.9	1
162	c-Jun is regulated by combination of enhanced expression and phosphorylation in acute-overloaded rat heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 286, H760-H767.	3.2	34

#	ARTICLE	IF	CITATIONS
163	Simvastatin Prevents Load-Induced Protein Tyrosine Nitration in Overloaded Hearts. <i>Hypertension</i> , 2004, 43, 1060-1066.	2.7	28
164	The Cross-Talk between Angiotensin and Insulin Differentially Affects Phosphatidylinositol 3-Kinase- and Mitogen-Activated Protein Kinase-Mediated Signaling in Rat Heart: Implications for Insulin Resistance. <i>Endocrinology</i> , 2003, 144, 5604-5614.	2.8	56
165	Focal Adhesion Kinase Is Activated and Mediates the Early Hypertrophic Response to Stretch in Cardiac Myocytes. <i>Circulation Research</i> , 2003, 93, 140-147.	4.5	168
166	Load-Induced Transcriptional Activation of c-junin Rat Myocardium. <i>Circulation Research</i> , 2003, 92, 243-251.	4.5	37
167	Zinc Deficiency Leading to Intractable Vomiting. <i>Archives of Internal Medicine</i> , 2002, 162, 2376.	3.8	1
168	Load-induced focal adhesion kinase activation in the myocardium: role of stretch and contractile activity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H556-H564.	3.2	67
169	A man with chronic facial swelling. <i>Lancet, The</i> , 2000, 355, 1516.	13.7	1
170	Espessura das subcamadas da parede carotídea em pacientes hipertensos. , 0, , .		0
171	Expressão de MicroRNAs e sua relação com hipertrofia cardíaca em pacientes hipertensos. , 0, , .		0
172	Impacto dos sexos sobre a relação entre dissecação de aorta e características estruturais e funcionais cardíacas. , 0, , .		0
173	Characterization of the electrical and extracellular matrix remodeling in patients with HF: comparison between HEpEF and HErEF. , 0, , .		0