

Jasmina Mallet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/24009/publications.pdf>

Version: 2024-02-01

97
papers

3,421
citations

236925

25
h-index

175258

52
g-index

101
all docs

101
docs citations

101
times ranked

4945
citing authors

#	ARTICLE	IF	CITATIONS
1	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, 813-824.	7.4	1,101
2	Anxiety, depression, trauma-related, and sleep disorders among healthcare workers during the COVID-19 pandemic: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 126, 252-264.	6.1	292
3	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	1.3	114
4	Addictions in the COVID-19 era: Current evidence, future perspectives a comprehensive review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 106, 110070.	4.8	112
5	Meta-analysis of DRD3 gene and schizophrenia: Ethnic heterogeneity and significant association in caucasians. , 1998, 81, 318-322.		108
6	The "Functional Remission of General Schizophrenia" (FROGS) scale: Development and validation of a new questionnaire. <i>Schizophrenia Research</i> , 2009, 113, 218-225.	2.0	95
7	Chronic Peripheral Inflammation is Associated With Cognitive Impairment in Schizophrenia: Results From the Multicentric FACE-SZ Dataset. <i>Schizophrenia Bulletin</i> , 2016, 42, 1290-1302.	4.3	82
8	Lifetime positive symptoms in patients with schizophrenia and cannabis abuse are partially explained by co-morbid addiction. <i>Schizophrenia Research</i> , 2006, 86, 284-290.	2.0	73
9	The Role of Genes Involved in Neuroplasticity and Neurogenesis in the Observation of a Gene-Environment Interaction (GxE) in Schizophrenia. <i>Current Molecular Medicine</i> , 2009, 9, 506-518.	1.3	59
10	Association Between FIASMAs and Reduced Risk of Intubation or Death in Individuals Hospitalized for Severe COVID-19: An Observational Multicenter Study. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 110, 1498-1511.	4.7	59
11	Anorexia nervosa and gut microbiota: A systematic review and quantitative synthesis of pooled microbiological data. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 106, 110114.	4.8	49
12	Childhood trauma, depression and negative symptoms are independently associated with impaired quality of life in schizophrenia. Results from the national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2017, 185, 173-181.	2.0	48
13	Ketamine for the acute treatment of severe suicidal ideation: double blind, randomised placebo controlled trial. <i>BMJ</i> , 2022, 376, e067194.	6.0	47
14	Cannabis et schizophr�nie: approche clinique, cognitive et neurologique dans la d�finition d'un nouveau ph�notype. <i>European Psychiatry</i> , 2013, 28, 7-8.	0.2	46
15	Prevalence and correlates of psychotic-like experiences in the general population. <i>Schizophrenia Research</i> , 2020, 215, 371-377.	2.0	43
16	Validation study of the Medication Adherence Rating Scale. Results from the FACE-SZ national dataset. <i>Schizophrenia Research</i> , 2017, 182, 84-89.	2.0	41
17	Chronic low-grade peripheral inflammation is associated with ultra resistant schizophrenia. Results from the FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 985-992.	3.2	39
18	Early and very early onset schizophrenia compared with adult onset schizophrenia: French FACE-SZ database. <i>Brain and Behavior</i> , 2020, 10, e01495.	2.2	38

#	ARTICLE	IF	CITATIONS
19	Remission of depression in patients with schizophrenia and comorbid major depressive disorder: results from the FACE-SZ cohort. <i>British Journal of Psychiatry</i> , 2018, 213, 464-470.	2.8	35
20	Akathisia: prevalence and risk factors in a community-dwelling sample of patients with schizophrenia. Results from the FACE-SZ dataset. <i>Schizophrenia Research</i> , 2015, 169, 255-261.	2.0	34
21	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021, 46, 1307-1314.	5.4	33
22	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	4.1	33
23	Cigarette smoking and schizophrenia: a specific clinical and therapeutic profile? Results from the FACE-Schizophrenia cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 332-339.	4.8	31
24	A transnosographic approach of negative symptoms pathophysiology in schizophrenia and depressive disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 99, 109862.	4.8	30
25	Relationships between low-grade peripheral inflammation and psychotropic drugs in schizophrenia: results from the national FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 541-553.	3.2	29
26	One year after the COVID-19: What have we learnt, what shall we do next?. <i>European Psychiatry</i> , 2021, 64, e15.	0.2	29
27	Polygenic Risk Scores Shed Light on the Relationship between Schizophrenia and Cognitive Functioning: Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 341.	2.4	28
28	Latent toxoplasma infection in real-world schizophrenia: Results from the national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2018, 201, 373-380.	2.0	27
29	Machine learning for predicting psychotic relapse at 2 years in schizophrenia in the national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 8-18.	4.8	27
30	Factors associated with direct health care costs in schizophrenia: Results from the FACE-SZ French dataset. <i>European Neuropsychopharmacology</i> , 2018, 28, 24-36.	0.7	26
31	Impact of DRD2/ANKK1 and COMT Polymorphisms on Attention and Cognitive Functions in Schizophrenia. <i>PLoS ONE</i> , 2017, 12, e0170147.	2.5	23
32	Benzodiazepine long-term administration is associated with impaired attention/working memory in schizophrenia: results from the national multicentre FACE-SZ data set. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 17-26.	3.2	23
33	Mental disorders associated with recent cancer diagnosis: Results from a nationally representative survey. <i>European Journal of Cancer</i> , 2018, 105, 10-18.	2.8	23
34	Tobacco smoking is associated with antipsychotic medication, physical aggressiveness, and alcohol use disorder in schizophrenia: results from the FACE-SZ national cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 449-457.	3.2	22
35	Heavy cannabis use prior psychosis in schizophrenia: clinical, cognitive and neurological evidences for a new endophenotype?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 629-638.	3.2	21
36	Nicotine dependence is associated with depression and childhood trauma in smokers with schizophrenia: results from the FACE-SZ dataset. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 567-577.	3.2	21

#	ARTICLE	IF	CITATIONS
37	Immune Signatures of Treatment-Resistant Schizophrenia: A FondaMental Academic Centers of Expertise for Schizophrenia (FACE-SZ) Study. Schizophrenia Bulletin Open, 2021, 2, sgab012.	1.7	20
38	Chronic low-grade peripheral inflammation is associated with severe nicotine dependence in schizophrenia: results from the national multicentric FACE-SZ cohort. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 465-472.	3.2	18
39	Risk factors for increased duration of untreated psychosis. Results from the FACE-SZ dataset. Schizophrenia Research, 2018, 195, 529-533.	2.0	15
40	Predictive factors of functional remission in patients with early to mid-stage schizophrenia treated by long acting antipsychotics and the specific role of clinical remission. Psychiatry Research, 2019, 281, 112560.	3.3	15
41	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. European Psychiatry, 2021, 64, e7.	0.2	15
42	Predictors of rapid high weight gain in schizophrenia: Longitudinal analysis of the French FACE-SZ cohort. Journal of Psychiatric Research, 2017, 94, 62-69.	3.1	14
43	Self-reported pain in patients with schizophrenia. Results from the national first-step FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 62-68.	4.8	14
44	Hypovitaminosis D is associated with depression and anxiety in schizophrenia: Results from the national FACE-SZ cohort.. Psychiatry Research, 2018, 270, 104-110.	3.3	14
45	Towards an improved access to psychiatric rehabilitation: availability and effectiveness at 1-year follow-up of psychoeducation, cognitive remediation therapy, cognitive behaviour therapy and social skills training in the FondaMental Advanced Centers of Expertise-Schizophrenia (FACE-SZ) national cohort. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 599-610.	3.2	14
46	Depression symptom clusters and their predictive value for treatment outcomes: Results from an individual patient data meta-analysis of duloxetine trials. Journal of Psychiatric Research, 2014, 53, 54-61.	3.1	13
47	Sexual dysfunctions are associated with major depression, chronic inflammation and anticholinergic consumption in the real-world schizophrenia FACE-SZ national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 94, 109654.	4.8	13
48	Tobacco Smoking and Psychotic-Like Experiences in a General Population Sample. Journal of Clinical Psychiatry, 2018, 79, .	2.2	13
49	The COVID-19 Pandemic. primary care companion for CNS disorders, The, 2020, 22, .	0.6	13
50	Complete remission in refractory relapsing polychondritis with intravenous immunoglobulins. Clinical and Experimental Rheumatology, 2008, 26, 136-8.	0.8	13
51	Validation of a four items version of the Functional Remission of General Schizophrenia scale (the Tj ETQq1 1 0.784314 rgBT /Overlook 35-41.	0.2	12
52	Validation and refinement of the clinical staging model in a French cohort of outpatient with schizophrenia (FACE-SZ). Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 92, 226-234.	4.8	12
53	Confirmations, advances and recommendations for the daily care of schizophrenia based on the French national FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 101, 109927.	4.8	11
54	Major depression, sleep, hostility and body mass index are associated with impaired quality of life in schizophrenia. Results from the FACE-SZ cohort.. Journal of Affective Disorders, 2020, 274, 617-623.	4.1	11

#	ARTICLE	IF	CITATIONS
55	Major Depressive Disorder (MDD) and Schizophrenia – Addressing Unmet Needs With Partial Agonists at the D2 Receptor: A Review. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 651-664.	2.1	10
56	Relationship between childhood trauma and level of insight in schizophrenia: A path-analysis in the national FACE-SZ dataset. <i>Schizophrenia Research</i> , 2019, 208, 90-96.	2.0	10
57	Self-evaluation of negative symptoms in adolescent and young adult first psychiatric episodes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 103, 109988.	4.8	10
58	Towards precision medicine: What are the stratification hypotheses to identify homogeneous inflammatory subgroups. <i>European Neuropsychopharmacology</i> , 2021, 45, 108-121.	0.7	10
59	Influence of Venus and Mars in the cognitive sky of schizophrenia. Results from the first-step national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2018, 195, 357-365.	2.0	9
60	Unexpected Association of Desacyl-Chrelin with Physical Activity and Chronic Food Restriction: A Translational Study on Anorexia Nervosa. <i>Journal of Clinical Medicine</i> , 2020, 9, 2782.	2.4	9
61	Characterization of Depressive Symptoms Trajectories After Breast Cancer Diagnosis in Women in France. <i>JAMA Network Open</i> , 2022, 5, e225118.	5.9	9
62	Functional remission in schizophrenia: A FROGS-based definition and its convergent validity. <i>Psychiatry Research</i> , 2018, 268, 94-101.	3.3	8
63	Corticotropin releasing hormone receptor CRHR1 gene is associated with tianeptine antidepressant response in a large sample of outpatients from real-life settings. <i>Translational Psychiatry</i> , 2020, 10, 378.	4.8	8
64	What distinguish patients with compulsory treatment for severely undernourished anorexia nervosa. <i>European Eating Disorders Review</i> , 2021, 29, 144-151.	4.1	8
65	The number of past manic episodes is the best predictor of antidepressant-emergent manic switch in a cohort of bipolar depressed patients. <i>Psychiatry Research</i> , 2016, 240, 288-294.	3.3	7
66	Advanced Paternal Age is associated with earlier schizophrenia onset in offspring. Results from the national multicentric FACE-SZ cohort. <i>Psychiatry Research</i> , 2017, 254, 218-223.	3.3	7
67	A multi-dimensional approach to the relationship between insight and aggressiveness in schizophrenia: Findings from the FACE-SZ cohort. <i>Schizophrenia Research</i> , 2019, 204, 38-45.	2.0	7
68	Inflammatory DEpression Advances in Schizophrenia (IDEAS): A precision medicine approach of the national FACE-SZ cohort. <i>Journal of Affective Disorders</i> , 2019, 245, 468-474.	4.1	7
69	Does physical activity associated with chronic food restriction alleviate anxiety like behaviour, in female mice?. <i>Hormones and Behavior</i> , 2020, 124, 104807.	2.1	7
70	Clinical Lycanthropy, Neurobiology, Culture: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 718101.	2.6	7
71	Confirmation of a Two-Factor Solution to the Questionnaire of Cognitive and Affective Empathy in a French Population of Patients With Schizophrenia Spectrum Disorders. <i>Frontiers in Psychiatry</i> , 2019, 10, 751.	2.6	6
72	The neurobiological hypotheses on Clinical Lycanthropy. <i>Psychiatry Research</i> , 2020, 293, 113405.	3.3	6

#	ARTICLE	IF	CITATIONS
73	The role of comorbidity in the association of obesity with unemployment and disability. <i>Annals of Epidemiology</i> , 2020, 45, 61-68.	1.9	6
74	Clinical Diagnosis of Mental Disorders Before Cancer Diagnosis. <i>JAMA Oncology</i> , 2017, 3, 565.	7.1	5
75	Role of autobiographical memory in the impact of MBCT on dysfunctional attitudes, depressive symptoms and anxiety in bipolar I patients. <i>Journal of Affective Disorders</i> , 2020, 276, 907-913.	4.1	5
76	Sustaining the unsustainable: Rapid implementation of a Support Intervention for Bereavement during the COVID-19 pandemic. <i>General Hospital Psychiatry</i> , 2021, 68, 102-103.	2.4	5
77	Comparison of three scales (BIS, SUMD and BCIS) for measuring insight dimensions and their evolution after one-year of follow-up: Findings from the FACE-SZ Cohort. <i>Psychiatry Research</i> , 2021, 303, 114044.	3.3	5
78	Handedness as a neurodevelopmental marker in schizophrenia: Results from the FACE-SZ cohort. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 525-536.	2.6	5
79	Psychiatric disability as mediator of the neurocognition-functioning link in schizophrenia spectrum disorders: SEM analysis using the Evaluation of Cognitive Processes involved in Disability in Schizophrenia (ECPDS) scale. <i>Schizophrenia Research</i> , 2018, 201, 196-203.	2.0	4
80	Clinical features and outcomes of COVID-19 patients hospitalized for psychiatric disorders: a French multi-centered prospective observational study. <i>Psychological Medicine</i> , 2021, , 1-9.	4.5	4
81	Exploring the Mechanisms of Recovery in Anorexia Nervosa through a Translational Approach: From Original Ecological Measurements in Human to Brain Tissue Analyses in Mice. <i>Nutrients</i> , 2021, 13, 2786.	4.1	4
82	The EVACO Project: A new battery for assessing social cognition disorders and related psychiatric disability in schizophrenia. <i>European Psychiatry</i> , 2016, 33, S78-S78.	0.2	3
83	Effectiveness of Cognitive Behavioral Therapy in the Treatment of a Phobic Disorder in a Patient with Down Syndrome and Early Alzheimer's Disease. <i>European Psychiatry</i> , 2016, 33, S476-S476.	0.2	3
84	Assessing metacognitive and help-seeking strategies in schizophrenia: design and psychometric validation of the Versailles Metacognitive Strategies Evaluation Questionnaire. <i>Clinical Rehabilitation</i> , 2020, 34, 263-275.	2.2	3
85	First reported case of clinical lycanthropy in a 12-year-old adolescent: From culture-bound syndromes to Internet-mediated delusions?. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 70-71.	1.8	3
86	Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 827-838.	3.2	3
87	Recommendations of the schizophrenia expert center network for the screening prevention and treatment of sleep disorders based on the results from the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110275.	4.8	3
88	Redefining peripheral inflammation signature in schizophrenia based on the real-world FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110335.	4.8	3
89	Medical students and the response to COVID-19: Educational preparedness and psychological impact of their involvement in communicating with patients' relatives. <i>L'Encephale</i> , 2022, 48, 510-516.	0.9	3
90	Pupil psychosensory reflex in response to own and standardised silhouettes in patients with anorexia nervosa. <i>European Eating Disorders Review</i> , 2022, 30, 135-145.	4.1	3

#	ARTICLE	IF	CITATIONS
91	Precision-medicine findings from the FACE-SZ cohort to develop motivation-enhancing programs in real-world schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 703-714.	2.6	2
92	Management of schizophrenia in women during the perinatal period: a synthesis of international recommendations. <i>Expert Opinion on Pharmacotherapy</i> , 2022, 23, 1337-1350.	1.8	2
93	A French psychoeducational audio-visual tool for adult patients with eating disorders. <i>European Psychiatry</i> , 2017, 41, S546-S547.	0.2	1
94	RE: Associations Between Breast Cancer Survivorship and Adverse Mental Health Outcomes: A Systematic Review. <i>Journal of the National Cancer Institute</i> , 2019, 111, 335-336.	6.3	1
95	Game of Thrones. primary care companion for CNS disorders, <i>The</i> , 2020, 22, .	0.6	0
96	Psychiatrists Can Answer to Societal Debates Triggered by the Arts. primary care companion for CNS disorders, <i>The</i> , 2020, 22, .	0.6	0
97	Telepsychiatry care during the COVID-19 outbreak in young adults with a first episode of psychosis or entering schizophrenia. <i>European Psychiatry</i> , 2021, 64, S348-S348.	0.2	0