
## **Canqing Yu**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2403561/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Identification of type 2 diabetes loci in 433,540 East Asian individuals. Nature, 2020, 582, 240-245.	27.8	282
2	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. Nature Genetics, 2022, 54, 560-572.	21.4	250
3	Association of Solid Fuel Use With Risk of Cardiovascular and All-Cause Mortality in Rural China. JAMA - Journal of the American Medical Association, 2018, 319, 1351.	7.4	202
4	Causal associations of blood lipids with risk of ischemic stroke and intracerebral hemorrhage in Chinese adults. Nature Medicine, 2019, 25, 569-574.	30.7	200
5	Genetic and environmental effects on body mass index from infancy to the onset of adulthood: an individual-based pooled analysis of 45 twin cohorts participating in the COllaborative project of Development of Anthropometrical measures in Twins (CODATwins) study. American Journal of Clinical Nutrition. 2016. 104. 371-379.	4.7	175
6	Identification of risk loci and a polygenic risk score for lung cancer: a large-scale prospective cohort study in Chinese populations. Lancet Respiratory Medicine,the, 2019, 7, 881-891.	10.7	167
7	Adherence to Healthy Lifestyle and Cardiovascular Diseases in the ChineseÂPopulation. Journal of the American College of Cardiology, 2017, 69, 1116-1125.	2.8	161
8	Association of Depression With All-Cause and Cardiovascular Disease Mortality Among Adults in China. JAMA Network Open, 2020, 3, e1921043.	5.9	143
9	Consumption of spicy foods and total and cause specific mortality: population based cohort study. BMJ, The, 2015, 351, h3942.	6.0	138
10	Mortality and recurrent vascular events after first incident stroke: a 9-year community-based study of 0·5 million Chinese adults. The Lancet Global Health, 2020, 8, e580-e590.	6.3	137
11	Frailty index and all-cause and cause-specific mortality in Chinese adults: a prospective cohort study. Lancet Public Health, The, 2020, 5, e650-e660.	10.0	134
12	Genetic and environmental influences on height from infancy to early adulthood: An individual-based pooled analysis of 45 twin cohorts. Scientific Reports, 2016, 6, 28496.	3.3	133
13	Cancer incidence and mortality: A cohort study in China, 2008–2013. International Journal of Cancer, 2017, 141, 1315-1323.	5.1	124
14	Genetic risk, incident gastric cancer, and healthy lifestyle: a meta-analysis of genome-wide association study. Lancet Oncology, The, 2020, 21, 1378-1386.	10.7	123
15	Associations Between Hepatitis B Virus Infection and Risk of All Cancer Types. JAMA Network Open, 2019, 2, e195718.	5.9	114
16	Age-specific association between blood pressure and vascular and non-vascular chronic diseases in 0A-5 million adults in China: a prospective cohort study. The Lancet Global Health, 2018, 6, e641-e649.	6.3	110
17	Lifestyle, cardiometabolic disease, and multimorbidity in a prospective Chinese study. European Heart Journal, 2021, 42, 3374-3384.	2.2	105
18	Association of Physical Activity With Risk of Major Cardiovascular Diseases in Chinese Men and Women. JAMA Cardiology, 2017, 2, 1349.	6.1	102

Canqing Yu

#	Article	IF	CITATIONS
19	Associations of egg consumption with cardiovascular disease in a cohort study of 0.5 million Chinese adults. Heart, 2018, 104, 1756-1763.	2.9	101
20	Metabolically healthy obesity, transition to unhealthy metabolic status, and vascular disease in Chinese adults: A cohort study. PLoS Medicine, 2020, 17, e1003351.	8.4	100
21	Cooking fuels and risk of all-cause and cardiopulmonary mortality in urban China: a prospective cohort study. The Lancet Global Health, 2020, 8, e430-e439.	6.3	85
22	Adherence to a healthy lifestyle and the risk of type 2 diabetes in Chinese adults. International Journal of Epidemiology, 2017, 46, 1410-1420.	1.9	84
23	Insomnia symptoms and risk of cardiovascular diseases among 0.5 million adults. Neurology, 2019, 93, e2110-e2120.	1.1	81
24	The relative and attributable risks of cardia and non-cardia gastric cancer associated with Helicobacter pylori infection in China: a case-cohort study. Lancet Public Health, The, 2021, 6, e888-e896.	10.0	78
25	Prenatal famine exposure, adulthood obesity patterns and risk of type 2 diabetes. International Journal of Epidemiology, 2018, 47, 399-408.	1.9	72
26	Diabetes, plasma glucose and incidence of pancreatic cancer: A prospective study of 0.5 million <scp>C</scp> hinese adults and a metaâ€analysis of 22 cohort studies. International Journal of Cancer, 2017, 140, 1781-1788.	5.1	71
27	Smoking and smoking cessation in relation to risk of diabetes in Chinese men and women: a 9-year prospective study of 0·5 million people. Lancet Public Health, The, 2018, 3, e167-e176.	10.0	65
28	Adherence to a healthy lifestyle and all-cause and cause-specific mortality in Chinese adults: a 10-year prospective study of 0.5 million people. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 98.	4.6	62
29	Major Dietary Patterns in Relation to General and Central Obesity among Chinese Adults. Nutrients, 2015, 7, 5834-5849.	4.1	60
30	Solid Fuel Use and Risks of Respiratory Diseases. A Cohort Study of 280,000 Chinese Never-Smokers. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 352-361.	5.6	60
31	Adiposity and risk of ischaemic and haemorrhagic stroke in O·5 million Chinese men and women: a prospective cohort study. The Lancet Global Health, 2018, 6, e630-e640.	6.3	59
32	Solid Fuel Use and Incident COPD in Chinese Adults: Findings from the China Kadoorie Biobank. Environmental Health Perspectives, 2019, 127, 57008.	6.0	57
33	Association of <i>CETP</i> Gene Variants With Risk for Vascular and Nonvascular Diseases Among Chinese Adults. JAMA Cardiology, 2018, 3, 34.	6.1	54
34	Association between Ambient Temperature and Blood Pressure and Blood Pressure Regulators: 1831 Hypertensive Patients Followed Up for Three Years. PLoS ONE, 2013, 8, e84522.	2.5	50
35	Gender-Specific Association between Tobacco Smoking and Central Obesity among 0.5 Million Chinese People: The China Kadoorie Biobank Study. PLoS ONE, 2015, 10, e0124586.	2.5	49
36	Sleep behavior and depression: Findings from the China Kadoorie Biobank of 0.5 million Chinese adults. Journal of Affective Disorders, 2018, 229, 120-124.	4.1	47

#	Article	IF	CITATIONS
37	Vitamin D and cause-specific vascular disease and mortality: a Mendelian randomisation study involving 99,012 Chinese and 106,911 European adults. BMC Medicine, 2019, 17, 160.	5.5	44
38	Tea consumption and risk of ischaemic heart disease. Heart, 2017, 103, 783-789.	2.9	43
39	Gallstone Disease and the Risk of Ischemic Heart Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 2232-2237.	2.4	42
40	Characteristics and correlates of sleep duration, daytime napping, snoring and insomnia symptoms among 0.5 million Chinese men and women. Sleep Medicine, 2018, 44, 67-75.	1.6	42
41	Genetic Predisposition to Type 2 Diabetes and Risk of Subclinical Atherosclerosis and Cardiovascular Diseases Among 160,000 Chinese Adults. Diabetes, 2019, 68, 2155-2164.	0.6	42
42	Soy intake and breast cancer risk: a prospective study of 300,000 Chinese women and a dose–response meta-analysis. European Journal of Epidemiology, 2020, 35, 567-578.	5.7	41
43	Depression, anxiety, and prevalent diabetes in the Chinese population: Findings from the China Kadoorie Biobank of 0.5million people. Journal of Psychosomatic Research, 2013, 75, 511-517.	2.6	39
44	Genetic Contribution to the Variance of Blood Pressure and Heart Rate: A Systematic Review and Meta-Regression of Twin Studies. Twin Research and Human Genetics, 2015, 18, 158-170.	0.6	39
45	Red meat, poultry and fish consumption and risk of diabetes: a 9Âyear prospective cohort study of the China Kadoorie Biobank. Diabetologia, 2020, 63, 767-779.	6.3	39
46	Trans-ethnic Mendelian-randomization study reveals causal relationships between cardiometabolic factors and chronic kidney disease. International Journal of Epidemiology, 2022, 50, 1995-2010.	1.9	39
47	Genetic risk, adherence to a healthy lifestyle, and type 2 diabetes risk among 550,000 Chinese adults: results from 2 independent Asian cohorts. American Journal of Clinical Nutrition, 2020, 111, 698-707.	4.7	38
48	Associations of Adiposity, Circulating Protein Biomarkers, and Risk of Major Vascular Diseases. JAMA Cardiology, 2021, 6, 276.	6.1	36
49	Genetic and Environmental Effects on Weight, Height, and BMI Under 18 Years in a Chinese Population-Based Twin Sample. Twin Research and Human Genetics, 2015, 18, 571-580.	0.6	35
50	Dietary Patterns and Insomnia Symptoms in Chinese Adults: The China Kadoorie Biobank. Nutrients, 2017, 9, 232.	4.1	35
51	Association between tea consumption and risk of cancer: a prospective cohort study of 0.5 million Chinese adults. European Journal of Epidemiology, 2019, 34, 753-763.	5.7	34
52	Association between adiposity measures and COPD risk in Chinese adults. European Respiratory Journal, 2020, 55, 1901899.	6.7	34
53	Type 2 Diabetes and Risk of Incident Cancer in China: A Prospective Study Among 0.5 Million Chinese Adults. American Journal of Epidemiology, 2018, 187, 1380-1391.	3.4	33
54	Association of Major Depression With Risk of Ischemic Heart Disease in a Megaâ€Cohort of Chinese Adults: The China Kadoorie Biobank Study. Journal of the American Heart Association, 2016, 5, .	3.7	32

Canqing Yu

#	Article	IF	CITATIONS
55	Central adiposity in relation to risk of liver cancer in Chinese adults: A prospective study of 0.5 million people. International Journal of Cancer, 2019, 145, 1245-1253.	5.1	30
56	A large-scale genome-wide association analysis of lung function in the Chinese population identifies novel loci and highlights shared genetic aetiology with obesity. European Respiratory Journal, 2021, 58, 2100199.	6.7	30
57	Multimorbidity patterns and association with mortality in 0.5 million Chinese adults. Chinese Medical Journal, 2022, 135, 648-657.	2.3	30
58	Sex differences in the association between socioeconomic status and diabetes prevalence and incidence in China: cross-sectional and prospective studies of 0.5 million adults. Diabetologia, 2019, 62, 1420-1429.	6.3	29
59	Tea consumption and long-term risk of type 2 diabetes and diabetic complications: a cohort study of 0.5 million Chinese adults. American Journal of Clinical Nutrition, 2021, 114, 194-202.	4.7	29
60	Stroke risk prediction using machine learning: a prospective cohort study of 0.5 million Chinese adults. Journal of the American Medical Informatics Association: JAMIA, 2021, 28, 1719-1727.	4.4	29
61	Consumption of Tea, Alcohol, and Fruits and Risk of Kidney Stones: A Prospective Cohort Study in 0.5 Million Chinese Adults. Nutrients, 2021, 13, 1119.	4.1	28
62	Association of Major Depressive Episodes With Stroke Risk in a Prospective Study of 0.5 Million Chinese Adults. Stroke, 2016, 47, 2203-2208.	2.0	27
63	Chronic hepatitis B virus infection and risk of chronic kidney disease: a population-based prospective cohort study of 0.5 million Chinese adults. BMC Medicine, 2018, 16, 93.	5.5	27
64	Tea consumption and risk of stroke in Chinese adults: a prospective cohort study of 0.5 million men and women. American Journal of Clinical Nutrition, 2020, 111, 197-206.	4.7	27
65	Determination of Zygosity in Adult Chinese Twins Using the 450K Methylation Array versus Questionnaire Data. PLoS ONE, 2015, 10, e0123992.	2.5	27
66	Associations of Body Composition Measurements with Serum Lipid, Glucose and Insulin Profile: A Chinese Twin Study. PLoS ONE, 2015, 10, e0140595.	2.5	26
67	Chronic hepatitis B virus infection and total and cause-specific mortality: a prospective cohort study of 0.5 million people. BMJ Open, 2019, 9, e027696.	1.9	26
68	Association between multiple comorbidities and self-rated health status in middle-aged and elderly Chinese: the China Kadoorie Biobank study. BMC Public Health, 2018, 18, 744.	2.9	25
69	Physical Activity, Sedentary Leisure Time, Circulating Metabolic Markers, and Risk of Major Vascular Diseases. Circulation Genomic and Precision Medicine, 2019, 12, 386-396.	3.6	24
70	Effect of total, domain-specific, and intensity-specific physical activity on all-cause and cardiovascular mortality among hypertensive adults in China. Journal of Hypertension, 2018, 36, 793-800.	0.5	23
71	Factors associated with suicide risk among Chinese adults: A prospective cohort study of 0.5 million individuals. PLoS Medicine, 2021, 18, e1003545.	8.4	23
72	Association of lowâ€activity ALDH2 and alcohol consumption with risk of esophageal cancer in Chinese adults: A populationâ€based cohort study. International Journal of Cancer, 2018, 143, 1652-1661.	5.1	22

#	Article	IF	CITATIONS
73	Association of Educational Level and Marital Status With Obesity: A Study of Chinese Twins. Twin Research and Human Genetics, 2018, 21, 126-135.	0.6	22
74	Age prediction of children and adolescents aged 6-17 years: an epigenome-wide analysis of DNA methylation. Aging, 2018, 10, 1015-1026.	3.1	22
75	Alcohol drinking and risks of liver cancer and non-neoplastic chronic liver diseases in China: a 10-year prospective study of 0.5 million adults. BMC Medicine, 2021, 19, 216.	5.5	22
76	The Relative Validity and Reproducibility of Food Frequency Questionnaires in the China Kadoorie Biobank Study. Nutrients, 2022, 14, 794.	4.1	22
77	The association of cigarette smoking and alcohol drinking with body mass index: a cross-sectional, population-based study among Chinese adult male twins. BMC Public Health, 2016, 16, 311.	2.9	21
78	Gallstone Disease and the Risk of Type 2 Diabetes. Scientific Reports, 2017, 7, 15853.	3.3	21
79	Habitual Tea Consumption and Risk of Fracture in 0.5 Million Chinese Adults: A Prospective Cohort Study. Nutrients, 2018, 10, 1633.	4.1	21
80	Long-term solid fuel use and risks of major eye diseases in China: A population-based cohort study of 486,532 adults. PLoS Medicine, 2021, 18, e1003716.	8.4	21
81	Family History and Stroke Risk in China: Evidence from a Large Cohort Study. Journal of Stroke, 2017, 19, 188-195.	3.2	21
82	Physical activity, sedentary leisure-time and risk of incident type 2 diabetes: a prospective study of 512 000 Chinese adults. BMJ Open Diabetes Research and Care, 2019, 7, e000835.	2.8	20
83	Early famine exposure and adult disease risk based on a 10-year prospective study of Chinese adults. Heart, 2020, 106, heartjnl-2019-315750.	2.9	20
84	Association of Sleep Duration with Weight Gain and General and Central Obesity Risk in Chinese Adults: A Prospective Study. Obesity, 2020, 28, 468-474.	3.0	20
85	Dairy consumption and risks of total and site-specific cancers in Chinese adults: an 11-year prospective study of 0.5 million people. BMC Medicine, 2022, 20, 134.	5.5	20
86	Cancer incidence in relation to body fatness among 0.5 million men and women: Findings from the China Kadoorie Biobank. International Journal of Cancer, 2020, 146, 987-998.	5.1	19
87	Association of physical activity with risk of hepatobiliary diseases in China: a prospective cohort study of 0.5 million people. British Journal of Sports Medicine, 2021, 55, 1024-1033.	6.7	19
88	Socioeconomic differences in health-care use and outcomes for stroke and ischaemic heart disease in China during 2009–16: a prospective cohort study of 0·5 million adults. The Lancet Global Health, 2020, 8, e591-e602.	6.3	19
89	Habitual snoring, adiposity measures and risk of type 2 diabetes in 0.5 million Chinese adults: a 10-year cohort. BMJ Open Diabetes Research and Care, 2020, 8, e001015.	2.8	19
90	Alcohol metabolism genes and risks of siteâ€specific cancers in Chinese adults: An 11â€year prospective study. International Journal of Cancer, 2022, 150, 1627-1639.	5.1	19

#	Article	IF	CITATIONS
91	Associations of domainâ€specific physical activities with insomnia symptoms among 0.5 million Chinese adults. Journal of Sleep Research, 2017, 26, 330-337.	3.2	18
92	Association between major depressive episode and risk of type 2 diabetes: A large prospective cohort study in Chinese adults. Journal of Affective Disorders, 2018, 234, 59-66.	4.1	17
93	Body-mass index and long-term risk of sepsis-related mortality: a population-based cohort study of 0.5 million Chinese adults. Critical Care, 2020, 24, 534.	5.8	17
94	Fluoride exposure, dopamine relative gene polymorphism and intelligence: A cross-sectional study in China. Ecotoxicology and Environmental Safety, 2021, 209, 111826.	6.0	17
95	Self-Rated Health Status and Risk of Incident Stroke in 0.5 Million Chinese Adults: The China Kadoorie Biobank Study. Journal of Stroke, 2018, 20, 247-257.	3.2	17
96	Epigenome-wide analysis of DNA methylation and coronary heart disease: a nested case-control study. ELife, 2021, 10, .	6.0	16
97	Circulating Metabolites and the Development of Type 2 Diabetes in Chinese Adults. Diabetes Care, 2022, 45, 477-480.	8.6	16
98	Solid fuels for cooking and tobacco use and risk of major chronic liver disease mortality: a prospective cohort study of 0.5 million Chinese adults. International Journal of Epidemiology, 2020, 49, 45-55.	1.9	15
99	Problem drinking, wellbeing and mortality risk in Chinese men: findings from the China Kadoorie Biobank. Addiction, 2020, 115, 850-862.	3.3	15
100	Systemic inflammation is associated with incident stroke and heart disease in East Asians. Scientific Reports, 2020, 10, 5605.	3.3	15
101	Improved lipidomic profile mediates the effects of adherence to healthy lifestyles on coronary heart disease. ELife, 2021, 10, .	6.0	15
102	Adherence to Healthy Lifestyle and Attenuation of Biological Aging in Middle-Aged and Older Chinese Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 2232-2241.	3.6	15
103	Age-Specific Associations Between Habitual Snoring and Cardiovascular Diseases in China. Chest, 2021, 160, 1053-1063.	0.8	15
104	Adherence to Healthy Lifestyle and Liver cancer in Chinese: a prospective cohort study of 0.5 million people. British Journal of Cancer, 2022, 126, 815-821.	6.4	15
105	City Level of Income and Urbanization and Availability of Food Stores and Food Service Places in China. PLoS ONE, 2016, 11, e0148745.	2.5	14
106	Characteristics of spicy food consumption and its relation to lifestyle behaviours: results from 0.5 million adults. International Journal of Food Sciences and Nutrition, 2021, 72, 569-576.	2.8	14
107	Natural history of silent lacunar infarction: 10-year follow-up of a community-based prospective study of 0.5 million Chinese adults. The Lancet Regional Health - Western Pacific, 2021, 17, 100309.	2.9	14
108	Blood DNA methylation markers associated with type 2 diabetes, fasting glucose, and HbA1c levels: An epigenome-wide association study in 316 adult twin pairs. Genomics, 2021, 113, 4206-4213.	2.9	14

#	Article	IF	CITATIONS
109	Adiposity, metabolomic biomarkers, and risk of nonalcoholic fatty liver disease: a case-cohort study. American Journal of Clinical Nutrition, 2022, 115, 799-810.	4.7	14
110	The Paradox Association between Smoking and Blood Pressure among Half Million Chinese People. International Journal of Environmental Research and Public Health, 2020, 17, 2824.	2.6	13
111	Causal effects of gallstone disease on risk of gastrointestinal cancer in Chinese. British Journal of Cancer, 2021, 124, 1864-1872.	6.4	13
112	Alcohol drinking and risks of total and siteâ€specific cancers in China: A 10â€year prospective study of 0.5 million adults. International Journal of Cancer, 2021, 149, 522-534.	5.1	13
113	Physical activity attenuates genetic effects on <scp>BMI</scp> : Results from a study of <scp>C</scp> hinese adult twins. Obesity, 2016, 24, 750-756.	3.0	12
114	Season of birth and the risk of type 2 diabetes in adulthood: a prospective cohort study of 0.5 million Chinese adults. Diabetologia, 2017, 60, 836-842.	6.3	12
115	Carotid Intimaâ€Media Thickness but Not Carotid Artery Plaque in Healthy Individuals Is Linked to Lean Body Mass. Journal of the American Heart Association, 2019, 8, e011919.	3.7	12
116	Asymptomatic and pre-symptomatic infection in Coronavirus Disease 2019 pandemic. Medical Review, 2022, 2, 66-88.	1.2	12
117	Observational and Genetic Associations of Body Mass Index and Hepatobiliary Diseases in a Relatively Lean Chinese Population. JAMA Network Open, 2020, 3, e2018721.	5.9	11
118	Association between blood pressure levels and cardiovascular deaths: a 20-year follow-up study in rural China. BMJ Open, 2020, 10, e035190.	1.9	11
119	Combined healthy lifestyle score and risk of epigenetic aging: a discordant monozygotic twin study. Aging, 2021, 13, 14039-14052.	3.1	11
120	Association of Red Meat Consumption, Metabolic Markers, and Risk of Cardiovascular Diseases. Frontiers in Nutrition, 2022, 9, 833271.	3.7	11
121	Socioeconomic Status in Relation to Risks of Major Gastrointestinal Cancers in Chinese Adults: A Prospective Study of 0.5 Million People. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 823-831.	2.5	10
122	Lifestyle factors and fetal and childhood origins of type 2 diabetes: a prospective study of Chinese and European adults. American Journal of Clinical Nutrition, 2022, 115, 749-758.	4.7	10
123	Place of death and phenomenon of going home to die in Chinese adults: A prospective cohort study. The Lancet Regional Health - Western Pacific, 2022, 18, 100301.	2.9	10
124	Metabolically healthy obesity, transition to unhealthy phenotypes, and type 2 diabetes in 0.5 million Chinese adults: the China Kadoorie Biobank. European Journal of Endocrinology, 2022, 186, 233-244.	3.7	10
125	Blood pressure and cardiovascular diseases in Chinese adults with type 2 diabetes: A prospective cohort study. The Lancet Regional Health - Western Pacific, 2021, 7, 100085.	2.9	9
126	Circulating proteins and risk of pancreatic cancer: a case-subcohort study among Chinese adults. International Journal of Epidemiology, 2022, 51, 817-829.	1.9	9

#	Article	IF	CITATIONS
127	Genetic associations of adult height with risk of cardioembolic and other subtypes of ischemic stroke: A mendelian randomization study in multiple ancestries. PLoS Medicine, 2022, 19, e1003967.	8.4	9
128	Association between involuntary smoking and risk of cervical cancer in Chinese female never smokers: A prospective cohort study. Environmental Research, 2022, 212, 113371.	7.5	9
129	Selfâ€Rated Health Status and Risk of Ischemic Heart Disease in the China Kadoorie Biobank Study: A Populationâ€Based Cohort Study. Journal of the American Heart Association, 2017, 6, .	3.7	8
130	Weight loss since early adulthood, later life risk of fracture hospitalizations, and bone mineral density: a prospective cohort study of 0.5 million Chinese adults. Archives of Osteoporosis, 2020, 15, 60.	2.4	8
131	Associations of Metabolic/Obesity Phenotypes with Insulin Resistance and C-Reactive Protein: Results from the CNTR Study. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 1141-1151.	2.4	8
132	Dietary pattern derived by reduced-rank regression and cardiovascular disease: A cross-sectional study. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 337-345.	2.6	8
133	Associations of muscle mass, strength, and quality with all-cause mortality in China: a population-based cohort study. Chinese Medical Journal, 2022, 135, 1358-1368.	2.3	8
134	Associations Between Obesity Indicators and Blood Pressure in Chinese Adult Twins. Twin Research and Human Genetics, 2017, 20, 28-35.	0.6	7
135	Bowel movement frequency and risks of major vascular and non-vascular diseases: a population-based cohort study among Chinese adults. BMJ Open, 2020, 10, e031028.	1.9	7
136	Association between blood pressure categories and cardiovascular disease mortality in China. PLoS ONE, 2021, 16, e0255373.	2.5	7
137	Coarse Grain Consumption and Risk of Cardiometabolic Diseases: A Prospective Cohort Study of Chinese Adults. Journal of Nutrition, 2022, 152, 1476-1486.	2.9	7
138	Diagnostic accuracy of major stroke types in Chinese adults: A clinical adjudication study involving 40,000 stroke cases. The Lancet Regional Health - Western Pacific, 2022, 21, 100415.	2.9	7
139	The hospitalization burden of all-cause pneumonia in China: A population-based study, 2009–2017. The Lancet Regional Health - Western Pacific, 2022, 22, 100443.	2.9	7
140	Regarding associations of egg consumption with cardiovascular disease in a cohort study of 0.5 million Chinese adults. Heart, 2018, 104, 1803-1803.	2.9	6
141	The Chinese National Twin Registry: A Unique Data Source for Systems Epidemiology of Complex Disease. Twin Research and Human Genetics, 2019, 22, 482-485.	0.6	6
142	Association of exhaled carbon monoxide with risk of cardio-cerebral-vascular disease in the China Kadoorie Biobank cohort study. Scientific Reports, 2020, 10, 19507.	3.3	6
143	The Association Between Age at Initiation of Alcohol Consumption and Type 2 Diabetes Mellitus: A Cohort Study of 0.5 Million Persons in China. American Journal of Epidemiology, 2020, 189, 1478-1491.	3.4	6
144	Prediction and clinical utility of a liver cancer risk model in Chinese adults: A prospective cohort study of 0.5 million people. International Journal of Cancer, 2021, 148, 2924-2934.	5.1	6

#	Article	IF	CITATIONS
145	Educational disparities in ischaemic heart disease among 0.5 million Chinese adults: a cohort study. Journal of Epidemiology and Community Health, 2021, 75, 1033-1043.	3.7	6
146	Development and external validation of a breast cancer absolute risk prediction model in Chinese population. Breast Cancer Research, 2021, 23, 62.	5.0	6
147	Associations of toothbrushing behaviour with risks of vascular and nonvascular diseases in Chinese adults. European Journal of Clinical Investigation, 2021, 51, e13634.	3.4	6
148	Dietary patterns and cardiometabolic diseases in 0.5 million Chinese adults: a 10-year cohort study. Nutrition Journal, 2021, 20, 74.	3.4	6
149	Family History, Tobacco Smoking, and Risk of Ischemic Stroke. Journal of Stroke, 2019, 21, 175-183.	3.2	6
150	The Roles of Genetic and Early-Life Environmental Factors in the Association Between Overweight or Obesity and Hypertension: A Population-Based Twin Study. Frontiers in Endocrinology, 2021, 12, 743962.	3.5	6
151	Conventional and Bidirectional Genetic Evidence on Resting Heart Rate and Cardiometabolic Traits. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e1518-e1527.	3.6	6
152	The distribution and correlates of self-rated health in elderly Chinese: the China Kadoorie Biobank study. BMC Geriatrics, 2019, 19, 168.	2.7	5
153	Metabolic Signatures of Genetically Elevated Vitamin D Among Chinese: Observational and Mendelian Randomization Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3249-e3260.	3.6	5
154	Pneumonia hospitalizations and the subsequent risk of incident ischaemic cardiovascular disease in Chinese adults. International Journal of Epidemiology, 2021, 50, 1698-1707.	1.9	5
155	Consumption of soy products and cardiovascular mortality in people with and without cardiovascular disease: a prospective cohort study of 0.5 million individuals. European Journal of Nutrition, 2021, 60, 4429-4438.	3.9	5
156	Overweight and risk of type 2 diabetes: A prospective Chinese twin study. Diabetes and Metabolism, 2022, 48, 101278.	2.9	5
157	Importance of healthy lifestyle factors and ideal cardiovascular health metrics for risk of heart failure in Chinese adults. International Journal of Epidemiology, 2022, 51, 567-578.	1.9	5
158	Dietary Patterns and Risk of Chronic Obstructive Pulmonary Disease among Chinese Adults: An 11-Year Prospective Study. Nutrients, 2022, 14, 996.	4.1	5
159	Education, income, and obesity: A nationwide Chinese twinÂstudy. Obesity, 2022, 30, 931-942.	3.0	5
160	Development of a Model to Predict 10-Year Risk of Ischemic and Hemorrhagic Stroke and Ischemic Heart Disease Using the China Kadoorie Biobank. Neurology, 2022, 98, .	1.1	5
161	Sero-prevalence of 19 infectious pathogens and associated factors among middle-aged and elderly Chinese adults: a cross-sectional study. BMJ Open, 2022, 12, e058353.	1.9	5
162	Utilizing the Resource of Twins Reared Apart: Their Distribution Across Nine Provinces or Cities of China. Twin Research and Human Genetics, 2015, 18, 210-216.	0.6	4

#	Article	IF	CITATIONS
163	Association of heart rate and diabetes among 0.5 million adults in the China Kadoorie biobank: Results from observational and Mendelian randomization analyses. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2328-2337.	2.6	4
164	Modification effect of ideal cardiovascular health metrics on genetic association with incident heart failure in the China Kadoorie Biobank and the UK Biobank. BMC Medicine, 2021, 19, 259.	5.5	4
165	Tobacco smoking and solid fuels for cooking and risk of liver cancer: A prospective cohort study of 0.5 million Chinese adults. International Journal of Cancer, 2022, 151, 181-190.	5.1	4
166	Low-risk Lifestyle and Health Factors and Risk of Mortality and Vascular Complications in Chinese Patients With Diabetes. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3919-e3928.	3.6	4
167	Independent and Joint Associations of Tea Consumption and Smoking with Parkinson's Disease Risk in Chinese Adults. Journal of Parkinson's Disease, 2022, 12, 1693-1702.	2.8	4
168	Metabolic risk factors, genetic predisposition, and risk of severe liver disease in Chinese: a prospective study of 0.5 million people. American Journal of Clinical Nutrition, 2021, 114, 496-504.	4.7	3
169	Gender differences in use of invasive diagnostic and therapeutic procedures for acute ischaemic heart disease in Chinese adults. Heart, 2021, , heartjnl-2021-318988.	2.9	3
170	Random plasma glucose levels and cause-specific mortality among Chinese adults without known diabetes: an 11-year prospective study of 450,000 people. BMJ Open Diabetes Research and Care, 2021, 9, e002495.	2.8	3
171	Adiposity and risks of vascular and non-vascular mortality among Chinese adults with type 2 diabetes: a 10-year prospective study. BMJ Open Diabetes Research and Care, 2022, 10, e002489.	2.8	3
172	Association between Dietary Patterns Reflecting C-Reactive Protein and Metabolic Syndrome in the Chinese Population. Nutrients, 2022, 14, 2566.	4.1	3
173	A Comparison of Preterm Birth Rate and Growth from Birth to 18 Years Old between in Vitro Fertilization and Spontaneous Conception of Twins. Twin Research and Human Genetics, 2021, 24, 1-6.	0.6	2
174	252Development and validation of a breast cancer absolute risk prediction model in Chinese population. International Journal of Epidemiology, 2021, 50, .	1.9	2
175	The Prospective Associations of Lipid Metabolism-Related Dietary Patterns with the Risk of Diabetes in Chinese Adults. Nutrients, 2022, 14, 980.	4.1	2
176	Gender differences in modifiable risk factors for hip fracture: 10â€year followâ€up of a prospective study of 0.5 million Chinese adults. Journal of Internal Medicine, 2022, 291, 481-492.	6.0	2
177	Frequency and types of clusters of major chronic diseases in 0.5 million adults in urban and rural China. Journal of Multimorbidity and Comorbidity, 2022, 12, 263355652210983.	2.2	2
178	Association of egg consumption, metabolic markers, and risk of cardiovascular diseases: A nested case-control study. ELife, 0, 11, .	6.0	2
179	Association of Sleep Duration with Hyperuricemia in Chinese Adults: A Prospective Longitudinal Study. International Journal of Environmental Research and Public Health, 2022, 19, 8105.	2.6	2
180	Associations of Obesity Measurements with Serum Metabolomic Profile: A Chinese Twin Study. Twin Research and Human Genetics, 2021, 24, 14-21.	0.6	1

#	Article	IF	CITATIONS
181	Dietary Soy Consumption and Cardiovascular Mortality among Chinese People with Type 2 Diabetes. Nutrients, 2021, 13, 2513.	4.1	1
182	Development, validation and comparison of multivariable risk scores for prediction of total stroke and stroke types in Chinese adults: a prospective study of 0.5 million adults. Stroke and Vascular Neurology, 2022, , svn-2021-001251.	3.3	1
183	Resting heart rate and risk of left and right heart failure in 0.5 million Chinese adults. Open Heart, 2022, 9, e001963.	2.3	1
184	200Pneumonia hospitalization and the subsequent risk of incident ischemic cardiovascular disease in Chinese adults. International Journal of Epidemiology, 2021, 50, .	1.9	0
185	Utility of single versus sequential measurements of risk factors for prediction of stroke in Chinese adults. Scientific Reports, 2021, 11, 17575.	3.3	0
186	279GWAS of heart rate in 87,759 Chinese subjects highlighted its genetic correlations with cardiometabolic traits. International Journal of Epidemiology, 2021, 50, .	1.9	0
187	Associations of erythrocyte polyunsaturated fatty acids with incidence of stroke and stroke types in adult Chinese: a prospective study of over 8000 individuals. European Journal of Nutrition, 2022, , 1.	3.9	0
188	Title is missing!. , 2020, 17, e1003351.		0
189	Title is missing!. , 2020, 17, e1003351.		0
190	Title is missing!. , 2020, 17, e1003351.		0
191	Title is missing!. , 2020, 17, e1003351.		0
192	Title is missing!. , 2020, 17, e1003351.		0
193	Title is missing!. , 2020, 17, e1003351.		0
194	Title is missing!. , 2020, 17, e1003351.		0
195	Title is missing!. , 2020, 17, e1003351.		0
196	Investigation into the Health Effects of Reduced Chymase Function Using Predicted Loss-of-Function Mutations in CMA1. Journal of Cardiovascular Translational Research, 2022, , 1.	2.4	0