

Stephen L. Nutt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2404367/publications.pdf>

Version: 2024-02-01

237
papers

26,026
citations

4136

87
h-index

7511

151
g-index

253
all docs

253
docs citations

253
times ranked

29739
citing authors

#	ARTICLE	IF	CITATIONS
1	ZC3H12C expression in dendritic cells is necessary to prevent lymphadenopathy of skin-draining lymph nodes. <i>Immunology and Cell Biology</i> , 2022, , .	1.0	3
2	CXCL11 expressing C57BL/6 mice have intact adaptive immune responses to viral infection. <i>Immunology and Cell Biology</i> , 2022, , .	1.0	4
3	Bhlhe40: Gatekeeper of the GC. <i>Journal of Experimental Medicine</i> , 2022, 219, .	4.2	0
4	ILC2-derived IL-13 promotes skin cDC2 diversity. <i>Immunology and Cell Biology</i> , 2022, 100, 141-143.	1.0	0
5	Therapeutic inhibition of the SRC-kinase HCK facilitates T cell tumor infiltration and improves response to immunotherapy. <i>Science Advances</i> , 2022, 8, .	4.7	16
6	Epigenetic modulators of B cell fate identified through coupled phenotype-transcriptome analysis. <i>Cell Death and Differentiation</i> , 2022, 29, 2519-2530.	5.0	5
7	The transcription factor IRF4 represses proapoptotic BMF and BIM to licence multiple myeloma survival. <i>Leukemia</i> , 2021, 35, 2114-2118.	3.3	18
8	Gut CD4+ T cell phenotypes are a continuum molded by microbes, not by TH archetypes. <i>Nature Immunology</i> , 2021, 22, 216-228.	7.0	116
9	Single-cell analyses reveal the clonal and molecular aetiology of Flt3L-induced emergency dendritic cell development. <i>Nature Cell Biology</i> , 2021, 23, 219-231.	4.6	22
10	Type 1 conventional dendritic cell fate and function are controlled by DC-SCRIPT. <i>Science Immunology</i> , 2021, 6, .	5.6	19
11	OBF1 and Oct factors control the germinal center transcriptional program. <i>Blood</i> , 2021, 137, 2920-2934.	0.6	17
12	The gene regulatory network controlling plasma cell function. <i>Immunological Reviews</i> , 2021, 303, 23-34.	2.8	18
13	A microRNA expression and regulatory element activity atlas of the mouse immune system. <i>Nature Immunology</i> , 2021, 22, 914-927.	7.0	19
14	Blockade of the co-inhibitory molecule PD-1 unleashes ILC2-dependent antitumor immunity in melanoma. <i>Nature Immunology</i> , 2021, 22, 851-864.	7.0	97
15	The role of PLC β 2 in immunological disorders, cancer, and neurodegeneration. <i>Journal of Biological Chemistry</i> , 2021, 297, 100905.	1.6	39
16	Differential requirement for the Polycomb repressor complex 2 in dendritic cell and tissue-resident myeloid cell homeostasis. <i>Science Immunology</i> , 2021, 6, eabf7268.	5.6	3
17	Tertiary lymphoid structures and B lymphocytes in cancer prognosis and response to immunotherapies. <i>Oncimmunology</i> , 2021, 10, 1900508.	2.1	57
18	Type 1 conventional dendritic cells: ontogeny, function, and emerging roles in cancer immunotherapy. <i>Trends in Immunology</i> , 2021, 42, 1113-1127.	2.9	16

#	ARTICLE	IF	CITATIONS
19	CCR2 enhances CD25 expression by FoxP3+ regulatory T cells and regulates their abundance independently of chemotaxis and CCR2+ myeloid cells. Cellular and Molecular Immunology, 2020, 17, 123-132.	4.8	23
20	Plasmacytoid dendritic cells from parent strains of the NZB/W F1 lupus mouse contribute different characteristics to autoimmune propensity. Immunology and Cell Biology, 2020, 98, 203-214.	1.0	1
21	A new lymphoid-primed progenitor marked by Dach1 downregulation identified with single cell multi-omics. Nature Immunology, 2020, 21, 1574-1584.	7.0	20
22	Hhex Directly Represses BIM-Dependent Apoptosis to Promote NK Cell Development and Maintenance. Cell Reports, 2020, 33, 108285.	2.9	7
23	Liver Immune Profiling Reveals Pathogenesis and Therapeutics for Biliary Atresia. Cell, 2020, 183, 1867-1883.e26.	13.5	70
24	An Erg-driven transcriptional program controls B cell lymphopoiesis. Nature Communications, 2020, 11, 3013.	5.8	29
25	Transcriptional Networks Driving Dendritic Cell Differentiation and Function. Immunity, 2020, 52, 942-956.	6.6	90
26	Sex-specific adipose tissue imprinting of regulatory T cells. Nature, 2020, 579, 581-585.	13.7	141
27	EZH2 function in immune cell development. Biological Chemistry, 2020, 401, 933-943.	1.2	60
28	Cytotoxic T Lymphocytes and Natural Killer Cells. , 2019, , 247-259.e1.		12
29	Context-Dependent Role for T-bet in T Follicular Helper Differentiation and Germinal Center Function following Viral Infection. Cell Reports, 2019, 28, 1758-1772.e4.	2.9	40
30	Interconversion between Tumorigenic and Differentiated States in Acute Myeloid Leukemia. Cell Stem Cell, 2019, 25, 258-272.e9.	5.2	60
31	Selective deployment of transcription factor paralogs with submaximal strength facilitates gene regulation in the immune system. Nature Immunology, 2019, 20, 1372-1380.	7.0	17
32	PU.1 controls fibroblast polarization and tissue fibrosis. Nature, 2019, 566, 344-349.	13.7	121
33	The cis-Regulatory Atlas of the Mouse Immune System. Cell, 2019, 176, 897-912.e20.	13.5	315
34	New players in the gene regulatory network controlling late B cell differentiation. Current Opinion in Immunology, 2019, 58, 68-74.	2.4	24
35	Transcription factors IRF8 and PU.1 are required for follicular B cell development and BCL6-driven germinal center responses. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 9511-9520.	3.3	49
36	A Regulatory Circuit Controlling the Dynamics of NF κ B cRel Transitions B Cells from Proliferation to Plasma Cell Differentiation. Immunity, 2019, 50, 616-628.e6.	6.6	58

#	ARTICLE	IF	CITATIONS
37	Directing the conductor: TNF regulation of HSCs. <i>Blood</i> , 2019, 133, 771-773.	0.6	1
38	IRF4 Activity Is Required in Established Plasma Cells to Regulate Gene Transcription and Mitochondrial Homeostasis. <i>Cell Reports</i> , 2019, 29, 2634-2645.e5.	2.9	47
39	Transcription Factor PU.1 Promotes Conventional Dendritic Cell Identity and Function via Induction of Transcriptional Regulator DC-SCRIPT. <i>Immunity</i> , 2019, 50, 77-90.e5.	6.6	59
40	Hippo Pathway Kinase Mst1 Is Required for Long-Lived Humoral Immunity. <i>Journal of Immunology</i> , 2019, 202, 69-78.	0.4	21
41	Viral Replicative Capacity, Antigen Availability via Hematogenous Spread, and High T _H :T _{FR} Ratios Drive Induction of Potent Neutralizing Antibody Responses. <i>Journal of Virology</i> , 2019, 93, .	1.5	3
42	Plasma cells: The programming of an antibody-secreting machine. <i>European Journal of Immunology</i> , 2019, 49, 30-37.	1.6	71
43	Polycomb repressive complex 2 is a critical mediator of allergic inflammation. <i>JCI Insight</i> , 2019, 4, .	2.3	16
44	Association of Regulatory T-Cell Expansion With Progression of Amyotrophic Lateral Sclerosis. <i>JAMA Neurology</i> , 2018, 75, 681.	4.5	120
45	Characterization of Blimp-1 function in effector regulatory T cells. <i>Journal of Autoimmunity</i> , 2018, 91, 73-82.	3.0	36
46	Cochaperone Mzb1 is a key effector of Blimp1 in plasma cell differentiation and β 2-integrin function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E9630-E9639.	3.3	52
47	Transcription-factor-mediated supervision of global genome architecture maintains B cell identity. <i>Nature Immunology</i> , 2018, 19, 1257-1264.	7.0	83
48	IMiDs prime myeloma cells for daratumumab-mediated cytotoxicity through loss of Ikaros and Aiolos. <i>Blood</i> , 2018, 132, 2166-2178.	0.6	65
49	Mining the Plasma Cell Transcriptome for Novel Cell Surface Proteins. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2161.	1.8	17
50	PU.1 Is Required for the Developmental Progression of Multipotent Progenitors to Common Lymphoid Progenitors. <i>Frontiers in Immunology</i> , 2018, 9, 1264.	2.2	30
51	Editorial overview: Lymphocyte development and activation. <i>Current Opinion in Immunology</i> , 2018, 51, iv-vi.	2.4	1
52	LMP2 immunoproteasome promotes lymphocyte survival by degrading apoptotic BH3-only proteins. <i>Immunology and Cell Biology</i> , 2018, 96, 981-993.	1.0	4
53	Transcription Factor Theft—PU.1 Caught Red-Handed. <i>Immunity</i> , 2018, 48, 1063-1065.	6.6	0
54	Effector Regulatory T Cell Differentiation and Immune Homeostasis Depend on the Transcription Factor Myb. <i>Immunity</i> , 2017, 46, 78-91.	6.6	83

#	ARTICLE	IF	CITATIONS
55	A non-εcanonical function of Ezh2 preserves immune homeostasis. <i>EMBO Reports</i> , 2017, 18, 619-631.	2.0	73
56	The Pu.1 target gene <i>Zbtb11</i> regulates neutrophil development through its integrase-like HHCC zinc finger. <i>Nature Communications</i> , 2017, 8, 14911.	5.8	27
57	NKG2C/E Marks the Unique Cytotoxic CD4 T Cell Subset, ThCTL, Generated by Influenza Infection. <i>Journal of Immunology</i> , 2017, 198, 1142-1155.	0.4	53
58	Interleukin-12 from CD103+ Batf3-Dependent Dendritic Cells Required for NK-Cell Suppression of Metastasis. <i>Cancer Immunology Research</i> , 2017, 5, 1098-1108.	1.6	98
59	Standing out from the crowd: How to identify plasma cells. <i>European Journal of Immunology</i> , 2017, 47, 1276-1279.	1.6	57
60	Natural-Killer-like B Cells Display the Phenotypic and Functional Characteristics of Conventional B Cells. <i>Immunity</i> , 2017, 47, 199-200.	6.6	16
61	Environmental sensing by mature B cells is controlled by the transcription factors PU.1 and SpiB. <i>Nature Communications</i> , 2017, 8, 1426.	5.8	71
62	Genome-Wide Identification of Target Genes for the Key B Cell Transcription Factor <i>Ets1</i> . <i>Frontiers in Immunology</i> , 2017, 8, 383.	2.2	17
63	IL-17-producing $\gamma\delta$ T cells switch migratory patterns between resting and activated states. <i>Nature Communications</i> , 2017, 8, 15632.	5.8	99
64	Mature IgM-expressing plasma cells sense antigen and develop competence for cytokine production upon antigenic challenge. <i>Nature Communications</i> , 2016, 7, 13600.	5.8	71
65	Dynamic changes in <i>Id3</i> and E-protein activity orchestrate germinal center and plasma cell development. <i>Journal of Experimental Medicine</i> , 2016, 213, 1095-1111.	4.2	53
66	Th17 cell differentiation proceeds independently of IRF8. <i>Immunology and Cell Biology</i> , 2016, 94, 796-801.	1.0	7
67	Acetylation of the <i>Cd8</i> Locus by KAT6A Determines Memory T Cell Diversity. <i>Cell Reports</i> , 2016, 16, 3311-3321.	2.9	25
68	Proximity-Based Differential Single-Cell Analysis of the Niche to Identify Stem/Progenitor Cell Regulators. <i>Cell Stem Cell</i> , 2016, 19, 530-543.	5.2	136
69	Long-Lived Plasma Cells Have a Sweet Tooth. <i>Immunity</i> , 2016, 45, 3-5.	6.6	15
70	Opposing Development of Cytotoxic and Follicular Helper CD4 ⁺ T Cells Controlled by the TCF-1-Bcl6 Nexus. <i>Cell Reports</i> , 2016, 17, 1571-1583.	2.9	47
71	RUNX2 Mediates Plasmacytoid Dendritic Cell Egress from the Bone Marrow and Controls Viral Immunity. <i>Cell Reports</i> , 2016, 15, 866-878.	2.9	50
72	The Helix-Loop-Helix Protein ID2 Governs NK Cell Fate by Tuning Their Sensitivity to Interleukin-15. <i>Immunity</i> , 2016, 44, 103-115.	6.6	101

#	ARTICLE	IF	CITATIONS
73	Multifunctional role of the transcription factor Blimp-1 in coordinating plasma cell differentiation. <i>Nature Immunology</i> , 2016, 17, 331-343.	7.0	284
74	Blimp-1 controls plasma cell function through the regulation of immunoglobulin secretion and the unfolded protein response. <i>Nature Immunology</i> , 2016, 17, 323-330.	7.0	310
75	Severe Malaria Infections Impair Germinal Center Responses by Inhibiting T Follicular Helper Cell Differentiation. <i>Cell Reports</i> , 2016, 14, 68-81.	2.9	193
76	PU.1 cooperates with IRF4 and IRF8 to suppress pre-B-cell leukemia. <i>Leukemia</i> , 2016, 30, 1375-1387.	3.3	53
77	A molecular threshold for effector CD8+ T cell differentiation controlled by transcription factors Blimp-1 and T-bet. <i>Nature Immunology</i> , 2016, 17, 422-432.	7.0	145
78	Dynamic changes in Id3 and E-protein activity orchestrate germinal center and plasma cell development. <i>Journal of Cell Biology</i> , 2016, 213, 2135-2141.	2.3	1
79	Granulocyte macrophage colony-stimulating factor induces CCL17 production via IRF4 to mediate inflammation. <i>Journal of Clinical Investigation</i> , 2016, 126, 3453-3466.	3.9	129
80	Blimp-1-Dependent IL-10 Production by Tr1 Cells Regulates TNF-Mediated Tissue Pathology. <i>PLoS Pathogens</i> , 2016, 12, e1005398.	2.1	92
81	MOZ regulates B-cell progenitors and, consequently, Moz haploinsufficiency dramatically retards MYC-induced lymphoma development. <i>Blood</i> , 2015, 125, 1910-1921.	0.6	47
82	Activated Notch counteracts Ikaros tumor suppression in mouse and human T-cell acute lymphoblastic leukemia. <i>Leukemia</i> , 2015, 29, 1301-1311.	3.3	27
83	The generation of antibody-secreting plasma cells. <i>Nature Reviews Immunology</i> , 2015, 15, 160-171.	10.6	1,034
84	The transcriptional regulators IRF4, BATF and IL-33 orchestrate development and maintenance of adipose tissue-resident regulatory T cells. <i>Nature Immunology</i> , 2015, 16, 276-285.	7.0	442
85	PU.1 downregulation in murine radiation-induced acute myeloid leukaemia (AML): from molecular mechanism to human AML. <i>Carcinogenesis</i> , 2015, 36, 413-419.	1.3	39
86	Donald Metcalf (1929-2014). <i>Immunology and Cell Biology</i> , 2015, 93, 219-220.	1.0	0
87	Targeting Antigen to Clec9A Primes Follicular Th Cell Memory Responses Capable of Robust Recall. <i>Journal of Immunology</i> , 2015, 195, 1006-1014.	0.4	65
88	Mitochondrial function provides instructive signals for activation-induced B-cell fates. <i>Nature Communications</i> , 2015, 6, 6750.	5.8	138
89	c-Myb is required for plasma cell migration to bone marrow after immunization or infection. <i>Journal of Experimental Medicine</i> , 2015, 212, 1001-1009.	4.2	32
90	Regulation of early T-lineage gene expression and developmental progression by the progenitor cell transcription factor PU.1. <i>Genes and Development</i> , 2015, 29, 832-848.	2.7	59

#	ARTICLE	IF	CITATIONS
91	Transcriptional profiling of mouse B cell terminal differentiation defines a signature for antibody-secreting plasma cells. <i>Nature Immunology</i> , 2015, 16, 663-673.	7.0	332
92	Effect of thymic stimulation of CD4+ T cell expansion on disease onset and progression in mutant SOD1 mice. <i>Journal of Neuroinflammation</i> , 2015, 12, 40.	3.1	15
93	Interleukin-21-Producing CD4+ T Cells Promote Type 2 Immunity to House Dust Mites. <i>Immunity</i> , 2015, 43, 318-330.	6.6	132
94	Establishing and maintaining the Langerhans cell network. <i>Seminars in Cell and Developmental Biology</i> , 2015, 41, 23-29.	2.3	26
95	The flavors of plasma cells. <i>Oncotarget</i> , 2015, 6, 32305-32306.	0.8	1
96	TRAF2 regulates TNF and NF- κ B signalling to suppress apoptosis and skin inflammation independently of Sphingosine kinase 1. <i>ELife</i> , 2015, 4, .	2.8	75
97	Correction: A Reporter Mouse Reveals Lineage-Specific and Heterogeneous Expression of IRF8 during Lymphoid and Myeloid Cell Differentiation. <i>Journal of Immunology</i> , 2014, 193, 4749-4749.	0.4	1
98	Whole transcriptome analysis for T cell receptor-affinity and IRF4-regulated clonal expansion of T cells. <i>Genomics Data</i> , 2014, 2, 396-398.	1.3	4
99	Interleukin-10-Producing Plasmablasts Exert Regulatory Function in Autoimmune Inflammation. <i>Immunity</i> , 2014, 41, 1040-1051.	6.6	450
100	The Closely Related CD103+ Dendritic Cells (DCs) and Lymphoid-Resident CD8+ DCs Differ in Their Inflammatory Functions. <i>PLoS ONE</i> , 2014, 9, e91126.	1.1	30
101	A Reporter Mouse Reveals Lineage-Specific and Heterogeneous Expression of IRF8 during Lymphoid and Myeloid Cell Differentiation. <i>Journal of Immunology</i> , 2014, 193, 1766-1777.	0.4	65
102	Transcriptional Control of Pre-B Cell Development and Leukemia Prevention. <i>Current Topics in Microbiology and Immunology</i> , 2014, 381, 189-213.	0.7	15
103	Transcription Factor IRF4 Regulates Germinal Center Cell Formation through a B Cellâ€™Intrinsic Mechanism. <i>Journal of Immunology</i> , 2014, 192, 3200-3206.	0.4	107
104	Fas ligandâ€™mediated immune surveillance by T cells is essential for the control of spontaneous B cell lymphomas. <i>Nature Medicine</i> , 2014, 20, 283-290.	15.2	79
105	Peripheral natural killer cell maturation depends on the transcription factor Aiolos. <i>EMBO Journal</i> , 2014, 33, 2721-2734.	3.5	67
106	The transcription factors IRF8 and PU.1 negatively regulate plasma cell differentiation. <i>Journal of Experimental Medicine</i> , 2014, 211, 2169-2181.	4.2	126
107	Innate immunodeficiency following genetic ablation of Mcl1 in natural killer cells. <i>Nature Communications</i> , 2014, 5, 4539.	5.8	156
108	Deciphering the epigenetic code of T lymphocytes. <i>Immunological Reviews</i> , 2014, 261, 50-61.	2.8	15

#	ARTICLE	IF	CITATIONS
109	Pax5 loss imposes a reversible differentiation block in B-progenitor acute lymphoblastic leukemia. <i>Genes and Development</i> , 2014, 28, 1337-1350.	2.7	73
110	The miR-155-PU.1 axis acts on Pax5 to enable efficient terminal B cell differentiation. <i>Journal of Experimental Medicine</i> , 2014, 211, 2183-2198.	4.2	83
111	Id2 represses E2A-mediated activation of IL-10 expression in T cells. <i>Blood</i> , 2014, 123, 3420-3428.	0.6	23
112	The unique features of follicular T cell subsets. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 4771-4784.	2.4	33
113	Langerhans cells are generated by two distinct PU.1-dependent transcriptional networks. <i>Journal of Experimental Medicine</i> , 2013, 210, 2967-2980.	4.2	109
114	Positive Feedback Between PU.1 and the Cell Cycle Controls Myeloid Differentiation. <i>Science</i> , 2013, 341, 670-673.	6.0	238
115	The transcription factor IRF4 is essential for TCR affinity-mediated metabolic programming and clonal expansion of T cells. <i>Nature Immunology</i> , 2013, 14, 1155-1165.	7.0	337
116	Inhibition of human B-cell development into plasmablasts by histone deacetylase inhibitor valproic acid. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 1695-1699.e9.	1.5	37
117	Mcl-1 is essential for the survival of plasma cells. <i>Nature Immunology</i> , 2013, 14, 290-297.	7.0	273
118	The transcription factor T-bet is essential for the development of NKp46+ innate lymphocytes via the Notch pathway. <i>Nature Immunology</i> , 2013, 14, 389-395.	7.0	264
119	M-CSF instructs myeloid lineage fate in single haematopoietic stem cells. <i>Nature</i> , 2013, 497, 239-243.	13.7	316
120	Differentiation and function of Foxp3+ effector regulatory T cells. <i>Trends in Immunology</i> , 2013, 34, 74-80.	2.9	225
121	Polycomb repressive complex 2 (PRC2) suppresses E14-myc lymphoma. <i>Blood</i> , 2013, 122, 2654-2663.	0.6	26
122	Regulation of murine natural killer cell commitment. <i>Frontiers in Immunology</i> , 2013, 4, 14.	2.2	33
123	Constitutively CD40-Activated B Cells Regulate CD8 T Cell Inflammatory Response by IL-10 Induction. <i>Journal of Immunology</i> , 2013, 190, 3189-3196.	0.4	8
124	Id2-Mediated Inhibition of E2A Represses Memory CD8+ T Cell Differentiation. <i>Journal of Immunology</i> , 2013, 190, 4585-4594.	0.4	81
125	CD8 ^{hi} DCs can be induced in the absence of transcription factors Id2, Nfil3, and Batf3. <i>Blood</i> , 2013, 121, 1574-1583.	0.6	95
126	Cytotoxic T lymphocytes and natural killer cells. , 2013, , 215-227.		1

#	ARTICLE	IF	CITATIONS
127	High Rate of Antibody Secretion Is not Integral to Plasma Cell Differentiation as Revealed by XBP-1 Deficiency. <i>Journal of Immunology</i> , 2012, 189, 3328-3338.	0.4	112
128	Human lymphoma mutations reveal CARD11 as the switch between self-antigen-induced B cell death or proliferation and autoantibody production. <i>Journal of Experimental Medicine</i> , 2012, 209, 1907-1917.	4.2	38
129	Editorial overview. <i>Current Opinion in Immunology</i> , 2012, 24, 253-254.	2.4	0
130	Identification of Bcl-6-dependent follicular helper NKT cells that provide cognate help for B cell responses. <i>Nature Immunology</i> , 2012, 13, 35-43.	7.0	249
131	The development and fate of follicular helper T cells defined by an IL-21 reporter mouse. <i>Nature Immunology</i> , 2012, 13, 491-498.	7.0	294
132	Cytokine profile and induction of T helper type 17 and regulatory T cells by human peripheral mononuclear cells after microbial exposure. <i>Clinical and Experimental Immunology</i> , 2012, 167, 282-295.	1.1	83
133	Transcriptional programming of the dendritic cell network. <i>Nature Reviews Immunology</i> , 2012, 12, 101-113.	10.6	258
134	CXCR3-Dependent Plasma Blast Migration to the Central Nervous System during Viral Encephalomyelitis. <i>Journal of Virology</i> , 2011, 85, 6136-6147.	1.5	53
135	The genetic network controlling plasma cell differentiation. <i>Seminars in Immunology</i> , 2011, 23, 341-349.	2.7	188
136	The Transcription Factor PU.1 Regulates $\hat{\gamma}$ T Cell Homeostasis. <i>PLoS ONE</i> , 2011, 6, e22189.	1.1	9
137	Macrophages define dermal lymphatic vessel calibre during development by regulating lymphatic endothelial cell proliferation. <i>Development (Cambridge)</i> , 2011, 138, 797-797.	1.2	1
138	A role for Blimp1 in the transcriptional network controlling natural killer cell maturation. <i>Blood</i> , 2011, 117, 1869-1879.	0.6	134
139	Identification of the earliest NK-cell precursor in the mouse BM. <i>Blood</i> , 2011, 117, 5449-5452.	0.6	155
140	The transcription factors Blimp-1 and IRF4 jointly control the differentiation and function of effector regulatory T cells. <i>Nature Immunology</i> , 2011, 12, 304-311.	7.0	530
141	Germinal center B and follicular helper T cells: siblings, cousins or just good friends?. <i>Nature Immunology</i> , 2011, 12, 472-477.	7.0	192
142	Id2 expression delineates differential checkpoints in the genetic program of CD8 $\hat{\alpha}$ and CD103 dendritic cell lineages. <i>EMBO Journal</i> , 2011, 30, 2690-2704.	3.5	121
143	SUMOylation of Blimp-1 promotes its proteasomal degradation. <i>FEBS Letters</i> , 2011, 585, 2405-2409.	1.3	16
144	Endogenous microglia regulate development of embryonic cortical precursor cells. <i>Journal of Neuroscience Research</i> , 2011, 89, 286-298.	1.3	123

#	ARTICLE	IF	CITATIONS
145	B cells need their flip-flops. <i>Immunology and Cell Biology</i> , 2011, 89, 751-752.	1.0	1
146	Blimp1: Driving Terminal Differentiation to a T. <i>Advances in Experimental Medicine and Biology</i> , 2011, 780, 85-100.	0.8	12
147	Critical roles for c-Myb in lymphoid priming and early B-cell development. <i>Blood</i> , 2010, 115, 2796-2805.	0.6	62
148	The Transcription Factor PU.1 Controls Dendritic Cell Development and Flt3 Cytokine Receptor Expression in a Dose-Dependent Manner. <i>Immunity</i> , 2010, 32, 628-641.	6.6	233
149	Surprising new roles for PU.1 in the adaptive immune response. <i>Immunological Reviews</i> , 2010, 238, 63-75.	2.8	75
150	Bach2: plasma-cell differentiation takes a break. <i>EMBO Journal</i> , 2010, 29, 3896-3897.	3.5	11
151	The transcription factor PU.1 is required for the development of IL-9-producing T cells and allergic inflammation. <i>Nature Immunology</i> , 2010, 11, 527-534.	7.0	496
152	Give and take in the germinal center. <i>Nature Immunology</i> , 2010, 11, 464-466.	7.0	7
153	Macrophages define dermal lymphatic vessel calibre during development by regulating lymphatic endothelial cell proliferation. <i>Development (Cambridge)</i> , 2010, 137, 3899-3910.	1.2	127
154	IL-21 regulates germinal center B cell differentiation and proliferation through a B cell-intrinsic mechanism. <i>Journal of Experimental Medicine</i> , 2010, 207, 365-378.	4.2	661
155	Mcl-1 Is Essential for Germinal Center Formation and B Cell Memory. <i>Science</i> , 2010, 330, 1095-1099.	6.0	196
156	The Interactions of Multiple Cytokines Control NK Cell Maturation. <i>Journal of Immunology</i> , 2010, 185, 6679-6688.	0.4	110
157	Myeloid progenitor cells lacking p53 exhibit delayed up-regulation of Puma and prolonged survival after cytokine deprivation. <i>Blood</i> , 2010, 115, 344-352.	0.6	29
158	Macrophages define dermal lymphatic vessel calibre during development by regulating lymphatic endothelial cell proliferation.. <i>Journal of Cell Science</i> , 2010, 123, e1-e1.	1.2	0
159	IFN Regulatory Factor 4 Regulates the Expression of a Subset of Th2 Cytokines. <i>Journal of Immunology</i> , 2009, 183, 1598-1606.	0.4	122
160	PU.1 Regulates TCR Expression by Modulating GATA-3 Activity. <i>Journal of Immunology</i> , 2009, 183, 4887-4894.	0.4	58
161	CD93 is required for maintenance of antibody secretion and persistence of plasma cells in the bone marrow niche. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3895-3900.	3.3	114
162	Regulation of lymphoid versus myeloid fate 'choice' by the transcription factor Mef2c. <i>Nature Immunology</i> , 2009, 10, 289-296.	7.0	116

#	ARTICLE	IF	CITATIONS
163	Blimp-1 Transcription Factor Is Required for the Differentiation of Effector CD8+ T Cells and Memory Responses. <i>Immunity</i> , 2009, 31, 283-295.	6.6	424
164	Analysis of Interleukin-21-Induced Prdm1 Gene Regulation Reveals Functional Cooperation of STAT3 and IRF4 Transcription Factors. <i>Immunity</i> , 2009, 31, 941-952.	6.6	317
165	Blimp1 is limiting for transformation in a mouse plasmacytoma model. <i>Blood</i> , 2009, 113, 5911-5919.	0.6	17
166	Blimp-1 Connects the Intrinsic and Extrinsic Regulation of T Cell Homeostasis. <i>Journal of Clinical Immunology</i> , 2008, 28, 97-106.	2.0	17
167	Losing B cell identity. <i>BioEssays</i> , 2008, 30, 203-207.	1.2	17
168	The regulation of the B cell gene expression programme by Pax5. <i>Immunology and Cell Biology</i> , 2008, 86, 47-53.	1.0	58
169	Plasma cell development: From B-cell subsets to long-term survival niches. <i>Seminars in Immunology</i> , 2008, 20, 49-58.	2.7	172
170	Critical roles for c-Myb in hematopoietic progenitor cells. <i>Seminars in Immunology</i> , 2008, 20, 247-256.	2.7	119
171	Identification of Pax5 Target Genes in Early B Cell Differentiation. <i>Journal of Immunology</i> , 2008, 180, 1719-1728.	0.4	124
172	B-Cell Identity " Commitment Is Not Forever. <i>New England Journal of Medicine</i> , 2008, 358, 82-83.	13.9	6
173	Exposing the core of early thymopoiesis. <i>Blood</i> , 2008, 112, 454-454.	0.6	0
174	Cytotoxic lymphocyte function and natural killer cells. , 2008, , 271-285.		0
175	NK Cell Maturation and Peripheral Homeostasis Is Associated with KLRG1 Up-Regulation. <i>Journal of Immunology</i> , 2007, 178, 4764-4770.	0.4	272
176	Blimp1 regulates development of the posterior forelimb, caudal pharyngeal arches, heart and sensory vibrissae in mice. <i>Development (Cambridge)</i> , 2007, 134, 4335-4345.	1.2	119
177	Agm1/Pgm3-Mediated Sugar Nucleotide Synthesis Is Essential for Hematopoiesis and Development. <i>Molecular and Cellular Biology</i> , 2007, 27, 5849-5859.	1.1	73
178	Different Kinetics of Blimp-1 Induction in B Cell Subsets Revealed by Reporter Gene. <i>Journal of Immunology</i> , 2007, 178, 4104-4111.	0.4	101
179	Putative IKDCs are functionally and developmentally similar to natural killer cells, but not to dendritic cells. <i>Journal of Experimental Medicine</i> , 2007, 204, 2579-2590.	4.2	108
180	Aberrant mast-cell differentiation in mice lacking the stem-cell leukemia gene. <i>Blood</i> , 2007, 110, 3573-3581.	0.6	25

#	ARTICLE	IF	CITATIONS
181	Fc γ RIII-Dependent Inhibition of Interferon- γ Responses Mediates Suppressive Effects of Intravenous Immune Globulin. <i>Immunity</i> , 2007, 26, 67-78.	6.6	147
182	Initiation of Plasma-Cell Differentiation Is Independent of the Transcription Factor Blimp-1. <i>Immunity</i> , 2007, 26, 555-566.	6.6	220
183	The Transcriptional Regulation of B Cell Lineage Commitment. <i>Immunity</i> , 2007, 26, 715-725.	6.6	322
184	The Transcriptional Regulation of B Cell Lineage Commitment. <i>Immunity</i> , 2007, 27, 361.	6.6	1
185	Is PU.1 a dosage-sensitive regulator of haemopoietic lineage commitment and leukaemogenesis?. <i>Trends in Immunology</i> , 2007, 28, 108-114.	2.9	64
186	Tumor Growth Need Not Be Driven by Rare Cancer Stem Cells. <i>Science</i> , 2007, 317, 337-337.	6.0	719
187	Interleukin 15-mediated survival of natural killer cells is determined by interactions among Bim, Noxa and Mcl-1. <i>Nature Immunology</i> , 2007, 8, 856-863.	7.0	231
188	BLIMP1 guides the fate of effector B and T cells. <i>Nature Reviews Immunology</i> , 2007, 7, 923-927.	10.6	128
189	Terminal differentiation of lymphocytes depends on Blimp-1. <i>Current Opinion in Immunology</i> , 2007, 19, 156-162.	2.4	118
190	NK cells promote peritoneal xenograft rejection through an IFN- γ -dependent mechanism. <i>Xenotransplantation</i> , 2006, 13, 536-546.	1.6	18
191	Functional subsets of mouse natural killer cells. <i>Immunological Reviews</i> , 2006, 214, 47-55.	2.8	222
192	IL-7 and the thymus dictate the NK cell 'labor market'. <i>Nature Immunology</i> , 2006, 7, 1134-1136.	7.0	8
193	Transcriptional repressor Blimp-1 is essential for T cell homeostasis and self-tolerance. <i>Nature Immunology</i> , 2006, 7, 466-474.	7.0	300
194	Specification of the Primitive Myeloid Precursor Pool Requires Signaling through Alk8 in Zebrafish. <i>Current Biology</i> , 2006, 16, 506-511.	1.8	47
195	Transient Notch signaling induces NK cell potential in Pax5-deficient pro-B cells. <i>European Journal of Immunology</i> , 2006, 36, 3294-3304.	1.6	45
196	Pax5 Maintains Cellular Identity by Repressing Gene Expression Throughout B Cell Differentiation. <i>Cell Cycle</i> , 2006, 5, 2452-2456.	1.3	19
197	Repression of Flt3 by Pax5 is crucial for B-cell lineage commitment. <i>Genes and Development</i> , 2006, 20, 933-938.	2.7	103
198	High affinity germinal center B cells are actively selected into the plasma cell compartment. <i>Journal of Experimental Medicine</i> , 2006, 203, 2419-2424.	4.2	322

#	ARTICLE	IF	CITATIONS
199	Plasma cell S1P1 expression determines secondary lymphoid organ retention versus bone marrow tropism. <i>Journal of Experimental Medicine</i> , 2006, 203, 2683-2690.	4.2	177
200	Monocytic leukemia zinc finger protein is essential for the development of long-term reconstituting hematopoietic stem cells. <i>Genes and Development</i> , 2006, 20, 1175-1186.	2.7	148
201	Inactivation of PU.1 in adult mice leads to the development of myeloid leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 1486-1491.	3.3	92
202	The development of functional B lymphocytes in conditional PU.1 knock-out mice. <i>Blood</i> , 2005, 106, 2083-2090.	0.6	77
203	Differential requirement for OBF-1 during antibody-secreting cell differentiation. <i>Journal of Experimental Medicine</i> , 2005, 201, 1385-1396.	4.2	61
204	Sequential activation of NKT cells and NK cells provides effective innate immunotherapy of cancer. <i>Journal of Experimental Medicine</i> , 2005, 201, 1973-1985.	4.2	157
205	Early appearance of germinal center-derived memory B cells and plasma cells in blood after primary immunization. <i>Journal of Experimental Medicine</i> , 2005, 201, 545-554.	4.2	238
206	A requirement for CD45 distinguishes Ly49D-mediated cytokine and chemokine production from killing in primary natural killer cells. <i>Journal of Experimental Medicine</i> , 2005, 201, 1421-1433.	4.2	72
207	PU.1 regulates the commitment of adult hematopoietic progenitors and restricts granulopoiesis. <i>Journal of Experimental Medicine</i> , 2005, 201, 1487-1502.	4.2	248
208	Dynamic regulation of PU.1 expression in multipotent hematopoietic progenitors. <i>Journal of Experimental Medicine</i> , 2005, 201, 221-231.	4.2	294
209	Plasma Cell Ontogeny Defined by Quantitative Changes in Blimp-1 Expression. <i>Journal of Experimental Medicine</i> , 2004, 200, 967-977.	4.2	470
210	IL-21 Induces the Functional Maturation of Murine NK Cells. <i>Journal of Immunology</i> , 2004, 172, 2048-2058.	0.4	294
211	Apaf-1 and caspase-9 do not act as tumor suppressors in myc-induced lymphomagenesis or mouse embryo fibroblast transformation. <i>Journal of Cell Biology</i> , 2004, 164, 89-96.	2.3	67
212	PU.1 is a suppressor of myeloid leukemia, inactivated in mice by gene deletion and mutation of its DNA binding domain. <i>Blood</i> , 2004, 104, 3437-3444.	0.6	130
213	Interleukin 21: A Key Player in Lymphocyte Maturation. <i>Critical Reviews in Immunology</i> , 2004, 24, 239-250.	1.0	35
214	Targeted gene expression in transgenic <i>Xenopus</i> using the binary Gal4-UAS system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 1377-1382.	3.3	98
215	Comparison of morpholino based translational inhibition during the development of <i>Xenopus laevis</i> and <i>Xenopus tropicalis</i> . <i>Genesis</i> , 2001, 30, 110-113.	0.8	78
216	<i>Xenopus</i> Sprouty2 inhibits FGF-mediated gastrulation movements but does not affect mesoderm induction and patterning. <i>Genes and Development</i> , 2001, 15, 1152-1166.	2.7	141

#	ARTICLE	IF	CITATIONS
217	Pax5 Determines the Identity of B Cells from the Beginning to the End of B-lymphopoiesis. <i>International Reviews of Immunology</i> , 2001, 20, 65-82.	1.5	110
218	Lineage commitment in lymphopoiesis. <i>Current Opinion in Immunology</i> , 2000, 12, 151-158.	2.4	83
219	Fidelity and infidelity in commitment to B-lymphocyte lineage development. <i>Immunological Reviews</i> , 2000, 175, 104-111.	2.8	56
220	Monoallelic Expression of Pax5: A Paradigm for the Haploinsufficiency of Mammalian Pax Genes?. <i>Biological Chemistry</i> , 1999, 380, 601-11.	1.2	42
221	Commitment to the B-lymphoid lineage depends on the transcription factor Pax5. <i>Nature</i> , 1999, 402, 14-20.	13.7	7
222	Commitment to the B-lymphoid lineage depends on the transcription factor Pax5. <i>Nature</i> , 1999, 401, 556-562.	13.7	1,036
223	Long-term in vivo reconstitution of T-cell development by Pax5-deficient B-cell progenitors. <i>Nature</i> , 1999, 401, 603-606.	13.7	354
224	Independent regulation of the two Pax5 alleles during B-cell development. <i>Nature Genetics</i> , 1999, 21, 390-395.	9.4	133
225	Identification of BSAP (Pax-5) target genes in early B-cell development by loss- and gain-of-function experiments. <i>EMBO Journal</i> , 1998, 17, 2319-2333.	3.5	265
226	Loss- and gain-of-function mutations reveal an important role of BSAP (Pax-5) at the start and end of B cell differentiation. <i>Seminars in Immunology</i> , 1998, 10, 133-142.	2.7	67
227	Early Function of Pax5 (BSAP) before the Pre-B Cell Receptor Stage of B Lymphopoiesis. <i>Journal of Experimental Medicine</i> , 1998, 188, 735-744.	4.2	40
228	Role of the Transcription Factor BSAP (Pax-5) in B-Cell Development. , 1998, , 83-110.		12
229	Essential functions of Pax5 (BSAP) in pro-B cell development: difference between fetal and adult B lymphopoiesis and reduced V-to-DJ recombination at the IgH locus.. <i>Genes and Development</i> , 1997, 11, 476-491.	2.7	360
230	Essential Functions of Pax-5 (BSAP) in pro-B Cell Development. <i>Immunobiology</i> , 1997, 198, 227-235.	0.8	52
231	Expression and characterization of human kainate receptor subunits in <i>Escherichia coli</i> and mammalian cells. <i>Drug Development Research</i> , 1995, 34, 260-266.	1.4	1
232	Human glutamate receptor hGluR3 flip and flop isoforms: Cloning and sequencing of the cDNAs and primary structure of the proteins. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1994, 1219, 563-566.	2.4	11
233	Differential RNA editing in human brain. <i>NeuroReport</i> , 1994, 5, 1551-1552.	0.6	0
234	Differential RNA editing efficiency of AMPA receptor subunit GluR-2 in human brain. <i>NeuroReport</i> , 1994, 5, 1679-1683.	0.6	38

#	ARTICLE	IF	CITATIONS
235	RNA editing of human kainate receptor subunits. <i>NeuroReport</i> , 1994, 5, 2625-2629.	0.6	17
236	Molecular Cloning, Expression, and Pharmacological Characterization of humEAA1, a Human Kainate Receptor Subunit. <i>Journal of Neurochemistry</i> , 1994, 62, 1-9.	2.1	52
237	<i>Hex</i> Is Essential for NK Cell Persistence by Repressing Bcl2/11-Dependent Apoptosis. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0