

Olaf Dellwig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2408244/publications.pdf>

Version: 2024-02-01

83
papers

3,217
citations

117625

34
h-index

168389

53
g-index

84
all docs

84
docs citations

84
times ranked

3345
citing authors

#	ARTICLE	IF	CITATIONS
1	The stable tungsten isotope composition of sapropels and manganese-rich sediments from the Baltic Sea. <i>Earth and Planetary Science Letters</i> , 2022, 578, 117303.	4.4	8
2	Anthropogenic ²³⁶ U and ²³³ U in the Baltic Sea: Distributions, source terms, and budgets. <i>Water Research</i> , 2022, 210, 117987.	11.3	5
3	Stable tungsten isotope systematics on the Earth's surface. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 322, 227-243.	3.9	7
4	Element mobility related to rock weathering and soil formation at the westward side of the southernmost Patagonian Andes. <i>Science of the Total Environment</i> , 2022, 817, 152977.	8.0	4
5	Season-dependent effects of ZnO nanoparticles and elevated temperature on bioenergetics of the blue mussel <i>Mytilus edulis</i> . <i>Chemosphere</i> , 2021, 263, 127780.	8.2	25
6	Human influence on the continental Si budget during the last 4300 years: ³⁰ Si in varved lake sediments (Tiefer See, NE Germany). <i>Quaternary Science Reviews</i> , 2021, 258, 106869.	3.0	7
7	Redox control on the tungsten isotope composition of seawater. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	15
8	70-Year Anthropogenic Uranium Imprints of Nuclear Activities in Baltic Sea Sediments. <i>Environmental Science & Technology</i> , 2021, 55, 8918-8927.	10.0	22
9	Anatomy of the Major Baltic Inflow in 2014: Impact of manganese and iron shuttling on phosphorus and trace metals in the Gotland Basin, Baltic Sea. <i>Continental Shelf Research</i> , 2021, 223, 104449.	1.8	14
10	Machine Learning Predicts the Presence of 2,4,6-Trinitrotoluene in Sediments of a Baltic Sea Munitions Dumpsite Using Microbial Community Compositions. <i>Frontiers in Microbiology</i> , 2021, 12, 626048.	3.5	6
11	Stable W and Mo isotopic evidence for increasing redox-potentials from the Paleoproterozoic towards the Paleoproterozoic deep ocean. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 309, 366-387.	3.9	13
12	A Multi-Tracer Study of Fresh Water Sources for a Temperate Urbanized Coastal Bay (Southern Baltic) <i>Tj ETQqO O 0,rgBT /Overlock 10 TF</i>	3.8	12
13	Delayed Western Gotland Basin (Baltic Sea) ventilation in response to the onset of a Mid-Holocene climate oscillation. <i>Quaternary Science Reviews</i> , 2021, 273, 107253.	3.0	0
14	Interactive effects of salinity variation and exposure to ZnO nanoparticles on the innate immune system of a sentinel marine bivalve, <i>Mytilus edulis</i> . <i>Science of the Total Environment</i> , 2020, 712, 136473.	8.0	23
15	Spatial and seasonal phosphorus dynamics in a eutrophic estuary of the southern Baltic Sea. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 233, 106532.	2.1	13
16	Correlated molybdenum and uranium isotope signatures in modern anoxic sediments: Implications for their use as paleo-redox proxy. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 270, 449-474.	3.9	62
17	Impact of Eurasian Ice Sheet and North Atlantic Climate Dynamics on Black Sea Temperature Variability During the Penultimate Glacial (MIS 6, 130â€“184 ka BP). <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2020PA003882.	2.9	5
18	Manganese dynamics in tidal basins of the Wadden Sea: Spatial/seasonal patterns and budget estimates. <i>Marine Chemistry</i> , 2020, 225, 103847.	2.3	6

#	ARTICLE	IF	CITATIONS
19	Lagged atmospheric circulation response in the Black Sea region to Greenland Interstadial 10. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 28649-28654.	7.1	4
20	Geochemical focusing and sequestration of manganese during eutrophication of Lake Stechlin (NE Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	3.5	19
21	Major hydrological shifts in the Black Sea "Lake" in response to ice sheet collapses during MIS 6 (130"184 ka BP). Quaternary Science Reviews, 2019, 219, 126-144.	3.0	20
22	Dynamic climate-driven controls on the deposition of the Kimmeridge Clay Formation in the Cleveland Basin, Yorkshire, UK. Climate of the Past, 2019, 15, 1581-1601.	3.4	9
23	A bacterial isolate from the Black Sea oxidizes sulfide with manganese(IV) oxide. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 12153-12155.	7.1	52
24	Dissimilar behaviors of the geochemical twins W and Mo in hypoxic-euxinic marine basins. Earth-Science Reviews, 2019, 193, 1-23.	9.1	53
25	Effect of large magnetotactic bacteria with polyphosphate inclusions on the phosphate profile of the suboxic zone in the Black Sea. ISME Journal, 2019, 13, 1198-1208.	9.8	59
26	Redox evolution during Eemian and Holocene sapropel formation in the Black Sea. Palaeogeography, Palaeoclimatology, Palaeoecology, 2018, 489, 249-260.	2.3	32
27	Massive Mn carbonate formation in the Landsort Deep (Baltic Sea): Hydrographic conditions, temporal succession, and Mn budget calculations. Marine Geology, 2018, 395, 260-270.	2.1	56
28	The invasive diatom Pseudosolenia calcar-avis and specific C25 isoprenoid lipids as a sedimentary time marker in the Black Sea. Geology, 2018, 46, 507-510.	4.4	4
29	Impact of the Major Baltic Inflow in 2014 on Manganese Cycling in the Gotland Deep (Baltic Sea). Frontiers in Marine Science, 2018, 5, .	2.5	31
30	Ferruginous groundwaters as a source of P, Fe, and DIC for coastal waters of the southern Baltic Sea: (Isotope) hydrobiogeochemistry and the role of an iron curtain. E3S Web of Conferences, 2018, 54, 00019.	0.5	2
31	Benthic Bacterial Community Composition in the Oligohaline-Marine Transition of Surface Sediments in the Baltic Sea Based on rRNA Analysis. Frontiers in Microbiology, 2018, 9, 236.	3.5	44
32	Commercial African Catfish (Clarias gariepinus) Recirculating Aquaculture Systems: Assessment of Element and Energy Pathways with Special Focus on the Phosphorus Cycle. Sustainability, 2018, 10, 1805.	3.2	38
33	A 1500-year multiproxy record of coastal hypoxia from the northern Baltic Sea indicates unprecedented deoxygenation over the 20th century. Biogeosciences, 2018, 15, 3975-4001.	3.3	45
34	Biogeochemical impact of submarine ground water discharge on coastal surface sands of the southern Baltic Sea. Estuarine, Coastal and Shelf Science, 2017, 189, 131-142.	2.1	27
35	Deep"sea fluxes of barium and lithogenic trace elements in the subtropical northeast Atlantic. Deep-Sea Research Part I: Oceanographic Research Papers, 2017, 122, 72-80.	1.4	7
36	Biogeochemical cycles. , 2017, , 87-122.		9

#	ARTICLE	IF	CITATIONS
37	Mid- to late Holocene environmental separation of the northern and central Baltic Sea basins in response to differential land uplift. <i>Boreas</i> , 2017, 46, 111-128.	2.4	30
38	A Multi-Pumping Flow System for In Situ Measurements of Dissolved Manganese in Aquatic Systems. <i>Sensors</i> , 2016, 16, 2027.	3.8	7
39	Northern hemisphere climate control on the environmental dynamics in the glacial Black Sea "Lake". <i>Quaternary Science Reviews</i> , 2016, 135, 41-53.	3.0	27
40	Bacterial communities potentially involved in iron-cycling in Baltic Sea and North Sea sediments revealed by pyrosequencing. <i>FEMS Microbiology Ecology</i> , 2016, 92, fiw054.	2.7	42
41	Black Sea temperature response to glacial millennial-scale climate variability. <i>Geophysical Research Letters</i> , 2015, 42, 8147-8154.	4.0	40
42	Uranium and molybdenum isotope systematics in modern euxinic basins: Case studies from the central Baltic Sea and the Kyllaren fjord (Norway). <i>Chemical Geology</i> , 2015, 396, 182-195.	3.3	131
43	Tube-dwelling invertebrates: tiny ecosystem engineers have large effects in lake ecosystems. <i>Ecological Monographs</i> , 2015, 85, 333-351.	5.4	122
44	Electrode measurements of the oxidation reduction potential in the Gotland Deep using a moored profiling instrumentation. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 141, 26-36.	2.1	12
45	Stationary sinking velocity of authigenic manganese oxides at pelagic redoxclines. <i>Marine Chemistry</i> , 2014, 160, 67-74.	2.3	19
46	Meltwater events and the Mediterranean reconnection at the Saalian-Emian transition in the Black Sea. <i>Earth and Planetary Science Letters</i> , 2014, 404, 124-135.	4.4	34
47	Submarine groundwater discharge to the Baltic coastal zone: Impacts on the meiofaunal community. <i>Journal of Marine Systems</i> , 2014, 129, 118-126.	2.1	42
48	Pelagic molybdenum concentration anomalies and the impact of sediment resuspension on the molybdenum budget in two tidal systems of the North Sea. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 119, 198-211.	3.9	44
49	Regional Differences of Hydrographical and Sedimentological Properties in the Beibu Gulf, South China Sea. <i>Journal of Coastal Research</i> , 2013, 66, 49-71.	0.3	26
50	Sources and spatial distribution of heavy metals in scleractinian coral tissues and sediments from the Bocas del Toro Archipelago, Panama. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 9089-9099.	2.7	34
51	Dissolved reactive manganese at pelagic redoxclines (part II): Hydrodynamic conditions for accumulation. <i>Journal of Marine Systems</i> , 2012, 90, 31-41.	2.1	62
52	BaMn[CO ₃] ₂ " a previously unrecognized double carbonate in low-temperature environments: Structural, spectroscopic, and textural tools for future identification. <i>Chemie Der Erde</i> , 2012, 72, 85-89.	2.0	14
53	Geochemistry of Holocene salt marsh and tidal flat sediments on a barrier island in the southern North Sea (Langeoog, North-west Germany). <i>Sedimentology</i> , 2012, 59, 337-355.	3.1	12
54	A comparative study of manganese dynamics in the water column and sediments of intertidal systems of the North Sea. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 100, 3-17.	2.1	54

#	ARTICLE	IF	CITATIONS
55	Trace metal geochemistry of organic carbon-rich watercourses draining the NW German coast. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 104-105, 66-79.	2.1	33
56	In situ determination of iron(II) in the anoxic zone of the central Baltic Sea using ferene as spectrophotometric reagent. <i>Marine Chemistry</i> , 2012, 130-131, 21-27.	2.3	12
57	Sedimentology and geochemistry of an exceptionally preserved last interglacial sapropel S5 in the Levantine Basin (Mediterranean Sea). <i>Marine Geology</i> , 2012, 291-294, 34-48.	2.1	22
58	Dissolved reactive manganese at pelagic redoxclines (part I): A method for determination based on field experiments. <i>Journal of Marine Systems</i> , 2012, 90, 23-30.	2.1	26
59	Geochemistry of salt marsh sediments deposited during simulated sea-level rise and consequences for recent and Holocene coastal development of NW Germany. <i>Geo-Marine Letters</i> , 2012, 32, 49-60.	1.1	15
60	Molybdenum isotope fractionation in pelagic euxinia: Evidence from the modern Black and Baltic Seas. <i>Chemical Geology</i> , 2011, 289, 1-11.	3.3	174
61	Radium-based pore water fluxes of silica, alkalinity, manganese, DOC, and uranium: A decade of studies in the German Wadden Sea. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 6535-6555.	3.9	99
62	Contamination of arctic Fjord sediments by Pb/Zn mining at Maarmorilik in central West Greenland. <i>Marine Pollution Bulletin</i> , 2010, 60, 1065-1073.	5.0	36
63	A new particulate Mn-Fe-P-shuttle at the redoxcline of anoxic basins. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 7100-7115.	3.9	215
64	Nutrient dynamics in a back barrier tidal basin of the Southern North Sea: Time-series, model simulations, and budget estimates. <i>Journal of Sea Research</i> , 2010, 64, 199-212.	1.6	53
65	Methane in the southern North Sea: Sources, spatial distribution and budgets. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 81, 445-456.	2.1	59
66	Distributions and characteristics of dissolved organic matter in temperate coastal waters (Southern North Sea). <i>Journal of Marine Research</i> , 2009, 67, 107-126.	2.2	26
67	Spatio-temporal dynamics of suspended matter properties and bacterial communities in the back-barrier tidal flat system of Spiekeroog Island. <i>Ocean Dynamics</i> , 2009, 59, 277-290.	2.2	11
68	Trace metal dynamics in the water column and pore waters in a temperate tidal system: response to the fate of algae-derived organic matter. <i>Ocean Dynamics</i> , 2009, 59, 333-350.	2.2	51
69	Sulphate, dissolved organic carbon, nutrients and terminal metabolic products in deep pore waters of an intertidal flat. <i>Biogeochemistry</i> , 2008, 89, 221-238.	3.5	38
70	Spatial and seasonal variations of sulphate, dissolved organic carbon, and nutrients in deep pore waters of intertidal flat sediments. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 79, 307-316.	2.1	73
71	Cycling of trace metals (Mn, Fe, Mo, U, V, Cr) in deep pore waters of intertidal flat sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2008, 72, 2822-2840.	3.9	139
72	In situ pore water sampling in deep intertidal flat sediments. <i>Limnology and Oceanography: Methods</i> , 2007, 5, 136-144.	2.0	37

#	ARTICLE	IF	CITATIONS
73	Sources and fate of manganese in a tidal basin of the German Wadden Sea. <i>Journal of Sea Research</i> , 2007, 57, 1-18.	1.6	52
74	Non-conservative behaviour of molybdenum in coastal waters: Coupling geochemical, biological, and sedimentological processes. <i>Geochimica Et Cosmochimica Acta</i> , 2007, 71, 2745-2761.	3.9	89
75	A novel time-series station in the Wadden Sea (NW Germany): First results on continuous nutrient and methane measurements. <i>Marine Chemistry</i> , 2007, 107, 411-421.	2.3	40
76	Physical and biogeochemical controls of microaggregate dynamics in a tidally affected coastal ecosystem. <i>Limnology and Oceanography</i> , 2006, 51, 847-859.	3.1	71
77	Intense pyrite formation under low-sulfate conditions in the Achterwasser lagoon, SW Baltic Sea. <i>Geochimica Et Cosmochimica Acta</i> , 2005, 69, 3619-3630.	3.9	54
78	The indicative meaning of diatoms, pollen and botanical macro fossils for the reconstruction of palaeoenvironments and sea-level fluctuations along the coast of Lower Saxony; Germany. <i>Quaternary International</i> , 2004, 112, 71-87.	1.5	38
79	Trace metals in Holocene coastal peats and their relation to pyrite formation (NW Germany). <i>Chemical Geology</i> , 2002, 182, 423-442.	3.3	75
80	Lead in sediments and suspended particulate matter of the German Bight: natural versus anthropogenic origin. <i>Applied Geochemistry</i> , 2002, 17, 621-632.	3.0	64
81	Sulphur and iron geochemistry of Holocene coastal peats (NW Germany): a tool for palaeoenvironmental reconstruction. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2001, 167, 359-379.	2.3	50
82	High-resolution Reconstruction of a Holocene Coastal Sequence (NW Germany) Using Inorganic Geochemical Data and Diatom Inventories. <i>Estuarine, Coastal and Shelf Science</i> , 1999, 48, 617-633.	2.1	34
83	Geochemical and microfacies characterization of a Holocene depositional sequence in northwest Germany. <i>Organic Geochemistry</i> , 1998, 29, 1687-1699.	1.8	21