

# Gerald Moser

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2408905/publications.pdf>

Version: 2024-02-01

52  
papers

2,443  
citations

218677

26  
h-index

206112

48  
g-index

57  
all docs

57  
docs citations

57  
times ranked

3578  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biochar reduced nitrate leaching and improved soil moisture content without yield improvements in a four-year field study. <i>Agriculture, Ecosystems and Environment</i> , 2017, 237, 80-94.	5.3	231
2	Large altitudinal increase in tree root/shoot ratio in tropical mountain forests of Ecuador. <i>Basic and Applied Ecology</i> , 2007, 8, 219-230.	2.7	210
3	Elevation effects on the carbon budget of tropical mountain forests (S Ecuador): the role of the belowground compartment. <i>Global Change Biology</i> , 2011, 17, 2211-2226.	9.5	160
4	Altitudinal Change in LAI and Stand Leaf Biomass in Tropical Montane Forests: a Transect Study in Ecuador and a Pan-Tropical Meta-Analysis. <i>Ecosystems</i> , 2007, 10, 924-935.	3.4	139
5	Forest aboveground biomass along an elevational transect in Sulawesi, Indonesia, and the role of Fagaceae in tropical montane rain forests. <i>Journal of Biogeography</i> , 2010, 37, 960-974.	3.0	121
6	Reduced CO <sub>2</sub> fertilization effect in temperate C3 grasslands under more extreme weather conditions. <i>Nature Climate Change</i> , 2017, 7, 137-141.	18.8	108
7	Effects of an experimental drought on the functioning of a cacao agroforestry system, Sulawesi, Indonesia. <i>Global Change Biology</i> , 2010, 16, 1515-1530.	9.5	92
8	Below- and above-ground biomass and net primary production in a paleotropical natural forest (Sulawesi, Indonesia) as compared to neotropical forests. <i>Forest Ecology and Management</i> , 2009, 258, 1904-1912.	3.2	86
9	Response of cocoa trees ( <i>Theobroma cacao</i> ) to a 13-month desiccation period in Sulawesi, Indonesia. <i>Agroforestry Systems</i> , 2010, 79, 171-187.	2.0	86
10	Experimental evidence for stronger cacao yield limitation by pollination than by plant resources. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2010, 12, 183-191.	2.7	85
11	Multiyear greenhouse gas balances at a rewetted temperate peatland. <i>Global Change Biology</i> , 2016, 22, 4080-4095.	9.5	78
12	Long-Term Warming Shifts the Composition of Bacterial Communities in the Phyllosphere of <i>Galium album</i> in a Permanent Grassland Field-Experiment. <i>Frontiers in Microbiology</i> , 2018, 9, 144.	3.5	76
13	Rewetting degraded peatlands for climate and biodiversity benefits: Results from two raised bogs. <i>Ecological Engineering</i> , 2019, 127, 547-560.	3.6	69
14	Narrowing uncertainties in the effects of elevated CO <sub>2</sub> on crops. <i>Nature Food</i> , 2020, 1, 775-782.	14.0	67
15	Altitudinal Changes in Stand Structure and Biomass Allocation of Tropical Mountain Forests in Relation to Microclimate and Soil Chemistry. <i>Ecological Studies</i> , 2008, , 229-242.	1.2	61
16	Biomass responses in a temperate European grassland through 17 years of elevated CO <sub>2</sub> . <i>Global Change Biology</i> , 2018, 24, 3875-3885.	9.5	53
17	Replicated throughfall exclusion experiment in an Indonesian perhumid rainforest: wood production, litter fall and fine root growth under simulated drought. <i>Global Change Biology</i> , 2014, 20, 1481-1497.	9.5	49
18	Can Joint Carbon and Biodiversity Management in Tropical Agroforestry Landscapes Be Optimized?. <i>PLoS ONE</i> , 2012, 7, e47192.	2.5	44

#	ARTICLE	IF	CITATIONS
19	Lichen and moss communities of Botany Bay, Granite Harbour, Ross Sea, Antarctica. <i>Antarctic Science</i> , 2010, 22, 691-702.	0.9	41
20	Explaining the doubling of N <sub>2</sub> O emissions under elevated CO <sub>2</sub> in the Giessen FACE via in-field <sup>15</sup> N tracing. <i>Global Change Biology</i> , 2018, 24, 3897-3910.	9.5	41
21	Change in hydraulic properties and leaf traits in a tall rainforest tree species subjected to long-term throughfall exclusion in the perhumid tropics. <i>Biogeosciences</i> , 2011, 8, 2179-2194.	3.3	38
22	Conversion of tropical moist forest into cacao agroforest: consequences for carbon pools and annual C sequestration. <i>Agroforestry Systems</i> , 2013, 87, 1173-1187.	2.0	38
23	Grassland ecosystem services in a changing environment: The potential of hyperspectral monitoring. <i>Remote Sensing of Environment</i> , 2019, 232, 111273.	11.0	36
24	Metatranscriptomics reveals climate change effects on the rhizosphere microbiomes in European grassland. <i>Soil Biology and Biochemistry</i> , 2019, 138, 107604.	8.8	33
25	<i>Aureimonas galii</i> sp. nov. and <i>Aureimonas pseudogalii</i> sp. nov. isolated from the phyllosphere of <i>Galium album</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3345-3354.	1.7	30
26	Carbon dioxide fertilisation and suppressed respiration induce enhanced spring biomass production in a mixed species temperate meadow exposed to moderate carbon dioxide enrichment. <i>Functional Plant Biology</i> , 2016, 43, 26.	2.1	28
27	The Carbon Balance of Tropical Mountain Forests Along an Altitudinal Transect. <i>Ecological Studies</i> , 2013, , 117-139.	1.2	28
28	To graze or not to graze? Four years greenhouse gas balances and vegetation composition from a drained and a rewetted organic soil under grassland. <i>Agriculture, Ecosystems and Environment</i> , 2016, 222, 156-170.	5.3	26
29	Changes in macro- and micronutrient contents of grasses and forbs following <i>Miscanthus giganteus</i> feedstock, hydrochar and biochar application to temperate grassland. <i>Grass and Forage Science</i> , 2015, 70, 582-599.	2.9	25
30	Soil Conditions Rather Than Long-Term Exposure to Elevated CO <sub>2</sub> Affect Soil Microbial Communities Associated with N-Cycling. <i>Frontiers in Microbiology</i> , 2017, 8, 1976.	3.5	24
31	Microbial community shifts 2.6 years after top dressing of <i>Miscanthus</i> biochar, hydrochar and feedstock on a temperate grassland site. <i>Plant and Soil</i> , 2015, 397, 261-271.	3.7	23
32	Global warming shifts the composition of the abundant bacterial phyllosphere microbiota as indicated by a cultivation-dependent and -independent study of the grassland phyllosphere of a long-term warming field experiment. <i>FEMS Microbiology Ecology</i> , 2020, 96, .	2.7	21
33	Biomass and productivity of fine and coarse roots in five tropical mountain forests stands along an altitudinal transect in southern Ecuador. <i>Plant Ecology and Diversity</i> , 2010, 3, 151-164.	2.4	20
34	Positive feedback of elevated CO <sub>2</sub> on soil respiration in late autumn and winter. <i>Biogeosciences</i> , 2015, 12, 1257-1269.	3.3	20
35	Impacts of long-term elevated atmospheric CO <sub>2</sub> concentrations on communities of arbuscular mycorrhizal fungi. <i>Molecular Ecology</i> , 2019, 28, 3445-3458.	3.9	20
36	Depth-dependent response of soil aggregates and soil organic carbon content to long-term elevated CO <sub>2</sub> in a temperate grassland soil. <i>Soil Biology and Biochemistry</i> , 2018, 123, 145-154.	8.8	19

#	ARTICLE	IF	CITATIONS
37	Proposal of <i>Mucilaginibacter phyllosphaerae</i> sp. nov. isolated from the phyllosphere of <i>Galium album</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4138-4147.	1.7	14
38	Seasonality affects function and complexity but not diversity of the rhizosphere microbiome in European temperate grassland. <i>Science of the Total Environment</i> , 2021, 784, 147036.	8.0	12
39	Simulating Long-Term Development of Greenhouse Gas Emissions, Plant Biomass, and Soil Moisture of a Temperate Grassland Ecosystem under Elevated Atmospheric CO <sub>2</sub> . <i>Agronomy</i> , 2020, 10, 50.	3.0	11
40	Effects of Wood Hydraulic Properties on Water Use and Productivity of Tropical Rainforest Trees. <i>Frontiers in Forests and Global Change</i> , 2021, 3, .	2.3	11
41	Proposal of <i>Mucilaginibacter galii</i> sp. nov. isolated from leaves of <i>Galium album</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1318-1326.	1.7	11
42	Effects of long-term CO <sub>2</sub> enrichment on forage quality of extensively managed temperate grassland. <i>Agriculture, Ecosystems and Environment</i> , 2021, 312, 107347.	5.3	9
43	Elevated Atmospheric CO <sub>2</sub> Modifies Mostly the Metabolic Active Rhizosphere Soil Microbiome in the Giessen FACE Experiment. <i>Microbial Ecology</i> , 2022, 83, 619-634.	2.8	9
44	Degradation of <i>Miscanthus</i> <i>Ä</i> giganteus biochar, hydrochar and feedstock under the influence of disturbance events. <i>Applied Soil Ecology</i> , 2017, 113, 135-150.	4.3	8
45	Isotopic Techniques to Measure N <sub>2</sub> O, N <sub>2</sub> and Their Sources. , 2021, , 213-301.		8
46	Extreme climatic events down-regulate the grassland biomass response to elevated carbon dioxide. <i>Scientific Reports</i> , 2018, 8, 17758.	3.3	5
47	Is light interception of understorey species facilitated by light reflection from plant neighbours?. <i>Plant Ecology and Diversity</i> , 2015, 8, 1-12.	2.4	4
48	Plant Functional Types Differ in Their Long-term Nutrient Response to eCO <sub>2</sub> in an Extensive Grassland. <i>Ecosystems</i> , 0, , 1.	3.4	4
49	Permanent Managed Grassland at Future Climate Change: Is There a Connection between GHG Emission and Composition of Plant and Microbial Communities?. <i>Procedia Environmental Sciences</i> , 2015, 29, 156-157.	1.4	3
50	Increasing N <sub>2</sub> O Emissions Under Long-term (11 year) Free-air CO <sub>2</sub> Enrichment Counterbalance Biomass Growth Stimulation: A Carbon Balance Approach. <i>Procedia Environmental Sciences</i> , 2015, 29, 168-170.	1.4	1
51	Responses of a Grassland Ecosystem to 17 Years of Free-air CO <sub>2</sub> Enrichment. <i>Procedia Environmental Sciences</i> , 2015, 29, 158-159.	1.4	0
52	Global Change Biology Introductionâ€”FACEing the future conference. <i>Global Change Biology</i> , 2018, 24, 3873-3874.	9.5	0