

# James W Young

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2410053/publications.pdf>

Version: 2024-02-01

135  
papers

10,742  
citations

41344

49  
h-index

31849

101  
g-index

136  
all docs

136  
docs citations

136  
times ranked

12673  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Simplified Comorbidity Index: a new tool for prediction of nonrelapse mortality in allo-HCT. <i>Blood Advances</i> , 2022, 6, 1525-1535.	5.2	17
2	Langerhans dendritic cell vaccine bearing mRNA-encoded tumor antigens induces antimyeloma immunity after autotransplant. <i>Blood Advances</i> , 2022, 6, 1547-1558.	5.2	16
3	Low-dose unfractionated heparin prophylaxis is a safe strategy for the prevention of hepatic sinusoidal obstruction syndrome after myeloablative adult allogeneic stem cell transplant. <i>Bone Marrow Transplantation</i> , 2022, 57, 1095-1100.	2.4	4
4	Racial disparities in access to alternative donor allografts persist in the era of "donors for all". <i>Blood Advances</i> , 2022, 6, 5625-5629.	5.2	12
5	Geriatric syndromes in 2-year, progression-free survivors among older recipients of allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2021, 56, 289-292.	2.4	4
6	Combining the disease risk index and hematopoietic cell transplant comorbidity index provides a comprehensive prognostic model for CD34 <sup>+</sup> selected allogeneic transplantation. <i>Advances in Cell and Gene Therapy</i> , 2021, 4, .	0.9	0
7	Outcomes of adult T-Cell leukemia/lymphoma with allogeneic stem cell transplantation: single-institution experience. <i>Leukemia and Lymphoma</i> , 2021, 62, 2177-2183.	1.3	2
8	Reduced-intensity conditioning hematopoietic stem cell transplantation for chronic lymphocytic leukemia and Richter's transformation. <i>Blood Advances</i> , 2021, 5, 2879-2889.	5.2	16
9	Venetoclax-based combinations in AML and high-risk MDS prior to and following allogeneic hematopoietic cell transplant. <i>Leukemia and Lymphoma</i> , 2021, 62, 3394-3401.	1.3	17
10	Relapse after Allogeneic Stem Cell Transplantation of Acute Myelogenous Leukemia and Myelodysplastic Syndrome and the Importance of Second Cellular Therapy. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 771.e1-771.e10.	1.2	17
11	Fractionated Infusion of Hematopoietic Progenitor Cells Does Not Improve Neutrophil Recovery or Survival in Allograft Recipients. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 852.e1-852.e9.	1.2	0
12	Favorable long-term outcomes of hematopoietic stem cell transplantation for CMML with myeloablative conditioning, anti-thymocyte globulin, and CD34 <sup>+</sup> selected graft. <i>Bone Marrow Transplantation</i> , 2020, 55, 1632-1634.	2.4	0
13	Ex Vivo T Cell-Depleted Hematopoietic Stem Cell Transplantation for Adult Patients with Acute Myelogenous Leukemia in First and Second Remission: Long-Term Disease-Free Survival with a Significantly Reduced Risk of Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 323-332.	2.0	19
14	High progression-free survival after intermediate intensity double unit cord blood transplantation in adults. <i>Blood Advances</i> , 2020, 4, 6064-6076.	5.2	29
15	Less Can Be More When Targeting Interleukin-6-Mediated Cytokine Release Syndrome in Coronavirus Disease 2019. <i>Journal of Intensive Care Medicine</i> , 2020, 2, e0138.		5
16	Characteristics and Impact of Post-Transplant Interdisciplinary Palliative Care Consultation in Older Allogeneic Hematopoietic Cell Transplant Recipients. <i>Journal of Palliative Medicine</i> , 2020, 23, 1653-1657.	1.1	1
17	Off-the-shelf EBV-specific T cell immunotherapy for rituximab-refractory EBV-associated lymphoma following transplantation. <i>Journal of Clinical Investigation</i> , 2020, 130, 733-747.	8.2	161
18	Alternative mechanisms that mediate graft-versus-host disease in allogeneic hematopoietic cell transplants. <i>Journal of Clinical Investigation</i> , 2020, 130, 4532-4535.	8.2	2

#	ARTICLE	IF	CITATIONS
19	Clinical Outcomes of Acute Myeloid Leukemia Patients Bridged to Allogeneic Stem Cell Transplant By Venetoclax Combination Therapy. <i>Blood</i> , 2020, 136, 16-17.	1.4	0
20	Allogeneic Stem Cell Transplantation for Advanced Myelodysplastic Syndrome: Comparison of Outcomes between CD34+ Selected and Unmodified Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1079-1087.	2.0	20
21	Langerhans-type dendritic cells electroporated with TRP-2 mRNA stimulate cellular immunity against melanoma: Results of a phase I vaccine trial. <i>OncImmunology</i> , 2018, 7, e1372081.	4.6	37
22	Reconstitution of the gut microbiota of antibiotic-treated patients by autologous fecal microbiota transplant. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	258
23	A protective Langerhans cell-keratinocyte axis that is dysfunctional in photosensitivity. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	48
24	Primary T Cells from Cutaneous T-cell Lymphoma Skin Explants Display an Exhausted Immune Checkpoint Profile. <i>Cancer Immunology Research</i> , 2018, 6, 900-909.	3.4	73
25	Early recovery of T-cell function predicts improved survival after T-cell depleted allogeneic transplant. <i>Leukemia and Lymphoma</i> , 2017, 58, 1859-1871.	1.3	54
26	Human Dendritic Cells Mitigate NK-Cell Dysfunction Mediated by Nonselective JAK1/2 Blockade. <i>Cancer Immunology Research</i> , 2017, 5, 52-60.	3.4	32
27	Ex Vivo CD34+ Selected T Cell Depleted Peripheral Blood Stem Cell Grafts for Allogeneic Hematopoietic Stem Cell Transplantation in Acute Leukemia and Myelodysplastic Syndrome Is Associated with Low Incidence of Acute and Chronic Graft-versus-Host Disease and High Treatment Response. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 452-458.	2.0	35
28	T Cell Depletion as an Alternative Approach for Patients 55 Years or Older Undergoing Allogeneic Stem Cell Transplantation as Curative Therapy for Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1685-1694.	2.0	12
29	A Chemotherapy-Only Regimen of Busulfan, Melphalan, and Fludarabine, and Rabbit Antithymocyte Globulin Followed by Allogeneic T-Cell Depleted Hematopoietic Stem Cell Transplantations for the Treatment of Myeloid Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 2088-2095.	2.0	9
30	<i>CREBBP</i> Inactivation Promotes the Development of HDAC3-Dependent Lymphomas. <i>Cancer Discovery</i> , 2017, 7, 38-53.	9.4	218
31	Hematopoietic Cell Transplantation Comorbidity Index Predicts Outcomes in Patients with Acute Myeloid Leukemia and Myelodysplastic Syndromes Receiving CD34 + Selected Grafts for Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 67-74.	2.0	24
32	Second Allogeneic Stem Cell Transplantation for Acute Leukemia Using a Chemotherapy-Only Cytoreduction with Clofarabine, Melphalan, and Thiotepa. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1449-1454.	2.0	8
33	Phase II Study of Haploidentical Natural Killer Cell Infusion for Treatment of Relapsed or Persistent Myeloid Malignancies Following Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 705-709.	2.0	112
34	New insights into the phenotype of human dendritic cell populations. <i>Clinical and Translational Immunology</i> , 2016, 5, e61.	3.8	29
35	T-cell Exhaustion in Multiple Myeloma Relapse after Autotransplant: Optimal Timing of Immunotherapy. <i>Cancer Immunology Research</i> , 2016, 4, 61-71.	3.4	152
36	High day 28 ST2 levels predict for acute graft-versus-host disease and transplant-related mortality after cord blood transplantation. <i>Blood</i> , 2015, 125, 199-205.	1.4	109

#	ARTICLE	IF	CITATIONS
37	Langerhans cells: straight from blood to skin?. <i>Blood</i> , 2015, 125, 420-422.	1.4	1
38	CD34-Selected Hematopoietic Stem Cell Transplants Conditioned with Myeloablative Regimens and Antithymocyte Globulin for Advanced Myelodysplastic Syndrome: Limited Graft-versus-Host Disease without Increased Relapse. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 2106-2114.	2.0	49
39	Intensified Mycophenolate Mofetil Dosing and Higher Mycophenolic Acid Trough Levels Reduce Severe Acute Graft-versus-Host Disease after Double-Unit Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 920-925.	2.0	33
40	Brincidofovir for Polyomavirus-Associated Nephropathy After Allogeneic Hematopoietic Stem Cell Transplantation. <i>American Journal of Kidney Diseases</i> , 2015, 65, 780-784.	1.9	48
41	Association between Nondominant Unit Total Nucleated Cell Dose and Engraftment in Myeloablative Double-Unit Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1981-1984.	2.0	9
42	Robust Vaccine Responses in Adult and Pediatric Cord Blood Transplantation Recipients Treated for Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 2160-2166.	2.0	31
43	High Disease-Free Survival with Enhanced Protection against Relapse after Double-Unit Cord Blood Transplantation When Compared with T Cell-Depleted Unrelated Donor Transplantation in Patients with Acute Leukemia and Chronic Myelogenous Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1985-1993.	2.0	40
44	A prospective study of an alemtuzumab containing reduced-intensity allogeneic stem cell transplant program in patients with poor-risk and advanced lymphoid malignancies. <i>Leukemia and Lymphoma</i> , 2014, 55, 2739-2747.	1.3	9
45	Phenotypic and Functional Activation of Hyporesponsive KIR <sup>neg</sup> NKG2A <sup>neg</sup> Human NK-Cell Precursors Requires IL12p70 Provided by Poly(I:C)-Matured Monocyte-Derived Dendritic Cells. <i>Cancer Immunology Research</i> , 2014, 2, 1000-1010.	3.4	5
46	Frequent Human Herpesvirus-6 Viremia But Low Incidence of Encephalitis in Double-Unit Cord Blood Recipients Transplanted Without Antithymocyte Globulin. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 787-793.	2.0	43
47	High Day 28 ST2 Biomarker Levels Predict Severe Day 100 Acute Graft-Versus-Host Disease and Day 180 Transplant-Related Mortality after Double-Unit Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, S278-S279.	2.0	1
48	Analysis of 129 Myeloablative Double-Unit Cord Blood Transplantation Recipients Demonstrates an Independent Association Between Non-Dominant Unit TNC Dose and Engraftment Suggesting a Facilitation Effect. <i>Blood</i> , 2014, 124, 2459-2459.	1.4	1
49	Langerhans-type and monocyte-derived human dendritic cells have different susceptibilities to mRNA electroporation with distinct effects on maturation and activation: implications for immunogenicity in dendritic cell-based immunotherapy. <i>Journal of Translational Medicine</i> , 2013, 11, 166.	4.4	18
50	A Novel Reduced-Intensity Conditioning Regimen Induces a High Incidence of Sustained Donor-Derived Neutrophil and Platelet Engraftment after Double-Unit Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 799-803.	2.0	63
51	T Cell-Depleted Stem Cell Transplantation for Adults with High-Risk Acute Lymphoblastic Leukemia: Long-Term Survival for Patients in First Complete Remission with a Decreased Risk of Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 208-213.	2.0	41
52	Two Chemotherapy-Based Conditioning Regimens Compared To TBI-Based Conditioning Secure Consistent Engraftment Of T-Cell Depleted Allogeneic HSCT, Similarly Low Incidences Of Gvhd and Favorable Rates Of Disease-Free Survival (DFS). <i>Blood</i> , 2013, 122, 546-546.	1.4	2
53	T-Cell Depleted (TCD) Hematopoietic Stem Cell Transplantation (HCT) For Adult Patients With Acute Myelogenous Leukemia (AML) In First and Second Remission: Long-Term Disease Free Survival(DFS) With a Significantly Reduced Risk Of Graft-Versus-Host Disease(GvHD). <i>Blood</i> , 2013, 122, 3387-3387.	1.4	0
54	Long-term survival in patients with peripheral T-cell non-Hodgkin lymphomas after allogeneic hematopoietic stem cell transplant. <i>Leukemia and Lymphoma</i> , 2012, 53, 1124-1129.	1.3	41

#	ARTICLE	IF	CITATIONS
55	Adoptive immunotherapy with unselected or EBV-specific T cells for biopsy-proven EBV+ lymphomas after allogeneic hematopoietic cell transplantation. <i>Blood</i> , 2012, 119, 2644-2656.	1.4	389
56	Human Langerhans cells use an IL-15R $\alpha$ /IL-15/pSTAT5-dependent mechanism to break T-cell tolerance against the self-differentiation tumor antigen WT1. <i>Blood</i> , 2012, 119, 5182-5190.	1.4	46
57	Recombinant human interleukin-7 (CYT107) promotes T-cell recovery after allogeneic stem cell transplantation. <i>Blood</i> , 2012, 120, 4882-4891.	1.4	165
58	Poor Graft Function in Recipients of T Cell Depleted (TCD) Allogeneic Hematopoietic Stem Cell Transplants (HSCT) Is Mostly Related to Viral Infections and Anti-Viral Therapy.. <i>Blood</i> , 2012, 120, 3147-3147.	1.4	5
59	Innate Immune Response of Human Plasmacytoid Dendritic Cells to Poxvirus Infection Is Subverted by Vaccinia E3 via Its Z-DNA/RNA Binding Domain. <i>PLoS ONE</i> , 2012, 7, e36823.	2.5	32
60	Human Dendritic Cell Heterogeneity: Opportunities and Challenges for the Control of Immunity. <i>Blood</i> , 2012, 120, SCI-21-SCI-21.	1.4	0
61	Unrelated Donor T-Cell Depleted (TCD) Hematopoietic Stem Cell Transplantation (HSCT) for Patients with Advanced Myelodysplastic Syndromes (MDS): The MSKCC Experience. <i>Blood</i> , 2012, 120, 1996-1996.	1.4	0
62	T Cell-Depleted Unrelated Donor Stem Cell Transplantation Provides Favorable Disease-Free Survival for Adults with Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1335-1342.	2.0	74
63	Reduced Late Mortality Risk Contributes to Similar Survival after Double-Unit Cord Blood Transplantation Compared with Related and Unrelated Donor Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1316-1326.	2.0	72
64	Anti-IL6-receptor-alpha (tocilizumab) does not inhibit human monocyte-derived dendritic cell maturation or alloreactive T-cell responses. <i>Blood</i> , 2011, 118, 5340-5343.	1.4	38
65	Janus kinase-2 inhibition induces durable tolerance to alloantigen by human dendritic cell-stimulated T cells yet preserves immunity to recall antigen. <i>Blood</i> , 2011, 118, 5330-5339.	1.4	86
66	Peptide-Loaded Langerhans Cells, Despite Increased IL15 Secretion and T-Cell Activation <i>In Vitro</i> , Elicit Antitumor T-Cell Responses Comparable to Peptide-Loaded Monocyte-Derived Dendritic Cells <i>In Vivo</i> . <i>Clinical Cancer Research</i> , 2011, 17, 1984-1997.	7.0	67
67	Improved Survival in Patients with Refractory Cytopenias (Low Risk Myelodysplastic Syndrome - MDS) Treated with Allogeneic T-Cell Depleted Hematopoietic Stem Cell Transplants (allo TCD-HSCTs). <i>Blood</i> , 2011, 118, 3831-3831.	1.4	0
68	Tregs served sunny-side up. <i>Blood</i> , 2010, 116, 4736-4737.	1.4	0
69	Pre-Engraftment Syndrome after Double-Unit Cord Blood Transplantation: A Distinct Syndrome not Associated with Acute Graft-Versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 435-440.	2.0	54
70	Cord Blood Units with Low CD34+ Cell Viability Have a Low Probability of Engraftment after Double Unit Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 500-508.	2.0	118
71	Chronic Kidney Disease, Thrombotic Microangiopathy, and Hypertension Following T Cell-Depleted Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 976-984.	2.0	71
72	NCI First International Workshop on the Biology, Prevention and Treatment of Relapse after Allogeneic Hematopoietic Cell Transplantation: Report from the Committee on Prevention of Relapse Following Allogeneic Cell Transplantation for Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1037-1069.	2.0	47

#	ARTICLE	IF	CITATIONS
73	Availability of Cord Blood Extends Allogeneic Hematopoietic Stem Cell Transplant Access to Racial and Ethnic Minorities. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1541-1548.	2.0	145
74	Priming of protective T cell responses against virus-induced tumors in mice with human immune system components. <i>Journal of Experimental Medicine</i> , 2009, 206, 1423-1434.	8.5	269
75	Fourth complete remission with immunosuppression withdrawal and irinotecan after both autologous and allogeneic transplants for diffuse large B cell lymphoma. <i>Leukemia and Lymphoma</i> , 2009, 50, 2075-2077.	1.3	3
76	Distinct Responses of Human Monocyte Subsets to <i>Aspergillus fumigatus</i> Conidia. <i>Journal of Immunology</i> , 2009, 183, 2678-2687.	0.8	63
77	Human Liver Dendritic Cells Promote T Cell Hyporesponsiveness. <i>Journal of Immunology</i> , 2009, 182, 1901-1911.	0.8	186
78	Indoleamine 2,3-dioxygenase-expressing mature human monocyte-derived dendritic cells expand potent autologous regulatory T cells. <i>Blood</i> , 2009, 114, 555-563.	1.4	235
79	Reciprocal differentiation and tissue-specific pathogenesis of Th1, Th2, and Th17 cells in graft-versus-host disease. <i>Blood</i> , 2009, 114, 3101-3112.	1.4	256
80	Disease-Free Survival After Cord Blood (CB) Transplantation Is Not Different to That After Related or Unrelated Donor Transplantation in Patients with Hematologic Malignancies. <i>Blood</i> , 2009, 114, 2296-2296.	1.4	6
81	Transplantation in Remission Improves the Disease-Free Survival of Patients with Advanced Myelodysplastic Syndromes Treated with Myeloablative T Cell-Depleted Stem Cell Transplants from HLA-Identical Siblings. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 458-468.	2.0	64
82	Response to Pneumococcal (PNCRM7) and Haemophilus Influenzae Conjugate Vaccines (HIB) in Pediatric and Adult Recipients of an Allogeneic Hematopoietic Cell Transplantation (alloHCT). <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1022-1030.	2.0	58
83	CD32B is highly expressed on clonal plasma cells from patients with systemic light-chain amyloidosis and provides a target for monoclonal antibody-based therapy. <i>Blood</i> , 2008, 111, 3403-3406.	1.4	37
84	Sirolimus (Rapamycin) Induced Proteinuria in a Patient Undergoing Allogeneic Hematopoietic Stem Cell Transplant. <i>Transplantation</i> , 2008, 86, 180-181.	1.0	4
85	Barriers to Clinical Trials Vary According to the Type of Trial and the Institution. <i>Journal of Clinical Oncology</i> , 2007, 25, 1633-1634.	1.6	7
86	T cell-depleted stem-cell transplantation for adults with hematologic malignancies: sustained engraftment of HLA-matched related donor grafts without the use of antithymocyte globulin. <i>Blood</i> , 2007, 110, 4552-4559.	1.4	106
87	Scalable Expansion of Potent Genetically Modified Human Langerhans Cells in a Closed System for Clinical Applications. <i>Journal of Immunotherapy</i> , 2007, 30, 634-643.	2.4	5
88	Intravenous Busulfan and Melphalan, Tacrolimus, and Short-Course Methotrexate Followed by Unmodified HLA-Matched Related or Unrelated Hematopoietic Stem Cell Transplantation for the Treatment of Advanced Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 235-244.	2.0	25
89	Dendritic Cells in Transplantation and Immune-Based Therapies. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 23-32.	2.0	33
90	Colonization, Bloodstream Infection, and Mortality Caused by Vancomycin-Resistant Enterococcus Early after Allogeneic Hematopoietic Stem Cell Transplant. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 615-621.	2.0	189

#	ARTICLE	IF	CITATIONS
91	Fludarabine-Based Conditioning Secures Engraftment of Second Hematopoietic Stem Cell Allografts (HSCT) in the Treatment of Initial Graft Failure. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 1313-1323.	2.0	48
92	Phase II Trial of a Chemotherapy-Only Regimen of Busulfan, Melphalan, Fludarabine and R-ATG Followed by Allogeneic T-Cell Depleted (TCD) Hematopoietic Stem Cell Transplants (HSCT) for the Treatment of Myeloid Malignancies.. <i>Blood</i> , 2007, 110, 2991-2991.	1.4	8
93	Analysis of 121 Allograft Recipients for the Treatment of Lymphoma: Progressive Disease by Functional and/or CT Imaging Is a Critical Determinant of Survival.. <i>Blood</i> , 2007, 110, 1658-1658.	1.4	0
94	Immunogenicity of recombinant hepatitis B vaccine (rHBV) in recipients of unrelated or related allogeneic hematopoietic cell (HC) transplants. <i>Blood</i> , 2006, 108, 2470-2475.	1.4	70
95	Langerhans-Type Dendritic Cells Genetically Modified to Express Full-Length Antigen Optimally Stimulate CTLs in a CD4-Dependent Manner. <i>Journal of Immunology</i> , 2006, 176, 2357-2365.	0.8	7
96	Immunogenicity of Haemophilus Influenza and Pneumococcal Vaccines in Related and Unrelated Transplant Recipients.. <i>Blood</i> , 2006, 108, 592-592.	1.4	3
97	Mature myeloid dendritic cell subsets have distinct roles for activation and viability of circulating human natural killer cells. <i>Blood</i> , 2005, 105, 266-273.	1.4	110
98	Dendritic cells have the option to express IDO-mediated suppression or not. <i>Blood</i> , 2005, 105, 2618-2618.	1.4	47
99	Langerhans Cells Derived from Genetically Modified Human CD34+ Hemopoietic Progenitors Are More Potent Than Peptide-Pulsed Langerhans Cells for Inducing Antigen-Specific CD8+ Cytolytic T Lymphocyte Responses. <i>Journal of Immunology</i> , 2005, 174, 758-766.	0.8	17
100	Human Dendritic Cells: Potent Antigen-Presenting Cells at the Crossroads of Innate and Adaptive Immunity. <i>Journal of Immunology</i> , 2005, 175, 1373-1381.	0.8	286
101	Activating and inhibitory IgG Fc receptors on human DCs mediate opposing functions. <i>Journal of Clinical Investigation</i> , 2005, 115, 2914-2923.	8.2	309
102	Results of T Cell Depleted (TCD) Myeloablative Hematopoietic Stem Cell Transplants (HSCT) in Patients with Hematologic Malignancies ≥ 55 yrs of Age.. <i>Blood</i> , 2005, 106, 3660-3660.	1.4	0
103	Mature Human Langerhans Cells Derived from CD34+ Hematopoietic Progenitors Stimulate Greater Cytolytic T Lymphocyte Activity in the Absence of Bioactive IL-12p70, by Either Single Peptide Presentation or Cross-Priming, Than Do Dermal-Interstitial or Monocyte-Derived Dendritic Cells. <i>Journal of Immunology</i> , 2004, 173, 2780-2791.	0.8	165
104	Infection of mature monocyte-derived dendritic cells with human cytomegalovirus inhibits stimulation of T-cell proliferation via the release of soluble CD83. <i>Blood</i> , 2004, 103, 4207-4215.	1.4	139
105	Vaccine Responses Following Unmodified or T Cell Depleted Unrelated and Mismatched Related HCT.. <i>Blood</i> , 2004, 104, 2226-2226.	1.4	2
106	Predominant Autoantibody Production by Early Human B Cell Precursors. <i>Science</i> , 2003, 301, 1374-1377.	12.6	1,806
107	Erythromelalgia precipitated by acral erythema in the setting of thrombocytopenia. <i>Journal of the American Academy of Dermatology</i> , 2003, 48, 973-975.	1.2	5
108	Differential CD52 expression by distinct myeloid dendritic cell subsets: implications for alemtuzumab activity at the level of antigen presentation in allogeneic graft-host interactions in transplantation. <i>Blood</i> , 2003, 101, 1422-1429.	1.4	119

#	ARTICLE	IF	CITATIONS
109	Expression of a Functional Eotaxin (CC Chemokine Ligand 11) Receptor CCR3 by Human Dendritic Cells. <i>Journal of Immunology</i> , 2002, 169, 2925-2936.	0.8	58
110	Cancer Vaccines: Gene Therapy and Dendritic Cell-Based Vaccines. , 2002, , 319-325.		0
111	Direct evidence for new T-cell generation by patients after either T-cell-depleted or unmodified allogeneic hematopoietic stem cell transplantations. <i>Blood</i> , 2002, 100, 2235-2242.	1.4	156
112	Direct evidence for new T-cell generation by patients after either T-cell-depleted or unmodified allogeneic hematopoietic stem cell transplantations. <i>Blood</i> , 2002, 100, 2235-2242.	1.4	57
113	Direct evidence for new T-cell generation by patients after either T-cell-depleted or unmodified allogeneic hematopoietic stem cell transplantations. <i>Blood</i> , 2002, 100, 2235-42.	1.4	67
114	Identification of poor prognostic features among patients requiring mechanical ventilation after hematopoietic stem cell transplantation. <i>Blood</i> , 2001, 98, 3234-3240.	1.4	106
115	Circulating human B cells that express surrogate light chains and edited receptors. <i>Nature Immunology</i> , 2000, 1, 207-213.	14.5	109
116	Dendritic Cells as Immunologic Adjuvants for the Treatment of Cancer. <i>Journal of Clinical Oncology</i> , 2000, 18, 3879-3882.	1.6	17
117	Retrovirally Transduced Mouse Dendritic Cells Require CD4+ T Cell Help to Elicit Antitumor Immunity: Implications for the Clinical Use of Dendritic Cells. <i>Journal of Immunology</i> , 2000, 164, 1243-1250.	0.8	61
118	Transfusion Medicine: New Clinical Applications of Cellular Immunotherapy. <i>Hematology American Society of Hematology Education Program</i> , 2000, 2000, 356-375.	2.5	1
119	Transfusion Medicine: New Clinical Applications of Cellular Immunotherapy. <i>Hematology American Society of Hematology Education Program</i> , 2000, 2000, 356-375.	2.5	2
120	Dendritic Cells. <i>Advances in Immunology</i> , 1999, 72, 255-324.	2.2	269
121	Dendritic cells: expansion and differentiation with hematopoietic growth factors. <i>Current Opinion in Hematology</i> , 1999, 6, 135.	2.5	19
122	T-Cell-Depleted Allogeneic Bone Marrow Transplantation as Postremission Therapy for Acute Myelogenous Leukemia: Freedom From Relapse in the Absence of Graft-Versus-Host Disease. <i>Blood</i> , 1998, 91, 1083-1090.	1.4	217
123	T-Cell-Depleted Allogeneic Bone Marrow Transplantation as Postremission Therapy for Acute Myelogenous Leukemia: Freedom From Relapse in the Absence of Graft-Versus-Host Disease. <i>Blood</i> , 1998, 91, 1083-1090.	1.4	2
124	Retrovirally Transduced Human Dendritic Cells Express a Normal Phenotype and Potent T-Cell Stimulatory Capacity. <i>Blood</i> , 1997, 90, 2160-2167.	1.4	83
125	Growth and Differentiation of Human Dendritic Cells from CD34+ Progenitors. <i>Advances in Experimental Medicine and Biology</i> , 1997, 417, 15-19.	1.6	11
126	The Hematopoietic Development of Dendritic Cells: A Distinct Pathway for Myeloid Differentiation. <i>Stem Cells</i> , 1996, 14, 376-387.	3.2	86



#	ARTICLE	IF	CITATIONS
127	Progenitor Recruitment and in Vitro Expansion of Immunostimulatory Dendritic Cells from Human CD34+ Bone Marrow Cells by c-kit-Ligand, GM-CSF, and TNF $\alpha$ . <i>Advances in Experimental Medicine and Biology</i> , 1995, 378, 17-20.	1.6	18
128	Infusions of Donor Leukocytes to Treat Epstein-Barr Virus-Associated Lymphoproliferative Disorders after Allogeneic Bone Marrow Transplantation. <i>New England Journal of Medicine</i> , 1994, 330, 1185-1191.	27.0	1,040
129	Hyperfractionated total lymphoid irradiation and cyclophosphamide for preparation of previously transfused patients undergoing HLA-identical marrow transplantation for severe aplastic anemia. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994, 29, 847-854.	0.8	12
130	Signals arising from antigen-presenting cells. <i>Current Opinion in Immunology</i> , 1991, 3, 361-372.	5.5	91
131	Accessory cell requirements for the mixed-leukocyte reaction and polyclonal mitogens, as studied with a new technique for enriching blood dendritic cells. <i>Cellular Immunology</i> , 1988, 111, 167-182.	3.0	144
132	The Sensitization Phase of T-Cell-Mediated Immunity. <i>Annals of the New York Academy of Sciences</i> , 1988, 546, 80-90.	3.8	22
133	Mononuclear phagocytes as targets for cytolytic T lymphocytes. <i>Journal of Immunological Methods</i> , 1987, 100, 99-106.	1.4	8
134	Cytomegalovirus Infection of Dendritic Cells. , 0, , 813-828.		0
135	Immunological Aspects of Transplantation. , 0, , 331-348.		0