Elizabeth Alice Kuipers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2414326/publications.pdf

Version: 2024-02-01

105 papers

7,269 citations

38 h-index 83 g-index

112 all docs

112 docs citations

112 times ranked

4788 citing authors

#	Article	IF	CITATIONS
1	A cognitive model of persecutory delusions. British Journal of Clinical Psychology, 2002, 41, 331-347.	3.5	669
2	Psychological investigation of the structure of paranoia in a non-clinical population. British Journal of Psychiatry, 2005, 186, 427-435.	2.8	579
3	London–East Anglia randomised controlled trial of cognitive–behavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 319-327.	2.8	387
4	Reasoning, Emotions, and Delusional Conviction in Psychosis Journal of Abnormal Psychology, 2005, 114, 373-384.	1.9	379
5	Drug and Alcohol Problems among Individuals with Severe Mental Illnesses in South London. British Journal of Psychiatry, 1996, 168, 612-619.	2.8	354
6	The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. Psychological Medicine, 2006, 36, 749-759.	4.5	340
7	London–East Anglia randomised controlled trial of cognitive–behavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 420-426.	2.8	253
8	Interventions to improve the experience of caring for people with severe mental illness: systematic review and meta-analysis. British Journal of Psychiatry, 2015, 206, 268-274.	2.8	222
9	London-East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. British Journal of Psychiatry, 1998, 173, 61-68.	2.8	198
10	Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation Journal of Consulting and Clinical Psychology, 2004, 72, 671-680.	2.0	183
11	Cognitive model of caregiving in psychosis. British Journal of Psychiatry, 2010, 196, 259-265.	2.8	180
12	Mental Health, †Burnout†Mental Job Satisfaction among Hospital and Community-Based Mental Health Staff. British Journal of Psychiatry, 1996, 169, 334-337.	2.8	172
13	Links Between Expressed Emotion and Burden of Care in Relatives of Patients with Schizophrenia. British Journal of Psychiatry, 1996, 168, 580-587.	2.8	156
14	The London-East Anglia randomized controlled trial of cognitive-behaviour therapy for psychosis IV: Self-esteem and persecutory delusions. British Journal of Clinical Psychology, 1998, 37, 415-430.	3.5	152
15	Substance misuse and risk of aggression and offending among the severely mentally ill. British Journal of Psychiatry, 1998, 172, 345-350.	2.8	152
16	Experience of caregiving: relatives of people experiencing a first episode of psychosis. British Journal of Psychiatry, 2000, 177, 529-533.	2.8	136
17	Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases Journal of Abnormal Psychology, 2012, 121, 129-139.	1.9	123
18	Management of psychosis and schizophrenia in adults: summary of updated NICE guidance. BMJ, The, 2014, 348, g1173-g1173.	6.0	123

#	Article	IF	Citations
19	Cognitive, Emotional, and Social Processes in Psychosis: Refining Cognitive Behavioral Therapy for Persistent Positive Symptoms. Schizophrenia Bulletin, 2006, 32, S24-S31.	4.3	122
20	Coping strategies in relatives of people with schizophrenia before and after psychiatric admission. British Journal of Psychiatry, 1999, 174, 154-158.	2.8	114
21	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. Schizophrenia Bulletin, 2015, 41, 400-410.	4.3	102
22	Integration between primary and secondary services in the care of the severely mentally ill: patients' and general practitioners' views. British Journal of Psychiatry, 1997, 171, 169-174.	2.8	99
23	Symptom Dimensions of the Psychotic Symptom Rating Scales in Psychosis: A Multisite Study. Schizophrenia Bulletin, 2014, 40, S265-S274.	4.3	92
24	An RCT of early intervention in psychosis: Croydon Outreach and Assertive Support Team (COAST). Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 358-363.	3.1	90
25	Mental and physical illness in caregivers: results from an English national survey sample. British Journal of Psychiatry, 2014, 205, 197-203.	2.8	87
26	Using Directed Acyclic Graphs in Epidemiological Research in Psychosis: An Analysis of the Role of Bullying in Psychosis. Schizophrenia Bulletin, 2017, 43, 1273-1279.	4.3	78
27	Stability of expressed emotion in relatives of those with schizophrenia and its relationship with burden of care and perception of patients' social functioning. Psychological Medicine, 1998, 28, 453-461.	4.5	77
28	Bullying victimisation and risk of psychotic phenomena: analyses of British national survey data. Lancet Psychiatry,the, 2015, 2, 618-624.	7.4	74
29	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. Schizophrenia Bulletin, 2015, 41, 971-979.	4.3	67
30	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. Journal of Behavior Therapy and Experimental Psychiatry, 2015, 48, 82-89.	1,2	64
31	Moderators of noise-induced cognitive change in healthy adults. Noise and Health, 2016, 18, 117.	0.5	58
32	Cognitive insight predicts favorable outcome in cognitive behavioral therapy for psychosis. Psychosis, 2010, 2, 23-33.	0.8	57
33	Nightmares in Patients with Psychosis: The Relation with Sleep, Psychotic, Affective, and Cognitive Symptoms. Canadian Journal of Psychiatry, 2015, 60, 354-361.	1.9	57
34	The multidimensional measurement of the positive symptoms of psychosis. International Journal of Methods in Psychiatric Research, 2007, 16, 88-96.	2.1	56
35	Discrepant illness perceptions, affect and expressed emotion in people with psychosis and their carers. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 277-283.	3.1	48
36	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. Trials, 2017, 18, 510.	1.6	44

#	Article	IF	CITATIONS
37	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. JMIR Mental Health, 2018, 5, e11222.	3.3	44
38	The measurement of expressed emotion in relationships between staff and service users: The use of short speech samples. British Journal of Clinical Psychology, 1999, 38, 345-356.	3.5	43
39	The Management of Difficult to Treat Patients with Schizophrenia, Using Non-drug Therapies. British Journal of Psychiatry, 1996, 169, 41-51.	2.8	42
40	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. JAMA Psychiatry, 2021, 78, 714.	11.0	41
41	Caregiver Reports of Patient-Initiated Violence in Psychosis. Canadian Journal of Psychiatry, 2014, 59, 376-384.	1.9	37
42	Stressful and intrusive life events preceding first episode psychosis. Epidemiologia E Psichiatria Sociale, 2009, 18, 221-228.	0.9	35
43	Patient Perceptions of Caregiver Criticism in Psychosis. Journal of Nervous and Mental Disease, 2009, 197, 85-91.	1.0	35
44	The Use of Rescripting Imagery for People with Psychosis Who Hear Voices. Behavioural and Cognitive Psychotherapy, 2014, 42, 129-142.	1.2	34
45	Burnout in early course psychosis caregivers: the role of illness beliefs and coping styles. Microbial Biotechnology, 2017, 11, 237-243.	1.7	32
46	The use of immersive virtual reality (VR) to predict the occurrence 6 months later of paranoid thinking and posttraumatic stress symptoms assessed by self-report and interviewer methods: A study of individuals who have been physically assaulted Psychological Assessment, 2014, 26, 841-847.	1.5	31
47	Service-User Satisfaction with CBT for Psychosis. Behavioural and Cognitive Psychotherapy, 2007, 35, 109.	1.2	30
48	Delivering Cognitiveâ€Behavioural Family Interventions for Schizophrenia. Australian Psychologist, 2016, 51, 52-61.	1.6	29
49	Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. Psychiatry Research, 2014, 219, 275-282.	3.3	27
50	The long-term effectiveness of cognitive behavior therapy for psychosis within a routine psychological therapies service. Frontiers in Psychology, 2015, 6, 1658.	2.1	26
51	Training Frontline Mental Health Staff to Deliver "Low Intensity―Psychological Therapy for Psychosis: A Qualitative Analysis of Therapist and Service User Views on the Therapy and its Future Implementation. Behavioural and Cognitive Psychotherapy, 2015, 43, 298-313.	1.2	26
52	Posttraumatic stress symptoms (PTSS) in caregivers of people with psychosis and associations with caregiving experiences. Journal of Trauma and Dissociation, 2016, 17, 307-321.	1.9	26
53	Research on Burden and Coping Strategies in Families of People with Mental Disorders: Problems and Perspectives., 2005,, 217-234.		24
54	Distress and negative experiences of the caregiving relationship in early psychosis: does social cognition play a role?. Microbial Biotechnology, 2014, 8, 253-260.	1.7	22

#	Article	IF	CITATIONS
55	Orbitofrontal cortex, emotional decision-making and response to cognitive behavioural therapy for psychosis. Psychiatry Research - Neuroimaging, 2015, 231, 298-307.	1.8	21
56	The relation between schizotypy and early attention to rejecting interactions: The influence of neuroticism. World Journal of Biological Psychiatry, 2015, 16, 587-601.	2.6	20
57	Intensive multiâ€family therapy for adolescent anorexia nervosa: an open study of 30 families. Journal of Family Therapy, 2017, 39, 498-513.	1.0	20
58	The Coping with Unusual Experiences for Children Study (<scp>CUES</scp>): A pilot randomized controlled evaluation of the acceptability and potential clinical utility of a cognitive behavioural intervention package for young people aged 8–14Âyears with unusual experiences and emotional symptoms. British Journal of Clinical Psychology, 2018, 57, 328-350.	3.5	20
59	Preservation and compensation: The functional neuroanatomy of insight and working memory in schizophrenia. Schizophrenia Research, 2014, 152, 201-209.	2.0	19
60	Sensitivity to criticism and praise predicts schizotypy in the non-clinical population: The role of affect and perceived expressed emotion. European Psychiatry, 2019, 55, 109-115.	0.2	18
61	COVID-19 and UK family carers: policy implications. Lancet Psychiatry, the, 2021, 8, 929-936.	7.4	18
62	Cognitive behavioural therapy and family intervention for psychosis – evidence-based but unavailable? The next steps. Psychoanalytic Psychotherapy, 2011, 25, 69-74.	0.7	17
63	Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). Journal of Experimental Psychopathology, 2012, 3, 582-593.	0.8	17
64	Mapping Depression in Schizophrenia: A Functional Magnetic Resonance Imaging Study. Schizophrenia Bulletin, 2016, 42, 802-813.	4.3	17
65	Informal Caregiving Relationships in Psychosis: Reviewing the Impact of Patient Violence on Caregivers. Frontiers in Psychology, 2018, 9, 1530.	2.1	17
66	Effects of environmental noise on cognitive (dys)functions in schizophrenia: A pilot within-subjects experimental study. Schizophrenia Research, 2016, 173, 101-108.	2.0	16
67	The last taboo: The experience of violence in firstâ€episode psychosis caregiving relationships. Psychology and Psychotherapy: Theory, Research and Practice, 2019, 92, 1-19.	2.5	16
68	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 459-466.	1.2	14
69	Greater positive schizotypy relates to reduced N100 activity during rejection scenes. Neuropsychologia, 2014, 61, 280-290.	1.6	14
70	Treating your worst nightmare: a case-series of imagery rehearsal therapy for nightmares in individuals experiencing psychotic symptoms. The Cognitive Behaviour Therapist, 2015, 8, .	1.0	14
71	Caregiver correlates of patient-initiated violence in early psychosis. Psychiatry Research, 2018, 270, 412-417.	3.3	14
72	Cognitive behaviour therapy for psychosis. Epidemiology and Psychiatric Sciences, 2006, 15, 267-275.	3.9	13

#	Article	IF	CITATIONS
73	Urbanicity, Persecutory Delusions, and Clinical Intervention: The Development of a Brief CBT Module for Helping Patients with Persecutory Delusions Enter Social Urban Environments. Behavioural and Cognitive Psychotherapy, 2015, 43, 42-51.	1.2	13
74	Schizotypal traits and their relation to rejection sensitivity in the general population: Their mediation by quality of life, agreeableness and neuroticism. Psychiatry Research, 2018, 267, 201-209.	3.3	13
75	Variation in psychosocial influences according to the dimensions and content of children's unusual experiences: potential routes for the development of targeted interventions. European Child and Adolescent Psychiatry, 2016, 25, 311-319.	4.7	12
76	Coping with Unusual ExperienceS for 12–18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. Trials, 2017, 18, 586.	1.6	12
77	Role of poor sleep in determining distress in caregivers of individuals with early psychosis. Microbial Biotechnology, 2019, 13, 613-618.	1.7	12
78	Pituitary volume reduction in schizophrenia following cognitive behavioural therapy. Schizophrenia Research, 2018, 192, 416-422.	2.0	11
79	The path from schizotypy to depression and aggression and the role of family stress. European Psychiatry, 2020, 63, e79.	0.2	11
80	Psychological Treatments for Psychosis: Evidence Based but Unavailable?. Psychiatric Rehabilitation Skills, 2000, 4, 249-258.	0.1	10
81	A Pilot Evaluation of Therapist Training in Cognitive Therapy for Psychosis: Therapy Quality and Clinical Outcomes. Behavioural and Cognitive Psychotherapy, 2015, 43, 478-489.	1.2	10
82	Caregiver wellbeing during Covid-19: does being hopeful play a role?. Journal of Affective Disorders Reports, 2021, 6, 100239.	1.7	9
83	Neural responses to criticism and praise vary with schizotypy and perceived emotional support. International Journal of Psychophysiology, 2019, 145, 109-118.	1.0	8
84	Exploring the Development, Validity, and Utility of the Short-Form Version of the CHoice of Outcome In Cbt for PsychosEs: A Patient-Reported Outcome Measure of Psychological Recovery. Schizophrenia Bulletin, 2021, 47, 653-661.	4.3	8
85	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. Health Expectations, 2022, 25, 191-202.	2.6	8
86	Impact on women who care for those with schizophrenia. Psychiatric Bulletin, 1997, 21, 469-471.	0.3	7
87	Caregiving roles: when will they be routinely recognized and supported?. Journal of Mental Health, 2017, 26, 95-97.	1.9	7
88	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. Schizophrenia Research, 2021, 237, 1-8.	2.0	7
89	Mental health services research methodology. International Review of Psychiatry, 2002, 14, 12-18.	2.8	6
90	NICE v. SIGN on psychosis and schizophrenia: Same roots, similar guidelines, different interpretations. British Journal of Psychiatry, 2016, 208, 316-319.	2.8	6

#	Article	IF	Citations
91	Editorial: Family Interventions in Psychosis Change Outcomes in Early Intervention Settings – How Much Does the Evidence Support This?. Frontiers in Psychology, 2018, 9, 406.	2.1	6
92	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. Schizophrenia Bulletin Open, 2020, $1,\ldots$	1.7	6
93	COVID-19, severe mental illness, and family violence. Psychological Medicine, 2021, 51, 705-706.	4.5	5
94	Service use and cost associated with caring for people with serious mental illness. Journal of Mental Health, 2005, 14, 37-47.	1.9	4
95	"The ailment―revisited: Are "manipulative―patients really the most difficult?. Journal of Mental Health, 2005, 14, 291-303.	1.9	4
96	The case for early, medium and late intervention in psychosis. World Psychiatry, 2008, 7, 158-159.	10.4	4
97	Does the Internet Have a Role in Helping Families of People With Psychosis?. Psychiatric Services, 2017, 68, 419-420.	2.0	4
98	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-90.	0.7	4
99	Longitudinal symptomatic interactions in long-standing schizophrenia: a novel five-point analysis based on directed acyclic graphs. Psychological Medicine, 2023, 53, 1371-1378.	4.5	4
100	Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. JMIR Human Factors, 2022, 9, e29725.	2.0	4
101	Psychological therapies for psychosis: a view from the hills. Lancet Psychiatry, the, 2016, 3, 9-10.	7.4	3
102	SlowMo therapy, a new digital blended therapy for fear of harm from others: An account of therapy personalisation within a targeted intervention. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 423-446.	2.5	3
103	The service user experience of SlowMo therapy: A coâ€produced thematic analysis of service users' subjective experience. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 680-700.	2.5	3
104	An ethnic-group comparison of caregiver beliefs about early psychotic illness in a UK sample: Implications for evidence-based caregiver interventions. Transcultural Psychiatry, 2020, 57, 432-444.	1.6	2
105	Cognitive behaviour therapy for psychosis. Epidemiologia E Psichiatria Sociale, 2006, 15, 267-75.	0.9	2