

Elizabeth Alice Kuipers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2414326/publications.pdf>

Version: 2024-02-01

105
papers

7,269
citations

87888

38
h-index

56724

83
g-index

112
all docs

112
docs citations

112
times ranked

4788
citing authors

#	ARTICLE	IF	CITATIONS
1	Longitudinal symptomatic interactions in long-standing schizophrenia: a novel five-point analysis based on directed acyclic graphs. <i>Psychological Medicine</i> , 2023, 53, 1371-1378.	4.5	4
2	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , 2022, 25, 191-202.	2.6	8
3	SlowMo therapy, a new digital blended therapy for fear of harm from others: An account of therapy personalisation within a targeted intervention. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 423-446.	2.5	3
4	The service user experience of SlowMo therapy: A co-produced thematic analysis of service users' subjective experience. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 680-700.	2.5	3
5	Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. <i>JMIR Human Factors</i> , 2022, 9, e29725.	2.0	4
6	Exploring the Development, Validity, and Utility of the Short-Form Version of the CHOICE of Outcome In Cbt for Psychoses: A Patient-Reported Outcome Measure of Psychological Recovery. <i>Schizophrenia Bulletin</i> , 2021, 47, 653-661.	4.3	8
7	COVID-19, severe mental illness, and family violence. <i>Psychological Medicine</i> , 2021, 51, 705-706.	4.5	5
8	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 714.	11.0	41
9	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-90.	0.7	4
10	COVID-19 and UK family carers: policy implications. <i>Lancet Psychiatry</i> , 2021, 8, 929-936.	7.4	18
11	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. <i>Schizophrenia Research</i> , 2021, 237, 1-8.	2.0	7
12	Caregiver wellbeing during Covid-19: does being hopeful play a role?. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100239.	1.7	9
13	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	6
14	The path from schizotypy to depression and aggression and the role of family stress. <i>European Psychiatry</i> , 2020, 63, e79.	0.2	11
15	An ethnic-group comparison of caregiver beliefs about early psychotic illness in a UK sample: Implications for evidence-based caregiver interventions. <i>Transcultural Psychiatry</i> , 2020, 57, 432-444.	1.6	2
16	Neural responses to criticism and praise vary with schizotypy and perceived emotional support. <i>International Journal of Psychophysiology</i> , 2019, 145, 109-118.	1.0	8
17	Sensitivity to criticism and praise predicts schizotypy in the non-clinical population: The role of affect and perceived expressed emotion. <i>European Psychiatry</i> , 2019, 55, 109-115.	0.2	18
18	Role of poor sleep in determining distress in caregivers of individuals with early psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 613-618.	1.7	12

#	ARTICLE	IF	CITATIONS
19	The last taboo: The experience of violence in first-episode psychosis caregiving relationships. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2019, 92, 1-19.	2.5	16
20	The Coping with Unusual Experiences for Children Study (<scp>CUES</scp>): A pilot randomized controlled evaluation of the acceptability and potential clinical utility of a cognitive behavioural intervention package for young people aged 8-14 years with unusual experiences and emotional symptoms. <i>British Journal of Clinical Psychology</i> , 2018, 57, 328-350.	3.5	20
21	Pituitary volume reduction in schizophrenia following cognitive behavioural therapy. <i>Schizophrenia Research</i> , 2018, 192, 416-422.	2.0	11
22	Informal Caregiving Relationships in Psychosis: Reviewing the Impact of Patient Violence on Caregivers. <i>Frontiers in Psychology</i> , 2018, 9, 1530.	2.1	17
23	Caregiver correlates of patient-initiated violence in early psychosis. <i>Psychiatry Research</i> , 2018, 270, 412-417.	3.3	14
24	Editorial: Family Interventions in Psychosis Change Outcomes in Early Intervention Settings - How Much Does the Evidence Support This?. <i>Frontiers in Psychology</i> , 2018, 9, 406.	2.1	6
25	Schizotypal traits and their relation to rejection sensitivity in the general population: Their mediation by quality of life, agreeableness and neuroticism. <i>Psychiatry Research</i> , 2018, 267, 201-209.	3.3	13
26	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. <i>JMIR Mental Health</i> , 2018, 5, e11222.	3.3	44
27	Intensive multi-family therapy for adolescent anorexia nervosa: an open study of 30 families. <i>Journal of Family Therapy</i> , 2017, 39, 498-513.	1.0	20
28	Burnout in early course psychosis caregivers: the role of illness beliefs and coping styles. <i>Microbial Biotechnology</i> , 2017, 11, 237-243.	1.7	32
29	Caregiving roles: when will they be routinely recognized and supported?. <i>Journal of Mental Health</i> , 2017, 26, 95-97.	1.9	7
30	Using Directed Acyclic Graphs in Epidemiological Research in Psychosis: An Analysis of the Role of Bullying in Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 1273-1279.	4.3	78
31	Does the Internet Have a Role in Helping Families of People With Psychosis?. <i>Psychiatric Services</i> , 2017, 68, 419-420.	2.0	4
32	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 510.	1.6	44
33	Coping with Unusual Experiences for 12-18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 586.	1.6	12
34	NICE v. SIGN on psychosis and schizophrenia: Same roots, similar guidelines, different interpretations. <i>British Journal of Psychiatry</i> , 2016, 208, 316-319.	2.8	6
35	Posttraumatic stress symptoms (PTSS) in caregivers of people with psychosis and associations with caregiving experiences. <i>Journal of Trauma and Dissociation</i> , 2016, 17, 307-321.	1.9	26
36	Delivering Cognitive-Behavioural Family Interventions for Schizophrenia. <i>Australian Psychologist</i> , 2016, 51, 52-61.	1.6	29

#	ARTICLE	IF	CITATIONS
37	Mapping Depression in Schizophrenia: A Functional Magnetic Resonance Imaging Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 802-813.	4.3	17
38	Effects of environmental noise on cognitive (dys)functions in schizophrenia: A pilot within-subjects experimental study. <i>Schizophrenia Research</i> , 2016, 173, 101-108.	2.0	16
39	Psychological therapies for psychosis: a view from the hills. <i>Lancet Psychiatry</i> , 2016, 3, 9-10.	7.4	3
40	Variation in psychosocial influences according to the dimensions and content of children's unusual experiences: potential routes for the development of targeted interventions. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 311-319.	4.7	12
41	Moderators of noise-induced cognitive change in healthy adults. <i>Noise and Health</i> , 2016, 18, 117.	0.5	58
42	Treating your worst nightmare: a case-series of imagery rehearsal therapy for nightmares in individuals experiencing psychotic symptoms. <i>The Cognitive Behaviour Therapist</i> , 2015, 8, .	1.0	14
43	Nightmares in Patients with Psychosis: The Relation with Sleep, Psychotic, Affective, and Cognitive Symptoms. <i>Canadian Journal of Psychiatry</i> , 2015, 60, 354-361.	1.9	57
44	The long-term effectiveness of cognitive behavior therapy for psychosis within a routine psychological therapies service. <i>Frontiers in Psychology</i> , 2015, 6, 1658.	2.1	26
45	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 82-89.	1.2	64
46	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 400-410.	4.3	102
47	Training Frontline Mental Health Staff to Deliver 'Low Intensity' Psychological Therapy for Psychosis: A Qualitative Analysis of Therapist and Service User Views on the Therapy and its Future Implementation. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 298-313.	1.2	26
48	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015, 41, 971-979.	4.3	67
49	Orbitofrontal cortex, emotional decision-making and response to cognitive behavioural therapy for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 298-307.	1.8	21
50	A Pilot Evaluation of Therapist Training in Cognitive Therapy for Psychosis: Therapy Quality and Clinical Outcomes. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 478-489.	1.2	10
51	Bullying victimisation and risk of psychotic phenomena: analyses of British national survey data. <i>Lancet Psychiatry</i> , 2015, 2, 618-624.	7.4	74
52	Urbanicity, Persecutory Delusions, and Clinical Intervention: The Development of a Brief CBT Module for Helping Patients with Persecutory Delusions Enter Social Urban Environments. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 42-51.	1.2	13
53	The relation between schizotypy and early attention to rejecting interactions: The influence of neuroticism. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 587-601.	2.6	20
54	Interventions to improve the experience of caring for people with severe mental illness: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2015, 206, 268-274.	2.8	222

#	ARTICLE	IF	CITATIONS
55	The Use of Rescripting Imagery for People with Psychosis Who Hear Voices. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 129-142.	1.2	34
56	The use of immersive virtual reality (VR) to predict the occurrence 6 months later of paranoid thinking and posttraumatic stress symptoms assessed by self-report and interviewer methods: A study of individuals who have been physically assaulted.. <i>Psychological Assessment</i> , 2014, 26, 841-847.	1.5	31
57	Mental and physical illness in caregivers: results from an English national survey sample. <i>British Journal of Psychiatry</i> , 2014, 205, 197-203.	2.8	87
58	Distress and negative experiences of the caregiving relationship in early psychosis: does social cognition play a role?. <i>Microbial Biotechnology</i> , 2014, 8, 253-260.	1.7	22
59	Management of psychosis and schizophrenia in adults: summary of updated NICE guidance. <i>BMJ</i> , The, 2014, 348, g1173-g1173.	6.0	123
60	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 459-466.	1.2	14
61	Greater positive schizotypy relates to reduced N100 activity during rejection scenes. <i>Neuropsychologia</i> , 2014, 61, 280-290.	1.6	14
62	Preservation and compensation: The functional neuroanatomy of insight and working memory in schizophrenia. <i>Schizophrenia Research</i> , 2014, 152, 201-209.	2.0	19
63	Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. <i>Psychiatry Research</i> , 2014, 219, 275-282.	3.3	27
64	Symptom Dimensions of the Psychotic Symptom Rating Scales in Psychosis: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2014, 40, S265-S274.	4.3	92
65	Caregiver Reports of Patient-Initiated Violence in Psychosis. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 376-384.	1.9	37
66	Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 129-139.	1.9	123
67	Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). <i>Journal of Experimental Psychopathology</i> , 2012, 3, 582-593.	0.8	17
68	Cognitive behavioural therapy and family intervention for psychosis “evidence-based but unavailable? The next steps. <i>Psychoanalytic Psychotherapy</i> , 2011, 25, 69-74.	0.7	17
69	Cognitive model of caregiving in psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 259-265.	2.8	180
70	Cognitive insight predicts favorable outcome in cognitive behavioral therapy for psychosis. <i>Psychosis</i> , 2010, 2, 23-33.	0.8	57
71	Stressful and intrusive life events preceding first episode psychosis. <i>Epidemiologia E Psichiatria Sociale</i> , 2009, 18, 221-228.	0.9	35
72	Patient Perceptions of Caregiver Criticism in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 85-91.	1.0	35

#	ARTICLE	IF	CITATIONS
73	The case for early, medium and late intervention in psychosis. <i>World Psychiatry</i> , 2008, 7, 158-159.	10.4	4
74	Service-User Satisfaction with CBT for Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2007, 35, 109.	1.2	30
75	The multidimensional measurement of the positive symptoms of psychosis. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 88-96.	2.1	56
76	Discrepant illness perceptions, affect and expressed emotion in people with psychosis and their carers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 277-283.	3.1	48
77	Cognitive behaviour therapy for psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2006, 15, 267-275.	3.9	13
78	Cognitive, Emotional, and Social Processes in Psychosis: Refining Cognitive Behavioral Therapy for Persistent Positive Symptoms. <i>Schizophrenia Bulletin</i> , 2006, 32, S24-S31.	4.3	122
79	The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. <i>Psychological Medicine</i> , 2006, 36, 749-759.	4.5	340
80	Cognitive behaviour therapy for psychosis. <i>Epidemiologia E Psichiatria Sociale</i> , 2006, 15, 267-75.	0.9	2
81	Research on Burden and Coping Strategies in Families of People with Mental Disorders: Problems and Perspectives. , 2005, , 217-234.		24
82	Psychological investigation of the structure of paranoia in a non-clinical population. <i>British Journal of Psychiatry</i> , 2005, 186, 427-435.	2.8	579
83	Service use and cost associated with caring for people with serious mental illness. <i>Journal of Mental Health</i> , 2005, 14, 37-47.	1.9	4
84	â€œThe ailmentâ€ revisited: Are â€œmanipulativeâ€ patients really the most difficult?. <i>Journal of Mental Health</i> , 2005, 14, 291-303.	1.9	4
85	Reasoning, Emotions, and Delusional Conviction in Psychosis.. <i>Journal of Abnormal Psychology</i> , 2005, 114, 373-384.	1.9	379
86	An RCT of early intervention in psychosis: Croydon Outreach and Assertive Support Team (COAST). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 358-363.	3.1	90
87	Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation.. <i>Journal of Consulting and Clinical Psychology</i> , 2004, 72, 671-680.	2.0	183
88	Mental health services research methodology. <i>International Review of Psychiatry</i> , 2002, 14, 12-18.	2.8	6
89	A cognitive model of persecutory delusions. <i>British Journal of Clinical Psychology</i> , 2002, 41, 331-347.	3.5	669
90	Experience of caregiving: relatives of people experiencing a first episode of psychosis. <i>British Journal of Psychiatry</i> , 2000, 177, 529-533.	2.8	136

#	ARTICLE	IF	CITATIONS
91	Psychological Treatments for Psychosis: Evidence Based but Unavailable?. Psychiatric Rehabilitation Skills, 2000, 4, 249-258.	0.1	10
92	The measurement of expressed emotion in relationships between staff and service users: The use of short speech samples. British Journal of Clinical Psychology, 1999, 38, 345-356.	3.5	43
93	Coping strategies in relatives of people with schizophrenia before and after psychiatric admission. British Journal of Psychiatry, 1999, 174, 154-158.	2.8	114
94	The London-East Anglia randomized controlled trial of cognitive-behaviour therapy for psychosis IV: Self-esteem and persecutory delusions. British Journal of Clinical Psychology, 1998, 37, 415-430.	3.5	152
95	Substance misuse and risk of aggression and offending among the severely mentally ill. British Journal of Psychiatry, 1998, 172, 345-350.	2.8	152
96	London-East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. British Journal of Psychiatry, 1998, 173, 61-68.	2.8	198
97	Stability of expressed emotion in relatives of those with schizophrenia and its relationship with burden of care and perception of patients' social functioning. Psychological Medicine, 1998, 28, 453-461.	4.5	77
98	Integration between primary and secondary services in the care of the severely mentally ill: patients' and general practitioners' views. British Journal of Psychiatry, 1997, 171, 169-174.	2.8	99
99	London's East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 420-426.	2.8	253
100	London's East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 319-327.	2.8	387
101	Impact on women who care for those with schizophrenia. Psychiatric Bulletin, 1997, 21, 469-471.	0.3	7
102	Links Between Expressed Emotion and Burden of Care in Relatives of Patients with Schizophrenia. British Journal of Psychiatry, 1996, 168, 580-587.	2.8	156
103	The Management of Difficult to Treat Patients with Schizophrenia, Using Non-drug Therapies. British Journal of Psychiatry, 1996, 169, 41-51.	2.8	42
104	Drug and Alcohol Problems among Individuals with Severe Mental Illnesses in South London. British Journal of Psychiatry, 1996, 168, 612-619.	2.8	354
105	Mental Health, "Burnout" and Job Satisfaction among Hospital and Community-Based Mental Health Staff. British Journal of Psychiatry, 1996, 169, 334-337.	2.8	172