

Miguel Villaplana Perez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2417626/publications.pdf>

Version: 2024-02-01

611
papers

32,816
citations

3731
89
h-index

10158
140
g-index

618
all docs

618
docs citations

618
times ranked

10826
citing authors

#	ARTICLE	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
2	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
3	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2016, 76, 292.	3.9	453
4	Measurement of the azimuthal anisotropy for charged particle production in $\sqrt{s} = 7\text{TeV}$ lead-lead collisions with the ATLAS detector. Physical Review C, 2012, 86, 024905.	3.9	365
5	Improved luminosity determination in pp collisions at $\sqrt{s} = 7\text{TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
6	Combined search for the Standard Model Higgs boson using up to 4.9 fb^{-1} of pp collision data at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 49-66.	3.9	328
7	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
8	Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC. New Journal of Physics, 2011, 13, 053033.	2.9	314
9	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s}=8\text{TeV}$. European Physical Journal C, 2016, 76, 581.	3.9	298
10	Luminosity determination in pp collisions at $\sqrt{s} = 8\text{TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
11	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7\text{TeV}$ and 8TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
12	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
13	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
14	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
15	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
16			

#	ARTICLE	IF	CITATIONS
19	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
20	Measurement of Higgs boson production in the diphoton decay channel in $\sqrt{s} = 7 \text{ TeV}$ collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. Physical Review D, 2014, 90, .	4.7	214
21	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
22	Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
23	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
24	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
25	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
26	Luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
27	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
28	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
29	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
30	Search for the Standard Model Higgs Boson in the Diphoton Decay Channel with $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2012, 108, 111803.	4.7	171
31	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
32	Measurement of the differential cross-sections of inclusive, prompt and non-prompt π^{\pm} production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2306.	2.5	163
33	Measurement of the inelastic proton-proton cross-section at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Nature Communications, 2011, 2, 463.	12.8	160
34	Measurement of the inclusive π^{\pm} production cross-sections in the $\sqrt{s} = 7 \text{ TeV}$ range. European Physical Journal C, 2013, 73, 2306.	4.7	158
35	Measurements of Higgs boson production and couplings in the four-lepton channel in $\sqrt{s} = 7 \text{ TeV}$ collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. Physical Review D, 2015, 91, .	4.7	158
36	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2014, 889, 486-548.	2.5	155

#	ARTICLE	IF	CITATIONS
37	Measurement of the transverse momentum and $\phi^* \{eta\}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
38	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	146
39	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
40	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
41	Precision measurement and interpretation of inclusive $W^+ W^+$, $W^- W^-$. European Physical Journal C, 2017, 77, 367.	3.9	145
42	Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 67-85.	4.7	143
43	Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
44	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
45	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
46	Search for Supersymmetry Using Final States with One Lepton, Jets, and Missing Transverse Momentum with the ATLAS Detector in $\sqrt{s} = 7$ TeV with the ATLAS Detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 106, 131802.	4.7	136
47	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
48	Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Physical Review D, 2012, 86, .	4.7	135
49	Charged-particle multiplicities in pp interactions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 688, 21-32.	4.7	135
50	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
51	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
52	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	130
53	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
54	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+\tau^-$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126

#	ARTICLE	IF	CITATIONS
73	Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382.	4.1	109
74	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
75	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
76	Search for heavy resonances decaying into WW in the $e\mu\mu\mu$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
77	Measurement of the centrality dependence of $\langle \text{miss. energy} \rangle$ yields and observation of Z production in lead-lead collisions with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 709, 231.	4.1	107
78	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	3.9	105
79	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
80	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 2056.	3.9	101
81	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	100
82	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95
83	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
84	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
85	Search for the Standard Model Higgs boson in the decay channel $H \rightarrow b\bar{b}$. European Physical Journal C, 2016, 76, 210.	3.9	95
86	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
87	Measurements of the W W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
88	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
89	Search for the $b\bar{b}\bar{b}\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
90	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88

#	ARTICLE	IF	CITATIONS
91	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	88
92	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017, 77, 195.	3.9	87
93	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 428.	3.9	86
94	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	84
95	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	82
96	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
97	Search for Dilepton Resonances in $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2011, 107, 272002.	7.8	81
98	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	81
99	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 76.	3.9	81
100	Observation of Spin Correlation in $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 76.	3.9	81
101	Events from $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 76.	3.9	80
102	Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	3.9	80
103	Search for production of WW/WZ W W / W Z resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209.	3.9	79
104	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
105	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 565.	3.9	79
106	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
107	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	3.9	77
108	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 92.	3.9	77
109	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	77
110	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	77

#	ARTICLE	IF	CITATIONS
109	Angular analysis of $B_0 \rightarrow K^- \pi^+ \pi^+ \pi^-$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
110	Search for new physics in the dijet mass distribution using 1 fb^{-1} of pp collision data at $\sqrt{s} = 8 \text{ TeV}$ collected by the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 708, 37-54.		
111	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
112	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
113	Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
114	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
115	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
116	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
117	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
118	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
119	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
120	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
121	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
122	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
123	Measurement of underlying event characteristics using charged particles in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2011, 83.	4.7	70
124	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 303.	3.9	70
125	Search for resonances in diphoton events at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
126	Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 711, 244-263.	4.1	69

#	ARTICLE	IF	CITATIONS
127	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}, \tau^{\pm} \tau^{\mp}$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	69
128	Comprehensive measurements of $t\bar{t}$ -channel single top-quark production cross sections at the ATLAS detector. <i>Physical Review D</i> , 2014, 90, .	4.7	68
129	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	3.9	68
130	Search for new resonances in mass distributions of jet pairs using 139 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	68
131	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67
132	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $t\bar{t}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
133	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	67
134	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	66
135	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
136	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
137	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	65
138	Measurement of the $W \rightarrow \ell\nu$ and $Z \rightarrow \ell\ell$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	64
139	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	64
140	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229.	3.9	64
141	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
142	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
143	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
144	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 120.	3.9	62

#	ARTICLE	IF	CITATIONS
145	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 154.	3.9	62
146	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61
147	Measurement of Dijet Azimuthal Decorrelations in $\sqrt{s} = 8 \text{ TeV}$ Collisions at the ATLAS experiment. Physical Review Letters, 2011, 106, 172002.	7.8	61
148	Search for Scalar Bottom Quark Pair Production with the ATLAS Detector in $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2012, 108, 181802.	7.8	61
149	Search for a Light Higgs Boson Decaying to Long-Lived Weakly Interacting Particles in Proton-Proton Collisions at $\sqrt{s} = 8 \text{ TeV}$. Physical Review Letters, 2012, 108, 251801.	7.8	61
150	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on anomalous ZZZ and ZZ γ^2 couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
151	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	61
152	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
153	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
154	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
155	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
156	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
157	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
158	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
159	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e^+e^- \rightarrow b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
160	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
161	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
162	Search for the decay $\tau \rightarrow e^{\pm} \nu e^{\mp} \nu$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 713, 387-407.	4.1	59

#	ARTICLE	IF	CITATIONS
163	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
164	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7\text{TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
165	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
166	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
167	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$ and 5.0TeV . European Physical Journal C, 2018, 78, 142.	3.9	59
168	Search for charged Higgs bosons decaying via $H \pm \rightarrow l^+ l^- \nu \bar{\nu}$, in the $l^+ + \text{jets}$ and $l^+ + \text{lepton}$ final states with 36fb^{-1} of pp collision data recorded at $\sqrt{s} = 13\text{TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	59
169	Measurement of the transverse momentum distribution of muons reconstructed in jets with the ATLAS detector, using final states with two leptons and missing transverse momentum in $\langle \text{mml:math altimg="si1.gif" overflow="scroll"} \rangle \text{xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ia="http://www.elsevier.com/xml/ia/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML"}$. European Physical Journal C, 2014, 74, 3034.	4.1	58
170	Measurement of the transverse momentum distribution of muons reconstructed in jets with the ATLAS detector, using final states with two leptons and missing transverse momentum in $\langle \text{mml:math altimg="si1.gif" overflow="scroll"} \rangle \text{xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif"}$. European Physical Journal C, 2014, 74, 3034.	3.9	58
171	Measurement of the transverse momentum distribution of muons reconstructed in jets with the ATLAS detector, using final states with two leptons and missing transverse momentum in $\langle \text{mml:math altimg="si1.gif" overflow="scroll"} \rangle \text{xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif"}$. European Physical Journal C, 2014, 74, 3034.	4.1	58
172	Measurement of the transverse momentum distribution of muons reconstructed in jets with the ATLAS detector, using final states with two leptons and missing transverse momentum in $\langle \text{mml:math altimg="si1.gif" overflow="scroll"} \rangle \text{xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif"}$. European Physical Journal C, 2014, 74, 3034.	3.9	58
173	Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s} = 7\text{TeV}$ pp collisions using 1fb^{-1} of ATLAS data. Physical Review D, 2012, 85, .	4.7	57
174	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
175	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
176	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
177	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
178	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
179	Study of jet shapes in inclusive jet production in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 83.	4.7	55
180	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s} = 8\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55

#	ARTICLE	IF	CITATIONS
181	Summary of the ATLAS experimentâ€™s sensitivity to supersymmetry after LHC Run 1 â” interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
182	Search for pair production of Higgs bosons in the \$\$ boverline{b} boverline{b} final state using proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
183	xml�:xcocs= http://www.elsevier.com/xml/xocs/dtd xml�:xs= http://www.w3.org/2001/XMLSchema xml�:xi="http://www.w3.org/2001/XMLSchema-instance" xml�ns="http://www.elsevier.com/xml/ja/dtd" xml�:ja="http://www.elsevier.com/xml/ja/dtd" xml�ns:mm="http://www.w3.org/1998/Math/MathML" xml�:tb="http://www.elsevier.com/xml/common/table/dtd" xml�ns:lib="http://www.elsevier.com/xml/common/struct-lib/dtd" xml�inside="http://www. Physics [15]	4.1	54
184	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
185	Search for high-mass resonances decaying to dilepton final states in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
186	Measurements of fiducial cross-sections for \$\$star{t}\$\$ t t Â– production with one or two additional b-jets in pp collisions at \$\$sqrt{s} s =8 TeVÂ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
187	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fbâ”1 of \$ sqrt {s} = 7;TeV \$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
188	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
189	Search for Higgs boson pair production in the \$\$gamma gamma WW^*\$\$ l³ l³ WW â– channel using \$\$pp\$\$ pp collision data recorded at \$\$sqrt{s} s =13 \$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
190	Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	4.1	52
191	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
192	Performance of jet substructure techniques for large-R jets in proton-proton collisions at \$ sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
193	Search for lepton-flavour-violating H â†’ l¹/4l„, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
194	Measurement of the top quark mass in the \$\$star{t}ightarrow ext{ lepton+jets }\$\$ t t Â– â†’ lepton+jets and \$\$star{t}ightarrow ext{ dilepton }\$\$ t t Â– â†’ dilepton channels using \$\$sqrt{s}=7 \$\$ s = 7 Å \$\$mathrm { TeV } \$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
195	Search for the direct production of charginos and neutralinos in final states with tau leptons in \$\$sqrt{s} = 13,mathrm {TeV} \$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
196	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
197	Measurement of the top quark mass with the template method in the \$star{t} omathrm{lepton}+mathrm{jets}\$\$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	3.9	51
198	Search for minimal supersymmetric standard model Higgs Bosons HÂ/A and for a \$\$Z^{prime }\$\$ Z â€² boson in the \$\$au au \$\$ l„, l„, final state produced in pp collisions at \$\$sqrt{s}= 13 \$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51

#	ARTICLE	IF	CITATIONS
199	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
200	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. European Physical Journal C, 2017, 77, 379.	3.9	51
201	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
202	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
203	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
204	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
205	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
206	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.1	49
207	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
208	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
209	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
210	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
211	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
212	Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particles and High-Energy Physics, 2014, 730, 180.	4.7	48
213	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
214	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 361.	3.9	47

#	ARTICLE	IF	CITATIONS
217	Measurement of the top quark mass in the $t \rightarrow t\bar{t}$. European Physical Journal C, 2019, 79, 1.	3.9	47
218	Measurement of dijet production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
219	Measurement of the cross section for the production of a W boson in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 711, 111.	4.7	46
220	Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 438-458.	4.7	46
221	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
222	Study of the rare decays of $B^0 \rightarrow B^- \nu \bar{\nu}$ and $B^0 \rightarrow B^+ \bar{\nu}$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
223	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
224	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
225	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
226	Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review D, 2012, 85, 1.	4.7	45
227	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
228	Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 459-477.	4.7	45
229	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	45
230	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
231	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
232	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
233	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
234	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45

#	ARTICLE	IF	CITATIONS
235	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
236	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
237	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
238	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in $s = 7 \text{ TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
239	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
240	Search for single production of vector-like quarks decaying into Wb in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
241	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
242	Search for first generation scalar leptoquarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 158-176.		
243	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	42
244	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
245	Two-particle Bose-Einstein correlations in pp collisions at $s = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
246	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
247	Search for heavy long-lived charged particles with the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2011, 71, 1.	4.1	41
248	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $s = 7 \text{ TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
249	Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in 8 TeV pp collisions. Physical Review D, 2014, 90, 1.	4.7	41
250	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
251	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $s = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41

#	ARTICLE	IF	CITATIONS
253	Measurement of the $\var{tar[t]Z}$ $t\bar{t}Z$ and $\var{tar[t]W}$ $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb^{-1} of \var{pp} collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
254	Measurement of W^{\pm} production cross sections and gauge boson polarisation in \var{pp} collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
255	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
256	Limits on the production of the standard model Higgs boson in \var{pp} collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
257	Search for Down-Type Fourth Generation Quarks with the ATLAS Detector in Events with One Lepton and Hadronically Decaying W Bosons. Physical Review Letters, 2012, 109, 032001.	7.8	40
258	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in \var{pp} collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
259	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in \var{pp} \var{pp} collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
260	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in \var{pp} collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
261	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using \var{pp} collisions at $\sqrt{s} = 7 \text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
262	Study of the $B_c \rightarrow J/\psi D_s^+ \bar{B}_c + \bar{B}_c \rightarrow J/\psi D_s^-$ and $B_c \rightarrow J/\psi D_s^* \bar{B}_c + \bar{B}_c \rightarrow J/\psi D_s^-$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
263	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13 \text{ TeV}$ \var{pp} collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
264	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
265	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+\ell^-\ell^+\ell^-$ and $\ell^+\ell^-\mu^+\mu^-$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
266	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
267	Measurement of the production cross section for W -bosons in association with jets in \var{pp} collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 225-245.	3.9	39
268	Search for displaced vertices arising from decays of new heavy particles in 7 TeV \var{pp} collisions at ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 478-496.	4.1	39
269	Search for flavour-changing neutral current top-quark decays to qZ in \var{pp} collision data collected with the ATLAS detector at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2016, 76, 12.	3.9	39
270	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in \var{pp} collision data at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87.	3.9	39

#	ARTICLE	IF	CITATIONS
271	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	39
272	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
273	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
274	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
275	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	38
276	Measurements of WH and ZH production in the $H \rightarrow \gamma\gamma$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	38
277	Search for Gluinos in Events with Two Same-Sign Leptons, Jets, and Missing Transverse Momentum with the ATLAS Detector in pp Collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012, 108, 241802. Measurement of the transverse momentum distribution of m_{miss} <code>xmlns:mml="http://www.w3.org/1998/Math/MathML"</code> <code>display="block">\mathcal{W} \rightarrow \text{bosons}</code> <code>display="block">p_T \rightarrow \text{collisions}</code> <code>display="block">m_{\text{miss}} \rightarrow s</code> Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	7.8	37
278		4.7	37
279		3.9	37
280	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
281	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	3.9	37
282	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
283	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
284	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	37
285	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	36
286	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	36
287	Search for extra dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector. <i>Physics Letters B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 710, 538-556.	4.1	36
288	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	36

#	ARTICLE	IF	CITATIONS
289	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
290	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
291	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36
292	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
293	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
294	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36
295	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
296	Search for the Higgs Boson in the $H \rightarrow WW^*(*) \rightarrow l^+l^-l^+l^- \rightarrow l^+l^-$ Decay Channel in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 111802.	7.8	35
297	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
298	Measurement of the production cross section of prompt J/ψ mesons in association with a W^\pm boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
299	Search for $W' \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
300	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
301	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
302	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
303	Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 712, 22-39.	4.7	34
304	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.	3.9	34
305	Measurements of top-quark pair differential and double-differential cross-sections in the $e^+e^- + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
306	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34

#	ARTICLE	IF	CITATIONS
307	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	33
308	Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum $\text{ins}=7\text{TeV}$ in pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 261804.	7.8	33
309	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2676.	3.9	33
310	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
311	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
312	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
313	Measurements of $\tilde{\tau}(2S)$ and $X(3872) \rightarrow J/\psi + \ell^+ \ell^-$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
314	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	33
315	overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:chem="http://www.elsevier.com/xml/chem/dtd" Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 1.	4.1	32
316	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
317	Measurement of c_1 and c_2 production with $s = 7 \text{ TeV}$ pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	32
318	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32
319	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 1.	3.9	32
320	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900 \text{ GeV}$ and $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
321	Measurement of the production cross section for $Z \rightarrow \ell^+ \ell^-$ the $\ell^+ \ell^-$ association with jets in collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	7.8	31
322	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	4.7	31
323	Measurement of the differential cross-section of $B +$ meson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	31

#	ARTICLE	IF	CITATIONS
325	Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2014, 90, 4, 072005.	4.7	31
326	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565.	3.9	31
327	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
328	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
329	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
330	Search for $W W/W Z$ resonance production in $\tilde{\chi}_{1/2} q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
331	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
332	Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in final states with missing transverse momentum and b-jets with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, 092002.	4.7	30
333	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79.	3.9	30
334	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	30
335	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
336	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
337	Searches for the $Z\tilde{l}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
338	Study of $WW\gamma$ and $WW\tilde{l}^3$ and $WZ\gamma$ and WZ . <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
339	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
340	Searches for third-generation scalar leptoquarks in pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
341	Evidence for $\star t\bar{t}\star$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
342	Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2011, 84, 092002.	4.7	29

#	ARTICLE	IF	CITATIONS
343	Search for a Standard Model Higgs Boson in the $H \rightarrow ZZ \rightarrow l^+l^-l^+l^-$ Decay Channel with the ATLAS Detector. <i>Physical Review Letters</i> , 2011, 107, 221802.	7.8	29
344	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	29
345	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
346	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
347	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
348	Searches for heavy ZZ and ZW resonances in the $q\bar{q} \rightarrow q\bar{q}$ and $t\bar{t} \rightarrow q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
349	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
350	Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 698, 353-370.	4.1	28
351	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	28
352	Measurement of lepton differential distributions and the top quark mass in $t\bar{t} \rightarrow e^+e^-$. <i>European Physical Journal C</i> , 2017, 77, 804.	3.9	28
353	Measurement of $WW/WZ \rightarrow e^+e^- \nu \bar{\nu} \rightarrow q\bar{q} \rightarrow q\bar{q} \rightarrow q\bar{q} \rightarrow q\bar{q} \rightarrow q\bar{q} \rightarrow q\bar{q}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
354	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
355	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a a \rightarrow b b$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	28
356	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
357	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
358	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	28
359	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	28
360	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28

#	ARTICLE	IF	CITATIONS
361	Measurement of the cross-section for b-jets produced in association with a Z boson at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 706, 295-313.		
362	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
363	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
364	Measurements of top-quark pair differential cross-sections in the $e\bar{e}$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
365	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
366	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
367	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
368	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_1$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
369	Measurement of the WW cross section with the ATLAS detector. Physical Review D, 2011, 84, .		
370	Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	26
371	Measurements of electroweak WW production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
372	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the WW and $WW\ell\ell$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
373	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 2083.	3.9	25
374	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
375	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
376	Determination of the top-quark pole mass using $t\bar{t}$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
377	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
378	Search for triboson $WW^{\pm}WW^{\pm}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25

#	ARTICLE	IF	CITATIONS
379	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	3.9	25
380	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
381	Measurement of the cross-section and charge asymmetry of W bosons produced in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	7.8	24
382	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 517.	4.7	24
383	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
384	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
385	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. European Physical Journal C, 2010, 70, 875-916.	3.9	23
386	Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 452-470.	4.1	23
387	Search for the Higgs Boson in the WW Decay Channel in pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector. Physical Review Letters, 2011, 107, 231801.	7.8	23
388	Search for pair-produced heavy quarks decaying to l+jets in the two-lepton channel at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	4.7	23
389	A study of the material in the ATLAS inner detector using secondary hadronic interactions. Journal of Instrumentation, 2012, 7, P01013-P01013.	1.2	23
390	Measurement of the underlying event in jet events from 7 TeV protonâ€“proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
391	A search for high-mass resonances decaying to $\tilde{l}_1 + \tilde{l}_2 \rightarrow \tau^+ \tau^-$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
392	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
393	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 517.	4.7	23
394	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	23
395	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	23
396	Search for pair-produced heavy quarks decaying to l+jets in the two-lepton channel at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	4.7	23

#	ARTICLE	IF	CITATIONS
397	Measurement of three-jet production cross-sections in $p\ p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
398	Search for new phenomena in different-flavour high-mass dilepton final states in $p\ p$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
399	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
400	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
401	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
402	Search for the Standard Model Higgs boson in the decay channel $\text{H} \rightarrow \text{bb}$. XML Schema: <code><math altimg="si1.gif" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/co</code>	4.1	22
403	Measurement of event shapes at large momentum transfer with the ATLAS detector in $p\ p$ collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
404	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead+lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
405	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
406	Measurement of the $t\ t \bar{W} \bar{W}$ and $t\ t \bar{Z} \bar{Z}$ production cross sections in $p\ p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
407	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
408	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in $p\ p$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
409	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton+proton collisions at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	22
410	Measurements of top-quark pair spin correlations in the $t\bar{t} \mu\mu$ channel at $\sqrt{s} = 13 \text{ TeV}$ using $p\ p$ collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
411	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in $p\ p$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
412	Measurement of the production cross section and limits on anomalous triple gauge couplings in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2021, 2021, 1.	4.1	21
413	Search for diphoton events with large missing transverse momentum in $p\ p$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2021, 2021, 1.	4.1	21
414	Measurement of the $t\bar{t} \mu\mu$ channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2021, 2021, 1.	4.1	21

#	ARTICLE	IF	CITATIONS
415	Measurement of ℓ_μ polarization in $W \rightarrow \ell\ell \nu \bar{\nu}$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 2062.	3.9	21
416	Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow t(\ell^+ \ell^- + \ell^+ \ell^-) + \ell^+ \ell^-$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	21
417	Determination of spin and parity of the Higgs boson in the WW^* decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
418	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
419	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
420	Search for Higgs boson pair production in the $WW^*(*)WW^(*)$ decay channel using ATLAS data recorded at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
421	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV . European Physical Journal C, 2019, 79, .	3.9	21
422	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
423	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 2015, 1.	4.1	20
424	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
425	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
426	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
427	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s}=13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
428	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
429	Search for Diphoton Events with Large Missing Transverse Energy in 7 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2011, 106, 121803.	7.8	19
430	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
431	Measurement of k T splitting scales in $W \rightarrow \ell\nu$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
432	Search for flavour-changing neutral current top quark decays $t \rightarrow H q$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19

#	ARTICLE	IF	CITATIONS
433	Addendum to "Measurement of the $t\bar{t}$ production cross-section using events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	3.9	19
434	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
435	Probing lepton flavour violation via neutrinoless $\nu_\mu \rightarrow \nu_\tau$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
436	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
437	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
438	Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
439	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
440	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
441	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
442	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
443	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow b\bar{b}$, in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
444	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
445	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
446	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
447	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
448	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
449	Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 322-340.	4.1	17
450	Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
451	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
452	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
453	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
454	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
455	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
456	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
457	Direct top-quark decay width measurement in the $t \bar{t} \text{ lepton+jets}$ channel at $s = 8 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
458	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
459	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
460	Measurements of W and Z boson production in pp collisions at $s = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
461	Measurement of W^{\pm} boson production in Pb+Pb collisions at $s_{\text{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
462	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
463	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
464	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
465	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	16
466	Search for a heavy Standard Model Higgs boson in the channel $\text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema"}$ $\text{xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mmml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"}$ Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.1	16
467	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
469	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
470	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16
471	Search for exclusive Higgs and Z boson decays to $\ell^+\ell^-$ and $\ell^+\ell^+$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
472	Measurement of differential cross sections and W/W^γ cross-section ratios for W boson production in association with jets at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
473	Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	15
474	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $s = 7 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
475	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	15
476	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
477	Measurement of the flavour composition of dijet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15
478	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	15
479	Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^-$ events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
480	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \nu \bar{\nu}$ with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
481	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
482	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
483	Search for scalar resonances decaying into $\ell^+ \ell^-$ in events with and without b-tagged jets produced in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
484	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
485	Determination of jet calibration and energy resolution in proton-proton collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
486	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	14

#	ARTICLE	IF	CITATIONS
487	Search for excited leptons in proton-proton collisions at $s=7\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, .	4.7	14
488	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
489	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
490	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
491	Studies of $Z^{\prime 3}$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
492	Measurement of VH, $t\bar{t}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
493	Measurements of inclusive and differential fiducial cross-sections of γ production in leptonic final states at $s = 13 \text{ TeV}$ in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
494	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
495	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
496	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
497	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
498	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
499	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $s = 13 \text{ TeV}$ collected with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	14
500	Search for R-parity-violating supersymmetry in events with four or more leptons in $s = 7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
501	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
502	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
503	Search for lepton flavour violation in the $e^{\pm}e^{\mp}$ continuum with the ATLAS detector in $s = 7 \text{ TeV}$ pp collisions at the LHC. <i>European Physical Journal C</i> , 2012, 72, 2040.	3.9	13
504	The differential production cross section of the $\phi(1020)$ meson in $s = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13

#	ARTICLE	IF	CITATIONS
505	Measurement of the CP-violating phase \tilde{t} s and the $B_s \rightarrow D_s^0 \pi^+ \pi^-$ meson decay width difference with $B_s \rightarrow D_s^0 \pi^+ \pi^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
506	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
507	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
508	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
509	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
510	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	13
511	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
512	Search for Production of Resonant States in the Photon-Jet Mass Distribution Using pp Collisions at $s = 7 \text{ TeV}$ Collected by the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 211802.	7.8	12
513	Search for resonant WZ production in the $WZ \rightarrow l^+ l^- \nu \bar{\nu}$ channel in $s = 7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, .	4.7	12
514	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	12
515	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $s = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	12
516	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
517	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.	3.9	12
518	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
519	Observation of the associated production of a top quark and a Z boson in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
520	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $s = 13 \text{ TeV}$ proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
521	Transverse momentum and process dependent azimuthal anisotropies in $s_{\text{NN}} = 8.16 \text{ TeV}$ p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
522	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
523	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
524	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
525	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
526	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
527	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	12
528	Measurement of W^{\pm} and Z^{\pm} production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	11
529	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11
530	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
531	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
532	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
533	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
534	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	11
535	Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 712, 40-53.		
536	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	10
537	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
538	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10
539	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	10
540	Measurement of the inclusive and fiducial $t\bar{t}\gamma$ production cross-sections in the. <i>European Physical Journal C</i> , 2018, 78, 487.	3.9	10

#	ARTICLE	IF	CITATIONS
541	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\bar{W}$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
542	Measurement of J/ψ production in association with a $W\bar{W}$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10
543	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
544	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	10
545	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
546	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
547	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
548	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
549	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ decay channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.		
550	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
551	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
552	Measurement of the $Z(\ell^+\ell^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
553	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. A measurement of the ratio of the W and Z cross sections with exactly one associated jet in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
554	Measurement of the ratio of the W and Z cross sections with exactly one associated jet in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	4.1	8
555	Measurement of the relative width difference of the $B_0 \rightarrow B^- \pi^+$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
556	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
557	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
558	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
559	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
560	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
561	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
562	Measurements of $W+W^-$ and Z jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
563	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
564	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
565	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	8
566	Measurement of $au \rightarrow \tau\tau$, polarisation in $Z/\gamma \rightarrow \tau\tau$. <i>European Physical Journal C</i> , 2018, 78, 163.	3.9	7
567	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
568	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
569	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
570	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, . <i>Search for contact interactions in dimuon events from</i> $\mathit{mml:math}$ $\mathit{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\mathit{display}=\text{"inline"}$ $\mathit{<mml:mi>p</mml:mi><mml:mi>p</mml:mi><mml:math>collisions at</mml:math}$ $\mathit{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\mathit{display}=\text{"inline"}$ $\mathit{<mml:msqrt><mml:mi>s</mml:mi></mml:msqrt><mml:mo>=</mml:mo><mml:mn>7</mml:mn><mml:mtext>\u00d7</mml:mtext>$ $\mathit{the ATLAS detector. Physical Review D}$ 2011, 84, .	3.9	7
571	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
572	Measurement of ZZ production in the $\ell_1\ell_2\ell_3\ell_4$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
573	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
574	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	6
575	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5

#	ARTICLE	IF	CITATIONS
577	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
578	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
579	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using 36 fb^{-1} of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
580	The ATLAS inner detector trigger performance in pp collisions at 13TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5
581	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	4
582	Measurement of jet activity in top quark events using the $e^{\pm}/4$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
583	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13 \text{ TeV}$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, .	3.9	4
584	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	4
585	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
586	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
587	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4
588	Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{pm} events in Run 2 data. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	4
589	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
590	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
591	Measurement of the k t splitting scales in $Z \rightarrow l^+ l^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
592	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
593	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW^3 production in the $e^{\pm}/4$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
594	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3

#	ARTICLE	IF	CITATIONS
595	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
596	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7) \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.		3
597	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
598	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
599	Measurement of b-quark fragmentation properties in jets using the decay $B^\pm \rightarrow J/\psi K^\pm$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
600	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
601	The ATLAS EventIndex and its evolution towards Run 3. Journal of Physics: Conference Series, 2020, 1525, 012056.	0.4	2
602	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
603	Measurement of the energy asymmetry in $t\bar{t}$ production at 13TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
604	Iberian ATLAS Cloud response during the first LHC collisions. Journal of Physics: Conference Series, 2011, 331, 072068.	0.4	1
605	Examples of shared ATLAS Tier2 and Tier3 facilities. Journal of Physics: Conference Series, 2012, 396, 032051.	0.4	1
606	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8\text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
607	Readiness of the ATLAS Spanish Federated Tier-2 for the Physics Analysis of the early collision events at the LHC. Journal of Physics: Conference Series, 2010, 219, 072046.	0.4	0
608	ATLAS Tier-3 within IFIC-Valencia analysis facility. Journal of Physics: Conference Series, 2012, 396, 042062.	0.4	0
609	Evolution of the Atlas Data and Computing Model for a Tier2 in the EGI Infrastructure. , 2012, , .		0
610	Data-centric Graphical User Interface of the ATLAS Event Index Service. EPJ Web of Conferences, 2020, 245, 04036.	0.3	0
611	The ATLAS EventIndex for LHC Run 3. EPJ Web of Conferences, 2020, 245, 04017.	0.3	0