Carmen Lozano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2417833/publications.pdf

Version: 2024-02-01

74 papers

2,995 citations

32 h-index 50 g-index

78 all docs 78 docs citations

times ranked

78

2948 citing authors

#	Article	IF	Citations
1	Promotion of biofilm production via atmospheric-pressure plasma-polymerization for biomedical applications. Applied Surface Science, 2022, 581, 152350.	6.1	8
2	Beyond CC398: Characterisation of Other Tetracycline and Methicillin-Resistant Staphylococcus aureus Genetic Lineages Circulating in Spanish Hospitals. Pathogens, 2022, 11, 307.	2.8	4
3	Bacteriocin-Like Inhibitory Substances in Staphylococci of Different Origins and Species With Activity Against Relevant Pathogens. Frontiers in Microbiology, 2022, 13, 870510.	3.5	7
4	Controlling Antimicrobial Activity of Quinolones Using Visible/NIR Light-Activated BODIPY Photocages. Pharmaceutics, 2022, 14, 1070.	4.5	10
5	Penicillin susceptibility among invasive MSSA infections: a multicentre study in 16 Spanish hospitals. Journal of Antimicrobial Chemotherapy, 2021, 76, 2519-2527.	3.0	13
6	Ecology and Genetic Lineages of Nasal Staphylococcus aureus and MRSA Carriage in Healthy Persons with or without Animal-Related Occupational Risks of Colonization: A Review of Global Reports. Pathogens, 2021, 10, 1000.	2.8	14
7	Occurrence of Pseudomonas spp. in Raw Vegetables: Molecular and Phenotypical Analysis of Their Antimicrobial Resistance and Virulence-Related Traits. International Journal of Molecular Sciences, 2021, 22, 12626.	4.1	15
8	Wild Animals Are Reservoirs and Sentinels of Staphylococcus aureus and MRSA Clones: A Problem with "One Health―Concern. Antibiotics, 2021, 10, 1556.	3.7	28
9	Antimicrobial resistance and virulence of Pseudomonas spp. among healthy animals: concern about exolysin ExlA detection. Scientific Reports, 2020, 10, 11667.	3.3	33
10	Human mecC-Carrying MRSA: Clinical Implications and Risk Factors. Microorganisms, 2020, 8, 1615.	3.6	35
11	Antimicrobial Susceptibility Testing in Pseudomonas aeruginosa Biofilms: One Step Closer to a Standardized Method. Antibiotics, 2020, 9, 880.	3.7	10
12	Pseudomonas aeruginosa Utilizes Host-Derived Itaconate to Redirect Its Metabolism to Promote Biofilm Formation. Cell Metabolism, 2020, 31, 1091-1106.e6.	16.2	109
13	CFTR-PTEN–dependent mitochondrial metabolic dysfunction promotes ⟨i⟩Pseudomonas aeruginosa⟨/i⟩ airway infection. Science Translational Medicine, 2019, 11, .	12.4	65
14	High diversity of coagulase negative staphylococci species in wild boars, with low antimicrobial resistance rates but detection of relevant resistance genes. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 64, 125-129.	1.6	20
15	Great phenotypic and genetic variation among successive chronic Pseudomonas aeruginosa from a cystic fibrosis patient. PLoS ONE, 2018, 13, e0204167.	2.5	24
16	<i>Staphylococcus pseudintermedius</i> Human Infection Cases in Spain: Dog-to-Human Transmission. Vector-Borne and Zoonotic Diseases, 2017, 17, 268-270.	1.5	80
17	Optical Control of Antimicrobial Activity in Quinolone Derivatives. European Journal of Organic Chemistry, 2017, 2017, 4719-4725.	2.4	9
18	Species distribution, antibiotic resistance and virulence traits in canine and feline enterococci in Tunisia. Acta Veterinaria Hungarica, 2017, 65, 173-184.	0.5	19

#	Article	IF	CITATIONS
19	Unusual presence of the immune evasion gene cluster in livestock-associated MRSA of lineage CC398 causing peridural and psoas abscesses in a poultry farmer. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2017, 35, 651-654.	0.5	15
20	Clonal diversity of extended-spectrum beta-lactamase producing Escherichia coli isolates in fecal samples of wild animals. FEMS Microbiology Letters, 2017, 364, .	1.8	21
21	Unusual presence of the immune evasion gene cluster in livestock-associated MRSA of lineage CC398 causing peridural and psoas abscesses in a poultry farmer. Enfermedades Infecciosas Y Microbiologia Clinica (English Ed), 2017, 35, 651-654.	0.3	0
22	Staphylococcus aureus in Animals and Food: Methicillin Resistance, Prevalence and Population Structure. A Review in the African Continent. Microorganisms, 2016, 4, 12.	3.6	81
23	Environmental <i>Staphylococcus aureus</i> contamination in a Tunisian hospital. Journal of Chemotherapy, 2016, 28, 506-509.	1.5	8
24	Molecular characterization of Staphylococcus aureus isolated from humans related to a livestock farm in Spain, with detection of MRSA-CC130 carrying mecC gene: A zoonotic case?. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2016, 34, 280-285.	0.5	21
25	High prevalence of Staphylococcus haemolyticus and Staphylococcus saprophyticus in environmental samples of a Tunisian hospital. Diagnostic Microbiology and Infectious Disease, 2016, 85, 136-140.	1.8	26
26	Genetic Diversity and Antibiotic Resistance Among Coagulase-Negative Staphylococci Recovered from Birds of Prey in Portugal. Microbial Drug Resistance, 2016, 22, 727-730.	2.0	14
27	Genetic lineages and antimicrobial resistance genotypes in <i>Staphylococcus aureus</i> from children with atopic dermatitis: detection of clonal complexes CC1, CC97 and CC398. Journal of Chemotherapy, 2016, 28, 359-366.	1.5	14
28	Characterization of staphylococci in urban wastewater treatment plants in Spain, with detection of methicillin resistant Staphylococcus aureus ST398. Environmental Pollution, 2016, 212, 71-76.	7.5	41
29	Detection of MRSA ST3061-t843- <i>mecC</i> and ST398-t011- <i>mecA</i> i>in white stork nestlings exposed to human residues: Table 1 Journal of Antimicrobial Chemotherapy, 2016, 71, 53-57.	3.0	69
30	Characterization of fecal vancomycin-resistant enterococci with acquired and intrinsic resistance mechanisms in wild animals, Spain. Microbial Ecology, 2016, 72, 813-820.	2.8	23
31	Multidrug-resistant enterococci in the hospital environment: detection of novel vancomycin-resistant E. faecium clone ST910. Journal of Infection in Developing Countries, 2016, 10, 799-806.	1.2	19
32	GelJ – a tool for analyzing DNA fingerprint gel images. BMC Bioinformatics, 2015, 16, 270.	2.6	238
33	Molecular Characterization of <i>Staphylococcus aureus </i> from Nasal Samples of Healthy Farm Animals and Pets in Tunisia. Vector-Borne and Zoonotic Diseases, 2015, 15, 109-115.	1.5	37
34	Diversity of enterococcal species and characterization of high-level aminoglycoside resistant enterococci of samples of wastewater and surface water in Tunisia. Science of the Total Environment, 2015, 530-531, 11-17.	8.0	28
35	Characterization of <i>Staphylococcus aureus</i> from Raw Meat Samples in Tunisia: Detection of Clonal Lineage ST398 from the African Continent. Foodborne Pathogens and Disease, 2015, 12, 686-692.	1.8	39
36	High prevalence of methicillin-resistant Staphylococcus aureus (MRSA) carrying the mecC gene in a semi-extensive red deer (Cervus elaphus hispanicus) farm in Southern Spain. Veterinary Microbiology, 2015, 177, 326-331.	1.9	40

#	Article	IF	CITATIONS
37	Clonal lineages detected amongst tetracycline-resistant meticillin-resistant Staphylococcus aureus isolates of a Tunisian hospital, with detection of lineage ST398. Journal of Medical Microbiology, 2015, 64, 623-629.	1.8	15
38	Detection of vancomycin-resistant Enterococcus faecalis ST6-vanB2 and E. faecium ST915-vanA in faecal samples of wild Rattus rattus in Spain. Veterinary Microbiology, 2015, 177, 168-174.	1.9	22
39	Characterization of Staphylococcus aureus strains isolated from faeces of healthy neonates and potential mother-to-infant microbial transmission through breastfeeding. FEMS Microbiology Ecology, 2015, 91, .	2.7	34
40	A survey of tools for analysing DNA fingerprints. Briefings in Bioinformatics, 2015, 17, 903-911.	6. 5	11
41	Diversity of species and antibiotic resistance among fecal enterococci from wild birds in Tunisia. Detection of vanA-containing Enterococcus faecium isolates. European Journal of Wildlife Research, 2015, 61, 319-323.	1.4	23
42	Economic Features of Antibiotic Resistance: The Case of Methicillin-Resistant Staphylococcus aureus. Pharmacoeconomics, 2015, 33, 285-325.	3.3	50
43	Nasal carriage of coagulase positive staphylococci in patients of a Primary-Healthcare-Center: genetic lineages and resistance and virulence genes. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2015, 33, 391-396.	0.5	8
44	Methicillin-resistant coagulase-negative staphylococci from healthy dogs in Nsukka, Nigeria. Brazilian Journal of Microbiology, 2014, 45, 215-220.	2.0	44
45	First Detection of <scp>M</scp> ethicillinâ€ <scp>R</scp> esistant <i><scp>S</scp>taphylococcus aureus </i> <scp>ST</scp> 398 and <i><scp>S</scp>taphylococcus pseudintermedius </i> <scp>ST</scp> 68 from Hospitalized Equines in <scp>S</scp> pain. Zoonoses and Public Health, 2014, 61, 192-201.	2.2	22
46	Characterization of tetracycline and methicillin resistant Staphylococcus aureus strains in a Spanish hospital: Is livestock-contact a risk factor in infections caused by MRSA CC398?. International Journal of Medical Microbiology, 2014, 304, 1226-1232.	3.6	52
47	Antimicrobial resistance determinants in Staphylococcus spp. recovered from birds of prey in Portugal. Veterinary Microbiology, 2014, 171, 436-440.	1.9	46
48	Genetic Lineages, Antimicrobial Resistance, and Virulence in <i>Staphylococcus aureus</i> of Meat Samples in Spain: Analysis of Immune Evasion Cluster (IEC) Genes. Foodborne Pathogens and Disease, 2014, 11, 354-356.	1.8	23
49	Antimicrobial Resistance, Virulence Genes, and Genetic Lineages of Staphylococcus pseudintermedius in Healthy Dogs in Tunisia. Microbial Ecology, 2013, 66, 363-368.	2.8	34
50	Detection of Methicillin-Susceptible Staphylococcus aureus ST398 and ST133 Strains in Gut Microbiota of Healthy Humans in Spain. Microbial Ecology, 2013, 66, 105-111.	2.8	28
51	Changes in genetic lineages, resistance, and virulence in clinical methicillin-resistant Staphylococcus aureus in a Spanish hospital. Journal of Infection and Chemotherapy, 2013, 19, 233-242.	1.7	27
52	Animal and human Staphylococcus aureus associated clonal lineages and high rate of Staphylococcus pseudintermedius novel lineages in Spanish kennel dogs: Predominance of S. aureus ST398. Veterinary Microbiology, 2013, 166, 580-589.	1.9	26
53	High diversity of Staphylococcus aureus and Staphylococcus pseudintermedius lineages and toxigenic traits in healthy pet-owning household members. Underestimating normal household contact?. Comparative Immunology, Microbiology and Infectious Diseases, 2013, 36, 83-94.	1.6	80
54	The enterococcal ABC transporter gene lsa(E) confers combined resistance to lincosamides, pleuromutilins and streptogramin A antibiotics in methicillin-susceptible and methicillin-resistant Staphylococcus aureus. Journal of Antimicrobial Chemotherapy, 2013, 68, 473-475.	3.0	80

#	Article	IF	CITATIONS
55	Identification of the novel spectinomycin resistance gene spw in methicillin-resistant and methicillin-susceptible Staphylococcus aureus of human and animal origin. Journal of Antimicrobial Chemotherapy, 2013, 68, 1679-1680.	3.0	38
56	Clonal Dynamics of Nasal Staphylococcus aureus and Staphylococcus pseudintermedius in Dog-Owning Household Members. Detection of MSSA ST398. PLoS ONE, 2013, 8, e69337.	2.5	45
57	Genetic environment and location of the lnu(A) and lnu(B) genes in methicillin-resistant Staphylococcus aureus and other staphylococci of animal and human origin. Journal of Antimicrobial Chemotherapy, 2012, 67, 2804-2808.	3.0	86
58	High prevalence of spa types associated with the clonal lineage CC398 among tetracycline-resistant methicillin-resistant Staphylococcus aureus strains in a Spanish hospital. Journal of Antimicrobial Chemotherapy, 2012, 67, 330-334.	3.0	69
59	Expansion of a Plasmid Classification System for Gram-Positive Bacteria and Determination of the Diversity of Plasmids in Staphylococcus aureus Strains of Human, Animal, and Food Origins. Applied and Environmental Microbiology, 2012, 78, 5948-5955.	3.1	51
60	Characterization of a cfr-positive methicillin-resistant Staphylococcus epidermidis strain of the lineage ST22 implicated in a life-threatening human infection. Diagnostic Microbiology and Infectious Disease, 2012, 73, 380-382.	1.8	17
61	High diversity of genetic lineages and virulence genes in nasal Staphylococcus aureusisolates from donkeys destined to food consumption in Tunisia with predominance of the ruminant associated CC133 lineage. BMC Veterinary Research, 2012, 8, 203.	1.9	42
62	Identification of novel vga(A)-carrying plasmids and a Tn5406-like transposon in meticillin-resistant Staphylococcus aureus and Staphylococcus epidermidis of human and animal origin. International Journal of Antimicrobial Agents, 2012, 40, 306-312.	2.5	48
63	Prevalence, antibiotic resistance, virulence traits and genetic lineages of Staphylococcus aureus in healthy sheep in Tunisia. Veterinary Microbiology, 2012, 156, 367-373.	1.9	77
64	Molecular Detection and Characterization of Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Isolates from Dogs in Portugal. Microbial Drug Resistance, 2011, 17, 333-337.	2.0	29
65	Staphylococcus aureus nasal carriage, virulence traits, antibiotic resistance mechanisms, and genetic lineages in healthy humans in Spain, with detection of CC398 and CC97 strains. International Journal of Medical Microbiology, 2011, 301, 500-505.	3.6	86
66	Methicillin-resistant Staphylococcus aureus (MRSA) ST398 in a farmer with skin lesions and in pigs of his farm: clonal relationship and detection of lnu(A) gene. Clinical Microbiology and Infection, 2011, 17, 923-927.	6.0	31
67	Dynamic of nasal colonization by methicillin-resistant Staphylococcus aureus ST398 and ST1 after mupirocin treatment in a family in close contact with pigs. Comparative Immunology, Microbiology and Infectious Diseases, 2011, 34, e1-e7.	1.6	24
68	Detection and characterization of methicillin-resistant Staphylococcus pseudintermedius in healthy dogs in La Rioja, Spain. Comparative Immunology, Microbiology and Infectious Diseases, 2011, 34, 447-453.	1.6	61
69	Nasal carriage of Staphylococcus aureus in healthy humans with different levels of contact with animals in Tunisia: genetic lineages, methicillin resistance, and virulence factors. European Journal of Clinical Microbiology and Infectious Diseases, 2011, 30, 499-508.	2.9	38
70	Empyema caused by MRSA ST398 with Atypical Resistance Profile, Spain. Emerging Infectious Diseases, 2011, 17, 138-140.	4.3	43
71	Skin Lesion by Methicillin-Resistant <i>Staphylococcus aureus</i> ST398-t1451 in a Spanish Pig Farmer: Possible Transmission from Animals to Humans. Vector-Borne and Zoonotic Diseases, 2011, 11, 605-607.	1.5	28
72	Skin Lesion Caused by ST398 and ST1 MRSA, Spain ¹ . Emerging Infectious Diseases, 2010, 16, 157-159.	4.3	38

#	Article	IF	CITATIONS
73	Detection, Molecular Characterization, and Clonal Diversity of Methicillin-Resistant <i>Staphylococcus aureus</i> Different Age Groups. Foodborne Pathogens and Disease, 2010, 7, 1269-1277.	1.8	130
74	Detection of methicillin-resistant Staphylococcus aureus ST398 in food samples of animal origin in Spain. Journal of Antimicrobial Chemotherapy, 2009, 64, 1325-1326.	3.0	102