

Shin-ichi Nakatsuka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2421188/publications.pdf>

Version: 2024-02-01

87
papers

3,816
citations

147801

31
h-index

128289

60
g-index

87
all docs

87
docs citations

87
times ranked

3715
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytology Reporting System for Lung Cancer from the Japan Lung Cancer Society and the Japanese Society of Clinical Cytology: An Extensive Study Containing More Benign Lesions. <i>Acta Cytologica</i> , 2022, 66, 124-133.	1.3	5
2	Usefulness of immunohistochemistry to distinguish between secretory carcinoma and acinic cell carcinoma in the salivary gland. <i>Medical Molecular Morphology</i> , 2021, 54, 23-30.	1.0	9
3	A case of "ETV6-FISH-negative" secretory carcinoma of the parotid gland: immunohistochemical study. <i>Medical Molecular Morphology</i> , 2021, 54, 296-300.	1.0	2
4	Bcl2-negative IGH-BCL2 translocation-negative follicular lymphoma of the thyroid differs genetically and epigenetically from Bcl2-positive IGH-BCL2 translocation-positive follicular lymphoma. <i>Histopathology</i> , 2021, 79, 521-532.	2.9	3
5	Cutaneous marginal zone lymphoma of the nose arising after rhinoplasty with filler injection. <i>Journal of Hematopathology</i> , 2021, 14, 177-181.	0.4	1
6	Does cold snare polypectomy completely resect the mucosal layer? A prospective single-center observational trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 241-248.	2.8	35
7	Novel Imprint Cytological Classification for Small Pulmonary Adenocarcinoma Using Surgical Specimens: Comparison with the 8th Lung Cancer Staging System and Histopathological Classification. <i>Journal of Cancer</i> , 2020, 11, 2845-2851.	2.5	2
8	Cytology Reporting System for Lung Cancer from the Japan Lung Cancer Society and Japanese Society of Clinical Cytology: An Interobserver Reproducibility Study and Risk of Malignancy Evaluation on Cytology Specimens. <i>Acta Cytologica</i> , 2020, 64, 452-462.	1.3	15
9	Tu1130 DOES COLD SNARE POLYPECTOMY RESECT MUCOSAL LAYER COMPLETELY?: A PROSPECTIVE SINGLE-CENTER OBSERVATIONAL TRIAL. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB572.	1.0	0
10	Extrinsic Upregulation of PD-L1 Induced by Pembrolizumab Combination Therapy in Patients with NSCLC with Low Tumor PD-L1 Expression. <i>Journal of Thoracic Oncology</i> , 2019, 14, e231-e233.	1.1	2
11	Patients with SMARCA4-deficient thoracic sarcoma and severe skeletal-related events. <i>Lung Cancer</i> , 2019, 132, 59-64.	2.0	18
12	Pulmonary carcinosarcoma characterized by small round cells with neuroendocrine, myogenic, and chondrogenic differentiation: An extremely rare case. <i>Pathology International</i> , 2019, 69, 282-287.	1.3	2
13	JAZF1 "SUZ12 endometrial stromal sarcoma forming subserosal masses with extraordinary uptake of fluorodeoxyglucose on positron emission tomography: a case report. <i>Diagnostic Pathology</i> , 2019, 14, 110.	2.0	6
14	HER3 expression is enhanced during progression of lung adenocarcinoma without EGFR mutation from stage 0 to IA1. <i>Thoracic Cancer</i> , 2018, 9, 466-471.	1.9	8
15	Nivolumab induced vitiligo-like lesions in a patient with metastatic squamous cell carcinoma of the lung. <i>Journal of Thoracic Disease</i> , 2018, 10, E481-E484.	1.4	12
16	Heterogeneity of EGFR-mutant and PD-L1 high-expressing clones affects treatment efficacy of EGFR-TKI and PD-1 inhibitor. <i>Annals of Oncology</i> , 2018, 29, vii69.	1.2	0
17	Semaphorin 7A promotes EGFR-TKI resistance in EGFR mutant lung adenocarcinoma cells. <i>JCI Insight</i> , 2018, 3, .	5.0	26
18	Reliability of Estrogen Receptor and Human Epidermal Growth Factor Receptor 2 Expression on Breast Cancer Cells Stored in Cellprep® Vials. <i>Acta Cytologica</i> , 2018, 62, 360-370.	1.3	3

#	ARTICLE	IF	CITATIONS
19	Enlargement of papillary glioneuronal tumor in an adult after a follow-up period of 10 years: a case report. <i>Journal of Surgical Case Reports</i> , 2018, 2018, rjy123.	0.4	3
20	Proliferative CD8(+) PD-1(+) T-cell infiltration in a pembrolizumab-induced cutaneous adverse reaction. <i>Investigational New Drugs</i> , 2018, 36, 1138-1142.	2.6	13
21	Classical type and blastoid variant mantle cell lymphoma in the same lymph node: Histology and cytological findings from a touch imprint specimen. <i>Diagnostic Cytopathology</i> , 2017, 45, 364-370.	1.0	3
22	An unusual case of Epstein-Barr virus-positive large B-cell lymphoma lacking various B-cell markers. <i>Diagnostic Pathology</i> , 2017, 12, 15.	2.0	10
23	Endometrioid adenocarcinoma originating simultaneously from endometrium, sites of adenomyosis and ovarian endometriosis: A case report and review of our cancer database. <i>International Journal of Surgery Case Reports</i> , 2017, 41, 226-229.	0.6	4
24	When to use in situ hybridization for the detection of Epstein-Barr virus: a review of Epstein-Barr virus-associated lymphomas. <i>Journal of Hematopathology</i> , 2015, 8, 61-70.	0.4	6
25	A case of anaplastic lymphoma kinase-positive large B-cell lymphoma: Aspiration cytology findings. <i>Diagnostic Cytopathology</i> , 2014, 42, 69-72.	1.0	8
26	The translation elongation factor eEF2 is a novel tumor-associated antigen overexpressed in various types of cancers. <i>International Journal of Oncology</i> , 2014, 44, 1461-1469.	3.3	62
27	A case of blastic plasmacytoid dendritic cell neoplasm: Cytomorphological findings of the touch imprint specimen of lymph node. <i>Diagnostic Cytopathology</i> , 2013, 41, 67-70.	1.0	2
28	WT1 peptide immunotherapy for gynecologic malignancies resistant to conventional therapies: a phase II trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 457-463.	2.5	35
29	Self-Limited Effusion Large B-Cell Lymphoma: Two Cases of Effusion Lymphoma Maintaining Remission after Drainage Alone. <i>Acta Haematologica</i> , 2013, 130, 217-221.	1.4	15
30	Primary Diffuse Large B-Cell Lymphoma of the Nipple: A Rare Case of Breast Lymphoma Localized in the Nipple. <i>Breast Journal</i> , 2013, 19, 199-200.	1.0	1
31	Primary Extragenital Germinoma of the Medulla Oblongata. <i>International Journal of Surgical Pathology</i> , 2012, 20, 276-279.	0.8	12
32	A case of clear cell adenocarcinoma arising from the urethral diverticulum: Utility of urinary cytology and immunohistochemistry. <i>CytoJournal</i> , 2012, 9, 11.	1.7	7
33	Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue type arising in the pleura with pleural fibrous plaques in a lathe worker. <i>Annals of Diagnostic Pathology</i> , 2012, 16, 224-229.	1.3	4
34	A large retroperitoneal cystic venous malformation mimicking bilateral ovarian cystic tumors. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 1011-1014.	1.7	5
35	Mucinous borderline-like tumor of the gastrointestinal type arising from mature cystic teratoma of the ovary and its immunohistochemical cytokeratin and mucin phenotype. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 471-475.	1.3	5
36	An autopsy case of left ventricular apical ballooning probably caused by pheochromocytoma with persistent ST-segment elevation. <i>International Journal of Cardiology</i> , 2011, 149, e50-e52.	1.7	18

#	ARTICLE	IF	CITATIONS
37	Adalimumab-associated Pulmonary Cryptococcosis. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2011, 17, 390-393.	0.8	8
38	Plasmablastic Extramedullary Plasmacytoma Associated with Epstein-Barr Virus Arising in an Immunocompetent Patient with Multiple Myeloma. <i>Internal Medicine</i> , 2011, 50, 2615-2620.	0.7	13
39	An invasive adenocarcinoma of the accessory parotid gland: a rare example developing from a low-grade cribriform cystadenocarcinoma?. <i>Diagnostic Pathology</i> , 2011, 6, 122.	2.0	25
40	Multifocal nodular oncocytic hyperplasia of bilateral parotid glands: A case report with a histological variant of clear cells. <i>Pathology Research and Practice</i> , 2011, 207, 452-455.	2.3	17
41	WT1 (WILMS TUMOR 1) PEPTIDE IMMUNOTHERAPY FOR CHILDHOOD RHABDOMYOSARCOMA: A Case Report. <i>Pediatric Hematology and Oncology</i> , 2009, 26, 74-83.	0.8	24
42	WT1 IgG antibody for early detection of nonsmall cell lung cancer and as its prognostic factor. <i>International Journal of Cancer</i> , 2009, 125, 381-387.	5.1	35
43	Four cases of advanced renal cell carcinoma with pancreatic metastasis successfully treated with radiation therapy. <i>International Journal of Clinical Oncology</i> , 2009, 14, 258-261.	2.2	7
44	Thyroid Follicular Adenoma Producing Parathyroid Hormone-related Protein with a Normal Serum Calcium Level. <i>Internal Medicine</i> , 2009, 48, 1957-1961.	0.7	1
45	Phase II clinical trial of Wilms tumor 1 peptide vaccination for patients with recurrent glioblastoma multiforme. <i>Journal of Neurosurgery</i> , 2008, 108, 963-971.	1.6	183
46	WT1 (Wilms' Tumor 1) Peptide Immunotherapy for Renal Cell Carcinoma. <i>Microbiology and Immunology</i> , 2007, 51, 519-530.	1.4	67
47	Lymphoproliferative disorders in rheumatoid arthritis: clinicopathological analysis of 76 cases in relation to methotrexate medication. <i>Journal of Rheumatology</i> , 2007, 34, 322-31.	2.0	266
48	AML1-ETO rapidly induces acute myeloblastic leukemia in cooperation with the Wilms tumor gene, WT1. <i>Blood</i> , 2006, 107, 3303-3312.	1.4	111
49	Immunohistochemical detection of WT1 protein in a variety of cancer cells. <i>Modern Pathology</i> , 2006, 19, 804-814.	5.5	262
50	Epidemiology and Pathologic Features of Hodgkin Lymphoma. <i>International Journal of Hematology</i> , 2006, 83, 391-397.	1.6	39
51	Loss of expression of Epstein-Barr virus nuclear antigen-2 correlates with a poor prognosis in cases of pyothorax-associated lymphoma. <i>International Journal of Cancer</i> , 2006, 118, 2782-2789.	5.1	10
52	Monitoring of WT1-specific cytotoxic T lymphocytes after allogeneic hematopoietic stem cell transplantation. <i>International Journal of Cancer</i> , 2006, 119, 1360-1367.	5.1	38
53	A Phase I/II Trial of a WT1 (Wilms' Tumor Gene) Peptide Vaccine in Patients with Solid Malignancy: Safety Assessment Based on the Phase I Data. <i>Japanese Journal of Clinical Oncology</i> , 2006, 36, 231-236.	1.3	82
54	Pyothorax-Associated Lymphoma. <i>Advances in Anatomic Pathology</i> , 2005, 12, 324-331.	4.3	86

#	ARTICLE	IF	CITATIONS
55	Expression of cell adhesion molecules and chemokine receptors: Angioinvasiveness in nasal NK/T-cell lymphoma. <i>Oncology Reports</i> , 2005, 13, 613.	2.6	3
56	Prognostic Significance of BACH2 Expression in Diffuse Large B-Cell Lymphoma: A Study of the Osaka Lymphoma Study Group. <i>Journal of Clinical Oncology</i> , 2005, 23, 8012-8017.	1.6	41
57	WT1 Peptide-Based Immunotherapy for Patients with Lung Cancer: Report of Two Cases. <i>Microbiology and Immunology</i> , 2004, 48, 175-184.	1.4	62
58	Overexpression of the Wilms' tumor gene WT1 in primary astrocytic tumors. <i>Cancer Science</i> , 2004, 95, 822-827.	3.9	110
59	Distinct pattern of gene expression in pyothorax-associated lymphoma (PAL), a lymphoma developing in long-standing inflammation. <i>Cancer Science</i> , 2004, 95, 828-834.	3.9	39
60	Overexpression of the Wilms' tumor gene WT1 in pancreatic ductal adenocarcinoma. <i>Cancer Science</i> , 2004, 95, 583-587.	3.9	113
61	NK-cell related neoplasms in Osaka, Japan. <i>American Journal of Hematology</i> , 2004, 76, 230-235.	4.1	12
62	Lymphoproliferative disorders in autoimmune diseases in Japan: Analysis of clinicopathological features and Epstein-Barr virus infection. <i>International Journal of Cancer</i> , 2004, 108, 443-449.	5.1	60
63	Induction of <i>WT1</i> (Wilms' tumor gene)-specific cytotoxic T lymphocytes by WT1 peptide vaccine and the resultant cancer regression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 13885-13890.	7.1	505
64	Overexpression of the Wilms' tumor gene WT1 in esophageal cancer. <i>Anticancer Research</i> , 2004, 24, 3103-8.	1.1	30
65	Hypermethylation of death-associated protein (DAP) kinase CpG island is frequent not only in B-cell but also in T- and natural killer (NK)/T-cell malignancies. <i>Cancer Science</i> , 2003, 94, 87-91.	3.9	35
66	Overexpression of the Wilms' tumor gene WT1 in human bone and soft-tissue sarcomas. <i>Cancer Science</i> , 2003, 94, 271-276.	3.9	74
67	Overexpression of the Wilms' tumor gene WT1 in head and neck squamous cell carcinoma. <i>Cancer Science</i> , 2003, 94, 523-529.	3.9	51
68	Overexpression of the Wilms' tumor gene WT1 in primary thyroid cancer. <i>Cancer Science</i> , 2003, 94, 606-611.	3.9	49
69	Overexpression of the Wilms' tumor gene WT1 in colorectal adenocarcinoma. <i>Cancer Science</i> , 2003, 94, 712-717.	3.9	105
70	An unusual type of follicular lymphoma with massive infiltration of CD4+ T-lymphocytes. <i>Haematologia</i> , 2002, 32, 93-95.	0.3	0
71	DNA Sequences of the Immunoglobulin Heavy Chain Variable Region Gene in Pyothorax-Associated Lymphoma. <i>Oncology</i> , 2002, 62, 241-250.	1.9	15
72	Pyothorax-Associated Lymphoma: A Review of 106 Cases. <i>Journal of Clinical Oncology</i> , 2002, 20, 4255-4260.	1.6	244

#	ARTICLE	IF	CITATIONS
73	Overexpression of the Wilms' tumor gene WT1 in de novo lung cancers. <i>International Journal of Cancer</i> , 2002, 100, 297-303.	5.1	197
74	Follicular Lymphoma in Osaka, Japan: Histological Features and Chronological Change. <i>International Journal of Hematology</i> , 2002, 76, 333-337.	1.6	9
75	Enhanced Expression of Neuron-specific Enolase (NSE) in Pyothorax-associated Lymphoma (PAL). <i>Japanese Journal of Cancer Research</i> , 2002, 93, 411-416.	1.7	15
76	Microarray Analysis of Gene-expression Profiles in Diffuse Large B-cell Lymphoma: Identification of Genes Related to Disease Progression. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 894-901.	1.7	43
77	Mutations of p53, c-kit, K-ras, and β -Catenin Gene in Non-Hodgkin's Lymphoma of Adrenal Gland. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 267-274.	1.7	25
78	VCP (p97) Regulates NF κ B Signaling Pathway, Which Is Important for Metastasis of Osteosarcoma Cell Line. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 296-304.	1.7	128
79	Gene Mutations in Lymphoproliferative Disorders of T and NK/T Cell Phenotypes Developing in Renal Transplant Patients. <i>Laboratory Investigation</i> , 2002, 82, 257-264.	3.7	30
80	DNA Sequence of Immunoglobulin Heavy Chain Variable Region Gene in Thyroid Lymphoma. <i>Japanese Journal of Cancer Research</i> , 2001, 92, 1041-1047.	1.7	5
81	Analysis of T Cell Antigen Receptor β Chain Gene Rearrangement by Polymerase Chain Reaction in Combination with Denaturing Gradient Gel Electrophoresis in the Differential Diagnosis of Cutaneous Lymphoproliferative Diseases. <i>Journal of Dermatology</i> , 2000, 27, 238-243.	1.2	6
82	Low frequency of HLA-A*0201 allele in patients with Epstein-Barr virus-positive nasal lymphomas with polymorphic reticulosis morphology. <i>International Journal of Cancer</i> , 2000, 87, 195-199.	5.1	35
83	Sequences of cytotoxic T-lymphocyte epitopes in the Epstein-Barr virus (EBV) nuclear antigen-3B gene in a Japanese population with or without EBV-positive lymphoid malignancies. <i>International Journal of Cancer</i> , 2000, 88, 626-632.	5.1	12
84	Mutations of the p53 Gene in Nasal NK/T-Cell Lymphoma. <i>Laboratory Investigation</i> , 2000, 80, 493-499.	3.7	61
85	Role of Hypermethylation of DAP-Kinase CpG Island in the Development of Thyroid Lymphoma. <i>Laboratory Investigation</i> , 2000, 80, 1651-1655.	3.7	21
86	Immunophenotypic and genotypic characterization of nasal lymphoma with polymorphic reticulosis morphology. <i>International Journal of Cancer</i> , 1999, 81, 865-870.	5.1	42
87	Sinonasal lymphomas in Indonesia: immunophenotype and Epstein-Barr virus association. <i>Medical Journal of Indonesia</i> , 0, 13, 71.	0.5	3