


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/242172/publications.pdf Version: 2024-02-01



Ιιν Χιι

#	Article	IF	CITATIONS
1	Dysregulated expression of the alternatively spliced variant mRNAs of the mu opioid receptor gene, <i>OPRM1</i> , in the medial prefrontal cortex of male human heroin abusers and heroin selfâ€administering male rats. Journal of Neuroscience Research, 2022, 100, 35-47.	2.9	20
2	Exploring Pharmacological Functions of Alternatively Spliced Variants of the Mu Opioid Receptor Gene, Oprm1, via Gene-Targeted Animal Models. International Journal of Molecular Sciences, 2022, 23, 3010.	4.1	1
3	Mu Opioids Induce Biased Signaling at the Full-Length Seven Transmembrane C-Terminal Splice Variants of the mu Opioid Receptor Gene, Oprm1. Cellular and Molecular Neurobiology, 2021, 41, 1059-1074.	3.3	16
4	Alternative Pre-mRNA Splicing of the Mu Opioid Receptor Gene, OPRM1: Insight into Complex Mu Opioid Actions. Biomolecules, 2021, 11, 1525.	4.0	12
5	Oxidative Metabolism as a Modulator of Kratom's Biological Actions. Journal of Medicinal Chemistry, 2021, 64, 16553-16572.	6.4	26
6	A Truncated Six Transmembrane Splice Variant MOR-1G Enhances Expression of the Full-Length Seven Transmembrane <i>μ-</i> Opioid Receptor through Heterodimerization. Molecular Pharmacology, 2020, 98, 518-527.	2.3	14
7	Identification of Abundant and Evolutionarily Conserved Opioid Receptor Circular RNAs in the Nervous System Modulated by Morphine. Molecular Pharmacology, 2019, 96, 247-258.	2.3	12
8	Differential regulation of Cav2.2 channel exon 37 variants by alternatively spliced μ-opioid receptors. Molecular Brain, 2019, 12, 98.	2.6	12
9	Pharmacological Characterization of Levorphanol, a G-Protein Biased Opioid Analgesic. Anesthesia and Analgesia, 2019, 128, 365-373.	2.2	15
10	Characterizing mu Opioid Receptor Splice Variants Using Gene Targeting Rat Models Generated by Easi RISPR. FASEB Journal, 2019, 33, lb74.	0.5	0
11	Truncated μ-Opioid Receptors With 6 Transmembrane Domains Are Essential for Opioid Analgesia. Anesthesia and Analgesia, 2018, 126, 1050-1057.	2.2	22
12	Pharmacological characterization of novel synthetic opioids (NSO) found in the recreational drug marketplace. Neuropharmacology, 2018, 134, 101-107.	4.1	78
13	Genetic dissociation of morphine analgesia from hyperalgesia in mice. Psychopharmacology, 2017, 234, 1891-1900.	3.1	19
14	Isolation and characterization of alternatively spliced variants of the mouse sigma1 receptor gene, Sigmar1. PLoS ONE, 2017, 12, e0174694.	2.5	9
15	Alternatively spliced mu opioid receptor C termini impact the diverse actions of morphine. Journal of Clinical Investigation, 2017, 127, 1561-1573.	8.2	52
16	Mediation of buprenorphine analgesia by a combination of traditional and truncated mu opioid receptor splice variants. Synapse, 2016, 70, 395-407.	1.2	40
17	Tetrapeptide Endomorphin Analogs Require Both Full Length and Truncated Splice Variants of the Mu Opioid Receptor Gene <i>Oprm1</i> for Analgesia. ACS Chemical Neuroscience, 2016, 7, 1717-1727.	3.5	11
18	Mitragynine/Corynantheidine Pseudoindoxyls As Opioid Analgesics with Mu Agonism and Delta Antagonism, Which Do Not Recruit β-Arrestin-2. Journal of Medicinal Chemistry, 2016, 59, 8381-8397.	6.4	229

Jin Xu

#	Article	IF	CITATIONS
19	Truncated mu opioid GPCR variant involvement in opioid-dependent and opioid-independent pain modulatory systems within the CNS. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3663-3668.	7.1	27
20	Stabilization of morphine tolerance with long-term dosing: Association with selective upregulation of mu-opioid receptor splice variant mRNAs. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 279-284.	7.1	47
21	Isolating and characterizing three alternatively spliced mu opioid receptor variants: mMOR-1A, mMOR-1 <i>O</i> , and mMOR-1P. Synapse, 2014, 68, 144-152.	1.2	21
22	Differential Expressions of the Alternatively Spliced Variant mRNAs of the µ Opioid Receptor Gene, OPRM1, in Brain Regions of Four Inbred Mouse Strains. PLoS ONE, 2014, 9, e111267.	2.5	32
23	Stabilization of the μ-Opioid Receptor by Truncated Single Transmembrane Splice Variants through a Chaperone-like Action. Journal of Biological Chemistry, 2013, 288, 21211-21227.	3.4	51
24	ldentification and Characterization of Seven New Exon 11-Associated Splice Variants of the Rat Mu Opioid Receptor Gene, OPRM1. Molecular Pain, 2011, 7, 1744-8069-7-9.	2.1	35
25	Involvement of exon 11-associated variants of the mu opioid receptor MOR-1 in heroin, but not morphine, actions. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 4917-4922.	7.1	101
26	lsolation and characterization of new exon 11â€associated Nâ€ŧerminal splice variants of the human mu opioid receptor gene. Journal of Neurochemistry, 2009, 108, 962-972.	3.9	50
27	Identification of Four Novel Exon 5 Splice Variants of the Mouse μ-Opioid Receptor Gene: Functional Consequences of C-Terminal Splicing. Molecular Pharmacology, 2005, 68, 866-875.	2.3	90
28	Identification of three new alternatively spliced variants of the rat mu opioid receptor gene: dissociation of affinity and efficacy. Journal of Neurochemistry, 2004, 91, 881-890.	3.9	77
29	Identification and Characterization of Three New Alternatively Spliced μ-Opioid Receptor Isoforms. Molecular Pharmacology, 1999, 56, 396-403.	2.3	251