

# Eneida Mioshi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2426404/publications.pdf>

Version: 2024-02-01

103  
papers

7,156  
citations

109321

35  
h-index

60623

81  
g-index

106  
all docs

106  
docs citations

106  
times ranked

6873  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Addenbrooke's Cognitive Examination Revised (ACE-R): a brief cognitive test battery for dementia screening. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 1078-1085.	2.7	1,619
2	Validation of the Addenbrooke's Cognitive Examination III in Frontotemporal Dementia and Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 36, 242-250.	1.5	656
3	Amyotrophic lateral sclerosis - frontotemporal spectrum disorder (ALS-FTSD): Revised diagnostic criteria. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017, 18, 153-174.	1.7	607
4	Behavioural-variant frontotemporal dementia: diagnosis, clinical staging, and management. <i>Lancet Neurology</i> , The, 2011, 10, 162-172.	10.2	435
5	The Mini-Addenbrooke's Cognitive Examination: A New Assessment Tool for Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 39, 1-11.	1.5	202
6	Pharmacological Management of Lewy Body Dementia: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2015, 172, 731-742.	7.2	200
7	The Cambridge Behavioural Inventory revised. <i>Dementia E Neuropsychologia</i> , 2008, 2, 102-107.	0.8	181
8	Grey and White Matter Changes across the Amyotrophic Lateral Sclerosis-Frontotemporal Dementia Continuum. <i>PLoS ONE</i> , 2012, 7, e43993.	2.5	168
9	How common are behavioural changes in amyotrophic lateral sclerosis?. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2011, 12, 45-51.	2.1	165
10	Impact of Bilingualism on Cognitive Outcome After Stroke. <i>Stroke</i> , 2016, 47, 258-261.	2.0	148
11	Frontotemporal Dementia Associated With the <i>C9ORF72</i> Mutation. <i>JAMA Neurology</i> , 2014, 71, 331.	9.0	144
12	The Impact of Dementia Severity on Caregiver Burden in Frontotemporal Dementia and Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2013, 27, 68-73.	1.3	136
13	Factors Underlying Caregiver Stress in Frontotemporal Dementia and Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 76-81.	1.5	124
14	Amyotrophic lateral sclerosis and frontotemporal dementia: A behavioural and cognitive continuum. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2012, 13, 102-109.	2.1	124
15	Caregiver burden in amyotrophic lateral sclerosis is more dependent on patients' behavioral changes than physical disability: a comparative study. <i>BMC Neurology</i> , 2012, 12, 156.	1.8	117
16	Cortical atrophy in ALS is critically associated with neuropsychiatric and cognitive changes. <i>Neurology</i> , 2013, 80, 1117-1123.	1.1	100
17	Neuropsychiatric changes precede classic motor symptoms in ALS and do not affect survival. <i>Neurology</i> , 2014, 82, 149-155.	1.1	95
18	Emotion, social functioning and activities of daily living in frontotemporal dementia. <i>Neurocase</i> , 2009, 15, 182-189.	0.6	80

#	ARTICLE	IF	CITATIONS
19	Cognitive decline in logopenic aphasia. <i>Neurology</i> , 2013, 80, 897-903.	1.1	80
20	Which interventions work for dementia family carers?: an updated systematic review of randomized controlled trials of carer interventions. <i>International Psychogeriatrics</i> , 2018, 30, 1679-1696.	1.0	72
21	Ventromedialâ€frontopolar prefrontal cortex atrophy correlates with insight loss in frontotemporal dementia and Alzheimer's disease. <i>Human Brain Mapping</i> , 2014, 35, 616-626.	3.6	64
22	Nonpharmacological Interventions to Improve Depression, Anxiety, and Quality of Life (QoL) in People With Dementia: An Overview of Systematic Reviews. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2020, 33, 28-41.	2.3	62
23	The neural correlates and clinical characteristics of psychosis in the frontotemporal dementia continuum and the C9orf72 expansion. <i>NeuroImage: Clinical</i> , 2017, 13, 439-445.	2.7	60
24	Limited formal education is strongly associated with lower cognitive status, functional disability and frailty status in older adults. <i>Dementia E Neuropsychologia</i> , 2019, 13, 216-224.	0.8	58
25	Apathy is associated with poor prognosis in amyotrophic lateral sclerosis. <i>European Journal of Neurology</i> , 2016, 23, 891-897.	3.3	56
26	A novel tool to detect behavioural symptoms in ALS. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2014, 15, 298-304.	1.7	53
27	Dissociated lower limb muscle involvement in amyotrophic lateral sclerosis. <i>Journal of Neurology</i> , 2015, 262, 1424-1432.	3.6	47
28	Longitudinal change in everyday function and behavioral symptoms in frontotemporal dementia. <i>Neurology: Clinical Practice</i> , 2016, 6, 419-428.	1.6	47
29	Split-hand plus sign in ALS: Differential involvement of the flexor pollicis longus and intrinsic hand muscles. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 315-318.	1.7	46
30	Improving Burden and Coping Skills in Frontotemporal Dementia Caregivers. <i>Alzheimer Disease and Associated Disorders</i> , 2013, 27, 84-86.	1.3	44
31	Identifying Cognitive and Demographic Variables That Contribute to Carer Burden in Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 36, 43-49.	1.5	42
32	The Impact of Cognitive and Behavioral Symptoms on ALS Patients and Their Caregivers. <i>Frontiers in Neurology</i> , 2019, 10, 192.	2.4	41
33	Activities of Daily Living in Behavioral Variant Frontotemporal Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2009, 23, 70-76.	1.3	40
34	Application of Addenbrookeâ€™s Cognitive Examination to Diagnosis and Monitoring of Progressive Primary Aphasia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 504-509.	1.5	38
35	Semantic deficits in amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2015, 16, 46-53.	1.7	38
36	Behavioral-variant frontotemporal dementia. <i>Neurology</i> , 2017, 89, 570-577.	1.1	37

#	ARTICLE	IF	CITATIONS
37	The tailored activity program (TAP) to address behavioral disturbances in frontotemporal dementia: a feasibility and pilot study. <i>Disability and Rehabilitation</i> , 2019, 41, 299-310.	1.8	35
38	A cognitive bedside assessment beyond the MMSE: the Addenbrooke's Cognitive Examination. <i>Practical Neurology</i> , 2007, 7, 245-9.	1.1	35
39	Factors Underpinning Caregiver Burden in Frontotemporal Dementia Differ in Spouses and their Children. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 1109-1117.	2.6	33
40	What Do We Know About Behavioral Crises in Dementia? A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 99-113.	2.6	30
41	Characterizing Sexual Behavior in Frontotemporal Dementia. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 677-686.	2.6	28
42	Strategies and interventions to reduce or manage refusals in personal care in dementia: A systematic review. <i>International Journal of Nursing Studies</i> , 2020, 109, 103640.	5.6	28
43	A visual MRI atrophy rating scale for the amyotrophic lateral sclerosis-frontotemporal dementia continuum. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2014, 15, 226-234.	1.7	27
44	Cortical hyperexcitability and the split-hand plus phenomenon: Pathophysiological insights in ALS. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2014, 15, 250-256.	1.7	27
45	Use of the Tailored Activities Program to reduce neuropsychiatric behaviors in dementia: an Australian protocol for a randomized trial to evaluate its effectiveness. <i>International Psychogeriatrics</i> , 2014, 26, 857-869.	1.0	27
46	Health profile of family caregivers of the elderly and its association with variables of care: a rural study. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2017, 20, 409-420.	0.3	27
47	A longer diagnostic interval is a risk for depression in amyotrophic lateral sclerosis. <i>Palliative and Supportive Care</i> , 2015, 13, 1019-1024.	1.0	26
48	The Evolution of Caregiver Burden in Frontotemporal Dementia with and without Amyotrophic Lateral Sclerosis. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 875-885.	2.6	26
49	Differentiation of semantic dementia and Alzheimer's disease using the Addenbrooke's Cognitive Examination (ACE). <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 370-375.	2.7	25
50	Dementia Diagnosis in Seven Languages: The Addenbrooke's Cognitive Examination-III in India. <i>Archives of Clinical Neuropsychology</i> , 2020, 35, 528-538.	0.5	25
51	Syntactic comprehension deficits across the FTD-ALS continuum. <i>Neurobiology of Aging</i> , 2016, 41, 11-18.	3.1	24
52	Cognitive and Behavioral Symptoms in ALSFTD. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016, 29, 3-10.	2.3	23
53	Motor function and behaviour across the ALS-FTD spectrum. <i>Acta Neurologica Scandinavica</i> , 2016, 133, 367-372.	2.1	22
54	The Relationship between Behavioural Changes, Cognitive Symptoms, and Functional Disability in Primary Progressive Aphasia: A Longitudinal Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 215-226.	1.5	22

#	ARTICLE	IF	CITATIONS
55	Exploring the impact of carer stressors and psychological inflexibility on depression and anxiety in family carers of people with dementia. <i>Journal of Contextual Behavioral Science</i> , 2020, 17, 119-125.	2.6	21
56	The Instrumental Activity of Daily Living Profile in Aging: A Feasibility Study. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 1361-1371.	2.6	20
57	Examining the Relationship Between Autobiographical Memory Impairment and Carer Burden in Dementia Syndromes. <i>Journal of Alzheimer's Disease</i> , 2016, 51, 237-248.	2.6	20
58	Enhancing caregivers'™ understanding of dementia and tailoring activities in frontotemporal dementia: two case studies. <i>Disability and Rehabilitation</i> , 2016, 38, 704-714.	1.8	20
59	What Factors Predict Family Caregivers'™ Attendance at Dementia CafÃ©s?. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 1337-1345.	2.6	20
60	Fronto-striatal atrophy correlates of neuropsychiatric dysfunction in frontotemporal dementia (FTD) and Alzheimer's disease (AD). <i>Dementia E Neuropsychologia</i> , 2013, 7, 75-82.	0.8	18
61	High burden and frailty: association with poor cognitive performance in older caregivers living in rural areas. <i>Trends in Psychiatry and Psychotherapy</i> , 2017, 39, 257-263.	0.8	18
62	Detecting clinical change with the CDRâ€FTLD: differences between FTLD and AD dementia. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 977-982.	2.7	17
63	Apathy and functional disability in behavioral variant frontotemporal dementia. <i>Neurology: Clinical Practice</i> , 2018, 8, 120-128.	1.6	17
64	Social support and high resilient coping in carers of people with dementia. <i>Geriatric Nursing</i> , 2019, 40, 584-589.	1.9	17
65	Diagnostic relevance of spatial orientation for vascular dementia: A case study. <i>Dementia E Neuropsychologia</i> , 2018, 12, 85-91.	0.8	16
66	Translation, cross-cultural adaptation and applicability of the Brazilian version of the Frontotemporal Dementia Rating Scale (FTD-FRS). <i>Dementia E Neuropsychologia</i> , 2013, 7, 387-396.	0.8	14
67	Dissociation of Structural and Functional Integrities of the Motor System in Amyotrophic Lateral		

#	ARTICLE	IF	CITATIONS
73	Coping but not allowing the coping to be everything: Resilience in informal dementia care. <i>Health and Social Care in the Community</i> , 2019, 27, e289-e297.	1.6	10
74	Antonovsky's sense of coherence and resistance resources reduce perception of burden in family carers of people with Alzheimer's disease. <i>Aging and Mental Health</i> , 2020, 24, 1717-1725.	2.8	10
75	Cultural differences are reflected in variables associated with carer burden in FTD: A comparison study between India and Australia. <i>Dementia E Neuropsychologia</i> , 2013, 7, 104-109.	0.8	9
76	Cortical excitability differences between flexor pollicis longus and APB. <i>Neuroscience Letters</i> , 2013, 541, 150-154.	2.1	8
77	Disease Progression in Frontotemporal Dementia and Alzheimer Disease: The Contribution of Staging Scales. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 397-404.	2.3	8
78	Pronounced Impairment of Activities of Daily Living in Posterior Cortical Atrophy. <i>Dementia and Geriatric Cognitive Disorders</i> , 2020, 49, 48-55.	1.5	8
79	Neural correlates of behavioural symptoms in behavioural variant frontotemporal dementia and Alzheimer's disease: Employment of a visual MRI rating scale. <i>Dementia E Neuropsychologia</i> , 2012, 6, 12-17.	0.8	7
80	Enhancement of carer skills and patient function in the non-pharmacological management of frontotemporal dementia (FTD): A call for randomised controlled studies. <i>Dementia E Neuropsychologia</i> , 2013, 7, 143-150.	0.8	7
81	Validity and Reliability of the Frontotemporal Dementia Rating Scale (FTD-FRS) for the Progression and Staging of Dementia in Brazilian Patients. <i>Alzheimer Disease and Associated Disorders</i> , 2018, 32, 220-225.	1.3	7
82	Factors Related to the Quality of Life in Family Carers of People With Dementia: A Meta-Analysis. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 482-500.	2.3	7
83	Problem-focused coping underlying lower caregiver burden in ALS-FTD: implications for caregiver intervention. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021, 22, 434-441.	1.7	7
84	Reduced cognitive ability in people with rheumatoid arthritis compared with age-matched healthy controls. <i>Rheumatology Advances in Practice</i> , 2021, 5, rkab044.	0.7	6
85	What are the educational and support needs of family carers looking after someone in the early stages of Alzheimer's disease? A qualitative retrospective approach. <i>Health and Social Care in the Community</i> , 2022, 30, 1726-1734.	1.6	6
86	When more is needed: The utility of the frontotemporal dementia scale in ALS. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 169-171.	1.7	5
87	The role of resilient coping in dementia carers' wellbeing. <i>British Journal of Neuroscience Nursing</i> , 2019, 15, 6-12.	0.2	5
88	Caregivers' Sense of Coherence: Implications on Direct and Indirect Costs of Dementia Care. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 117-126.	2.6	5
89	Neuropsychiatric symptoms and survival in amyotrophic lateral sclerosis: a missing link?. <i>Neurodegenerative Disease Management</i> , 2015, 5, 89-91.	2.2	4
90	Distinguishing Frontotemporal Dementia From Alzheimer Disease Through Everyday Function Profiles: Trajectories of Change. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 66-75.	2.3	4

#	ARTICLE	IF	CITATIONS
91	How does carer management style influence the performance of activities of daily living in people with dementia?. International Journal of Geriatric Psychiatry, 2021, 36, 1891-1898.	2.7	4
92	Examining the presence and nature of delusions in Alzheimer's disease and frontotemporal dementia syndromes. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	4
93	Examining the Impact of Different Components of Sleep Quality on Anxiety Among Family Carers of People with Dementia. Journal of Geriatric Psychiatry and Neurology, 2023, 36, 63-72.	2.3	4
94	Factors predicting quality of life in family carers of people with dementia: The role of psychological inflexibility. Journal of Contextual Behavioral Science, 2021, 22, 7-12.	2.6	3
95	Most Common Refusals of Personal Care in Advanced Dementia: Psychometric Properties of the Refusal of Care Informant Scale. Gerontologist, The, 2023, 63, 1330-1340.	3.9	3
96	Frontostriatal grey matter atrophy in amyotrophic lateral sclerosis A visual rating study. Dementia E Neuropsychologia, 2018, 12, 388-393.	0.8	2
97	Development of the MiNDToolkit for management of cognitive and behavioral impairment in motor neuron disease. Neurodegenerative Disease Management, 2020, 10, 15-25.	2.2	1
98	Challenges in public perception: highlights from the United Kingdom-Brazil Dementia Workshop. Dementia E Neuropsychologia, 2020, 14, 209-215.	0.8	1
99	Contributions of Caregiver Management Styles to the Discrepancy Between Reported and Observed Task Performance in People with Dementia. Journal of Alzheimer's Disease, 2022, , 1-10.	2.6	1
100	O3-10-05: Trajectories of functional decline and behavioral changes in primary progressive aphasia. , 2015, 11, P242-P243.		0
101	Risk and protective factors affecting the quality of life of family carers of people with dementia. Alzheimer's and Dementia, 2020, 16, e040277.	0.8	0
102	Association between use of assistive technologies and activities of daily living in Alzheimer's disease: Does cognitive score matter?. Alzheimer's and Dementia, 2020, 16, e043161.	0.8	0
103	Factors affecting the quality of life of family carers of people with dementia: the role of carer anxiety. Psychology, Health and Medicine, 0, , 1-11.	2.4	0