

Yong Chan Ha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2427586/publications.pdf>

Version: 2024-02-01

318
papers

7,662
citations

57758

44
h-index

95266

68
g-index

327
all docs

327
docs citations

327
times ranked

6841
citing authors

#	ARTICLE	IF	CITATIONS
1	High Risk of Neck-liner Impingement and Notching Observed with Thick Femoral Neck Implants in Ceramic-on-ceramic THA. <i>Clinical Orthopaedics and Related Research</i> , 2022, 480, 690-699.	1.5	6
2	Third-Generation Ceramic-on-Ceramic Total Hip Arthroplasty in Patients with Osteonecrosis of the Femoral Head. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 68-75.	3.0	11
3	Do Cementless Short Tapered Stems Reduce the Incidence of Thigh Pain After Hip Arthroplasty? Systematic Review and Meta-Analysis. <i>Journal of Korean Medical Science</i> , 2022, 37, e41.	2.5	0
4	The 2021 Association Research Circulation Osseous Classification for Early-Stage Osteonecrosis of the Femoral Head to Computed Tomography-Based Study. <i>Journal of Arthroplasty</i> , 2022, 37, 1074-1082.	3.1	7
5	Comparison of the incidence rates of hip and vertebral fragility fractures according to cataract surgery in elderly population: a nationwide cohort study. <i>Archives of Osteoporosis</i> , 2022, 17, 30.	2.4	4
6	Validation of a New Food Frequency Questionnaire for Protein Intake Assessment in Korean. <i>Journal of Bone Metabolism</i> , 2022, 29, 35-42.	1.3	1
7	Relationship between Low Muscle Strength, and Protein Intake: A Preliminary Study of Elderly Patients with Hip Fracture. <i>Journal of Bone Metabolism</i> , 2022, 29, 17-21.	1.3	3
8	Prevalence, Clinical Implication, and Cause of Spine Hip Discordance in Elderly Patients with Fragility Hip Fracture. <i>Journal of Bone Metabolism</i> , 2022, 29, 51-57.	1.3	3
9	Surgeons's Awareness and Impaction Technique of a Ceramic Liner into a Metal Shell. <i>Clinics in Orthopedic Surgery</i> , 2022, 14, 191.	2.2	1
10	Prevalence of sarcopenia and mortality rate in older adults with hip fracture. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 2379-2385.	2.6	6
11	Is Restoration of Hip Center Mandatory for Total Hip Arthroplasty of Protrusio Acetabuli?. <i>Hip and Pelvis</i> , 2022, 34, 106-114.	1.6	0
12	Nutrition and Exercise Treatment of Sarcopenia in Hip Fracture Patients: Systematic Review. <i>Journal of Bone Metabolism</i> , 2022, 29, 63-73.	1.3	2
13	Osteoporotic Fractures among Selective Estrogen Receptor Modulator Users in South Korea: Analysis Using National Claims Database. <i>Journal of Bone Metabolism</i> , 2022, 29, 75-82.	1.3	1
14	Trans-lateral decubitus radiograph of the hip: A new view to measure the anteversion of the femoral stem. <i>Asian Journal of Surgery</i> , 2021, 44, 99-104.	0.4	2
15	Incidence of and risk for osteonecrosis of the jaw in Korean osteoporosis patients treated with bisphosphonates: A nationwide cohort-study. <i>Bone</i> , 2021, 143, 115650.	2.9	18
16	Osteoporosis case ascertainment strategies in European and Asian countries: a comparative review. <i>Osteoporosis International</i> , 2021, 32, 817-829.	3.1	21
17	Translation and validation of the Korean version of the Sarcopenia Quality of Life (SarQoL-KA®) questionnaire and applicability with the SARC-F screening tool. <i>Quality of Life Research</i> , 2021, 30, 603-611.	3.1	11
18	Incidence of subsequent osteoporotic fractures after distal radius fractures and mortality of the subsequent distal radius fractures: a retrospective analysis of claims data of the Korea National Health Insurance Service. <i>Osteoporosis International</i> , 2021, 32, 293-299.	3.1	16

#	ARTICLE	IF	CITATIONS
19	Cementless total hip arthroplasty with delta-on-delta ceramic bearing in patients younger than 30 years. <i>HIP International</i> , 2021, 31, 181-185.	1.7	8
20	Poor outcomes of primary total knee arthroplasty in patients with Parkinson's disease. <i>International Orthopaedics</i> , 2021, 45, 643-647.	1.9	6
21	Incidence and Risk of Venous Thromboembolism in Bisphosphonates and Selective Estrogen Receptor Modulators Treatment in Korea. <i>Journal of Korean Medical Science</i> , 2021, 36, e186.	2.5	4
22	Effect of Dementia on Postoperative Mortality in Elderly Patients with Hip Fracture. <i>Journal of Korean Medical Science</i> , 2021, 36, e238.	2.5	12
23	ARCO Consensus on the Pathogenesis of Non-traumatic Osteonecrosis of the Femoral Head. <i>Journal of Korean Medical Science</i> , 2021, 36, e65.	2.5	46
24	Hip Arthroscopy and Impingement. , 2021, , 85-97.		0
25	Osteonecrosis of the Femoral Head: an Updated Review of ARCO on Pathogenesis, Staging and Treatment. <i>Journal of Korean Medical Science</i> , 2021, 36, e177.	2.5	64
26	Does Bone Mineral Density Differ between Fan-Beam and Pencil-Beam?: A Meta-Analysis and Systemic Review. <i>Journal of Bone Metabolism</i> , 2021, 28, 67-77.	1.3	1
27	Validation of an Operational Definition to Identify Distal Radius Fractures in a National Health Insurance Database. <i>Journal of Hand Surgery</i> , 2021, 46, 1026.e1-1026.e7.	1.6	8
28	Cross-Calibration of Bone Mineral Densities and Body Composition between GE Lunar Prodigy and Osteosys Primus. <i>Journal of Bone Metabolism</i> , 2021, 28, 215-221.	1.3	1
29	No Clinically Important Differences in Thigh Pain or Bone Loss Between Short Stems and Conventional-length Stems in THA: A Randomized Clinical Trial. <i>Clinical Orthopaedics and Related Research</i> , 2021, 479, 767-777.	1.5	8
30	Multiple screw fixation versus cementless bipolar hemiarthroplasty for femur neck fracture using a nationwide hip fracture registry. <i>Scientific Reports</i> , 2021, 11, 21461.	3.3	0
31	Cementless Hip Arthroplasty in Patients with Subchondral Insufficiency Fracture of the Femoral Head. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, Publish Ahead of Print, .	3.0	2
32	Hip Fracture Management during the COVID-19 Pandemic in South Korea. <i>Clinics in Orthopedic Surgery</i> , 2021, 13, 474.	2.2	10
33	Controversial Issues in Arthroscopic Surgery for Femoroacetabular Impingement. <i>Clinics in Orthopedic Surgery</i> , 2021, 13, 437.	2.2	3
34	The Optimal Time of Postoperative Feeding After Total Hip Arthroplasty: A Prospective, Randomized, Controlled Trial. <i>Clinical Nursing Research</i> , 2020, 29, 31-36.	1.6	6
35	Single screw type of lag screw results higher reoperation rate in the osteosynthesis of basicervical hip fracture. <i>Journal of Orthopaedic Science</i> , 2020, 25, 152-155.	1.1	10
36	Survival rates and risk factors for failure using an interposition vein graft for fingertip amputations with segmental vessel defects. <i>Microsurgery</i> , 2020, 40, 447-451.	1.3	4

#	ARTICLE	IF	CITATIONS
37	Incidence of Ceramic Fracture in Contemporary Ceramic-on-Ceramic Total Hip Arthroplasty: A Meta-analysis of Proportions. <i>Journal of Arthroplasty</i> , 2020, 35, 1437-1443.e3.	3.1	20
38	SARC-F as a Useful Tool for Screening Sarcopenia in Elderly Patients with Hip Fractures. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 78-82.	3.3	33
39	The change of bone mineral density and bone metabolism after gastrectomy for gastric cancer: a meta-analysis. <i>Osteoporosis International</i> , 2020, 31, 267-275.	3.1	17
40	Acetabular Ossicles: Epidemiology and Correlation With Femoroacetabular Impingement. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1063-1073.	2.7	13
41	The 2019 Revised Version of Association Research Circulation Osseous Staging System of Osteonecrosis of the Femoral Head. <i>Journal of Arthroplasty</i> , 2020, 35, 933-940.	3.1	155
42	Risk factors for subsequent hip fractures and fatality after an initial hip fracture in Korea: using nationwide claims data. <i>Archives of Osteoporosis</i> , 2020, 15, 165.	2.4	9
43	Isolated Avulsion Fracture of the Lesser Trochanter in Adults. <i>In Vivo</i> , 2020, 34, 3519-3526.	1.3	1
44	Outcomes of arthroscopic femoroplasty in patients with cam lesions: Minimum 2-year follow-up. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949902094204.	1.0	4
45	Dual mobility total hip arthroplasty in the treatment of femoral neck fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 1457-1466.	4.4	18
46	Unique Form of Atypical Subtrochanteric Femoral Fracture at the Medial Cortex. <i>JBJS Case Connector</i> , 2020, 10, e19.00545-e19.00545.	0.3	1
47	Dual mobility total hip arthroplasty in the treatment of femoral neck fractures. <i>Bone and Joint Journal</i> , 2020, , 1-6.	4.4	0
48	Comparison of Bone Preservation in Elderly Patients with Femoral Neck Fracture After Bipolar Hemiarthroplasty Using Shorter Femoral Stem and Standard Femoral Stem. <i>Indian Journal of Orthopaedics</i> , 2020, 54, 868-878.	1.1	7
49	Total Hip Arthroplasty With Trochanteric Osteotomy for Patients With Angular Deformity of the Proximal Femur. <i>Journal of Arthroplasty</i> , 2020, 35, 2911-2918.	3.1	4
50	Burden of Osteoporotic Fractures Using Disability-Adjusted Life Years in South Korea. <i>Asia-Pacific Journal of Public Health</i> , 2020, 32, 111-117.	1.0	3
51	Preventing ceramic liner fracture after Delta ceramic-on-ceramic total hip arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 141, 1155-1162.	2.4	10
52	Outcomes After Arthroscopic Repair in Patients With Tears of Hypertrophic Versus Morphologically Normal Acetabular Labra. <i>American Journal of Sports Medicine</i> , 2020, 48, 1168-1174.	4.2	4
53	Urinary retention after total joint arthroplasty of hip and knee: Systematic review. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949902090513.	1.0	17
54	Comparison of clinical outcomes between arthroscopic debridement and conservative treatment of primary adhesive capsulitis of the hip. <i>International Orthopaedics</i> , 2020, 44, 2235-2241.	1.9	5

#	ARTICLE	IF	CITATIONS
55	Effect of heart failure on postoperative short and long-term mortality in elderly patients with hip fracture. <i>Injury</i> , 2020, 51, 694-698.	1.7	18
56	Reoperation rate, mortality and ambulatory ability after internal fixation versus hemiarthroplasty for unstable intertrochanteric fractures in elderly patients: a study on Korean Hip Fracture Registry. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1611-1618.	2.4	26
57	Introduction of the Cost-Effectiveness Studies of Fracture Liaison Service in Other Countries. <i>Journal of Bone Metabolism</i> , 2020, 27, 79.	1.3	8
58	Osteoporosis and Osteoporotic Fracture Fact Sheet in Korea. <i>Journal of Bone Metabolism</i> , 2020, 27, 281-290.	1.3	61
59	Validation of Dual Energy X-Ray Absorptiometry and Nuclear Magnetic Resonance in the Analysis of Body Composition in Mice. <i>Journal of Bone Metabolism</i> , 2020, 27, 291-299.	1.3	6
60	Blood Transfusion for Elderly Patients with Hip Fracture: a Nationwide Cohort Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e313.	2.5	11
61	Effects of Systemic Glucocorticoid Use on Fracture Risk: A Population-Based Study. <i>Endocrinology and Metabolism</i> , 2020, 35, 562-570.	3.0	8
62	Recent Epidemiology of Hip Fractures in South Korea. <i>Hip and Pelvis</i> , 2020, 32, 119.	1.6	26
63	The Influence of Renal Dialysis on All-Cause Mortality in Older Patients with Hip Fracture: a Korean Nationwide Cohort Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e190.	2.5	7
64	Current and Future Burden of Periprosthetic Joint Infection from National Claim Database. <i>Journal of Korean Medical Science</i> , 2020, 35, e410.	2.5	18
65	What is the Role of Coordinators in the Secondary Fracture Prevention Program?. <i>Journal of Bone Metabolism</i> , 2020, 27, 187-199.	1.3	3
66	Alarm Services as a Useful Tool for Diagnosis and Management of Osteoporosis in Patients with Hip Fractures: A Prospective Observational Multicenter Study. <i>Journal of Bone Metabolism</i> , 2020, 27, 65.	1.3	4
67	Risk of Osteoporotic Fracture in Patients with Breast Cancer: Meta-Analysis. <i>Journal of Bone Metabolism</i> , 2020, 27, 27.	1.3	6
68	Disadvantage during Perioperative Period of Total Hip Arthroplasty Using the Direct Anterior Approach: a Network Meta-Analysis. <i>Journal of Korean Medical Science</i> , 2020, 35, e111.	2.5	8
69	Incidence, risk factors and prognosis of transient pseudosubluxation after total hip arthroplasty. <i>HIP International</i> , 2019, 29, 134-140.	1.7	2
70	Journal of Bone Metabolism (JBM) Added to the SCOPUS. <i>Journal of Bone Metabolism</i> , 2019, 26, 1.	1.3	1
71	Mortality and its risk factors in nonagenarians after hip fractures. <i>Journal of Orthopaedic Science</i> , 2019, 24, 850-854.	1.1	16
72	Effects of Hip Structure Analysis Variables on Hip Fracture: A Propensity Score Matching Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1507.	2.4	13

#	ARTICLE	IF	CITATIONS
73	Transcultural adaptation and psychometric properties of the Korean version of the Quality of Life Questionnaire of the European Foundation for Osteoporosis (QUALEFFO-41). Archives of Osteoporosis, 2019, 14, 96.	2.4	2
74	Assessment of Korea's Orthopedic Research Activities in the Top 15 Orthopedic Journals, 2008â€“2017. Clinics in Orthopedic Surgery, 2019, 11, 237.	2.2	5
75	Incidence of Osteoporotic Refractures Following Proximal Humerus Fractures in Adults Aged 50 Years and Older in Korea. Journal of Bone Metabolism, 2019, 26, 105.	1.3	17
76	Incidence and Mortality of Osteoporotic Fracture in Rheumatoid Arthritis in South Korea Using Nationwide Claims Data. Journal of Bone Metabolism, 2019, 26, 97.	1.3	10
77	Use of ceramic-on-ceramic bearing in total hip arthroplasty for posttraumatic arthritis of the hip. Journal of Orthopaedic Surgery, 2019, 27, 230949901983637.	1.0	4
78	Relationship of chronic obstructive pulmonary disease severity with early and late mortality in elderly patients with hip fracture. Injury, 2019, 50, 1529-1533.	1.7	19
79	Predictive factors associated with mortality in Korean elderly patients with hip fractures. Journal of Orthopaedic Surgery, 2019, 27, 230949901984784.	1.0	12
80	Which Osteotomy for Osteonecrosis of the Femoral Head and Which Patient for the Osteotomy?. Clinics in Orthopedic Surgery, 2019, 11, 137.	2.2	19
81	Bipolar hemiarthroplasty using microarc oxidation-coated cementless stem in patients with unstable intertrochanteric fracture. Journal of Orthopaedic Surgery, 2019, 27, 230949901984781.	1.0	2
82	Accuracy of Magnetic Resonance Imaging and Computed Tomography Arthrography in Diagnosing Acetabular Labral Tears and Chondral Lesions. Clinics in Orthopedic Surgery, 2019, 11, 21.	2.2	18
83	To withhold or to implement bisphosphonate after cementless hip arthroplasty: a dilemma in elderly hip fracture patients. Journal of Orthopaedic Surgery and Research, 2019, 14, 66.	2.3	2
84	Computed Tomography Arthrography Findings of Idiopathic Adhesive Capsulitis of the Hip: An Analog of Adhesive Capsulitis of the Shoulder. Korean Journal of Radiology, 2019, 20, 479.	3.4	6
85	Location and Correlation of Acetabular Labral Tears and Paralabral Cysts Using Magnetic Resonance Imaging or Magnetic Resonance Arthrography in Patients With Femoroacetabular Impingement. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 809-815.	2.7	4
86	Sarcopenia feature selection and risk prediction using machine learning. Medicine (United States), 2019, 98, e17699.	1.0	24
87	Bisphosphonates Use and Risk of Subtrochanteric and Diaphyseal Femur Fractures in Korea: Results from the National Claim Registry. Calcified Tissue International, 2019, 104, 313-319.	3.1	3
88	Exercise training increases skeletal muscle strength independent of hypertrophy in older adults aged 75 years and older. Geriatrics and Gerontology International, 2019, 19, 265-270.	1.5	14
89	Psoas cross-sectional area as a predictor of mortality and a diagnostic tool for sarcopenia in hip fracture patients. Journal of Bone and Mineral Metabolism, 2019, 37, 871-879.	2.7	27
90	Hip and Knee Section, Diagnosis, Algorithm: Proceedings of International Consensus on Orthopedic Infections. Journal of Arthroplasty, 2019, 34, S339-S350.	3.1	66

#	ARTICLE	IF	CITATIONS
91	Is Occupational Therapy After Hip Fracture Surgery Effective in Improving Function?. American Journal of Physical Medicine and Rehabilitation, 2019, 98, 292-298.	1.4	9
92	Etiologic Classification Criteria of ARCO on Femoral Head Osteonecrosis Part 1: Glucocorticoid-Associated Osteonecrosis. Journal of Arthroplasty, 2019, 34, 163-168.e1.	3.1	79
93	Effect of Balance Training After Hip Fracture Surgery: A Systematic Review and Meta-analysis of Randomized Controlled Studies. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1679-1685.	3.6	26
94	Etiologic Classification Criteria of ARCO on Femoral Head Osteonecrosis Part 2: Alcohol-Associated Osteonecrosis. Journal of Arthroplasty, 2019, 34, 169-174.e1.	3.1	51
95	Assessment of patient-reported outcomes (PROs): treatment satisfaction, medication adherence, and quality of life (QoL) and the associated factors in postmenopausal osteoporosis (PMO) patients in Korea. Journal of Bone and Mineral Metabolism, 2019, 37, 563-572.	2.7	11
96	Gender differences in anti-osteoporosis drug treatment after osteoporotic fractures. Journal of Bone and Mineral Metabolism, 2019, 37, 134-141.	2.7	12
97	Preventive Effects of Low Parathyroid Hormone Levels on Hip Fracture in Patients with Vitamin D Deficiency. Journal of Bone Metabolism, 2019, 26, 89.	1.3	3
98	Establishment of Fracture Liaison Service in Korea: Where Is It Stand and Where Is It Going?. Journal of Bone Metabolism, 2019, 26, 207.	1.3	12
99	Incidence and Mortality of Osteoporotic Refractures in Korea according to Nationwide Claims Data. Yonsei Medical Journal, 2019, 60, 969.	2.2	21
100	Total Hip Arthroplasty Using Hybrid Ceramic Bearing: A Minimum 10-Year Followup Study. Indian Journal of Orthopaedics, 2019, 53, 637-640.	1.1	8
101	Fracture Experiences and Long-Term Care Initiation among Older Population: Analysis of Korean National Health Insurance Service-Senior Cohort Study. Annals of Geriatric Medicine and Research, 2019, 23, 115-124.	1.8	3
102	Correlation Between Mechanography and Clinical Parameters at Six Months After Hip Fracture Surgery. Annals of Rehabilitation Medicine, 2019, 43, 642-649.	1.6	4
103	Free Hand or Wire Guide: In Reply. Clinics in Orthopedic Surgery, 2019, 11, 496.	2.2	0
104	Hand grip strength measurement in different epidemiologic studies using various methods for diagnosis of sarcopenia: a systematic review. European Geriatric Medicine, 2018, 9, 277-288.	2.8	17
105	Relationship between water intake and skeletal muscle mass in elderly Koreans: A nationwide population-based study. Nutrition, 2018, 53, 38-42.	2.4	15
106	A 3-Dimensional Analysis of Nasal Cavity Volume After Maxillary Le Fort I Osteotomy. Journal of Oral and Maxillofacial Surgery, 2018, 76, 1344.e1-1344.e7.	1.2	14
107	Validité de la mesure peropératoire de l'antéversion de la tête fémorale et facteurs d'erreur dans l'arthroplastie totale de hanche non cimentée par voie postéro-latérale. Revue De Chirurgie Orthopedique Et Traumatologique, 2018, 104, 236.	0.0	0
108	Can Bisphosphonates Prevent Recurrent Fragility Fractures? A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Journal of the American Medical Directors Association, 2018, 19, 384-390.e1.	2.5	13

#	ARTICLE	IF	CITATIONS
109	Delay of total hip arthroplasty to advanced stage worsens post-operative hip motion in patients with femoral head osteonecrosis. <i>International Orthopaedics</i> , 2018, 42, 1599-1603.	1.9	15
110	Mid-Term Survivals After Cementless Bipolar Hemiarthroplasty for Unstable Intertrochanteric Fractures in Elderly Patients. <i>Journal of Arthroplasty</i> , 2018, 33, 777-782.	3.1	16
111	Effect of improved medication adherence on health care costs in osteoporosis patients. <i>Medicine (United States)</i> , 2018, 97, e11470.	1.0	24
112	Concerns for Older Adult Patients with Acute Hip Fracture. <i>Yonsei Medical Journal</i> , 2018, 59, 1240.	2.2	11
113	Determining functional activity profiles in patients with upper extremity disorders: is there effect modification by hand grip strength?. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 2351-2358.	2.9	4
114	Measurement of Uncertainty Using Standardized Protocol of Hand Grip Strength Measurement in Patients with Sarcopenia. <i>Journal of Bone Metabolism</i> , 2018, 25, 243.	1.3	14
115	Age-related Reference Intervals for Total Collagen-I-N-terminal Propeptide in Healthy Korean Population. <i>Journal of Bone Metabolism</i> , 2018, 25, 235.	1.3	10
116	Urinary Incontinences Are Related with Fall and Fragility Fractures in Elderly Population: Nationwide Cohort Study. <i>Journal of Bone Metabolism</i> , 2018, 25, 267.	1.3	6
117	Remaining Loose Bodies after Arthroscopic Surgery Including Extensive Capsulectomy for Synovial Chondromatosis of the Hip. <i>Clinics in Orthopedic Surgery</i> , 2018, 10, 393.	2.2	8
118	A mitochondrial proteome profile indicative of type 2 diabetes mellitus in skeletal muscles. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-14.	7.7	34
119	Optimal use of tranexamic acid for total hip arthroplasty: A network meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0206480.	2.5	14
120	Frequency and associated factor of atypical periprosthetic femoral fracture after hip arthroplasty. <i>Injury</i> , 2018, 49, 2264-2268.	1.7	19
121	Osteosarcopenia in Patients with Hip Fracture Is Related with High Mortality. <i>Journal of Korean Medical Science</i> , 2018, 33, e27.	2.5	108
122	Traumatic tibia shaft fractures caused by the impact of a golf ball: two case reports. <i>Journal of Medical Case Reports</i> , 2018, 12, 232.	0.8	0
123	What Is the Frequency of Early Dissociation of Bipolar Cups and What Factors Are Associated With Dissociation?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 1585-1590.	1.5	6
124	No differences in the efficacy among various core decompression modalities and non-operative treatment: a network meta-analysis. <i>International Orthopaedics</i> , 2018, 42, 2737-2743.	1.9	26
125	What is the tolerated width of periacetabular osteophytes to avoid impingement in cementless THA?: a three-dimensional simulation study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1165-1172.	2.4	5
126	Outcomes of Hip Arthroscopy in a Military Population Are Similar to Those in the Civilian Population: Matched Paired Analysis at 2 Years. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 2096-2101.	2.7	12

#	ARTICLE	IF	CITATIONS
127	Improvement of Osteoporosis Medication after Multimodal Intervention in Patients with Hip Fracture: Prospective Multicenter Study. <i>Journal of Bone Metabolism</i> , 2018, 25, 107.	1.3	2
128	Outcomes in patients with late sequelae (healed stage) of Legg-Calvé-Perthes disease undergoing arthroscopic treatment: retrospective case series. <i>HIP International</i> , 2018, 28, 302-308.	1.7	6
129	Utilization of Osteoporosis-Related Health Services: Use of Data from the Korean National Health Insurance Database 2008-2012. <i>Journal of Korean Medical Science</i> , 2018, 33, e20.	2.5	12
130	Learning Curve of Internal Fixation for Nondisplaced Femoral Neck Fractures: A Cumulative Sum Analysis. <i>Clinics in Orthopedic Surgery</i> , 2018, 10, 9.	2.2	11
131	Review of Epidemiology, Diagnosis, and Treatment of Osteosarcopenia in Korea. <i>Journal of Bone Metabolism</i> , 2018, 25, 1.	1.3	28
132	The Impact of Educational Interventions on Osteoporosis Knowledge among Korean Osteoporosis Patients. <i>Journal of Bone Metabolism</i> , 2018, 25, 115.	1.3	10
133	Relationship between endothelial function and skeletal muscle strength in community dwelling elderly women. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 1034-1041.	7.3	32
134	An intra-articular synovial lipoma of the hip, possibly causing osteoarthritis: a case report and review of the literature. <i>Skeletal Radiology</i> , 2018, 47, 717-721.	2.0	2
135	Malnutrition and chronic inflammation as risk factors for sarcopenia in elderly patients with hip fracture. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018, 27, 527-532.	0.4	23
136	Using Ceramic-on-Ceramic Bearings in Total Hip Arthroplasty Necessitating 44- or 46-mm Metal Shells. <i>Orthopedics</i> , 2018, 41, e354-e359.	1.1	0
137	Teriparatide treatment in elderly patients with sacral insufficiency fracture. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-3582.	3.6	25
138	Reconstruction of two fingertip amputations using a double thenar flap and comparison of outcomes of surgery using a single thenar flap. <i>Injury</i> , 2017, 48, 481-485.	1.7	6
139	Effect of Inner Taper Angle of Acetabular Metal Shell on the Malseating and Dissociation Force of Ceramic Liner. <i>Journal of Arthroplasty</i> , 2017, 32, 1360-1362.	3.1	18
140	Trochantoplasty for Total Hip Arthroplasty in Patients With Coxa Vara Deformity. <i>Journal of Arthroplasty</i> , 2017, 32, 2199-2203.	3.1	6
141	Morphologic Changes and Outcomes After Arthroscopic Acetabular Labral Repair Evaluated Using Postoperative Computed Tomography Arthrography. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, 337-345.	2.7	14
142	The Effect of Patient Age on the Success Rate of Digital Replantation. <i>Plastic and Reconstructive Surgery</i> , 2017, 139, 420-426.	1.4	23
143	Conservative Treatment for Minimally Displaced Type B Periprosthetic Femoral Fractures. <i>Journal of Arthroplasty</i> , 2017, 32, 3529-3532.	3.1	16
144	Prevalence and clinical significance of hypertrophic labrum in non-dysplastic hips. <i>Journal of Orthopaedic Science</i> , 2017, 22, 512-516.	1.1	12

#	ARTICLE	IF	CITATIONS
145	Effect of causes of surgical delay on early and late mortality in patients with proximal hip fracture. Archives of Orthopaedic and Trauma Surgery, 2017, 137, 625-630.	2.4	59
146	No difference in prevalence of radiographic subspinal impingement of the hip between symptomatic and asymptomatic subjects. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1951-1957.	4.2	7
147	Conversion Hip Arthroplasty in Failed Fixation of Intertrochanteric Fracture: A Propensity Score Matching Study. Journal of Arthroplasty, 2017, 32, 1593-1598.	3.1	53
148	Effect of Lower-Limb Progressive Resistance Exercise After Hip Fracture Surgery: A Systematic Review and Meta-Analysis of Randomized Controlled Studies. Journal of the American Medical Directors Association, 2017, 18, 1096.e19-1096.e26.	2.5	64
149	Cholinergic enhancers for preventing postoperative delirium among elderly patients after hip fracture surgery: A meta-analysis. European Geriatric Medicine, 2017, 8, 486-491.	2.8	5
150	Arthroscopic Excision of an Osteoid Osteoma of the Lesser Trochanter of the Femoral Neck. Arthroscopy Techniques, 2017, 6, e1361-e1365.	1.3	4
151	Femoral head trabecular micro-architecture in patients with osteoporotic hip fractures: Impact of bisphosphonate treatment. Bone, 2017, 105, 148-153.	2.9	5
152	Economic Burden of Osteoporosis in South Korea: Claim Data of the National Health Insurance Service from 2008 to 2011. Calcified Tissue International, 2017, 101, 623-630.	3.1	22
153	Atypical subtrochanteric fractures in Korean hip fracture study. Osteoporosis International, 2017, 28, 2853-2858.	3.1	15
154	High prevalence of sarcopenia among binge drinking elderly women: a nationwide population-based study. BMC Geriatrics, 2017, 17, 114.	2.7	22
155	Long-Term Results of Cementless Total Hip Arthroplasty Using a Modular Stem in Patients with Femoral Head Osteonecrosis. The Journal of Hip Surgery, 2017, 01, 027-032.	0.1	1
156	Rivastigmine patch reduces the incidence of postoperative delirium in older patients with cognitive impairment. International Journal of Geriatric Psychiatry, 2017, 32, 1079-1084.	2.7	21
157	Low calcium and vitamin D intake in Korean women over 50 years of age. Journal of Bone and Mineral Metabolism, 2017, 35, 522-528.	2.7	5
158	The Efficacy of Bisphosphonates for Prevention of Osteoporotic Fracture: An Update Meta-analysis. Journal of Bone Metabolism, 2017, 24, 37.	1.3	66
159	Comparison of Surgical Parameters and Results between Curved Varus Osteotomy and Rotational Osteotomy for Osteonecrosis of the Femoral Head. Clinics in Orthopedic Surgery, 2017, 9, 160.	2.2	25
160	Count of platelet and mean platelet volume score: serologic prognostic factor in patients with oral squamous cell carcinoma. Journal of the Korean Association of Oral and Maxillofacial Surgeons, 2017, 43, 305.	0.8	17
161	Fracture Preventing Effects of Maxmarvil [®] Tablets (Alendronate 5 mg + Calcitriol 0.5 μ g) in Patients with Osteoporosis. Journal of Bone Metabolism, 2017, 24, 91.	1.3	1
162	Early Rehabilitation in Elderly after Arthroplasty versus Internal Fixation for Unstable Intertrochanteric Fractures of Femur: Systematic Review and Meta-Analysis. Journal of Korean Medical Science, 2017, 32, 858.	2.5	33

#	ARTICLE	IF	CITATIONS
163	Factors Associated with the Risk of Articular Surface Perforation during Anchor Placement for Arthroscopic Acetabular Labral Repair. <i>Clinics in Orthopedic Surgery</i> , 2017, 9, 405.	2.2	6
164	Change of Bone Mineral Density Measurement among Patients with Osteoporotic Fractures in Korean Population Using National Claim Database. <i>Journal of Bone Metabolism</i> , 2017, 24, 183.	1.3	5
165	Education and exercise program improves osteoporosis knowledge and changes calcium and vitamin D dietary intake in community dwelling elderly. <i>BMC Public Health</i> , 2017, 17, 966.	2.9	30
166	Characteristics of Patients Diagnosed with Osteoporosis in South Korea: Results from the National Claim Registry. <i>Journal of Bone Metabolism</i> , 2017, 24, 59.	1.3	7
167	Healthcare Costs of Osteoporotic Fracture in Korea: Information from the National Health Insurance Claims Database, 2008-2011. <i>Journal of Bone Metabolism</i> , 2017, 24, 125.	1.3	57
168	Mean Hand Grip Strength and Cut-off Value for Sarcopenia in Korean Adults Using KNHANES VI. <i>Journal of Korean Medical Science</i> , 2017, 32, 868.	2.5	90
169	Factors Affecting Bone Mineral Density Measurement after Fracture in South Korea. <i>Journal of Bone Metabolism</i> , 2017, 24, 217.	1.3	8
170	Evidence-based guidelines for fall prevention in Korea. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 199-210.	1.7	33
171	Prevalence of Osteoporosis and Effectiveness of Screening Test Using Ultrasound Bone Densitometry and Education in a Community-Dwelling Population. <i>Journal of Korean Medical Science</i> , 2017, 32, 352.	2.5	9
172	Which Bisphosphonate? It's the Compliance!: Decision Analysis. <i>Journal of Bone Metabolism</i> , 2016, 23, 79.	1.3	4
173	Inadequate Dietary Calcium and Vitamin D Intake in Patients with Osteoporotic Fracture. <i>Journal of Bone Metabolism</i> , 2016, 23, 55.	1.3	13
174	Osteoporotic Fracture Risk Assessment Using Bone Mineral Density in Korean: A Community-based Cohort Study. <i>Journal of Bone Metabolism</i> , 2016, 23, 34.	1.3	17
175	Trends of Incidence, Mortality, and Future Projection of Spinal Fractures in Korea Using Nationwide Claims Data. <i>Journal of Korean Medical Science</i> , 2016, 31, 801.	2.5	43
176	Epidemiology of osteoporosis in Korea. <i>Journal of the Korean Medical Association</i> , 2016, 59, 836.	0.3	15
177	Incidence and Mortality after Distal Radius Fractures in Adults Aged 50 Years and Older in Korea. <i>Journal of Korean Medical Science</i> , 2016, 31, 630.	2.5	30
178	Prevalence of Sarcopenia Adjusted Body Mass Index in the Korean Woman Based on the Korean National Health and Nutritional Examination Surveys. <i>Journal of Bone Metabolism</i> , 2016, 23, 243.	1.3	15
179	High Levels of Heavy Metals Increase the Prevalence of Sarcopenia in the Elderly Population. <i>Journal of Bone Metabolism</i> , 2016, 23, 101.	1.3	9
180	Health-related Quality of Life in Accordance with Fracture History and Comorbidities in Korean Patients with Osteoporosis. <i>Journal of Bone Metabolism</i> , 2016, 23, 199.	1.3	17

#	ARTICLE	IF	CITATIONS
181	Prevalence of Sarcopenia in the Korean Woman Based on the Korean National Health and Nutritional Examination Surveys. <i>Journal of Bone Metabolism</i> , 2016, 23, 23.	1.3	18
182	Can Alarming Improve Compliance with Weekly Bisphosphonate in Patients with Osteoporosis?. <i>Journal of Bone Metabolism</i> , 2016, 23, 51.	1.3	6
183	Preventing Venous Thromboembolism with Use of Intermittent Pneumatic Compression after Total Hip Arthroplasty in Korean Patients. <i>Journal of Korean Medical Science</i> , 2016, 31, 1319.	2.5	11
184	High Prevalence of Sarcopenia in Korean Patients after Hip Fracture: a Case-Control Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1479.	2.5	50
185	Hyperglycemia Is Associated with Impaired Muscle Quality in Older Men with Diabetes: The Korean Longitudinal Study on Health and Aging. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 140.	4.7	99
186	Clinical outcomes of a simultaneous replantation technique for amputations of four or five digits. <i>Microsurgery</i> , 2016, 36, 225-229.	1.3	10
187	Risk of fractures and diabetes medications: a nationwide cohort study. <i>Osteoporosis International</i> , 2016, 27, 2709-2715.	3.1	43
188	Metal on Metal or Ceramic on Ceramic for Cementless Total Hip Arthroplasty: A Meta-Analysis. <i>Journal of Arthroplasty</i> , 2016, 31, 2637-2645.e1.	3.1	34
189	A protocol avoiding allogeneic transfusion in joint arthroplasties. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1213-1226.	2.4	20
190	Clinical outcomes after arthroscopic acetabular labral repair using knot-tying or knotless suture technique. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1411-1416.	2.4	23
191	Current trends and future projections of hip fracture in South Korea using nationwide claims data. <i>Osteoporosis International</i> , 2016, 27, 2603-2609.	3.1	83
192	Association between Urinary Sodium Excretion and Bone Health in Male and Female Adults. <i>Annals of Nutrition and Metabolism</i> , 2016, 68, 189-196.	1.9	17
193	Frequency, Developing Time, Intensity, Duration, and Functional Score of Thigh Pain After Cementless Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 1279-1282.	3.1	31
194	Is transverse acetabular ligament a reliable guide for aligning cup anteversion in total hip arthroplasty?: A measurement by CT arthrography in 90 hips. <i>Journal of Orthopaedic Science</i> , 2016, 21, 199-204.	1.1	6
195	Could larger diameter of 4th generation ceramic bearing decrease the rate of dislocation after THA?. <i>Journal of Orthopaedic Science</i> , 2016, 21, 327-331.	1.1	13
196	Incidence and Risk Period of Periprosthetic Femoral Fracture After Cementless Bipolar Hemiarthroplasty in Elderly Patients. <i>Journal of Arthroplasty</i> , 2016, 31, 1326-1330.	3.1	19
197	Development of a Korean Fracture Risk Score (KFRS) for Predicting Osteoporotic Fracture Risk: Analysis of Data from the Korean National Health Insurance Service. <i>PLoS ONE</i> , 2016, 11, e0158918.	2.5	30
198	Trochanter/calcar preserving reconstruction in tumors involving the femoral head and neck. <i>World Journal of Orthopedics</i> , 2016, 7, 442.	1.8	5

#	ARTICLE	IF	CITATIONS
199	Trend in Hip Fracture Incidence and Mortality in Korea: A Prospective Cohort Study from 2002 to 2011. <i>Journal of Korean Medical Science</i> , 2015, 30, 483.	2.5	59
200	Utilization of Hyaluronate and Incidence of Septic Knee Arthritis in Adults: Results from the Korean National Claim Registry. <i>Clinics in Orthopedic Surgery</i> , 2015, 7, 318.	2.2	14
201	Arthroscopic Treatment of Symptomatic Internal Snapping Hip with Combined Pathologies. <i>Clinics in Orthopedic Surgery</i> , 2015, 7, 158.	2.2	21
202	Contemporary Ceramic Total Hip Arthroplasty in Patients with Cerebral Palsy: Does It Work?. <i>Clinics in Orthopedic Surgery</i> , 2015, 7, 39.	2.2	10
203	Vitamin D Deficiency Is Highly Concomitant but Not Strong Risk Factor for Mortality in Patients Aged 50 Year and Older with Hip Fracture. <i>Journal of Bone Metabolism</i> , 2015, 22, 205.	1.3	12
204	Incidence and Mortality after Proximal Humerus Fractures Over 50 Years of Age in South Korea: National Claim Data from 2008 to 2012. <i>Journal of Bone Metabolism</i> , 2015, 22, 17.	1.3	34
205	Atypical Femoral Fracture: 2015 Position Statement of the Korean Society for Bone and Mineral Research. <i>Journal of Bone Metabolism</i> , 2015, 22, 87.	1.3	17
206	Advantage of Minimal Anterior Knee Pain and Long-term Survivorship of Cemented Single Radius Posterior-Stabilized Total Knee Arthroplasty without Patella Resurfacing. <i>Clinics in Orthopedic Surgery</i> , 2015, 7, 54.	2.2	13
207	Result of Proficiency Test and Comparison of Accuracy Using a European Spine Phantom among the Three Bone Densitometries. <i>Journal of Bone Metabolism</i> , 2015, 22, 45.	1.3	11
208	Osteoporotic Fracture: 2015 Position Statement of the Korean Society for Bone and Mineral Research. <i>Journal of Bone Metabolism</i> , 2015, 22, 175.	1.3	70
209	Risk of Hip Fractures in Men with Alpha-Blockers: A Nationwide Study Base on Claim Registry. <i>Journal of Bone Metabolism</i> , 2015, 22, 29.	1.3	7
210	Outcome of intertrochanteric fractures treated by intramedullary nail with two integrated lag screws. <i>Indian Journal of Orthopaedics</i> , 2015, 49, 436-441.	1.1	15
211	Postoperative Deep Infection After Cemented Versus Cementless Total Hip Arthroplasty: A Meta-Analysis. <i>Journal of Arthroplasty</i> , 2015, 30, 1823-1827.	3.1	30
212	Risk of fractures in subjects with antihypertensive medications: A nationwide claim study. <i>International Journal of Cardiology</i> , 2015, 184, 62-67.	1.7	36
213	Combined Anterior and Posterior Approach in Total Hip Arthroplasty for Crowe IV Dysplasia or Ankylosed Hips. <i>Journal of Arthroplasty</i> , 2015, 30, 797-802.	3.1	8
214	Does Zoledronate Prevent Femoral Head Collapse from Osteonecrosis?. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1142-1148.	3.0	62
215	The Reference Value of Skeletal Muscle Mass Index for Defining the Sarcopenia of Women in Korea. <i>Journal of Bone Metabolism</i> , 2015, 22, 71.	1.3	25
216	Third-Generation Alumina-on-Alumina Total Hip Arthroplasty: 14 to 16-Year Follow-Up Study. <i>Journal of Arthroplasty</i> , 2015, 30, 411-415.	3.1	52

#	ARTICLE	IF	CITATIONS
217	Comments on Korthoewer and Chandran: Osteoporosis management and the utilization of FRAX®: a survey amongst health care professionals of the Asia-Pacific. Archives of Osteoporosis, 2015, 10, 204.	2.4	1
218	In Reply: "Bottle-Opener" Effect in Bipolar Hip Prostheses Dislocations. Journal of Arthroplasty, 2015, 30, 895.	3.1	2
219	High mortality and poor morbidity after hip fracture in patients with previous vertebral fractures. Journal of Bone and Mineral Metabolism, 2015, 33, 547-552.	2.7	11
220	Transcultural adaptation of the Korean version of the Hip Outcome Score. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3426-3431.	4.2	7
221	Management of Osteoporosis in South Korea. Critical Reviews in Eukaryotic Gene Expression, 2015, 25, 33-40.	0.9	6
222	National Trends of Hip Arthroscopy in Korea. Journal of Korean Medical Science, 2014, 29, 277.	2.5	32
223	Knowledge on Osteoporosis of Prescriber According to Level of Medical Institute. Yonsei Medical Journal, 2014, 55, 1058.	2.2	6
224	Undertreatment of Osteoporosis Following Hip Fractures in Jeju Cohort Study. Journal of Bone Metabolism, 2014, 21, 263.	1.3	13
225	Current Trends of Stem Use in Hemiarthroplasty for Femoral Neck Fracture in South Korea. Clinics in Orthopedic Surgery, 2014, 6, 285.	2.2	6
226	Incidence, Morbidity and Mortality in Patients Older than 50 Years with Second Hip Fracture in a Jeju Cohort Study. Hip and Pelvis, 2014, 26, 250.	1.6	13
227	Incidence and Risk Factors of Symptomatic Peripartum Diastasis of Pubic Symphysis. Journal of Korean Medical Science, 2014, 29, 281.	2.5	39
228	Bone Health and Clinical Results after Hip Fracture Surgery in Patients with Subclinical Hypothyroidism. Journal of Bone Metabolism, 2014, 21, 213.	1.3	6
229	Patient Satisfaction after Arthroscopic Repair of Acetabular Labral Tears. Clinics in Orthopedic Surgery, 2014, 6, 159.	2.2	19
230	Physicians' Attitudes to Contemporary Issues on Osteoporosis Management in Korea. Journal of Bone Metabolism, 2014, 21, 143.	1.3	21
231	Correlation of Structural Bony Abnormalities and Mechanical Symptoms of Hip Joints. Hip and Pelvis, 2014, 26, 115-123.	1.6	2
232	Hypertrophic Osteoarthropathy in Patient with Crohn's Disease: A Case Report. Journal of Bone Metabolism, 2014, 21, 151.	1.3	11
233	Five-Year Relative Survival of Patients With Osteoporotic Hip Fracture. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 97-100.	3.6	74
234	Ultrasound-guided Prolotherapy with Polydeoxyribonucleotide Sodium in Ischiofemoral Impingement Syndrome. Pain Practice, 2014, 14, 649-655.	1.9	44

#	ARTICLE	IF	CITATIONS
235	Revision of Ceramic Head Fracture After Third Generation Ceramic-on-Ceramic Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 214-218.	3.1	36
236	Arthroscopic treatment for acute septic arthritis of the hip joint in adults. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 942-945.	4.2	18
237	Herniation pits as a radiographic indicator of pincer-type femoroacetabular impingement in symptomatic patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 860-866.	4.2	13
238	Management of Acute Calcific Tendinitis Around the Hip Joint. <i>American Journal of Sports Medicine</i> , 2014, 42, 2659-2665.	4.2	34
239	Arthroscopic reduction and internal fixation of acetabular fractures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 867-870.	4.2	22
240	Effect of neck length on third-generation ceramic head failure; finite element and retrieval analysis. <i>Journal of Orthopaedic Science</i> , 2014, 19, 587-597.	1.1	10
241	Mobility and one-year mortality of stroke patients after hip-fracture surgery. <i>Journal of Orthopaedic Science</i> , 2014, 19, 756-761.	1.1	10
242	Midterm Results of Large Diameter BioloX Forte Ceramic Head on Delta Ceramic Liner Articulation in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 2412-2414.	3.1	17
243	Cementless Bipolar Hemiarthroplasty Using a Micro-Arc Oxidation Coated Stem in Patients with Displaced Femoral Neck Fractures. <i>Journal of Arthroplasty</i> , 2014, 29, 2388-2392.	3.1	13
244	Learning Curve of Acetabular Cup Positioning in Total Hip Arthroplasty Using a Cumulative Summation Test for Learning Curve (LC-CUSUM). <i>Journal of Arthroplasty</i> , 2014, 29, 586-589.	3.1	37
245	Learning curve of basic hip arthroscopy technique: CUSUM analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 1940-1944.	4.2	87
246	Bisphosphonate use and subsequent hip fracture in South Korea. <i>Osteoporosis International</i> , 2013, 24, 2887-2892.	3.1	55
247	Incidence of second hip fracture and compliant use of bisphosphonate. <i>Osteoporosis International</i> , 2013, 24, 2099-2104.	3.1	60
248	The diagnostic value of direct CT arthrography using MDCT in the evaluation of acetabular labral tear: with arthroscopic correlation. <i>Skeletal Radiology</i> , 2013, 42, 681-688.	2.0	25
249	Knowledge on osteoporosis in guardians of hip fracture patients. <i>Journal of Bone and Mineral Metabolism</i> , 2013, 31, 481-484.	2.7	6
250	Epidemiology of proximal femoral fractures in South Korea. <i>Archives of Osteoporosis</i> , 2013, 8, 157.	2.4	44
251	Retaining well-fixed cementless stem in the treatment of infected hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 260-264.	3.3	34
252	In Reply. <i>Journal of Arthroplasty</i> , 2013, 28, 200.	3.1	1

#	ARTICLE	IF	CITATIONS
253	Bisphosphonate use and increased incidence of subtrochanteric fracture in South Korea: results from the National Claim Registry. <i>Osteoporosis International</i> , 2013, 24, 707-711.	3.1	54
254	Primary Musculoskeletal Mycobacterium Infection With Large Cystic Masses After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2013, 28, 374.e1-374.e3.	3.1	7
255	Effectiveness of Multimodal Pain Management After Bipolar Hemiarthroplasty for Hip Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 291-296.	3.0	82
256	Cementless Total Hip Arthroplasty in Patients with Osteonecrosis After Kidney Transplantation. <i>Journal of Arthroplasty</i> , 2013, 28, 824-827.	3.1	30
257	Diagnostic Value of Ultrasound and Computed Tomographic Arthrography in Diagnosing Anterosuperior Acetabular Labral Tears. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1769-1776.	2.7	26
258	Trends of Surgical Treatment in Femoral Neck Fracture. <i>Journal of Arthroplasty</i> , 2013, 28, 1839-1841.	3.1	27
259	Predicting Need for Fixation of Atypical Femoral Fracture. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2742-2745.	3.6	32
260	Improving pre-operative planning for complex total hip replacement with a Rapid Prototype model enabling surgical simulation. <i>Bone and Joint Journal</i> , 2013, 95-B, 1458-1463.	4.4	42
261	Sexual Activity after Total Hip Replacement in Korean Patients: How They Do, What They Want, and How to Improve. <i>Clinics in Orthopedic Surgery</i> , 2013, 5, 269.	2.2	28
262	National Utilization of Calcium Supplements in Patients with Osteoporotic Hip Fracture in Korea. <i>Journal of Bone Metabolism</i> , 2013, 20, 99.	1.3	6
263	National Healthcare Budget Impact Analysis of the Treatment for Osteoporosis and Fractures in Korea. <i>Journal of Bone Metabolism</i> , 2013, 20, 17.	1.3	31
264	Arthroscopic Treatment of Septic Arthritis of the Hip in a Child: A Case Report. <i>Hip and Pelvis</i> , 2013, 25, 145-148.	1.6	0
265	Validation of a New Food Frequency Questionnaire for Assessment of Calcium and Vitamin D Intake in Korean Women. <i>Journal of Bone Metabolism</i> , 2013, 20, 67.	1.3	16
266	Morbidity and Mortality in Jeju Residents over 50-Years of Age with Hip Fracture with Mean 6-Year Follow-Up: A Prospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2013, 28, 1089.	2.5	34
267	Does Venous Thromboembolism Affect Rehabilitation after Hip Fracture Surgery?. <i>Yonsei Medical Journal</i> , 2013, 54, 1015.	2.2	9
268	National Trends of Surgical Treatment for Intertrochanteric Fractures in Korea. <i>Journal of Korean Medical Science</i> , 2013, 28, 1407.	2.5	20
269	Poor Prognosis in Elderly Patients Who Refused Surgery Because of Economic Burden and Medical Problem After Hip Fracture. <i>Journal of Korean Medical Science</i> , 2013, 28, 1378.	2.5	22
270	Reliability and validity of measuring version of the acetabular component. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 32-36.	3.4	95

#	ARTICLE	IF	CITATIONS
271	Persistence with intravenous zoledronate in elderly patients with osteoporosis. <i>Osteoporosis International</i> , 2012, 23, 2329-2333.	3.1	39
272	Teriparatide, a nonsurgical solution for femoral nonunion? A report of three cases. <i>Osteoporosis International</i> , 2012, 23, 2897-2900.	3.1	62
273	Prevalence and Locations of Acetabular Labral Sulcus in Patients Undergoing Arthroplasty for Hip Fracture. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2012, 28, 1373-1380.	2.7	14
274	Acetabular Component Positioning Using Anatomic Landmarks of the Acetabulum. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3515-3523.	1.5	51
275	Letter to the Editor: High Rate of Ceramic Sandwich Liner Fracture. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3263-3263.	1.5	0
276	Ceramic Articulation in East Asians. <i>Seminars in Arthroplasty</i> , 2012, 23, 217-219.	0.7	0
277	Delayed Presentation of Intravesical Bone Penetration after Pelvic Ring Fracture. <i>Korean Journal of Urology</i> , 2012, 53, 887.	1.2	1
278	Mortality after Hip Fractures in Nonagenarians. <i>Journal of Bone Metabolism</i> , 2012, 19, 83.	1.3	32
279	High Early Failure Rate of the Columbus® Posterior Stabilized High-flexion Knee Prosthesis. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 1472-1481.	1.5	19
280	Mortality after vertebral fracture in Korea. <i>Osteoporosis International</i> , 2012, 23, 1859-1865.	3.1	96
281	Incarceration of a Dislocated Mobile Bearing to the Popliteal Fossa After Unicompartmental Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2012, 27, 323.e5-323.e7.	3.1	5
282	Dislocation After Total Hip Arthroplasty: A Randomized Clinical Trial of a Posterior Approach and a Modified Lateral Approach. <i>Journal of Arthroplasty</i> , 2012, 27, 378-385.	3.1	78
283	Burden of osteoporosis in adults in Korea: a national health insurance database study. <i>Journal of Bone and Mineral Metabolism</i> , 2012, 30, 54-58.	2.7	81
284	Use of cementless acetabular component with a hook and iliac flanges in revision arthroplasty for massive acetabular defect. <i>Journal of Orthopaedic Science</i> , 2012, 17, 18-24.	1.1	10
285	Incidence and Mortality Following Hip Fracture in Korea. <i>Journal of Korean Medical Science</i> , 2011, 26, 1087.	2.5	139
286	Little Impact of Antiplatelet Agents on Venous Thromboembolism after Hip Fracture Surgery. <i>Journal of Korean Medical Science</i> , 2011, 26, 1625.	2.5	16
287	Orthopedic Surgeon's Awareness Can Improve Osteoporosis Treatment Following Hip Fracture: A Prospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2011, 26, 1501.	2.5	35
288	Cementless Bipolar Hemiarthroplasty Using a Hydroxyapatite-Coated Long Stem for Osteoporotic Unstable Intertrochanteric Fractures. <i>Journal of Arthroplasty</i> , 2011, 26, 626-632.	3.1	56

#	ARTICLE	IF	CITATIONS
289	Septic arthritis of the hip in patients with femoral head osteonecrosis. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 1585-1590.	2.4	9
290	The incidence and residual lifetime risk of osteoporosis-related fractures in Korea. Journal of Bone and Mineral Metabolism, 2011, 29, 744-751.	2.7	135
291	Frequency, Risk Factors, and Prognosis of Prolonged Delirium in Elderly Patients After Hip Fracture Surgery. Clinical Orthopaedics and Related Research, 2011, 469, 2612-2620.	1.5	92
292	Deep Venous Thrombosis and Pulmonary Embolism are Uncommon in East Asian Patients after Total Hip Arthroplasty. Clinical Orthopaedics and Related Research, 2011, 469, 3423-3428.	1.5	27
293	Effects of Age and Body Mass Index on the Results of Transtrochanteric Rotational Osteotomy for Femoral Head Osteonecrosis. Journal of Bone and Joint Surgery - Series A, 2011, 93, 75-84.	3.0	15
294	Joint Preserving Operations for Femoral Head Osteonecrosis. The Journal of the Korean Hip Society, 2011, 23, 7.	0.2	1
295	Arthroscopic excision of osteoid osteoma in the posteroinferior portion of the acetabulum. Knee Surgery, Sports Traumatology, Arthroscopy, 2010, 18, 1685-1687.	4.2	23
296	Initially missed occult fractures of the proximal femur in elderly patients: implications for need of operation and their morbidity. Archives of Orthopaedic and Trauma Surgery, 2010, 130, 915-920.	2.4	29
297	Is Surgery Necessary for Femoral Insufficiency Fractures after Long-term Bisphosphonate Therapy?. Clinical Orthopaedics and Related Research, 2010, 468, 3393-3398.	1.5	109
298	Total hip arthroplasty using a short-stemmed femoral component in the presence of a proximal femoral fixation device â€” a case report. HIP International, 2010, 20, 261-264.	1.7	3
299	Incidence of Hip Fractures in Jeju Island, South Korea: A Prospective Study (2002-2006). Clinics in Orthopedic Surgery, 2010, 2, 64.	2.2	30
300	Alumina-on-Alumina Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2010, 92, 1715-1719.	3.0	100
301	Effects of Age and Body Mass Index on the Results of Transtrochanteric Rotational Osteotomy for Femoral Head Osteonecrosis. Journal of Bone and Joint Surgery - Series A, 2010, 92, 314-321.	3.0	31
302	Medical Service Utilization with Osteoporosis. Endocrinology and Metabolism, 2010, 25, 326.	3.0	45
303	Identification and Validation of Osteoporotic Hip Fracture Using the National Health Insurance Database. The Journal of the Korean Hip Society, 2010, 22, 305-311.	0.2	26
304	Total Hip Arthroplasty After Previous Transtrochanteric Anterior Rotational Osteotomy for Femoral Head Osteonecrosis. Journal of Arthroplasty, 2009, 24, 1205-1209.	3.1	25
305	THA Using an Anatomic Stem in Patients With Femoral Head Osteonecrosis. Clinical Orthopaedics and Related Research, 2008, 466, 1141-1147.	1.5	13
306	Incidence of hip fractures in Korea. Journal of Bone and Mineral Metabolism, 2008, 26, 400-405.	2.7	64

#	ARTICLE	IF	CITATIONS
307	Isolated Fracture of the Ceramic Head After Third-Generation Alumina-on-Alumina Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 329-336.	3.0	131
308	Proximal Femoral Nail for the Treatment of Reverse Obliquity Intertrochanteric Fractures Compared With Gamma Nail. <i>Journal of Trauma</i> , 2007, 63, 1054-1060.	2.3	45
309	Cementless Alumina-on-Alumina Total Hip Arthroplasty in Patients Younger Than 50 Years: A 5-year Minimum Follow-Up Study. <i>Journal of Arthroplasty</i> , 2007, 22, 184-188.	3.1	41
310	A Comparison of the Midvastus and Median Parapatellar Surgical Approaches in Total Knee Arthroplasty. <i>The Journal of the Korean Orthopaedic Association</i> , 2007, 42, 354.	0.1	2
311	Ceramic Liner Fracture after Cementless Alumina-on-Alumina Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2007, 458, 106-110.	1.5	142
312	Prediction of Collapse in Femoral Head Osteonecrosis: A Modified Kerboul Method with Use of Magnetic Resonance Images. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 35-40.	3.0	338
313	Fatty marrow conversion of the proximal femoral metaphysis in transient bone marrow edema syndrome. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2005, 125, 390-395.	2.4	16
314	Laceration of Femoral Vessels by an Avulsion Fracture Fragment of the Lesser Trochanter After Bipolar Hemiarthroplasty. <i>Journal of Arthroplasty</i> , 2005, 20, 680-683.	3.1	3
315	Role of Thrombotic and Fibrinolytic Disorders in the Etiology of Perthes??? Disease. <i>Clinical Orthopaedics and Related Research</i> , 2002, 399, 162-167.	1.5	21
316	Impregnation of vancomycin, gentamicin, and cefotaxime in a cement spacer for two-stage cementless reconstruction in infected total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 882-892.	3.1	157
317	Sarcopenia: an unsolved problem after hip fracture. <i>Journal of Bone and Mineral Metabolism</i> , 0, , .	2.7	4
318	The Potential Economic Benefits of an Alarm Service in Order Communication Systems in Korea: a Cost-Effectiveness Analysis of Less-Intensive Fracture Liaison Services Based on a Prospective Cohort Study. <i>Calcified Tissue International</i> , 0, , .	3.1	0