## Ian T Russell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2427640/publications.pdf

Version: 2024-02-01

76 papers

1,779 citations

257450 24 h-index 289244 40 g-index

78 all docs 78 docs citations

78 times ranked 2936 citing authors

#	Article	IF	CITATIONS
1	Mindfulness-based cognitive therapy for preventing relapse in recurrent depression: A randomized dismantling trial Journal of Consulting and Clinical Psychology, 2014, 82, 275-286.	2.0	307
2	Maintenance cognitive stimulation therapy for dementia: single-blind, multicentre, pragmatic randomised controlled trial. British Journal of Psychiatry, 2014, 204, 454-461.	2.8	115
3	The impact of individual Cognitive Stimulation Therapy (iCST) on cognition, quality of life, caregiver health, and family relationships in dementia: A randomised controlled trial. PLoS Medicine, 2017, 14, e1002269.	8.4	95
4	REMCARE: Pragmatic Multi-Centre Randomised Trial of Reminiscence Groups for People with Dementia and their Family Carers: Effectiveness and Economic Analysis. PLoS ONE, 2016, 11, e0152843.	2.5	79
5	Individual cognitive stimulation therapy for dementia: a clinical effectiveness and cost-effectiveness pragmatic, multicentre, randomised controlled trial. Health Technology Assessment, 2015, 19, 1-108.	2.8	69
6	Acceptance checklist for clinical effectiveness pilot trials: a systematic approach. BMC Medical Research Methodology, 2013, 13, 78.	3.1	61
7	The contribution of caregiver psychosocial factors to distress associated with behavioural and psychological symptoms in dementia. International Journal of Geriatric Psychiatry, 2017, 32, 76-85.	2.7	61
8	Maintenance Cognitive Stimulation Therapy: An Economic Evaluation Within a Randomized Controlled Trial. Journal of the American Medical Directors Association, 2015, 16, 63-70.	2.5	51
9	Peer support and reminiscence therapy for people with dementia and their family carers: a factorial pragmatic randomised trial. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 1218-1228.	1.9	50
10	Reminiscence groups for people with dementia and their family carers: pragmatic eight-centre randomised trial of joint reminiscence and maintenance versus usual treatment: a protocol. Trials, 2009, 10, 64.	1.6	49
11	Involving service users in trials: developing a standard operating procedure. Trials, 2013, 14, 219.	1.6	49
12	Maintenance Cognitive Stimulation Therapy (CST) for dementia: A single-blind, multi-centre, randomized controlled trial of Maintenance CST vs. CST for dementia. Trials, 2010, 11, 46.	1.6	40
13	Support and Assessment for Fall Emergency Referrals (SAFER 1): Cluster Randomised Trial of Computerised Clinical Decision Support for Paramedics. PLoS ONE, 2014, 9, e106436.	2.5	38
14	Support and Assessment for Fall Emergency Referrals (SAFER) 2: a cluster randomised trial and systematic review of clinical effectiveness and cost-effectiveness of new protocols for emergency ambulance paramedics to assess older people following a fall with referral to community-based care when appropriate. Health Technology Assessment, 2017, 21, 1-218.	2.8	38
15	Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. Journal of Adolescent Health, 2017, 60, 438-446.	2.5	37
16	Individual Cognitive Stimulation Therapy for dementia (iCST): study protocol for a randomized controlled trial. Trials, 2012, 13, 172.	1.6	33
17	Development of a Short Questionnaire to Assess the Quality of Life in Crohn's Disease and Ulcerative Colitis. Journal of Crohn's and Colitis, 2015, 9, 66-76.	1.3	31
18	Community occupational therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID] programme): study protocol for a randomised controlled trial. Trials, 2016, 17, 65.	1.6	31

#	Article	IF	CITATIONS
19	Paramedic Assessment of Older Adults After Falls, Including Community Care Referral Pathway: Cluster Randomized Trial. Annals of Emergency Medicine, 2017, 70, 495-505.e28.	0.6	31
20	The nature, characteristics and associations of care home staff stress and wellbeing: a national survey. BMC Nursing, 2017, 16, 22.	2.5	30
21	Development and validation of the Gastrointestinal Endoscopy Satisfaction Questionnaire (GESQ). Endoscopy, 2015, 47, 1137-1143.	1.8	28
22	Effects and costs of implementing predictive risk stratification in primary care: a randomised stepped wedge trial. BMJ Quality and Safety, 2019, 28, 697-705.	3.7	28
23	Folate Augmentation of Treatment – Evaluation for Depression (FolATED): randomised trial and economic evaluation. Health Technology Assessment, 2014, 18, 1-160.	2.8	28
24	Predictive risk stratification model: a progressive cluster-randomised trial in chronic conditions management (PRISMATIC) research protocol. Trials, 2013, 14, 301.	1.6	26
25	Exploring qualitative methods reported in registered trials and their yields (EQUITY): systematic review. Trials, 2018, 19, 589.	1.6	23
26	Paramedics' experiences of administering fascia iliaca compartment block to patients in South Wales with suspected hip fracture at the scene of injury: results of focus groups. BMJ Open, 2019, 9, e026073.	1.9	23
27	Effect of an Enhanced Paramedic Acute Stroke Treatment Assessment on Thrombolysis Delivery During Emergency Stroke Care. JAMA Neurology, 2020, 77, 840.	9.0	23
28	A protocol for a systematic review of effective home support to people with dementia and their carers: components and impacts. Journal of Advanced Nursing, 2016, 72, 186-196.	3.3	22
29	Refractory depression – mechanisms and efficacy of radically open dialectical behaviour therapy (RefraMED): findings of a randomised trial on benefits and harms. British Journal of Psychiatry, 2020, 216, 204-212.	2.8	20
30	Medication Monitoring for People with Dementia in Care Homes: The Feasibility and Clinical Impact of Nurse-Led Monitoring. Scientific World Journal, The, 2014, 2014, 1-11.	2.1	19
31	What can we learn from trial decliners about improving recruitment? Qualitative study. Trials, 2016, 17, 494.	1.6	19
32	Linked randomised controlled trials of face-to-face and electronic brief intervention methods to prevent alcohol related harm in young people aged 14–17 years presenting to Emergency Departments (SIPS junior). BMC Public Health, 2015, 15, 345.	2.9	18
33	Alleviating staff stress in care homes for people with dementia: protocol for stepped-wedge cluster randomised trial to evaluate a web-based Mindfulness- Stress Reduction course. BMC Psychiatry, 2015, 15, 317.	2.6	17
34	Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial. PLoS Medicine, 2021, 18, e1003433.	8.4	16
35	Rapid analgesia for prehospital hip disruption (RAPID): protocol for feasibility study of randomised controlled trial. Pilot and Feasibility Studies, 2017, 3, 8.	1.2	14
36	Opportunistic screening for alcohol use problems in adolescents attending emergency departments: an evaluation of screening tools. Journal of Public Health, 2019, 41, e53-e60.	1.8	14

#	Article	IF	CITATIONS
37	Radically open dialectical behaviour therapy for refractory depression: the RefraMED RCT. Efficacy and Mechanism Evaluation, 2018, 5, 1-112.	0.7	11
38	Medication Monitoring in a Nurse-Led Respiratory Outpatient Clinic: Pragmatic Randomised Trial of the West Wales Adverse Drug Reaction Profile. PLoS ONE, 2014, 9, e96682.	2.5	9
39	Psychometric development of the Gastrointestinal Symptom Rating Questionnaire (GSRQ) demonstrated good validity. Journal of Clinical Epidemiology, 2015, 68, 1176-1183.	5.0	8
40	Costâ€effectiveness of steroid (methylprednisolone) injections versus anaesthetic alone for the treatment of Morton's neuroma: economic evaluation alongside a randomised controlled trial (MortISE trial). Journal of Foot and Ankle Research, 2015, 8, 6.	1.9	8
41	Development and validation of a new disease severity index: the Inflammatory Bowel Disease Index (IBDEX). Frontline Gastroenterology, 2015, 6, 161-168.	1.8	8
42	Psychometric development of the Upper Limb Lymphedema Quality of Life Questionnaire demonstrated the patient-reported outcome measure to be a robust measure for breast cancer–related lymphedema. Journal of Clinical Epidemiology, 2018, 100, 61-70.	5.0	8
43	Asylum seekers' and refugees' experiences of accessing health care: a qualitative study. BJGP Open, 2021, 5, BJGPO.2021.0059.	1.8	8
44	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. Programme Grants for Applied Research, 2020, 8, 1-144.	1.0	7
45	Successful development and testing of a Method for Aggregating The Reporting of Interventions in Complex Studies (MATRICS). Journal of Clinical Epidemiology, 2016, 69, 193-198.	5.0	6
46	Evaluating the effectiveness of different approaches to home support for people in later stage dementia: a protocol for an observational study. International Psychogeriatrics, 2017, 29, 1213-1221.	1.0	6
47	The Dementia Early Stage Cognitive Aids New Trial (DESCANT) intervention: A goal attainment scaling approach to promote selfâ€management. International Journal of Geriatric Psychiatry, 2021, 36, 784-793.	2.7	6
48	Components, impacts and costs of dementia home support: a research programme including the DESCANT RCT. Programme Grants for Applied Research, 2021, 9, 1-132.	1.0	6
49	Predictive risk stratification model: a randomised stepped-wedge trial in primary care (PRISMATIC). Health Services and Delivery Research, 2018, 6, 1-164.	1.4	6
50	Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. International Journal of Drug Policy, 2021, 93, 103113.	3.3	5
51	Emergency admission risk stratification tools in UK primary care: a cross-sectional survey of availability and use. British Journal of General Practice, 2020, 70, e740-e748.	1.4	5
52	Adolescent perspectives about their participation in alcohol intervention research in emergency care: A qualitative exploration using ethical principles as an analytical framework. PLoS ONE, 2019, 14, e0217855.	2.5	4
53	Implementing the Dementia Early Stage Cognitive Aids New Trial (DESCANT) intervention: mixed-method process evaluation alongside a pragmatic randomised trial. Aging and Mental Health, 2022, 26, 667-678.	2.8	4
54	Costs, effects and implementation of routine data emergency admission risk prediction models in primary care for patients with, or at risk of, chronic conditions: a systematic review protocol. BMJ Open, 2016, 6, e009653.	1.9	3

#	Article	IF	Citations
55	Staff training and outreach support for Cognitive Stimulation Therapy and its implementation in practice: a cluster randomised trial. International Journal of Geriatric Psychiatry, 2017, 32, e64-e71.	2.7	3
56	Advice given by NHS Direct in Wales: do deprived patients get more urgent decisions? Study of routine data. Journal of Epidemiology and Community Health, 2017, 71, 849-856.	3.7	3
57	Cognitive aids for people with early stage dementia versus treatment as usual (Dementia Early Stage) Tj ETQq1	1 0.78431 1.6	4 rgBT /Over
58	Refractory depression – cost-effectiveness of radically open dialectical behaviour therapy: findings of economic evaluation of RefraMED trial. BJPsych Open, 2019, 5, e64.	0.7	3
59	Implementing emergency admission risk prediction in general practice: a qualitative study. British Journal of General Practice, 2021, , BJGP.2021.0146.	1.4	3
60	Standardised self-management kits for children with type 1 diabetes: pragmatic randomised trial of effectiveness and cost-effectiveness. BMJ Open, 2020, 10, e032163.	1.9	3
61	The use of Latin squares and related block designs in implementation research. Journal of Clinical Epidemiology, 2014, 67, 1299-1301.	5.0	2
62	Does deprivation affect the demand for NHS Direct? Observational study of routine data from Wales. BMJ Open, 2019, 9, e029203.	1.9	2
63	Is fascia iliaca compartment block administered by paramedics for suspected hip fracture acceptable to patients? A qualitative study. BMJ Open, 2019, 9, e033398.	1.9	2
64	Effectiveness and costâ€effectiveness of faceâ€toâ€face and electronic brief interventions versus screening alone to reduce alcohol consumption among highâ€risk adolescents presenting to Emergency Departments: threeâ€arm pragmatic randomised trial (SIPS Junior High Risk Trial). Addiction, 2022, , .	3.3	2
65	Plasma Methylmalonic Acid Concentration in Folic Acid–Supplemented Depressed Patients with Low or Marginal Vitamin B-12: A Randomized Trial. Journal of Nutrition, 2021, 151, 3738-3745.	2.9	1
66	Dementia Early-Stage Cognitive Aids New Trial (DESCANT) of memory aids and guidance for people with dementia: randomised controlled trial. Journal of Neurology, Neurosurgery and Psychiatry, 2022, 93, 1001-1009.	1.9	1
67	Development and validation of the Gastrointestinal Endoscopy Satisfaction Questionnaire (GESQ). Endoscopy, 2015, 47, c2-c2.	1.8	0
68	8â€Rapid analgesia for prehospital hip disruption (rapid). , 2018, , .		0
69	OP5â€Rapid analgesia for prehospital hip disruption (RAPID): findings from a randomised feasibility study. Emergency Medicine Journal, 2019, 36, e2.3-e3.	1.0	0
70	342 - The Dementia Early Stage Cognitive Aids New Trial (DESCANT) intervention: Goal Attainment Scaling. International Psychogeriatrics, 2020, 32, 102-102.	1.0	0
71	Title is missing!. , 2021, 18, e1003433.		0
72	Title is missing!. , 2021, 18, e1003433.		0

#	Article	IF	CITATIONS
73	Title is missing!. , 2021, 18, e1003433.		O
74	Title is missing!. , 2021, 18, e1003433.		0
75	Title is missing!. , 2021, 18, e1003433.		O
76	Title is missing!. , 2021, 18, e1003433.		0