

Lu Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2429319/publications.pdf>

Version: 2024-02-01

90
papers

9,638
citations

66343

42
h-index

46799

89
g-index

91
all docs

91
docs citations

91
times ranked

13762
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Genomic profiling identifies genes and pathways dysregulated by HEY1-NCOA2 fusion and shines a light on mesenchymal chondrosarcoma tumorigenesis. <i>Journal of Pathology</i> , 2022, 257, 579-592. | 4.5 | 7 |
| 2 | RNAseqCNV: analysis of large-scale copy number variations from RNA-seq data. <i>Leukemia</i> , 2022, 36, 1492-1498. | 7.2 | 16 |
| 3 | Lipoblastomas presenting in older children and adults: analysis of 22 cases with identification of novel PLAG1 fusion partners. <i>Modern Pathology</i> , 2021, 34, 584-591. | 5.5 | 29 |
| 4 | Pancreatoblastomas and mixed and pure acinar cell carcinomas share epigenetic signatures distinct from other neoplasms of the pancreas. <i>Modern Pathology</i> , 2021, , . | 5.5 | 3 |
| 5 | Sclerosing epithelioid mesenchymal neoplasm of the pancreas—A proposed new entity. <i>Modern Pathology</i> , 2020, 33, 456-467. | 5.5 | 10 |
| 6 | Pan-neuroblastoma analysis reveals age- and signature-associated driver alterations. <i>Nature Communications</i> , 2020, 11, 5183. | 12.8 | 87 |
| 7 | Chromosome 3p loss of heterozygosity and reduced expression of H3K36me3 correlate with longer relapse-free survival in sacral conventional chordoma. <i>Human Pathology</i> , 2020, 104, 73-83. | 2.0 | 5 |
| 8 | Dasatinib induces a dramatic response in a child with refractory juvenile xanthogranuloma with a novel MRC1-PDGFRB fusion. <i>Blood Advances</i> , 2020, 4, 2991-2995. | 5.2 | 10 |
| 9 | Infratentorial C11orf95-fused gliomas share histologic, immunophenotypic, and molecular characteristics of supratentorial RELA-fused ependymoma. <i>Acta Neuropathologica</i> , 2020, 140, 963-965. | 7.7 | 14 |
| 10 | Fluorescence in Situ Hybridization (FISH) for Detecting Anaplastic Lymphoma Kinase (ALK) Rearrangement in Lung Cancer: Clinically Relevant Technical Aspects. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3939. | 4.1 | 27 |
| 11 | The repertoire of genetic alterations in salivary duct carcinoma including a novel HNRNP3-ALK rearrangement. <i>Human Pathology</i> , 2019, 88, 66-77. | 2.0 | 38 |
| 12 | Diagnosis of known sarcoma fusions and novel fusion partners by targeted RNA sequencing with identification of a recurrent ACTB-FOSB fusion in pseudomyogenic hemangioendothelioma. <i>Modern Pathology</i> , 2019, 32, 609-620. | 5.5 | 112 |
| 13 | Distinct Genomic Copy Number Alterations Distinguish Mucinous Tubular and Spindle Cell Carcinoma of the Kidney From Papillary Renal Cell Carcinoma With Overlapping Histologic Features. <i>American Journal of Surgical Pathology</i> , 2018, 42, 767-777. | 3.7 | 33 |
| 14 | Tumor suppressor CD99 is downregulated in plasma cell neoplasms lacking CCND1 translocation and distinguishes neoplastic from normal plasma cells and B-cell lymphomas with plasmacytic differentiation from primary plasma cell neoplasms. <i>Modern Pathology</i> , 2018, 31, 881-889. | 5.5 | 8 |
| 15 | RET fusions in a small subset of advanced colorectal cancers at risk of being neglected. <i>Annals of Oncology</i> , 2018, 29, 1394-1401. | 1.2 | 72 |
| 16 | Contiguous gene deletion of chromosome 2p16.3-p21 as a cause of Lynch syndrome. <i>Familial Cancer</i> , 2018, 17, 71-77. | 1.9 | 10 |
| 17 | Sinonasal Secretory Carcinoma of Salivary Gland with High Grade Transformation: A Case Report of this Under-Recognized Diagnostic Entity with Prognostic and Therapeutic Implications. <i>Head and Neck Pathology</i> , 2018, 12, 274-278. | 2.6 | 21 |
| 18 | A FISH assay efficiently screens for BRAF gene rearrangements in pancreatic acinar-type neoplasms. <i>Modern Pathology</i> , 2018, 31, 132-140. | 5.5 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Atypical lipomatous tumor of the hand with transformation to dedifferentiated liposarcoma: a case report. <i>Skeletal Radiology</i> , 2018, 47, 703-709. | 2.0 | 0 |
| 20 | TFG-RARA: A novel fusion gene in acute promyelocytic leukemia that is responsive to all-trans retinoic acid. <i>Leukemia Research</i> , 2018, 74, 51-54. | 0.8 | 13 |
| 21 | Assessing copy number aberrations and copy-neutral loss-of-heterozygosity across the genome as best practice: An evidence-based review from the Cancer Genomics Consortium (CGC) working group for chronic lymphocytic leukemia. <i>Cancer Genetics</i> , 2018, 228-229, 236-250. | 0.4 | 26 |
| 22 | Comparison of melanoma gene expression score with histopathology, fluorescence in situ hybridization, and SNP array for the classification of melanocytic neoplasms. <i>Modern Pathology</i> , 2018, 31, 1733-1743. | 5.5 | 40 |
| 23 | <i>YES1</i> amplification is a mechanism of acquired resistance to EGFR inhibitors identified by transposon mutagenesis and clinical genomics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E6030-E6038. | 7.1 | 44 |
| 24 | A case of acute myeloid leukemia with e6a2 BCR-ABL fusion transcript acquired after progressing from chronic myelomonocytic leukemia. <i>Leukemia Research Reports</i> , 2017, 7, 17-19. | 0.4 | 7 |
| 25 | Generation of conditional oncogenic chromosomal translocations using CRISPR-Cas9 genomic editing and homology-directed repair. <i>Journal of Pathology</i> , 2017, 242, 102-112. | 4.5 | 23 |
| 26 | Chromosome 20q Amplification Defines a Subtype of Microsatellite Stable, Left-Sided Colon Cancers with Wild-type RAS/RAF and Better Overall Survival. <i>Molecular Cancer Research</i> , 2017, 15, 708-713. | 3.4 | 24 |
| 27 | YWHAE-rearranged high-grade endometrial stromal sarcoma: Two-center case series and response to chemotherapy. <i>Gynecologic Oncology</i> , 2017, 145, 531-535. | 1.4 | 32 |
| 28 | Identification of NTRK3 Fusions in Childhood Melanocytic Neoplasms. <i>Journal of Molecular Diagnostics</i> , 2017, 19, 387-396. | 2.8 | 36 |
| 29 | Dermatofibrosarcoma Protuberans-Like Tumor With COL1A1 Copy Number Gain in the Absence of t(17;22). <i>American Journal of Dermatopathology</i> , 2017, 39, 304-309. | 0.6 | 10 |
| 30 | BCOR is a robust diagnostic immunohistochemical marker of genetically diverse high-grade endometrial stromal sarcoma, including tumors exhibiting variant morphology. <i>Modern Pathology</i> , 2017, 30, 1251-1261. | 5.5 | 112 |
| 31 | Genetic Heterogeneity in Therapy-Naïve Synchronous Primary Breast Cancers and Their Metastases. <i>Clinical Cancer Research</i> , 2017, 23, 4402-4415. | 7.0 | 91 |
| 32 | Gene expression signature as an ancillary method in the diagnosis of desmoplastic melanoma. <i>Human Pathology</i> , 2017, 70, 113-120. | 2.0 | 16 |
| 33 | Mechanisms of Acquired Resistance to BRAF V600E Inhibition in Colon Cancers Converge on RAF Dimerization and Are Sensitive to Its Inhibition. <i>Cancer Research</i> , 2017, 77, 6513-6523. | 0.9 | 58 |
| 34 | Mixed Mesonephric Adenocarcinoma and High-grade Neuroendocrine Carcinoma of the Uterine Cervix: Case Description of a Previously Unreported Entity With Insights Into Its Molecular Pathogenesis. <i>International Journal of Gynecological Pathology</i> , 2017, 36, 76-89. | 1.4 | 26 |
| 35 | Genomic analysis of hairy cell leukemia identifies novel recurrent genetic alterations. <i>Blood</i> , 2017, 130, 1644-1648. | 1.4 | 82 |
| 36 | Chromosomal abnormalities of high-grade mucinous tubular and spindle cell carcinoma of the kidney. <i>Histopathology</i> , 2017, 71, 719-724. | 2.9 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Genomic landscape and evolution of metastatic chromophobe renal cell carcinoma. JCI Insight, 2017, 2, . | 5.0 | 89 |
| 38 | Recurrent, truncating <i>SOX9</i> mutations are associated with SOX9 overexpression, <i>KRAS</i> mutation, and <i>TP53</i> wild type status in colorectal carcinoma. Oncotarget, 2016, 7, 50875-50882. | 1.8 | 26 |
| 39 | Osteosarcoma With Apparent Ewing Sarcoma Gene Rearrangement. Journal of Pediatric Hematology/Oncology, 2016, 38, e166-e168. | 0.6 | 3 |
| 40 | Genomic aberrations frequently alter chromatin regulatory genes in chordoma. Genes Chromosomes and Cancer, 2016, 55, 591-600. | 2.8 | 58 |
| 41 | Clinical outcomes with pemetrexed-based systemic therapies in RET-rearranged lung cancers. Annals of Oncology, 2016, 27, 1286-1291. | 1.2 | 92 |
| 42 | What hides behind the MASC: clinical response and acquired resistance to entrectinib after ETV6-NTRK3 identification in a mammary analogue secretory carcinoma (MASC). Annals of Oncology, 2016, 27, 920-926. | 1.2 | 261 |
| 43 | Comprehensive Molecular Characterization of Salivary Duct Carcinoma Reveals Actionable Targets and Similarity to Apocrine Breast Cancer. Clinical Cancer Research, 2016, 22, 4623-4633. | 7.0 | 153 |
| 44 | Symplastic/pseudoanaplastic giant cell tumor of the bone. Skeletal Radiology, 2016, 45, 929-935. | 2.0 | 25 |
| 45 | Genetic events in the progression of adenoid cystic carcinoma of the breast to high-grade triple-negative breast cancer. Modern Pathology, 2016, 29, 1292-1305. | 5.5 | 68 |
| 46 | The molecular landscape of extraskeletal osteosarcoma: A clinicopathological and molecular biomarker study. Journal of Pathology: Clinical Research, 2016, 2, 9-20. | 3.0 | 24 |
| 47 | A proportion of primary squamous cell carcinomas of the parotid gland harbour high-risk human papillomavirus. Histopathology, 2016, 69, 921-929. | 2.9 | 15 |
| 48 | Cabozantinib in patients with advanced RET -rearranged non-small-cell lung cancer: an open-label, single-centre, phase 2, single-arm trial. Lancet Oncology, The, 2016, 17, 1653-1660. | 10.7 | 365 |
| 49 | Molecular analysis of aggressive renal cell carcinoma with unclassified histology reveals distinct subsets. Nature Communications, 2016, 7, 13131. | 12.8 | 140 |
| 50 | Atypical Renal Cysts. American Journal of Surgical Pathology, 2016, 40, 202-211. | 3.7 | 17 |
| 51 | Mammary analog secretory carcinoma of the thyroid gland: A primary thyroid adenocarcinoma harboring ETV6-NTRK3 fusion. Modern Pathology, 2016, 29, 985-995. | 5.5 | 74 |
| 52 | Identification of Targetable Kinase Alterations in Patients with Colorectal Carcinoma That are Preferentially Associated with Wild-Type RAS/RAF. Molecular Cancer Research, 2016, 14, 296-301. | 3.4 | 46 |
| 53 | A Novel Crizotinib-Resistant Solvent-Front Mutation Responsive to Cabozantinib Therapy in a Patient with <i>ROS1</i> -Rearranged Lung Cancer. Clinical Cancer Research, 2016, 22, 2351-2358. | 7.0 | 141 |
| 54 | Consistent copy number changes and recurrent <i>PRKAR1A</i> mutations distinguish <i>Melanotic Schwannomas</i> from <i>Melanomas</i> : SNP array and next generation sequencing analysis. Genes Chromosomes and Cancer, 2015, 54, 463-471. | 2.8 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Vulvar Myxoid Liposarcoma and Well Differentiated Liposarcoma With Molecular Cytogenetic Confirmation. <i>International Journal of Gynecological Pathology</i> , 2015, 34, 390-395. | 1.4 | 12 |
| 56 | TFE3 Translocation-associated Perivascular Epithelioid Cell Neoplasm (PEComa) of the Gynecologic Tract. <i>American Journal of Surgical Pathology</i> , 2015, 39, 394-404. | 3.7 | 140 |
| 57 | Mixed glioma with molecular features of composite oligodendroglioma and astrocytoma: a true "oligoastrocytoma". <i>Acta Neuropathologica</i> , 2015, 129, 151-153. | 7.7 | 87 |
| 58 | Broad, Hybrid Capture-Based Next-Generation Sequencing Identifies Actionable Genomic Alterations in Lung Adenocarcinomas Otherwise Negative for Such Alterations by Other Genomic Testing Approaches. <i>Clinical Cancer Research</i> , 2015, 21, 3631-3639. | 7.0 | 236 |
| 59 | Response to dual HER2 blockade in a patient with HER3-mutant metastatic breast cancer. <i>Annals of Oncology</i> , 2015, 26, 1704-1709. | 1.2 | 18 |
| 60 | Next-Generation Sequencing of Stage IV Squamous Cell Lung Cancers Reveals an Association of PI3K Aberrations and Evidence of Clonal Heterogeneity in Patients with Brain Metastases. <i>Cancer Discovery</i> , 2015, 5, 610-621. | 9.4 | 129 |
| 61 | Alternative transcription initiation leads to expression of a novel ALK isoform in cancer. <i>Nature</i> , 2015, 526, 453-457. | 27.8 | 191 |
| 62 | Optimizing the Sequence of Anti-EGFR-Targeted Therapy in EGFR-Mutant Lung Cancer. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 542-552. | 4.1 | 28 |
| 63 | A recurrent neomorphic mutation in MYOD1 defines a clinically aggressive subset of embryonal rhabdomyosarcoma associated with PI3K-AKT pathway mutations. <i>Nature Genetics</i> , 2014, 46, 595-600. | 21.4 | 152 |
| 64 | Rb suppresses human cone-precursor-derived retinoblastoma tumours. <i>Nature</i> , 2014, 514, 385-388. | 27.8 | 187 |
| 65 | Rationale for co-targeting IGF-1R and ALK in ALK fusion-positive lung cancer. <i>Nature Medicine</i> , 2014, 20, 1027-1034. | 30.7 | 243 |
| 66 | SOMCL-863, a novel, selective and orally bioavailable small-molecule c-Met inhibitor, exhibits antitumor activity both in vitro and in vivo. <i>Cancer Letters</i> , 2014, 351, 143-150. | 7.2 | 13 |
| 67 | Small-Cell Lung Cancers in Patients Who Never Smoked Cigarettes. <i>Journal of Thoracic Oncology</i> , 2014, 9, 892-896. | 1.1 | 106 |
| 68 | A Genome-Wide High-Resolution Array-CGH Analysis of Cutaneous Melanoma and Comparison of Array-CGH to FISH in Diagnostic Evaluation. <i>Journal of Molecular Diagnostics</i> , 2013, 15, 581-591. | 2.8 | 71 |
| 69 | Identification of cancer gene fusions based on advanced analysis of the human genome or transcriptome. <i>Frontiers of Medicine</i> , 2013, 7, 280-289. | 3.4 | 6 |
| 70 | Distinct profile of driver mutations and clinical features in immunomarker-defined subsets of pulmonary large-cell carcinoma. <i>Modern Pathology</i> , 2013, 26, 511-522. | 5.5 | 95 |
| 71 | Response to Cabozantinib in Patients with RET Fusion-Positive Lung Adenocarcinomas. <i>Cancer Discovery</i> , 2013, 3, 630-635. | 9.4 | 438 |
| 72 | Posttransplant Lymphoproliferative Disorder Complicating Hematopoietic Stem Cell Transplantation in a Patient With Dyskeratosis Congenita. <i>International Journal of Surgical Pathology</i> , 2013, 21, 520-525. | 0.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Identification of <i>KIF5B-RET</i> and <i>GOPC-ROS1</i> Fusions in Lung Adenocarcinomas through a Comprehensive mRNA-Based Screen for Tyrosine Kinase Fusions. <i>Clinical Cancer Research</i> , 2012, 18, 6599-6608. | 7.0 | 169 |
| 74 | Lung cancers with acquired resistance to EGFR inhibitors occasionally harbor <i>BRAF</i> gene mutations but lack mutations in <i>KRAS</i> , <i>NRAS</i> , or <i>MEK1</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E2127-33. | 7.1 | 410 |
| 75 | Identification of a novel, recurrent <i>HEY1</i> - <i>NCOA2</i> fusion in mesenchymal chondrosarcoma based on a genome-wide screen of exon-level expression data. <i>Genes Chromosomes and Cancer</i> , 2012, 51, 127-139. | 2.8 | 276 |
| 76 | Multiplex testing for driver mutations in squamous cell carcinomas of the lung. <i>Journal of Clinical Oncology</i> , 2012, 30, 7505-7505. | 1.6 | 21 |
| 77 | The nuclear deubiquitinase BAP1 is commonly inactivated by somatic mutations and 3p21.1 losses in malignant pleural mesothelioma. <i>Nature Genetics</i> , 2011, 43, 668-672. | 21.4 | 617 |
| 78 | Optimization of Dosing for EGFR-Mutant Non-Small Cell Lung Cancer with Evolutionary Cancer Modeling. <i>Science Translational Medicine</i> , 2011, 3, 90ra59. | 12.4 | 457 |
| 79 | Inhibition of Aberrant Androgen Receptor Induction of Prostate Specific Antigen Gene Expression, Cell Proliferation and Tumor Growth by 17 β -Estradiol in Prostate Cancer. <i>Journal of Urology</i> , 2011, 185, 305-314. | 0.4 | 10 |
| 80 | <i>PDGFRA</i> gene rearrangements are frequent genetic events in <i>PDGFRA</i> -amplified glioblastomas. <i>Genes and Development</i> , 2010, 24, 2205-2218. | 5.9 | 181 |
| 81 | An integrated genomic analysis of lung cancer reveals loss of DUSP4 in EGFR-mutant tumors. <i>Oncogene</i> , 2009, 28, 2773-2783. | 5.9 | 205 |
| 82 | <i>MET</i> amplification occurs with or without <i>T790M</i> mutations in <i>EGFR</i> mutant lung tumors with acquired resistance to gefitinib or erlotinib. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 20932-20937. | 7.1 | 1,557 |
| 83 | Undifferentiated Small Round Cell Sarcomas with Rare EWS Gene Fusions. <i>Journal of Molecular Diagnostics</i> , 2007, 9, 498-509. | 2.8 | 142 |
| 84 | Identification of MSRA gene on chromosome 8p as a candidate metastasis suppressor for human hepatitis B virus-positive hepatocellular carcinoma. <i>BMC Cancer</i> , 2007, 7, 172. | 2.6 | 50 |
| 85 | Hornerin gene was involved in a case of acute myeloid leukemia transformed from myelodysplastic syndrome with t(1;2)(q21;q37). <i>Leukemia</i> , 2006, 20, 2184-2187. | 7.2 | 6 |
| 86 | Cathepsin K in Adipocyte Differentiation and Its Potential Role in the Pathogenesis of Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 4520-4527. | 3.6 | 55 |
| 87 | Receptor Isoform and Ligand-Specific Modulation of Dihydrotestosterone-Induced Prostate Specific Antigen Gene Expression and Prostate Tumor Cell Growth by Estrogens. <i>Journal of Andrology</i> , 2005, 26, 500-508. | 2.0 | 23 |
| 88 | A decade's studies on metastasis of hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 187-196. | 2.5 | 406 |
| 89 | Environment, genome and cancer. <i>Comptes Rendus De L'Académie Des Sciences Série 3, Sciences De La Vie</i> , 2001, 324, 1085-1091. | 0.8 | 4 |
| 90 | Allelic loss and gain, but not genomic instability, as the major somatic mutation in primary hepatocellular carcinoma. <i>Genes Chromosomes and Cancer</i> , 2001, 31, 221-227. | 2.8 | 64 |