Malek Bajbouj

List of Publications by Year
in descending order

192	7,175	50276	74163
papers	citations	46 h-index	75 g-index

210	210	210	8640
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Efficacy and Safety of Flexibly Dosed Esketamine Nasal Spray Combined With a Newly Initiated Oral Antidepressant in Treatment-Resistant Depression: A Randomized Double-Blind Active-Controlled Study. American Journal of Psychiatry, 2019, 176, 428-438.	7.2	557
2	Association of a functional BDNF polymorphism and anxiety-related personality traits. Psychopharmacology, 2005, 180, 95-99.	3.1	255
3	Vagus nerve stimulation for depression: efficacy and safety in a European study. Psychological Medicine, 2008, 38, 651-661.	4.5	179
4	Evidence for Impaired Cortical Inhibition in Patients with Unipolar Major Depression. Biological Psychiatry, 2006, 59, 395-400.	1.3	178
5	Transcranial Direct Current Stimulation Enhances Cognitive Control During Emotion Regulation. Brain Stimulation, 2014, 7, 105-112.	1.6	165
6	Association of the G1947A COMT (Val108/158Met) gene polymorphism with prefrontal P300 during information processing. Biological Psychiatry, 2003, 54, 40-48.	1.3	160
7	Electroconvulsive therapy-induced brain plasticity determines therapeutic outcome in mood disorders. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 1156-1161.	7.1	141
8	Two-Year Outcome of Vagus Nerve Stimulation in Treatment-Resistant Depression. Journal of Clinical Psychopharmacology, 2010, 30, 273-281.	1.4	137
9	Positive predictors for antidepressive response to prefrontal repetitive transcranial magnetic stimulation (rTMS). Journal of Psychiatric Research, 2007, 41, 395-403.	3.1	136
10	Frontal and Temporal Dysfunction of Auditory Stimulus Processing in Schizophrenia. NeuroImage, 2002, 17, 110-127.	4.2	129
11	Metabolic alterations in the dorsolateral prefrontal cortex after treatment with high-frequency repetitive transcranial magnetic stimulation in patients with unipolar major depression. Journal of Psychiatric Research, 2007, 41, 606-615.	3.1	121
12	Cognitive function over the treatment course of depression in middle-aged patients: correlation with brain MRI signal hyperintensities. Journal of Psychiatric Research, 2005, 39, 129-135.	3.1	114
13	GABA in the insula â€" a predictor of the neural response to interoceptive awareness. NeuroImage, 2014, 86, 10-18.	4.2	110
14	Early life stress modulates amygdalaâ€prefrontal functional connectivity: Implications for oxytocin effects. Human Brain Mapping, 2014, 35, 5328-5339.	3.6	106
15	No Effects of Slow Oscillatory Transcranial Direct Current Stimulation (tDCS) on Sleep-Dependent Memory Consolidation in Healthy Elderly Subjects. Brain Stimulation, 2013, 6, 938-945.	1.6	102
16	Abnormal Cingulate and Prefrontal Cortical Neurochemistry in Major Depression After Electroconvulsive Therapy. Biological Psychiatry, 2011, 69, 772-779.	1.3	92
17	Different patterns of local field potentials from limbic DBS targets in patients with major depressive and obsessive compulsive disorder. Molecular Psychiatry, 2014, 19, 1186-1192.	7.9	92
18	Cognitive-Behavioral Therapy as Continuation Treatment to Sustain Response After Electroconvulsive Therapy in Depression: A Randomized Controlled Trial. Biological Psychiatry, 2014, 76, 194-202.	1.3	91

#	Article	IF	Citations
19	Antidepressant effects after short-term and chronic stimulation of the subgenual cingulate gyrus in treatment-resistant depression. Experimental Neurology, 2013, 249, 160-168.	4.1	90
20	Glutamate as a spectroscopic marker of hippocampal structural plasticity is elevated in long-term euthymic bipolar patients on chronic lithium therapy and correlates inversely with diurnal cortisol. Molecular Psychiatry, 2009, 14, 696-704.	7.9	88
21	The role of early emotional neglect in alexithymia.. Psychological Trauma: Theory, Research, Practice, and Policy, 2013, 5, 225-232.	2.1	88
22	X-linked dominant Charcotâ€“Marieâ€“Tooth neuropathy: clinical, electrophysiological, and morphological phenotype in four families with different connexin32 mutations. Journal of the Neurological Sciences, 1999, 167, 90-101.	0.6	85
23	Association of the met66 allele of brain-derived neurotrophic factor (BDNF) with smoking. Psychopharmacology, 2007, 190, 433-439.	3.1	85
24	Early life stress modulates oxytocin effects on limbic system during acute psychosocial stress. Social Cognitive and Affective Neuroscience, 2014, 9, 1828-1835.	3.0	80
25	Antidepressant electroconvulsive therapy: Mechanism of action, recent advances and limitations. Experimental Neurology, 2009, 219, 20-26.	4.1	78
26	Working memory-related frontal theta activity is decreased under acute stress. Psychoneuroendocrinology, 2014, 43, 105-113.	2.7	76
27	Mineralocorticoid Receptor Stimulation Improves Cognitive Function and Decreases Cortisol Secretion in Depressed Patients and Healthy Individuals. Neuropsychopharmacology, 2015, 40, 386-393.	5.4	76
28	Interoception in insula subregions as a possible state marker for depressionÃ¢â‚¬â€an exploratory fMRI study investigating healthy, depressed and remitted participants. Frontiers in Behavioral Neuroscience, 2015, 9, 82.	2.0	70
29	Abnormal Hippocampal Neurochemistry in Smokers. Journal of Clinical Psychopharmacology, 2007, 27, 80-84.	1.4	68
30	Gray matter abnormalities in patients with narcissistic personality disorder. Journal of Psychiatric Research, 2013, 47, 1363-1369.	3.1	68
31	Persistent dysfunctional frontal lobe activation in former smokers. Psychopharmacology, 2006, 186, 191-200.	3.1	67
32	Oxytocin improves mentalizing â€“ Pronounced effects for individuals with attenuated ability to empathize. Psychoneuroendocrinology, 2015, 53, 223-232.	2.7	67
33	Brain-derived neurotrophic factor serum concentrations in depressive patients during vagus nerve stimulation and repetitive transcranial magnetic stimulation. Psychopharmacology, 2006, 187, 56-59.	3.1	66
34	Gender-Dependent Association of the Functional Catechol-O-Methyltransferase Val158Met Genotype with Sensation Seeking Personality Trait. Neuropsychopharmacology, 2007, 32, 1950-1955.	5.4	66
35	Patterns of response to repetitive transcranial magnetic stimulation (rTMS) in major depression: Replication study in drug-free patients. Journal of Affective Disorders, 2008, 108, 59-70.	4.1	65
36	Causal Influence of Articulatory Motor Cortex on Comprehending Single Spoken Words: TMS Evidence: Figure 1.. Cerebral Cortex, 2015, 25, 3894-3902.	2.9	61

#	Article	IF	Citations
37	Effects of right unilateral electroconvulsive therapy on motor cortical excitability in depressive patients. Journal of Psychiatric Research, 2006, 40, 322-327.	3.1	60
38	Amygdalaâ€“Hippocampal Connectivity Changes During Acute Psychosocial Stress: Joint Effect of Early Life Stress and Oxytocin. Neuropsychopharmacology, 2015, 40, 2736-2744.	5.4	60
39	Deep brain stimulation of the subcallosal cingulate gyrus in patients with treatment-resistant depression: A double-blinded randomized controlled study and long-term follow-up in eight patients. Journal of Affective Disorders, 2018, 227, 521-529.	4.1	58
40	Frontal midline theta oscillations during mental arithmetic: effects of stress. Frontiers in Behavioral Neuroscience, 2015, 9, 96.	2.0	57
41	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2021, 90, 403-414.	8.8	57
42	Transcranial direct current stimulation of the prefrontal cortex. NeuroReport, 2014, 25, 480-484.	1.2	54
43	Effects of Empathic Paraphrasing â€“ Extrinsic Emotion Regulation in Social Conflict. Frontiers in Psychology, 2012, 3, 482.	2.1	50
44	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. European Neuropsychopharmacology, 2019, 29, 501-508.	0.7	50
45	Neural mechanisms underlying the integration of emotion and working memory. NeuroImage, 2012, 61, 1188-1194.	4.2	49
46	A perfect match: noninvasive brain stimulation and psychotherapy. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 27-33.	3.2	49
47	Association between cerebral glutamate and human behaviour: The sensation seeking personality trait. NeuroImage, 2007, 34, 671-678.	4.2	47
48	Nerve growth factor serum concentrations in healthy human volunteers: physiological variance and stability. Neuroscience Letters, 2003, 344, 13-16.	2.1	46
49	Modulation of Beta-Band Activity in the Subgenual Anterior Cingulate Cortex during Emotional Empathy in Treatment-Resistant Depression. Cerebral Cortex, 2016, 26, 2626-2638.	2.9	46
50	PsychotherapyPlus: augmentation of cognitive behavioral therapy (CBT) with prefrontal transcranial direct current stimulation (tDCS) in major depressive disorderâ€”study design and methodology of a multicenter double-blind randomized placebo-controlled trial. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 797-808.	3.2	46
51	Mental health in refugees and asylum seekers (MEHIRA): study design and methodology of a prospective multicentre randomized controlled trail investigating the effects of a stepped and collaborative care model. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 95-106.	3.2	45
52	Deep brain stimulation of the posterior gyrus rectus region for treatment resistant depression. Journal of Affective Disorders, 2016, 194, 33-37.	4.1	44
53	Prefrontal transcranial direct current stimulation (tDCS) as treatment for major depression: study design and methodology of a multicenter triple blind randomized placebo controlled trial (DepressionDC). European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 751-766.	3.2	44
54	Region-specific glutamate changes in patients with unipolar depression. Journal of Psychiatric Research, 2012, 46, 1059-1065.	3.1	43

#	Article	IF	Citations
55	Improve hip fracture outcome in the elderly patient (iHOPE): a study protocol for a pragmatic, multicentre randomised controlled trial to test the efficacy of spinal versus general anaesthesia. BMJ Open, 2018, 8, e023609.	1.9	42
56	Antidepressant and neurocognitive effects of serial ketamine administration versus ECT in depressed patients. Journal of Psychiatric Research, 2020, 123, 1-8.	3.1	41
57	Repetitive transcranial magnetic stimulation of the dorsolateral prefrontal cortex and cortical excitability in patients with major depressive disorder. Experimental Neurology, 2005, 196, 332-338.	4.1	40
58	Spontaneous activity in default-mode network predicts ascription of self-relatedness to stimuli. Social Cognitive and Affective Neuroscience, 2016, 11, 693-702.	3.0	40
59	Interaction of Early Life Stress and Corticotropin-Releasing Hormone Receptor Gene: Effects on Working Memory. Biological Psychiatry, 2014, 76, 888-894.	1.3	39
60	Genetic Variations of the NR3A Subunit of the NMDA Receptor Modulate Prefrontal Cerebral Activity in Humans. Journal of Cognitive Neuroscience, 2007, 19, 59-68.	2.3	38
61	Diurnal coupling between testosterone and cortisol from adolescence to older adulthood. Psychoneuroendocrinology, 2016, 73, 79-90.	2.7	38
62	Mental health in Europe's Syrian refugee crisis. Lancet Psychiatry,the, 2016, 3, 315-317.	7.4	38
63	Psychological distress among refugees in Germany: a cross-sectional analysis of individual and contextual risk factors and potential consequences for integration using a nationally representative survey. BMJ Open, 2020, 10, e033658.	1.9	38
64	Prevalence of depressive symptoms and symptoms of post-traumatic stress disorder among newly arrived refugees and asylum seekers in Germany: systematic review and meta-analysis. BJPsych Open, 2021, 7, e93.	0.7	38
65	Perceived stigmatization and discrimination of people with mental illness: A survey-based study of the general population in five metropolitan cities in India. Indian Journal of Psychiatry, 2018, 60, 24.	0.7	38
66	Cerebrovascular reactivity over time course in healthy subjects. Journal of the Neurological Sciences, 2006, 249, 135-139.	0.6	36
67	Repetitive magnetic stimulation of human-derived neuron-like cells activates cAMP-CREB pathway. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 87-91.	3.2	35
68	Anxiety during ketamine infusions is associated with negative treatment responses in major depressive disorder. European Neuropsychopharmacology, 2019, 29, 529-538.	0.7	35
69	Abnormalities of Inhibitory Neuronal Mechanisms in the Motor Cortex of Patients with Schizophrenia. Pharmacopsychiatry, 2004, 37, 74-80.	3.3	34
70	Effects of 3 different stimulus intensities of ultrabrief stimuli in right unilateral electroconvulsive therapy in major depression: A randomized, double-blind pilot study. Journal of Psychiatric Research, 2011, 45, 174-178.	3.1	34
71	External awareness and GABA-A multimodal imaging study combining fMRI and [¹⁸F]flumazenil-PET. Human Brain Mapping, 2014, 35, 173-184.	3.6	34
72	No Association of a Functional Polymorphism in the Serotonin Transporter Gene Promoter and Anxiety-Related Personality Traits. Neuropsychobiology, 2004, 49, 182-184.	1.9	33

#	Article	IF	Citations
73	P300 is enhanced in responders to vagus nerve stimulation for treatment of major depressive disorder. Journal of Affective Disorders, 2007, 100, 123-128.	4.1	33
74	Efficacy of vagus nerve stimulation in the treatment of depression. Expert Review of Neurotherapeutics, 2010, 10, 87-92.	2.8	33
75	Application of Transcranial Direct Current Stimulation in Psychiatry. Neuropsychobiology, 2020, 79, 372-383.	1.9	33
76	P11 promoter methylation predicts the antidepressant effect of electroconvulsive therapy. Translational Psychiatry, 2018, 8, 25.	4.8	32
77	Association of human hippocampal neurochemistry, serotonin transporter genetic variation, and anxiety. NeuroImage, 2005, 26, 123-131.	4.2	30
78	Aberrant working memory processing in major depression: evidence from multivoxel pattern classification. Neuropsychopharmacology, 2018, 43, 1972-1979.	5.4	29
79	Acute prefrontal cortex transcranial magnetic stimulation in healthy volunteers: No effects on brain-derived neurotrophic factor (BDNF) concentrations in serum. Journal of Affective Disorders, 2008, 107, 255-258.	4.1	28
80	Gender-dependent Association of a Functional NGF Polymorphism with Anxiety-related Personality Traits. Pharmacopsychiatry, 2008, 41, 196-199.	3.3	28
81	Talking about social conflict in the MRI scanner: Neural correlates of being empathized with. NeuroImage, 2014, 84, 951-961.	4.2	28
82	Cerebrovascular reactivity in depressed patients without vascular risk factors. Journal of Psychiatric Research, 2008, 42, 78-82.	3.1	27
83	Processing of emotional stimuli is reflected by modulations of beta band activity in the subgenual anterior cingulate cortex in patients with treatment resistant depression. Social Cognitive and Affective Neuroscience, 2016, 11, 1290-1298.	3.0	27
84	Effects of exposure to electromagnetic fields emitted by GSM 900 and WCDMA mobile phones on cognitive function in young male subjects. Bioelectromagnetics, 2011, 32, 179-190.	1.6	26
85	Lateralized effects of prefrontal repetitive transcranial magnetic stimulation on emotional working memory. Experimental Brain Research, 2013, 227, 43-52.	1.5	26
86	How emotional abilities modulate the influence of early life stress on hippocampal functioning. Social Cognitive and Affective Neuroscience, 2014, 9, 1038-1045.	3.0	26
87	Effects of empathic social responses on the emotions of the recipient. Brain and Cognition, 2016, 103, 50-61.	1.8	26
88	No Effect of Cathodal Transcranial Direct Current Stimulation on Fear Memory in Healthy Human Subjects. Brain Sciences, 2016, 6, 55.	2.3	25
89	The interaction of corticotropin-releasing hormone receptor gene and early life stress on emotional empathy. Behavioural Brain Research, 2017, 329, 180-185.	2.2	25
90	The beneficial effect of oxytocin on avoidance-related facial emotion recognition depends on early life stress experience. Psychopharmacology, 2014, 231, 4735-4744.	3.1	24

#	Article	IF	Citations
91	Interaction of HPA axis genetics and early life stress shapes emotion recognition in healthy adults. Psychoneuroendocrinology, 2019, 99, 28-37.	2.7	23
92	Stimulus Pulse-Frequency-Dependent Efficacy and Cognitive Adverse Effects of Ultrabrief-Pulse Electroconvulsive Therapy in Patients With Major Depression. Journal of ECT, 2011, 27, 109-113.	0.6	22
93	Mindfulness-based group therapy for in-patients with schizophrenia spectrum disorders â€“ Feasibility, acceptability, and preliminary outcomes of a rater-blinded randomized controlled trial. Schizophrenia Research, 2021, 228, 134-144.	2.0	22
94	A qualitative study on resilience in adult refugees in Germany. BMC Public Health, 2021, 21, 828.	2.9	22
95	Effectiveness and cost-effectiveness for the treatment of depressive symptoms in refugees and asylum seekers: A multi-centred randomized controlled trial. Lancet Regional Health - Europe, The, 2022, 19, 100413.	5.6	22
96	The role of emotion regulation as a mediator between early life stress and posttraumatic stress disorder, depression and anxiety in Syrian refugees. Translational Psychiatry, 2020, 10, 371.	4.8	21
97	State-Dependent Effects of Prefrontal Repetitive Transcranial Magnetic Stimulation on Emotional Working Memory. Brain Stimulation, 2013, 6, 905-912.	1.6	20
98	Talking about Emotion: Prosody and Skin Conductance Indicate Emotion Regulation. Frontiers in Psychology, 2013, 4, 260.	2.1	20
99	Differential effects of early life stress on hippocampus and amygdala volume as a function of emotional abilities. Hippocampus, 2014, 24, 1094-1101.	1.9	20
100	Mindfulness-Based Interventions for In-Patients With Schizophrenia Spectrum Disordersâ€”A Qualitative Approach. Frontiers in Psychiatry, 2020, 11, 600.	2.6	20
101	On Perceived Stress and Social Support: Depressive, Anxiety and Trauma-Related Symptoms in Arabic-Speaking Refugees in Jordan and Germany. Frontiers in Public Health, 2020, 8, 239.	2.7	19
102	Effects of intranasal oxytocin prior to encoding and retrieval on recognition memory. Psychopharmacology, 2013, 227, 321-329.	3.1	18
103	Efficacy of Augmentation of Cognitive Behavioral Therapy With Transcranial Direct Current Stimulation for Depression. JAMA Psychiatry, 2022, 79, 528.	11.0	18
104	Stigma of Mental Illness in Germans and Turkish Immigrants in Germany: The Effect of Causal Beliefs. Frontiers in Psychiatry, 2019, 10, 46.	2.6	16
105	Gray matter volume of rostral anterior cingulate cortex predicts rapid antidepressant response to ketamine. European Neuropsychopharmacology, 2021, 43, 63-70.	0.7	16
106	Motor Cortex Excitability After Vagus Nerve Stimulation in Major Depression. Journal of Clinical Psychopharmacology, 2007, 27, 156-159.	1.4	15
107	Ketamine specifically reduces cognitive symptoms in depressed patients: An investigation of associated neural activation patterns. Journal of Psychiatric Research, 2021, 136, 402-408.	3.1	15
108	REM sleep behavior disorder and excessive startle reaction to visual stimuli in a patient with pontine lesions. Sleep Medicine, 2008, 9, 697-700.	1.6	14

#	Article	IF	Citations
109	Variation in the corticotropin-releasing hormone receptor 1 (CRHR1) gene modulates age effects on working memory. Journal of Psychiatric Research, 2015, 61, 57-63.	3.1	14
110	Aberrant Long-Range Temporal Correlations in Depression Are Attenuated after Psychological Treatment. Frontiers in Human Neuroscience, 2017, 11, 340.	2.0	14
111	Dorsal and Ventral Posterior Cingulate Cortex Switch Network Assignment via Changes in Relative Functional Connectivity Strength to Noncanonical Networks. Brain Connectivity, 2019, 9, 77-94.	1.7	14
112	Attitude toward psychiatrists and psychiatric medication: A survey from five metropolitan cities in India. Indian Journal of Psychiatry, 2017, 59, 341.	0.7	14
113	Echoes of Affective Stimulation in Brain connectivity Networks. Cerebral Cortex, 2018, 28, 4365-4378.	2.9	13
114	Psychotherapy in Jordan: An Investigation of the Host and Syrian Refugee Communityâ€™s Perspectives. Frontiers in Psychiatry, 2019, 10, 556.	2.6	13
115	Prefrontal cortex glutamate and extraversion. Social Cognitive and Affective Neuroscience, 2012, 7, 811-818.	3.0	12
116	Differential Effects of Electroconvulsive Therapy in the Treatment of Major Depressive Disorder. Neuropsychobiology, 2020, 79, 408-416.	1.9	12
117	Effects of Mindfulness Training on Emotion Regulation in Patients With Depression: Reduced Dorsolateral Prefrontal Cortex Activation Indexes Early Beneficial Changes. Psychosomatic Medicine, 2021, 83, 579-591.	2.0	12
118	Memory Enhancement and Deep-Brain Stimulation of the Entorhinal Area. New England Journal of Medicine, 2012, 366, 1945-1946.	27.0	11
119	Self-Specific Stimuli Interact Differently than Non-Self-Specific Stimuli with Eyes-Open Versus Eyes-Closed Spontaneous Activity in Auditory Cortex. Frontiers in Human Neuroscience, 2013, 7, 437.	2.0	11
120	Validation of the German Version of the Southampton Mindfulness Questionnaire (SMQ). Mindfulness, 2020, 11, 2219-2234.	2.8	11
121	Faith-Based Coping Among Arabic-Speaking Refugees Seeking Mental Health Services in Berlin, Germany: An Exploratory Qualitative Study. Frontiers in Psychiatry, 2021, 12, 595979.	2.6	11
122	The Relationship Between Mindfulness, Depression, Anxiety, and Quality of Life in Individuals With Schizophrenia Spectrum Disorders. Frontiers in Psychology, 2021, 12, 708808.	2.1	11
123	Music in depression: Neural correlates of emotional experience in remitted depression. World Journal of Psychiatry, 2013, 3, 8.	2.7	11
124	The influence of daytime napping versus controlled activity on the subjective well-being of patients with major depression. Psychiatry Research, 2012, 200, 368-373.	3.3	10
125	Encoding-related EEG oscillations during memory formation are modulated by mood state. Social Cognitive and Affective Neuroscience, 2014, 9, 1934-1941.	3.0	10
126	The neural correlates of emotion alignment in social interaction. Social Cognitive and Affective Neuroscience, 2015, 10, 435-443.	3.0	10

#	Article	IF	Citations
127	Using routine MRI data of depressed patients to predict individual responses to electroconvulsive therapy. Experimental Neurology, 2021, 335, 113505.	4.1	10
128	Resolving heterogeneity in transcranial electrical stimulation efficacy for attention deficit hyperactivity disorder. Experimental Neurology, 2021, 337, 113586.	4.1	10
129	Therapeutic Brain Stimulation and Cortical Excitability in Depressed Patients. American Journal of Psychiatry, 2005, 162, 2192-a-2193.	7.2	9
130	Interictal Slow-Wave Focus in Left Medial Temporal Lobe during Bilateral Electroconvulsive Therapy. Neuropsychobiology, 2005, 52, 183-189.	1.9	9
131	Ultrahigh Frequency Repetitive Transcranial Magnetic Stimulation in Unipolar Depression. Journal of Clinical Psychopharmacology, 2008, 28, 474-476.	1.4	9
132	Prevalences of mental distress and its associated factors in unaccompanied refugee minors in Germany. European Child and Adolescent Psychiatry, 2023, 32, 1211-1217.	4.7	9
133	Chapter 43 Motorcortical excitability after electroconvulsive therapy in patients with major depressive disorder. Supplements To Clinical Neurophysiology, 2003, 56, 433-440.	2.1	8
134	Motor Cortical Excitability in Depressive Patients After Electroconvulsive Therapy and Repetitive Transcranial Magnetic Stimulation. Journal of ECT, 2005, 21, 243-245.	0.6	8
135	Assessment of Age-related Changes in Cognitive Functions Using EmoCogMeter, a Novel Tablet-computer Based Approach. Journal of Visualized Experiments, 2014, , e50942.	0.3	8
136	Work-related social support modulates effects of early life stress on limbic reactivity during stress. Brain Imaging and Behavior, 2018, 12, 1405-1418.	2.1	7
137	DNA Methylation of the t-PA Gene Differs Between Various Immune Cell Subtypes Isolated From Depressed Patients Receiving Electroconvulsive Therapy. Frontiers in Psychiatry, 2020, 11, 571.	2.6	7
138	Mental Health and Integration: A Qualitative Study on the Struggles of Recently Arrived Refugees in Germany. Frontiers in Public Health, 2021, 9, 576481.	2.7	7
139	Early-Life stress modulates neural networks associated with habitual use of reappraisal. Behavioural Brain Research, 2018, 337, 210-217.	2.2	6
140	Inhibition of monoamine oxidase activity by repetitive transcranial magnetic stimulation: implications for inter-train interval and frequency. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 119-126.	3.2	6
141	The Influence of Reward on Facial Mimicry: No Evidence for a Significant Effect of Oxytocin. Frontiers in Behavioral Neuroscience, 2020, 14, 88.	2.0	6
142	Nerve growth factor response to excitotoxic lesion of the cholinergic basal forebrain is slightly impaired in aged rats. Journal of Neural Transmission, 2003, 110, 627-639.	2.8	5
143	Electroconvulsive Therapy for Depression. New England Journal of Medicine, 2008, 358, 645-646.	27.0	5
144	Stimulating the brain to treat depression. Experimental Neurology, 2009, 219, 1.	4.1	5

#	Article	IF	Citations
145	Exploring the Representation of Depressive Symptoms and the Influence of Stigma in Arabic-Speaking Refugee Outpatients. Frontiers in Psychiatry, 2020, 11, 579057.	2.6	5
146	Psychotherapy in the Kurdistan region of Iraq (KRI): Preferences and expectations of the Kurdish host community, internally displaced- and Syrian refugee community. International Journal of Social Psychiatry, 2022, 68, 346-353.	3.1	5
147	A symptom-based approach in predicting ECT outcome in depressed patients employing MADRS single items. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1275-1284.	3.2	5
148	Transcranial Direct Current Stimulation (tDCS) for major depression â€“ Interim analysis of cloud supervised technical data from the DepressionDC trial. Brain Stimulation, 2021, 14, 1234-1237.	1.6	5
149	Long-Term Outcome of Vagus Nerve Stimulation in Rapid-Cycling Bipolar Disorder. Journal of Clinical Psychiatry, 2006, 67, 837-838.	2.2	5
150	Cerebral Blood Flow during Vagus Nerve Stimulation â€“ a Transcranial Doppler Study. Neuropsychobiology, 2005, 51, 265-268.	1.9	4
151	Clozapine in Medication- and Electroconvulsive Therapy-Resistant, Depressed Inpatients. Journal of Clinical Psychopharmacology, 2007, 27, 715-717.	1.4	4
152	Examining the effect of Early Life Stress on autonomic and endocrine indicators of individual stress reactivity. Neurobiology of Stress, 2019, 10, 100142.	4.0	4
153	A Central Clearing Clinic to Provide Mental Health Services for Refugees in Germany. Frontiers in Public Health, 2021, 9, 635474.	2.7	4
154	Evidence and expert consensus based German guidelines for the use of repetitive transcranial magnetic stimulation in depression. World Journal of Biological Psychiatry, 2022, 23, 327-348.	2.6	4
155	Vagus Nerve Stimulation Improves Restless Legs Syndrome Associated With Major Depression. Journal of Clinical Psychiatry, 2007, 68, 635-636.	2.2	4
156	The interplay of genetic and environmental factors in shaping well-being across the lifespan: Evidence from the serotonin transporter gene. Aging and Mental Health, 2018, 22, 1222-1228.	2.8	3
157	The influence of early life stress on the integration of emotion and working memory. Behavioural Brain Research, 2018, 339, 179-185.	2.2	3
158	Nerve growth factor (NGF) serum concentrations in healthy human volunteers: Physiological variance and stability. Pharmacopsychiatry, 2003, 36, .	3.3	3
159	Mental Health Determinants Among a Psychiatric Outpatient Sample of Vietnamese Migrants in Germany. Frontiers in Psychiatry, 2020, 11, 580103.	2.6	3
160	The Relationship Between the Recognition of Basic Emotions and Negative Symptoms in Individuals With Schizophrenia Spectrum Disorders â€“ An Exploratory Study. Frontiers in Psychiatry, 2022, 13, 865226.	2.6	3
161	Light-Dependent Effects of Prefrontal rTMS on Emotional Working Memory. Brain Sciences, 2021, 11, 446.	2.3	2
162	Development of a culturally sensitive Arabic version of the Mini International Neuropsychiatric Interview (M.I.N.I.-AR) and validation of the depression module. International Journal of Mental Health Systems, 2021, 15, 24.	2.7	2

#	Article	IF	Citations
163	EffECTively Treating Depression: A Pilot Study Examining Manualized Group CBT as Follow-Up Treatment After ECT. Frontiers in Psychology, 2021, 12, 723977.	2.1	2
164	Cortisol awakening reaction in depressed patients with and without early life stress. Pharmacopsychiatry, 2009, 42, .	3.3	2
165	Association of the G1947A COMT (Val108/158Met) gene polymorphism with prefrontal P300 during information processing. Pharmacopsychiatry, 2003, 36, .	3.3	2
166	Antidepressant Brain Stimulation Techniques. Current Psychiatry Reviews, 2008, 4, 209-218.	0.9	2
167	Electroconvulsive therapy for negative symptoms in schizophrenia: a literature review from 2000 to 2021. Current Psychology, 0, , 1.	2.8	1
168	Increasing sample diversity in psychiatric genetics â€“ Introducing a new cohort of patients with schizophrenia and controls from Vietnam â€“ Results from a pilot study. World Journal of Biological Psychiatry, 2022, 23, 219-227.	2.6	1
169	Editorial: The Nine Grand Challenges in Global Mental Health. Frontiers in Psychiatry, 2021, 12, 822299.	2.6	1
170	Stimulationsverfahren zur Behandlung von Depressionen. E-Neuroforum, 2006, 12, 184-189.	0.1	0
171	The paradox of electroconvulsive therapy. , 2011, , 321-331.		0
172	Pulse-Frequency and Antidepressant Efficacy in Electroconvulsive Therapy. Journal of ECT, 2012, 28, 142-143.	0.6	0
173	Reply to: Continuation Antidepressant Strategies After Electroconvulsive Therapy: Ultrabrief Pulse Versus Cognitive-Behavioral Therapy. Biological Psychiatry, 2015, 77, e9.	1.3	0
174	O47. Anxiety During Ketamine Infusions Predicts Negative Treatment Responses in Patients With Major Depression. Biological Psychiatry, 2018, 83, S128.	1.3	0
175	Determination of predictors of twelve treatments (four weeks) outcome of titrated moderately suprathreshold (low dose) right unilateral (RUL) electroconvulsive therapy (ECT) in depression: a two year retrospective analysis. Pharmacopsychiatry, 2003, 36, .	3.3	0
176	EEG source localization during postictal delirium following electroconvulsive therapy. Pharmacopsychiatry, 2003, 36, .	3.3	0
177	Altered cortical inhibition after electroconvulsive therapy (ECT), repetitive transcranial magnetic stimulation (rTMS) and vagus nerve stimulation (VNS). Pharmacopsychiatry, 2003, 36, .	3.3	0
178	Impaired cortical inhibition in patients with unipolar major depression: evidence from transcranial magnetic stimulation of the motor cortex. Pharmacopsychiatry, 2005, 38, .	3.3	0
179	Effects of smoking history on cortical activation patterns during target detection. Pharmacopsychiatry, 2005, 38, .	3.3	0
180	3T-Spectroscopy in the hippocampus and cognitive status of lithium-treated euthymic bipolar patients. Pharmacopsychiatry, 2005, 38, .	3.3	0

#	Article	IF	Citations
181	Abnormal cingular neurochemistry in patients with major depression: Evidence from 3 tesla proton magnetic resonance spectroscopy (1H-MRS). Pharmacopsychiatry, 2005, 38, .	3.3	0
182	Efficacy of levetiracetam in the treatment of restless legs syndrome (Keppra-RLS-Study). Pharmacopsychiatry, 2005, 38, .	3.3	0
183	Metabolite levels in the dorsolateral prefrontal cortex and anterior cingulum of patients with major depression. Comparism with healthy controls and follow-up after a 4-week naturalistic treatment period. Pharmacopsychiatry, 2009, 42, .	3.3	0
184	Deep brain stimulation of the anterior subgenual cingulate (Cg 25) in treatment-resistant depression. Pharmacopsychiatry, 2009, 42, .	3.3	0
185	rTMS as add-on to escitalopram: a way to enhance antidepressant response? A randomized, placebo controlled trial. Pharmacopsychiatry, 2009, 42, .	3.3	0
186	Emotionalcognitive processing and brain metabolism after pharmacological challenge with ketamine. Pharmacopsychiatry, 2011, 44, .	3.3	0
187	Unipolare Depressionen. , 2017, , 81-96.		0
188	Psychiatrische Erkrankungen. , 2007, , 297-303.		0
189	Transformation towards precision psychiatry. Experimental Neurology, 2022, 349, 113955.	4.1	0
190	The relationship between mindfulness, depression, anxiety, and quality of life in individuals with schizophrenia spectrum disorders. European Psychiatry, 2021, 64, S786-S786.	0.2	0
191	Mindfulness-based group therapy for inpatients with schizophrenia spectrum disorders â€“ feasibility, acceptability, and preliminary outcomes of a rater-blinded randomized controlled trial. European Psychiatry, 2021, 64, S805-S806.	0.2	0
192	Perceived Course of Illness on the Desire for Social Distance From People Suffering From Symptoms of Schizophrenia in India. Frontiers in Psychiatry, 2022, 13, .	2.6	0