

Toshiaki Sato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2429467/publications.pdf>

Version: 2024-02-01

11
papers

144
citations

1478505

6
h-index

1372567

10
g-index

11
all docs

11
docs citations

11
times ranked

231
citing authors

#	ARTICLE	IF	CITATIONS
1	Remote Management of Pacemaker Patients With Biennial In-Clinic Evaluation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e007734.	4.8	46
2	Performance of Leadless Pacemaker in Japanese Patients vs. Rest of the World—Results From a Global Clinical Trial. <i>Circulation Journal</i> , 2017, 81, 1589-1595.	1.6	29
3	Epicardial Catheter Ablation of Ventricular Tachycardia in No Entry Left Ventricle. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015, 8, 381-389.	4.8	22
4	Deep Negative Deflection in Unipolar His-Bundle Electrogram as a Predictor of Excellent His-Bundle Pacing Threshold Postimplant. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e007415.	4.8	11
5	Safety of Distal His Bundle Pacing Via the Right Ventricle Backed Up by Adjacent Ventricular Capture. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 513-521.	3.2	11
6	Subclinical cardiac perforation caused by a Micra leadless pacemaker. <i>Journal of Arrhythmia</i> , 2018, 34, 326-328.	1.2	7
7	Reducing radiation exposure during atrial fibrillation ablation using lectures to promote awareness. <i>Open Heart</i> , 2019, 6, e000982.	2.3	7
8	Idiopathic Ventricular Arrhythmia Ablation Using Non-Fluoroscopic Catheter Visualization System. <i>International Heart Journal</i> , 2019, 60, 78-85.	1.0	7
9	Thoracic impedance as a therapeutic marker of acute decompensated heart failure. <i>International Journal of Cardiology</i> , 2014, 174, 840-842.	1.7	2
10	Left Atrial Reverse Remodeling Following the Modified Box Isolation with Centerline in Patients with Persistent Atrial Fibrillation. <i>International Heart Journal</i> , 2021, 62, 1005-1011.	1.0	2
11	Assessing the perforation site of cardiac tamponade during radiofrequency catheter ablation using gas analysis of pericardial effusion. <i>Heart Rhythm O2</i> , 2020, 1, 268-274.	1.7	0