

# Michael Bouvet

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2435612/publications.pdf>

Version: 2024-02-01

444  
papers

13,175  
citations

17429

63  
h-index

43868

91  
g-index

449  
all docs

449  
docs citations

449  
times ranked

11243  
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid intraoperative perfusion assessment of parathyroid adenomas with ICG using a wide-field portable hand-held fluorescence imaging system. American Journal of Surgery, 2022, 223, 686-693.	0.9	7
2	Monocytes engineered with <sc>iSNAP</sc> inhibit human <sc>Bâ€lymphoma</sc> progression. Bioengineering and Translational Medicine, 2022, 7, .	3.9	3
3	Fluorescence Molecular Targeting of Colon Cancer to Visualize the Invisible. Cells, 2022, 11, 249.	1.8	14
4	High Incidence of Lymph-node Metastasis in a Pancreatic-cancer Patient-derived Orthotopic Xenograft (PDOX) NOG-Mouse Model. Anticancer Research, 2022, 42, 739-743.	0.5	1
5	Oral-recombinant Methioninase Converts an Osteosarcoma from Methotrexate-resistant to -sensitive in a Patient-derived Orthotopic-xenograft (PDOX) Mouse Model. Anticancer Research, 2022, 42, 731-737.	0.5	8
6	Selective tumor targeting with a fluorescent MUC4 antibody in a patient derived pancreatic cancer xenograft mouse model. , 2022, , .		0
7	Depletion of transmembrane mucin 4 (Muc4) alters intestinal homeostasis in a genetically engineered mouse model of colorectal cancer. Aging, 2022, 14, 2025-2046.	1.4	11
8	Color-coded double labeling of colon-cancer liver metastasis and the adjacent liver segment with a tumor-specific fluorescent antibody and indocyanine green. , 2022, , .		0
9	Linkage of methionine addiction, histone lysine hypermethylation, and malignancy. IScience, 2022, 25, 104162.	1.9	14
10	Fluorescent Anti-MUC5AC Brightly Targets Pancreatic Cancer in a Patient-derived Orthotopic Xenograft. In Vivo, 2022, 36, 57-62.	0.6	5
11	The price is right: Routine fluorescent cholangiography during laparoscopic cholecystectomy. Surgery, 2022, 171, 1168-1176.	1.0	9
12	Extent and Instability of Trimethylation of Histone H3 Lysine Increases With Degree of Malignancy and Methionine Addiction. Cancer Genomics and Proteomics, 2022, 19, 12-18.	1.0	14
13	Deletion of <i>MTAP</i> Highly Sensitizes Osteosarcoma Cells to Methionine Restriction With Recombinant Methioninase. Cancer Genomics and Proteomics, 2022, 19, 299-304.	1.0	2
14	Fluorescent Anti-CEA Nanobody for Rapid Tumor-Targeting and Imaging in Mouse Models of Pancreatic Cancer. Biomolecules, 2022, 12, 711.	1.8	6
15	Anti-mucin 4 fluorescent antibody brightly targets colon cancer in patient-derived orthotopic xenograft mouse models: A proof-of-concept study for future clinical applications. American Journal of Surgery, 2022, 224, 1081-1085.	0.9	5
16	The First Mouse Model of Meckelâ€™s Diverticulum Carcinoma. In Vivo, 2022, 36, 1603-1607.	0.6	0
17	Non-invasively Imageable Tibia-tumor-fragment Implantation Experimental-bone-metastasis Mouse Model of GFP-expressing Prostate Cancer. In Vivo, 2022, 36, 1647-1650.	0.6	1
18	Obesity Strongly Promotes Growth of Mouse MC38 Colon Cancer in an Orthotopic-syngeneic C57BL/6 Mouse Model. In Vivo, 2022, 36, 1643-1646.	0.6	2

#	ARTICLE	IF	CITATIONS
19	It's not always too late: a case for minimally invasive salvage esophagectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 4700-4711.	1.3	4
20	A review of tumor-specific fluorescence-guided surgery for colorectal cancer. <i>Surgical Oncology</i> , 2021, 36, 84-90.	0.8	8
21	Multikinase-Inhibitor Screening in Drug-resistant Osteosarcoma Patient-derived Orthotopic Xenograft Mouse Models Identifies the Clinical Potential of Regorafenib. <i>Cancer Genomics and Proteomics</i> , 2021, 18, 637-643.	1.0	4
22	The First Mouse Model of Primary Osteosarcoma of the Breast. <i>In Vivo</i> , 2021, 35, 1979-1983.	0.6	8
23	Triple-Methyl Blockade With Recombinant Methioninase, Cycloleucine, and Azacitidine Arrests a Pancreatic Cancer Patient-Derived Orthotopic Xenograft Model. <i>Pancreas</i> , 2021, 50, 93-98.	0.5	11
24	Reversion from Methionine Addiction to Methionine Independence Results in Loss of Tumorigenic Potential of Highly-malignant Lung-cancer Cells. <i>Anticancer Research</i> , 2021, 41, 641-643.	0.5	5
25	The intratumor microbiome predicts prognosis across gender and subtypes in papillary thyroid carcinoma. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 1986-1997.	1.9	32
26	A Novel Procedure for Orthotopic Tibia Implantation for Establishment of a More Clinical Osteosarcoma PDOX Mouse Model. <i>In Vivo</i> , 2021, 35, 105-109.	0.6	7
27	A Patient-Derived Orthotopic Xenograft Model of Gastroesophageal-Junction Adenocarcinoma Translated to the Clinic by Tumor-Targeting Fluorescent Antibodies to Carcinoembryonic-Antigen-Related Cell-Adhesion Molecules. <i>In Vivo</i> , 2021, 35, 1959-1963.	0.6	3
28	Mucins, gut microbiota, and postbiotics role in colorectal cancer. <i>Gut Microbes</i> , 2021, 13, 1974795.	4.3	25
29	Combination Methionine-methylation-axis Blockade: A Novel Approach to Target the Methionine Addiction of Cancer. <i>Cancer Genomics and Proteomics</i> , 2021, 18, 113-120.	1.0	12
30	Unique Benefits of Tumor-Specific Nanobodies for Fluorescence Guided Surgery. <i>Biomolecules</i> , 2021, 11, 311.	1.8	7
31	Predictors and significance of histologic response to neoadjuvant therapy for gastric cancer. <i>Journal of Surgical Oncology</i> , 2021, 123, 1716-1723.	0.8	5
32	Oral recombinant methioninase combined with paclitaxel arrests recalcitrant ovarian clear cell carcinoma growth in a patient-derived orthotopic xenograft (PDOX) nude-mouse model. <i>Cancer Chemotherapy and Pharmacology</i> , 2021, 88, 61-67.	1.1	8
33	Oral-recombinant Methioninase Converts an Osteosarcoma from Docetaxel-resistant to -Sensitive in a Clinically-relevant Patient-derived Orthotopic-xenograft (PDOX) Mouse Model. <i>Anticancer Research</i> , 2021, 41, 1745-1751.	0.5	14
34	Eribulin Inhibits Osteosarcoma in a Clinically-accurate Bone-tumor-insertion PDOX Mouse Model. <i>Anticancer Research</i> , 2021, 41, 1779-1784.	0.5	4
35	Invited Commentary on "A Novel and Generic Workflow of Indocyanine Green Perfusion Assessment Integrating Standardization and Quantification Towards Clinical Implementation". <i>Annals of Surgery</i> , 2021, 274, e664.	2.1	1
36	Rapid tumor labeling kinetics with a site-specific near-infrared anti-CEA nanobody in a patient-derived orthotopic xenograft mouse model of colon cancer. <i>Journal of Surgical Oncology</i> , 2021, 124, 1121-1127.	0.8	11

#	ARTICLE	IF	CITATIONS
37	A Novel Color-Coded Liver Metastasis Mouse Model to Distinguish Tumor and Adjacent Liver Segment. <i>Journal of Surgical Research</i> , 2021, 264, 327-333.	0.8	8
38	The Combination of Cisplatin and Doxorubicin Regressed Primary Osteosarcoma of the Breast in a PDOX Mouse Model. <i>Anticancer Research</i> , 2021, 41, 4715-4718.	0.5	1
39	<i>Salmonella typhimurium</i> A1-R Exquisitely Targets and Arrests a Matrix-producing Triple-negative Breast Carcinoma in a PDOX Model. <i>In Vivo</i> , 2021, 35, 3067-3071.	0.6	1
40	Over-methylation of Histone H3 Lysines Is a Common Molecular Change Among the Three Major Types of Soft-tissue Sarcoma in Patient-derived Xenograft (PDX) Mouse Models. <i>Cancer Genomics and Proteomics</i> , 2021, 18, 715-721.	1.0	8
41	Spectrally Distinct Double Labeling of Colon-Cancer Liver Metastases and Adjacent Liver Segment with a Near-Infrared-labeled Anti-Carcinoembryonic Antigen (CEA) Antibody and Indocyanine Green in an Orthotopic Mouse Model. <i>Journal of the American College of Surgeons</i> , 2021, 233, S154.	0.2	2
42	Osteosarcoma Patient-derived Orthotopic Xenograft (PDOX) Models Used to Identify Novel and Effective Therapeutics: A Review. <i>Anticancer Research</i> , 2021, 41, 5865-5871.	0.5	13
43	Establishment of PANDA - a new human pancreatic ductal adenocarcinoma cell line with 3D cell culture technology. <i>Neoplasia</i> , 2021, , .	0.7	0
44	The Use of Fluorescent Anti-CEA Antibodies to Label, Resect and Treat Cancers: A Review. <i>Biomolecules</i> , 2021, 11, 1819.	1.8	8
45	Histone H3 lysine-trimethylation markers are decreased by recombinant methioninase and increased by methotrexate at concentrations which inhibit methionine-addicted osteosarcoma cell proliferation. <i>Biochemistry and Biophysics Reports</i> , 2021, 28, 101177.	0.7	3
46	The combination of oral-recombinant methioninase and azacitidine arrests a chemotherapy-resistant osteosarcoma patient-derived orthotopic xenograft mouse model. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 85, 285-291.	1.1	27
47	Novel targets identified by integrated cancer-stromal interactome analysis of pancreatic adenocarcinoma. <i>Cancer Letters</i> , 2020, 469, 217-227.	3.2	19
48	Combination of oral recombinant methioninase and decitabine arrests a chemotherapy-resistant undifferentiated soft-tissue sarcoma patient-derived orthotopic xenograft mouse model. <i>Biochemical and Biophysical Research Communications</i> , 2020, 523, 135-139.	1.0	15
49	PPAR $\beta$ Agonist Pioglitazone in Combination With Cisplatin Arrests a Chemotherapy-resistant Osteosarcoma PDOX Model. <i>Cancer Genomics and Proteomics</i> , 2020, 17, 35-40.	1.0	24
50	Indocyanine Green Labels an Orthotopic Nude-Mouse Model of Very-Early Colon-Cancer Liver Metastases. <i>In Vivo</i> , 2020, 34, 2277-2280.	0.6	6
51	Histone methylation status of H3K4me3 and H3K9me3 under methionine restriction is unstable in methionine-addicted cancer cells, but stable in normal cells. <i>Biochemical and Biophysical Research Communications</i> , 2020, 533, 1034-1038.	1.0	43
52	Fluorophore-conjugated <i>Helicobacter pylori</i> recombinant membrane protein (HopQ) labels primary colon cancer and metastases in orthotopic mouse models by binding CEA-related cell adhesion molecules. <i>Translational Oncology</i> , 2020, 13, 100857.	1.7	6
53	Osimertinib regressed an EGFR-mutant lung-adenocarcinoma bone-metastasis mouse model and increased long-term survival. <i>Translational Oncology</i> , 2020, 13, 100826.	1.7	6
54	Fluorescence-guided hepatobiliary surgery with long and short wavelength fluorophores. <i>Hepatobiliary Surgery and Nutrition</i> , 2020, 9, 615-639.	0.7	15

#	ARTICLE	IF	CITATIONS
55	Sutureless Surgical Orthotopic Implantation Technique of Primary and Metastatic Cancer in the Liver of Mouse Models. <i>In Vivo</i> , 2020, 34, 3153-3157.	0.6	5
56	Response of Triple-negative Breast Cancer Liver Metastasis to Oral Recombinant Methioninase in a Patient-derived Orthotopic Xenograft (PDOX) Model. <i>In Vivo</i> , 2020, 34, 3163-3169.	0.6	12
57	Ligation Method to Specifically Label a Liver Segment With Indocyanine Green in an Orthotopic Nude-Mouse Liver-Metastasis Model. <i>In Vivo</i> , 2020, 34, 3159-3162.	0.6	3
58	Oral recombinant methioninase increases TRAIL receptor-2 expression to regress pancreatic cancer in combination with agonist tigatuzumab in an orthotopic mouse model. <i>Cancer Letters</i> , 2020, 492, 174-184.	3.2	21
59	A Gemcitabine Plus 5-Fluorouracil Combination Inhibits Gastric-Cancer Liver Metastasis in a PDOX Model: A Novel Treatment Strategy. <i>Anticancer Research</i> , 2020, 40, 5393-5397.	0.5	4
60	Humanized Fluorescent Tumor-associated Glycoprotein-72 Antibody Selectively Labels Colon-cancer Liver Metastases in Orthotopic Mouse Models. <i>In Vivo</i> , 2020, 34, 2303-2307.	0.6	2
61	Ischemia reperfusion-induced metastasis is resistant to PPAR $\alpha$ agonist pioglitazone in a murine model of colon cancer. <i>Scientific Reports</i> , 2020, 10, 18565.	1.6	0
62	The future of tumour-specific fluorescence-guided surgery for pancreatic cancer. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 715-717.	3.7	3
63	Adjuvant Oral Recombinant Methioninase Inhibits Lung Metastasis in a Surgical Breast-Cancer Orthotopic Syngeneic Model. <i>Anticancer Research</i> , 2020, 40, 4869-4874.	0.5	7
64	Oral Methioninase Inhibits Recurrence in a PDOX Mouse Model of Aggressive Triple-negative Breast Cancer. <i>In Vivo</i> , 2020, 34, 2281-2286.	0.6	12
65	Oral Recombinant Methioninase Inhibits Diabetes Onset in Mice on a High-fat Diet. <i>In Vivo</i> , 2020, 34, 973-978.	0.6	6
66	Oral Recombinant Methioninase Prevents Nonalcoholic Fatty Liver Disease in Mice on a High Fat Diet. <i>In Vivo</i> , 2020, 34, 979-984.	0.6	7
67	Eribulin Regresses a Cisplatinum-resistant Rare-type Triple-negative Matrix-producing Breast Carcinoma Patient-derived Orthotopic Xenograft Mouse Model. <i>Anticancer Research</i> , 2020, 40, 2475-2479.	0.5	7
68	A Single Low Dose of Eribulin Regressed a Highly Aggressive Triple-negative Breast Cancer in a Patient-derived Orthotopic Xenograft Model. <i>Anticancer Research</i> , 2020, 40, 2481-2485.	0.5	6
69	Tumor-specific near-infrared nanobody probe rapidly labels tumors in an orthotopic mouse model of pancreatic cancer. <i>Surgery</i> , 2020, 168, 85-91.	1.0	21
70	A Triple-negative Matrix-producing Breast Carcinoma Patient-derived Orthotopic Xenograft (PDOX) Mouse Model Is Sensitive to Bevacizumab and Vinorelbine, Regressed by Eribulin and Resistant to Olaparib. <i>Anticancer Research</i> , 2020, 40, 2509-2514.	0.5	8
71	Near-infrared photoimmunotherapy is effective treatment for colorectal cancer in orthotopic nude-mouse models. <i>PLoS ONE</i> , 2020, 15, e0234643.	1.1	11
72	Temozolomide and Pazopanib Combined with FOLFOX Regressed a Primary Colorectal Cancer in a Patient-derived Orthotopic Xenograft Mouse Model. <i>Translational Oncology</i> , 2020, 13, 100739.	1.7	4

#	ARTICLE	IF	CITATIONS
73	Pazopanib Inhibits Tumor Growth, Lymph-node Metastasis and Lymphangiogenesis of an Orthotopic Mouse of Colorectal Cancer. <i>Cancer Genomics and Proteomics</i> , 2020, 17, 131-139.	1.0	9
74	Humanized Anti-“Tumor-Associated Glycoprotein”72 for Submillimeter Near-Infrared Detection of Colon Cancer in Metastatic Mouse Models. <i>Journal of Surgical Research</i> , 2020, 252, 16-21.	0.8	10
75	Anti-carcinoembryonic antigen-related cell adhesion molecule antibody for fluorescence visualization of primary colon cancer and metastases in patient-derived orthotopic xenograft mouse models. <i>Oncotarget</i> , 2020, 11, 429-439.	0.8	25
76	International consensus statement on robot-assisted minimally invasive esophagectomy (RAMIE). <i>Journal of Thoracic Disease</i> , 2020, 12, 7387-7401.	0.6	13
77	Fluorescence-guided surgery using patient-derived orthotopic xenograft models of cancer. , 2020, , 59-74.		0
78	Development of fluorescence-guided surgery for colorectal cancer in orthotopic mouse models using fluorescent tumor-specific antibodies to increase survival. , 2020, , 21-29.		0
79	Comparison of fluorescence-labeling strategies of colon cancer for fluorescence-guided surgery of liver metastasis in orthotopic mouse models. , 2020, , 31-44.		0
80	Precise recurrence-free fluorescence-guided surgery with color-coded cancer and stromal cells in a patient-derived orthotopic xenograft model of pancreatic cancer. , 2020, , 115-123.		0
81	Efficacy of the combination of fluorescence-guided surgery and adjuvant therapy in orthotopic nude mouse models of cancer. , 2020, , 45-58.		0
82	A Universal Gelfoam 3-D Histoculture Method to Establish Patient-derived Cancer Cells (3D-PDCC) Without Fibroblasts from Patient-derived Xenografts. <i>Anticancer Research</i> , 2020, 40, 6765-6768.	0.5	2
83	Fluorescence-guided surgery for primary and metastatic bone tumors in orthotopic nude mouse models. , 2020, , 125-137.		0
84	Fluorescence-guided surgery improved long-term survival in orthotopic nude mouse models of cancer. , 2020, , 3-19.		0
85	Fluorescence Applications in Parathyroid Surgery. , 2020, , 9-17.		0
86	Title is missing!. , 2020, 15, e0234643.		0
87	Title is missing!. , 2020, 15, e0234643.		0
88	Title is missing!. , 2020, 15, e0234643.		0
89	Title is missing!. , 2020, 15, e0234643.		0
90	Title is missing!. , 2020, 15, e0234643.		0

#	ARTICLE	IF	CITATIONS
91	Title is missing!. , 2020, 15, e0234643.		0
92	Papillary Thyroid Carcinoma Variants are Characterized by Co-dysregulation of Immune and Cancer Associated Genes. <i>Cancers</i> , 2019, 11, 1179.	1.7	19
93	Sorafenib and Palbociclib Combination Regresses a Cisplatin-resistant Osteosarcoma in a PDOX Mouse Model. <i>Anticancer Research</i> , 2019, 39, 4079-4084.	0.5	24
94	Tumor-sealing Surgical Orthotopic Implantation of Human Colon Cancer in Nude Mice Induces Clinically-relevant Metastases Without Early Peritoneal Carcinomatosis. <i>Anticancer Research</i> , 2019, 39, 4065-4071.	0.5	6
95	The Combination of Olaratumab with Doxorubicin and Cisplatin Regresses a Chemotherapy-Resistant Osteosarcoma in a Patient-Derived Orthotopic Xenograft Mouse Model. <i>Translational Oncology</i> , 2019, 12, 1257-1263.	1.7	18
96	Peritoneal Metastases in a Patient-derived Orthotopic Xenograft (PDOX) Model of Colon Cancer Imaged Non-invasively <i>via</i> Red Fluorescent Protein Labeled Stromal Cells. <i>Anticancer Research</i> , 2019, 39, 3463-3467.	0.5	8
97	Oral recombinant methioninase combined with oxaliplatin and 5-fluorouracil regressed a colon cancer growing on the peritoneal surface in a patient-derived orthotopic xenograft mouse model. <i>Tissue and Cell</i> , 2019, 61, 109-114.	1.0	17
98	Eribulin Suppressed Cisplatin- and Doxorubicin-resistant Recurrent Lung Metastatic Osteosarcoma in a Patient-derived Orthotopic Xenograft Mouse Model. <i>Anticancer Research</i> , 2019, 39, 4775-4779.	0.5	16
99	Combination of Trabectedin With Oxaliplatin and 5-Fluorouracil Arrests a Primary Colorectal Cancer in a Patient-derived Orthotopic Xenograft Mouse Model. <i>Anticancer Research</i> , 2019, 39, 5999-6005.	0.5	4
100	Oral Recombinant Methioninase Overcomes Colorectal-cancer Liver Metastasis Resistance to the Combination of 5-Fluorouracil and Oxaliplatin in a Patient-derived Orthotopic Xenograft Mouse Model. <i>Anticancer Research</i> , 2019, 39, 4667-4671.	0.5	26
101	Efficacy of oral recombinant methioninase combined with oxaliplatin and 5-fluorouracil on primary colon cancer in a patient-derived orthotopic xenograft mouse model. <i>Biochemical and Biophysical Research Communications</i> , 2019, 518, 306-310.	1.0	29
102	Pioglitazone, an agonist of PPAR $\gamma$ , reverses doxorubicin-resistance in an osteosarcoma patient-derived orthotopic xenograft model by downregulating P-glycoprotein expression. <i>Biomedicine and Pharmacotherapy</i> , 2019, 118, 109356.	2.5	28
103	Combination Treatment With Sorafenib and Everolimus Regresses a Doxorubicin-resistant Osteosarcoma in a PDOX Mouse Model. <i>Anticancer Research</i> , 2019, 39, 4781-4786.	0.5	22
104	Induction of Metastasis by Low-dose Gemcitabine in a Pancreatic Cancer Orthotopic Mouse Model: An Opposite Effect of Chemotherapy. <i>Anticancer Research</i> , 2019, 39, 5339-5344.	0.5	6
105	Gemcitabine combined with docetaxel precisely regressed a recurrent leiomyosarcoma peritoneal metastasis in a patient-derived orthotopic xenograft (PDOX) model. <i>Biochemical and Biophysical Research Communications</i> , 2019, 509, 1041-1046.	1.0	12
106	Tumor growth inhibition by mSTEAP peptide nanovaccine inducing augmented CD8+ T cell immune responses. <i>Drug Delivery and Translational Research</i> , 2019, 9, 1095-1105.	3.0	16
107	The combination of gemcitabine and docetaxel arrests a doxorubicin-resistant dedifferentiated liposarcoma in a patient-derived orthotopic xenograft model. <i>Biomedicine and Pharmacotherapy</i> , 2019, 117, 109093.	2.5	4
108	Anti-Claudin-1 Conjugated to a Near-Infrared Fluorophore Targets Colon Cancer in PDOX Mouse Models. <i>Journal of Surgical Research</i> , 2019, 242, 145-150.	0.8	15



#	ARTICLE	IF	CITATIONS
109	Temozolomide targets and arrests a doxorubicin-resistant follicular dendritic-cell sarcoma patient-derived orthotopic xenograft mouse model. <i>Tissue and Cell</i> , 2019, 58, 17-23.	1.0	10
110	Olaratumab combined with doxorubicin and ifosfamide overcomes individual doxorubicin and olaratumab resistance of an undifferentiated soft-tissue sarcoma in a PDOX mouse model. <i>Cancer Letters</i> , 2019, 451, 122-127.	3.2	11
111	Surgical and histological boundary of the hepatic hilar plate system: basic study relevant to surgery for hilar cholangiocarcinoma regarding the "true" proximal ductal margin. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019, 26, 159-168.	1.4	7
112	Regorafenib regressed a doxorubicin-resistant Ewing's sarcoma in a patient-derived orthotopic xenograft (PDOX) nude mouse model. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 83, 809-815.	1.1	16
113	Trabectedin and irinotecan combination regresses a cisplatin-resistant osteosarcoma in a patient-derived orthotopic xenograft nude-mouse model. <i>Biochemical and Biophysical Research Communications</i> , 2019, 513, 326-331.	1.0	34
114	The combination of olaratumab with gemcitabine and docetaxel arrests a chemotherapy-resistant undifferentiated soft-tissue sarcoma in a patient-derived orthotopic xenograft mouse model. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 83, 1075-1082.	1.1	7
115	Tumor-targeting <i>Salmonella typhimurium</i> A1-R overcomes nab-paclitaxel resistance in a cervical cancer PDOX mouse model. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 1683-1690.	0.8	14
116	Osimertinib Regresses an EGFR-Mutant Cisplatin-Resistant Lung Adenocarcinoma Growing in the Brain in Nude Mice. <i>Translational Oncology</i> , 2019, 12, 640-645.	1.7	10
117	Evaluation of treatment and outcomes for Hispanic patients with gastric cancer at Commission on Cancer-accredited centers in the United States. <i>Journal of Surgical Oncology</i> , 2019, 119, 941-947.	0.8	3
118	Undescended retropharyngeal parathyroid adenoma with adjacent thymic tissue in a 13-year-old boy with primary hyperparathyroidism. <i>Oxford Medical Case Reports</i> , 2019, 2019, 519-523.	0.2	4
119	Oral Recombinant Methioninase, Combined With Oral Caffeine and Injected Cisplatin, Overcome Cisplatin-Resistance and Regresses Patient-derived Orthotopic Xenograft Model of Osteosarcoma. <i>Anticancer Research</i> , 2019, 39, 4653-4657.	0.5	30
120	Extended treatment with MY-NEOVAX, personalized neoantigen-enhanced oncolytic viruses, for two end-stage cancer patients. <i>Oxford Medical Case Reports</i> , 2019, 2019, 461-463.	0.2	11
121	RE: "Intraoperative Near-infrared Imaging Can Identify Neoplasms and Aid in Real-time Margin Assessment During Pancreatic Resection"; <i>Annals of Surgery</i> , 2019, 270, 21-22.	2.1	0
122	Combination of Trabectedin With Irinotecan, Leucovorin and 5-Fluorouracil Arrests Primary Colorectal Cancer in an Imageable Patient-derived Orthotopic Xenograft Mouse Model. <i>Anticancer Research</i> , 2019, 39, 6463-6470.	0.5	4
123	Imaging the interaction of $\alpha_v$ integrin-GFP in osteosarcoma cells with RFP-expressing host stromal cells and tumor scaffold collagen in the primary and metastatic tumor microenvironment. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 283-289.	1.2	4
124	Critical Consideration of Myxedema Coma in the Postoperative Setting. <i>A&amp;A Practice</i> , 2019, 12, 119-121.	0.2	3
125	Detection of Metastasis in a Patient-derived Orthotopic Xenograft (PDOX) Model of Undifferentiated Pleomorphic Sarcoma with Red Fluorescent Protein. <i>Anticancer Research</i> , 2019, 39, 81-85.	0.5	19
126	Improved antibody-guided surgery with a near-infrared dye on a PEGylated linker for CEA-positive tumors. <i>Journal of Biomedical Optics</i> , 2019, 24, 1.	1.4	17



#	ARTICLE	IF	CITATIONS
127	Development of a humanized anti-CEA antibody for fluorescent guided surgery of GI cancers. , 2019, , .		0
128	RT-PCR of peritoneal washings predicts peritoneal pancreatic cancer recurrence. Journal of Surgical Research, 2018, 226, 122-130.	0.8	7
129	Targeting altered cancer methionine metabolism with recombinant methioninase (rMETase) overcomes partial gemcitabine-resistance and regresses a patient-derived orthotopic xenograft (PDOX) nude mouse model of pancreatic cancer. Cell Cycle, 2018, 17, 868-873.	1.3	23
130	Tumor-Specific Labeling of Pancreatic Cancer Using a Humanized Anti-CEA Antibody Conjugated to a Near-Infrared Fluorophore. Annals of Surgical Oncology, 2018, 25, 1079-1085.	0.7	40
131	Precision Medicine for CRC Patients in the Veteran Population: State-of-the-Art, Challenges and Research Directions. Digestive Diseases and Sciences, 2018, 63, 1123-1138.	1.1	9
132	Tumor-Targeting <i>Salmonella typhimurium</i> A1-R Promotes Tumoricidal CD8 <sup>+</sup> T Cell Tumor Infiltration and Arrests Growth and Metastasis in a Syngeneic Pancreatic Cancer Orthotopic Mouse Model. Journal of Cellular Biochemistry, 2018, 119, 634-639.	1.2	23
133	Indocyanine green fluorescence-guided parathyroidectomy for primary hyperparathyroidism. Surgery, 2018, 163, 388-392.	1.0	36
134	Combining Tumor-Selective Bacterial Therapy with <i>Salmonella typhimurium</i> A1-R and Cancer Metabolism Targeting with Oral Recombinant Methioninase Regressed an Ewing's Sarcoma in a Patient-Derived Orthotopic Xenograft Model. Chemotherapy, 2018, 63, 278-283.	0.8	25
135	ASO Author Reflections: Fluorescent Anti-CEA IR800 for Tumor Labeling. Annals of Surgical Oncology, 2018, 25, 970-971.	0.7	0
136	The development of fluorescence guided surgery for pancreatic cancer: from bench to clinic. Expert Review of Anticancer Therapy, 2018, 18, 651-662.	1.1	24
137	MEK inhibitor trametinib in combination with gemcitabine regresses a patient-derived orthotopic xenograft (PDOX) pancreatic cancer nude mouse model. Tissue and Cell, 2018, 52, 124-128.	1.0	19
138	Tumor targeting <i>Salmonella typhimurium</i> A1-R in combination with gemcitabine (GEM) regresses partially GEM-resistant pancreatic cancer patient-derived orthotopic xenograft (PDOX) nude mouse models. Cell Cycle, 2018, 17, 2019-2026.	1.3	18
139	Advantages of patient-derived orthotopic mouse models and genetic reporters for developing fluorescence-guided surgery. Journal of Surgical Oncology, 2018, 118, 253-264.	0.8	22
140	Tumor-targeting <i>Salmonella typhimurium</i> A1-R suppressed an imatinib-resistant gastrointestinal stromal tumor with c-kit exon 11 and 17 mutations. Heliyon, 2018, 4, e00643.	1.4	11
141	Oral recombinant methioninase (o-rMETase) is superior to injectable rMETase and overcomes acquired gemcitabine resistance in pancreatic cancer. Cancer Letters, 2018, 432, 251-259.	3.2	59
142	Fluorescent humanized anti-CEA antibody specifically labels metastatic pancreatic cancer in a patient-derived orthotopic xenograft (PDOX) mouse model. Oncotarget, 2018, 9, 37333-37342.	0.8	15
143	Fluorescence-guided Surgery with Splenic Preservation Prevents Tumor Recurrence in an Orthotopic Nude-mouse Model of Human Pancreatic Cancer. Anticancer Research, 2018, 38, 665-670.	0.5	4
144	Fluorescent humanized anti-CEA antibody specifically labels metastatic pancreatic cancer in a patient-derived orthotopic xenograft (PDOX) mouse model. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
145	Use of $\pm$ Integrin Linked to GFP to Image Molecular Dynamics in Trafficking Cancer-Cell Emboli. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 26-30.	1.2	1
146	GFP labeling kinetics of triple-negative human breast cancer by a killer-reporter adenovirus in 3D Gelfoam <sup>®</sup> histoculture. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2017, 53, 479-482.	0.7	3
147	High-metastatic triple-negative breast-cancer variants selected in vivo become chemoresistant in vitro. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2017, 53, 285-287.	0.7	3
148	Color-coded intravital imaging demonstrates a transforming growth factor- $\beta^2$ (TGF- $\beta^2$ ) antagonist selectively targets stromal cells in a human pancreatic-cancer orthotopic mouse model. <i>Cell Cycle</i> , 2017, 16, 1008-1014.	1.3	12
149	Regulatory Aspects of Optical Methods and Exogenous Targets for Cancer Detection. <i>Cancer Research</i> , 2017, 77, 2197-2206.	0.4	74
150	Improving theranostics in pancreatic cancer. <i>Journal of Surgical Oncology</i> , 2017, 116, 104-113.	0.8	22
151	Oncologic Procedures Amenable to Fluorescence-guided Surgery. <i>Annals of Surgery</i> , 2017, 266, 36-47.	2.1	119
152	Neoadjuvant chemoradiotherapy of pancreatic cancer induces a favorable immunogenic tumor microenvironment associated with increased major histocompatibility complex class II-related chain A/B expression. <i>Journal of Surgical Oncology</i> , 2017, 116, 416-426.	0.8	28
153	eIF5A-PEAK1 Signaling Regulates YAP1/TAZ Protein Expression and Pancreatic Cancer Cell Growth. <i>Cancer Research</i> , 2017, 77, 1997-2007.	0.4	57
154	The irony of highly-effective bacterial therapy of a patient-derived orthotopic xenograft (PDOX) model of Ewing's sarcoma, which was blocked by Ewing himself 80 years ago. <i>Cell Cycle</i> , 2017, 16, 1046-1052.	1.3	38
155	Near-infrared-conjugated humanized anti-carcinoembryonic antigen antibody targets colon cancer in an orthotopic nude-mouse model. <i>Journal of Surgical Research</i> , 2017, 218, 139-143.	0.8	24
156	Fluorescence Imaging of Tumors in Human Patient-Derived Orthotopic Xenograft (PDOX) Mouse Models. <i>Molecular and Translational Medicine</i> , 2017, , 207-216.	0.4	0
157	The Use of Patient-Derived Orthotopic Xenograft (PDOX) Models to Develop Curative Fluorescence-Guided Surgery of Cancer. <i>Molecular and Translational Medicine</i> , 2017, , 217-226.	0.4	0
158	Mortality after esophagectomy is heavily impacted by center volume: retrospective analysis of the Nationwide Inpatient Sample. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 2491-2497.	1.3	88
159	Enhanced Metastatic Recurrence Via Lymphatic Trafficking of a High-Metastatic Variant of Human Triple-Negative Breast Cancer After Surgical Resection in Orthotopic Nude Mouse Models. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 559-569.	1.2	4
160	Near-Infrared Tumor-Specific Fluorescence Imaging of Pancreatic Cancer in Orthotopic Mouse Models Using the Da-Vinci Firefly Imaging System. <i>Journal of the American College of Surgeons</i> , 2017, 225, S194-S195.	0.2	1
161	High-efficacy targeting of colon-cancer liver metastasis with <i>Salmonella typhimurium</i> A1-R via intra-portal-vein injection in orthotopic nude-mouse models. <i>Oncotarget</i> , 2017, 8, 19065-19073.	0.8	11
162	Splenectomy is associated with an aggressive tumor growth pattern and altered host immunity in an orthotopic syngeneic murine pancreatic cancer model. <i>Oncotarget</i> , 2017, 8, 88827-88834.	0.8	12

#	ARTICLE	IF	CITATIONS
163	A novel method for RNA extraction from FFPE samples reveals significant differences in biomarker expression between orthotopic and subcutaneous pancreatic cancer patient-derived xenografts. <i>Oncotarget</i> , 2017, 8, 5885-5894.	0.8	17
164	Regarding the applications of fusion-fluorescence imaging using indocyanine green in laparoscopic hepatectomy. <i>Translational Gastroenterology and Hepatology</i> , 2017, 2, 70-70.	1.5	4
165	Recombinant methioninase effectively targets a Ewing's sarcoma in a patient-derived orthotopic xenograft (PDOX) nude-mouse model. <i>Oncotarget</i> , 2017, 8, 35630-35638.	0.8	77
166	MEK inhibitors cobimetinib and trametinib, regressed a gemcitabine-resistant pancreatic-cancer patient-derived orthotopic xenograft (PDOX). <i>Oncotarget</i> , 2017, 8, 47490-47496.	0.8	37
167	The combination of temozolomide-irinotecan regresses a doxorubicin-resistant patient-derived orthotopic xenograft (PDOX) nude-mouse model of recurrent Ewing's sarcoma with a FUS-ERG fusion and <i>CDKN2A</i> deletion: Direction for third-line patient therapy. <i>Oncotarget</i> , 2017, 8, 103129-103136.	0.8	38
168	Comparison of Tumor Recurrence After Resection of Highly- and Poorly-Metastatic Triple-negative Breast Cancer in Orthotopic Nude-Mouse Models. <i>Anticancer Research</i> , 2017, 37, 57-60.	0.5	4
169	Cervical Cancer Patient-Derived Orthotopic Xenograft (PDOX) is Sensitive to Cisplatin and Resistant to Nab-paclitaxel. <i>Anticancer Research</i> , 2017, 37, 61-66.	0.5	20
170	The benefits and limitations of robotic assisted transhiatal esophagectomy for esophageal cancer. <i>Journal of Visualized Surgery</i> , 2016, 2, 156-156.	0.2	10
171	Fluorescent-Antibody Targeting of Insulin-Like Growth Factor-1 Receptor Visualizes Metastatic Human Colon Cancer in Orthotopic Mouse Models. <i>PLoS ONE</i> , 2016, 11, e0146504.	1.1	13
172	Efficacy of Tumor-Targeting Salmonella A1-R on a Melanoma Patient-Derived Orthotopic Xenograft (PDOX) Nude-Mouse Model. <i>PLoS ONE</i> , 2016, 11, e0160882.	1.1	93
173	Patient-derived mouse models of cancer need to be orthotopic in order to evaluate targeted anti-metastatic therapy. <i>Oncotarget</i> , 2016, 7, 71696-71702.	0.8	52
174	Fluorescence-guided surgery of human prostate cancer experimental bone metastasis in nude mice using anti-CEA DyLight 650 for tumor illumination. <i>Journal of Orthopaedic Research</i> , 2016, 34, 559-565.	1.2	7
175	Real-time GFP Intravital Imaging of the Differences in Cellular and Angiogenic Behavior of Subcutaneous and Orthotopic Nude-Mouse Models of Human Prostate Cancer. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 2546-2551.	1.2	25
176	Eradication of osteosarcoma by fluorescence-guided surgery with tumor labeling by a killer-reporter adenovirus. <i>Journal of Orthopaedic Research</i> , 2016, 34, 836-844.	1.2	18
177	Molecular targeting of papillary thyroid carcinoma with fluorescently labeled ratiometric activatable cell penetrating peptides in a transgenic murine model. <i>Journal of Surgical Oncology</i> , 2016, 113, 138-143.	0.8	14
178	Intraoperative Endoscopic Botox Injection During Total Esophagectomy Prevents the Need for Pyloromyotomy or Dilatation. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2016, 26, 433-438.	0.5	22
179	Macrophage PI3K $\beta$ Drives Pancreatic Ductal Adenocarcinoma Progression. <i>Cancer Discovery</i> , 2016, 6, 870-885.	7.7	235
180	Tumor-specific cell-cycle decoy by <i>Salmonella typhimurium</i> A1-R combined with tumor-selective cell-cycle trap by methioninase overcome tumor intrinsic chemoresistance as visualized by FUCI imaging. <i>Cell Cycle</i> , 2016, 15, 1715-1723.	1.3	55

#	ARTICLE	IF	CITATIONS
181	Effective fluorescence-guided surgery of liver metastasis using a fluorescent anti-CEA antibody. <i>Journal of Surgical Oncology</i> , 2016, 114, 951-958.	0.8	30
182	Current status and future perspectives of fluorescence-guided surgery for cancer. <i>Expert Review of Anticancer Therapy</i> , 2016, 16, 71-81.	1.1	41
183	Fluorophore-conjugated antibodies for imaging and resection of GI tumors. <i>Proceedings of SPIE</i> , 2016, , .	0.8	0
184	Imaging the microenvironment of pancreatic cancer patient-derived orthotopic xenografts (PDOX) growing in transgenic nude mice expressing GFP, RFP, or CFP. <i>Cancer Letters</i> , 2016, 380, 349-355.	3.2	13
185	Successful Translation of Fluorescence Navigation During Oncologic Surgery: A Consensus Report. <i>Journal of Nuclear Medicine</i> , 2016, 57, 144-150.	2.8	125
186	Improved Resection and Outcome of Colon-Cancer Liver Metastasis with Fluorescence-Guided Surgery Using In Situ GFP Labeling with a Telomerase-Dependent Adenovirus in an Orthotopic Mouse Model. <i>PLoS ONE</i> , 2016, 11, e0148760.	1.1	35
187	Disintegrin targeting of an $\alpha v \beta 3$ integrin-over-expressing high-metastatic human osteosarcoma with echistatin inhibits cell proliferation, migration, invasion and adhesion in vitro. <i>Oncotarget</i> , 2016, 7, 46315-46320.	0.8	5
188	Fluorescence-guided surgery of a highly-metastatic variant of human triple-negative breast cancer targeted with a cancer-specific GFP adenovirus prevents recurrence. <i>Oncotarget</i> , 2016, 7, 75635-75647.	0.8	16
189	Tumor-targeting adenovirus OBP-401 inhibits primary and metastatic tumor growth of triple-negative breast cancer in orthotopic nude-mouse models. <i>Oncotarget</i> , 2016, 7, 85273-85282.	0.8	7
190	The disintegrin echistatin in combination with doxorubicin targets high-metastatic human osteosarcoma overexpressing $\alpha v \beta 3$ integrin in chick embryo and nude mouse models. <i>Oncotarget</i> , 2016, 7, 87031-87036.	0.8	10
191	Adenoviral targeting of malignant melanoma for fluorescence-guided surgery prevents recurrence in orthotopic nude-mouse models. <i>Oncotarget</i> , 2016, 7, 18558-18572.	0.8	9
192	Tumor-targeting <i>Salmonella typhimurium</i> A1-R in combination with doxorubicin eradicate soft tissue sarcoma in a patient-derived orthotopic xenograft (PDOX) model. <i>Oncotarget</i> , 2016, 7, 12783-12790.	0.8	109
193	Targeting the insulin growth factor-1 receptor with fluorescent antibodies enables high resolution imaging of human pancreatic cancer in orthotopic mouse models. <i>Oncotarget</i> , 2016, 7, 18262-18268.	0.8	10
194	High efficacy of tumor-targeting <i>Salmonella typhimurium</i> A1-R on a doxorubicin- and dactolisib-resistant follicular dendritic-cell sarcoma in a patient-derived orthotopic xenograft PDOX nude mouse model. <i>Oncotarget</i> , 2016, 7, 33046-33054.	0.8	93
195	Effective molecular targeting of CDK4/6 and IGF-1R in a rare <i>FUS-ERG</i> fusion <i>CDKN2A</i> -deletion doxorubicin-resistant Ewing's sarcoma patient-derived orthotopic xenograft (PDOX) nude-mouse model. <i>Oncotarget</i> , 2016, 7, 47556-47564.	0.8	91
196	Color-coded Imaging Enables Fluorescence-guided Surgery to Resect the Tumor Along with the Tumor Microenvironment in a Syngeneic Mouse Model of EL-4 Lymphoma. <i>Anticancer Research</i> , 2016, 36, 4443-4448.	0.5	4
197	A Mouse Model of Fluorescent Protein-expressing Disseminated Peritoneal Lymphoma for Fluorescence-guided Surgery. <i>Anticancer Research</i> , 2016, 36, 4483-4488.	0.5	2
198	In Vivo Selection of Intermediately- and Highly- Malignant Variants of Triple-negative Breast Cancer in Orthotopic Nude Mouse Models. <i>Anticancer Research</i> , 2016, 36, 6273-6278.	0.5	11

#	ARTICLE	IF	CITATIONS
199	Fluorescence-guided laparoscopic hepatectomy. <i>Annals of Laparoscopic and Endoscopic Surgery</i> , 2016, 1, 10-10.	0.5	1
200	Imaging Nuclear-Cytoplasmic Dynamics in Primary and Metastatic Colon Cancer in Nude Mice. <i>Anticancer Research</i> , 2016, 36, 2113-7.	0.5	0
201	Orthotopic Implantation of Intact Tumor Tissue Leads to Metastasis of OCUM-2MD3 Human Gastric Cancer in Nude Mice Visualized in Real Time by Intravital Fluorescence Imaging. <i>Anticancer Research</i> , 2016, 36, 2125-30.	0.5	3
202	Use of $\beta$ -Integrin Linked to Green Fluorescent Protein in Osteosarcoma Cells and Confocal Microscopy to Image Molecular Dynamics During Lung Metastasis in Nude Mice. <i>Anticancer Research</i> , 2016, 36, 3811-6.	0.5	2
203	In Vivo Isolation of a Highly-aggressive Variant of Triple-negative Human Breast Cancer MDA-MB-231 Using Serial Orthotopic Transplantation. <i>Anticancer Research</i> , 2016, 36, 3817-20.	0.5	7
204	Efficacy of the Combination of a PARP Inhibitor and UVC on Cancer Cells as Imaged by Focus Formation by the DNA Repair-related Protein 53BP1 Linked to Green Fluorescent Protein. <i>Anticancer Research</i> , 2016, 36, 3821-6.	0.5	2
205	Color-coded Live Imaging of Heterokaryon Formation and Nuclear Fusion of Hybridizing Cancer Cells. <i>Anticancer Research</i> , 2016, 36, 3827-31.	0.5	10
206	Precise navigation surgery of tumours in the lung in mouse models enabled by in situ fluorescence labelling with a killer-reporter adenovirus. <i>BMJ Open Respiratory Research</i> , 2015, 2, e000096.	1.2	29
207	Color-Coded Imaging of Breast Cancer Metastatic Niche Formation in Nude Mice. <i>Journal of Cellular Biochemistry</i> , 2015, 116, 2730-2734.	1.2	2
208	Indocyanine green (ICG) fluorescence-guided laparoscopic adrenalectomy. <i>Journal of Surgical Oncology</i> , 2015, 112, 650-653.	0.8	46
209	Improved disease-free survival and overall survival after fluorescence-guided surgery of liver metastasis in an orthotopic nude mouse model. <i>Journal of Surgical Oncology</i> , 2015, 112, 119-124.	0.8	17
210	Tumor-targeting <i>Salmonella typhimurium</i> A1-R inhibits human prostate cancer experimental bone metastasis in mouse models. <i>Oncotarget</i> , 2015, 6, 31335-31343.	0.8	12
211	Establishment of a Patient-Derived Orthotopic Xenograft (PDOX) Model of HER-2-Positive Cervical Cancer Expressing the Clinical Metastatic Pattern. <i>PLoS ONE</i> , 2015, 10, e0117417.	1.1	105
212	Tumor-Targeting <i>Salmonella typhimurium</i> A1-R in Combination with Trastuzumab Eradicates HER-2-Positive Cervical Cancer Cells in Patient-Derived Mouse Models. <i>PLoS ONE</i> , 2015, 10, e0120358.	1.1	49
213	MUC1 Selectively Targets Human Pancreatic Cancer in Orthotopic Nude Mouse Models. <i>PLoS ONE</i> , 2015, 10, e0122100.	1.1	23
214	Fluorescence-Guided Surgery of Liver Metastasis in Orthotopic Nude-Mouse Models. <i>PLoS ONE</i> , 2015, 10, e0138752.	1.1	7
215	Traditional Chinese medicine herbal mixture LQ arrests FUCCI-expressing HeLa cells in G0/G1 phase in 2D plastic, 2.5D Matrigel <sup>®</sup> , and 3D Gelfoam <sup>®</sup> culture visualized with FUCCI imaging. <i>Oncotarget</i> , 2015, 6, 5292-5298.	0.8	7
216	Fluorescence-Guided Surgery: It Is the Cure That Matters. <i>Journal of the American College of Surgeons</i> , 2015, 220, 377-379.	0.2	1

#	ARTICLE	IF	CITATIONS
217	Cell-cycle fate-monitoring distinguishes individual chemosensitive and chemoresistant cancer cells in drug-treated heterogeneous populations demonstrated by real-time FUCCI imaging. <i>Cell Cycle</i> , 2015, 14, 621-629.	1.3	23
218	Photoimmunotherapy lowers recurrence after pancreatic cancer surgery in orthotopic nude mouse models. <i>Journal of Surgical Research</i> , 2015, 197, 5-11.	0.8	27
219	Nanoparticle albumin-bound-paclitaxel: a limited improvement under the current therapeutic paradigm of pancreatic cancer. <i>Expert Opinion on Pharmacotherapy</i> , 2015, 16, 943-947.	0.9	24
220	Ratiometric Activatable Cell-Penetrating Peptides Label Pancreatic Cancer, Enabling Fluorescence-Guided Surgery, Which Reduces Metastases and Recurrence in Orthotopic Mouse Models. <i>Annals of Surgical Oncology</i> , 2015, 22, 2082-2087.	0.7	46
221	Photoimmunotherapy Inhibits Tumor Recurrence After Surgical Resection on a Pancreatic Cancer Patient-Derived Orthotopic Xenograft (PDOX) Nude Mouse Model. <i>Annals of Surgical Oncology</i> , 2015, 22, 1469-1474.	0.7	22
222	Cancer cells mimic <i>in vivo</i> spatial-temporal cell-cycle phase distribution and chemosensitivity in 3-dimensional Gelfoam® histoculture but not 2-dimensional culture as visualized with real-time FUCCI imaging. <i>Cell Cycle</i> , 2015, 14, 808-819.	1.3	33
223	Fluorescence-guided surgery, but not bright-light surgery, prevents local recurrence in a pancreatic cancer patient derived orthotopic xenograft (PDOX) model resistant to neoadjuvant chemotherapy (NAC). <i>Pancreatology</i> , 2015, 15, 295-301.	0.5	32
224	Outcomes of thyroidectomy from a large California state database. <i>American Journal of Surgery</i> , 2015, 210, 1170-1177.	0.9	32
225	Experimental Curative Fluorescence-guided Surgery of Highly Invasive Glioblastoma Multiforme Selectively Labeled With a Killer-reporter Adenovirus. <i>Molecular Therapy</i> , 2015, 23, 1182-1188.	3.7	37
226	Analysis of Age and Disease Status as Predictors of Thyroid Cancer-Specific Mortality Using the Surveillance, Epidemiology, and End Results Database. <i>Thyroid</i> , 2015, 25, 125-132.	2.4	108
227	Selective efficacy of zoledronic acid on metastasis in a patient-derived orthotopic xenograft (PDOX) nude mouse model of human pancreatic cancer. <i>Journal of Surgical Oncology</i> , 2015, 111, 311-315.	0.8	69
228	Tumor Imaging Technologies in Mouse Models. <i>Methods in Molecular Biology</i> , 2015, 1267, 321-348.	0.4	10
229	Indocyanine green fluorescence-guided redo parathyroidectomy. <i>BMJ Case Reports</i> , 2015, 2015, bcr2015211778.	0.2	18
230	Fluorescence-Guided Surgery of Retroperitoneal-Implanted Human Fibrosarcoma in Nude Mice Delays or Eliminates Tumor Recurrence and Increases Survival Compared to Bright-Light Surgery. <i>PLoS ONE</i> , 2015, 10, e0116865.	1.1	10
231	Near Infra-Red Photoimmunotherapy with Anti-CEA-IR700 Results in Extensive Tumor Lysis and a Significant Decrease in Tumor Burden in Orthotopic Mouse Models of Pancreatic Cancer. <i>PLoS ONE</i> , 2015, 10, e0121989.	1.1	56
232	Tumor-Targeting <i>Salmonella typhimurium</i> A1-R Arrests a Chemo-Resistant Patient Soft-Tissue Sarcoma in Nude Mice. <i>PLoS ONE</i> , 2015, 10, e0134324.	1.1	78
233	Intraperitoneal administration of tumor-targeting <i>Salmonella typhimurium</i> A1-R inhibits disseminated human ovarian cancer and extends survival in nude mice. <i>Oncotarget</i> , 2015, 6, 11369-11377.	0.8	55
234	Targeting tumors with a killer-reporter adenovirus for curative fluorescence-guided surgery of soft-tissue sarcoma. <i>Oncotarget</i> , 2015, 6, 13133-13148.	0.8	45



#	ARTICLE	IF	CITATIONS
235	Therapeutic efficacy of tumor-targeting <i>Salmonella typhimurium</i> A1-R on human colorectal cancer liver metastasis in orthotopic nude-mouse models. <i>Oncotarget</i> , 2015, 6, 31368-31377.	0.8	14
236	Adjuvant treatment with tumor-targeting <i>Salmonella typhimurium</i> A1-R reduces recurrence and increases survival after liver metastasis resection in an orthotopic nude mouse model. <i>Oncotarget</i> , 2015, 6, 41856-41862.	0.8	13
237	Characterization of the salivary microbiome in patients with pancreatic cancer. <i>PeerJ</i> , 2015, 3, e1373.	0.9	150
238	Fluorophore-Conjugated Chimeric Anti-CEA Antibodies for Fluorescence-Guided Surgery of Gastrointestinal (GI) Tumors. , 2015, , 209-222.		0
239	Effect of methionine-depletion via methioninase-treatment on cancer cells in S/G2 phase and chemosensitivity.. <i>Journal of Clinical Oncology</i> , 2015, 33, e13512-e13512.	0.8	0
240	Cell-cycle fate-monitoring to identify individual chemosensitive and chemoresistant cancer cells in heterogeneous cancer populations.. <i>Journal of Clinical Oncology</i> , 2015, 33, e13514-e13514.	0.8	0
241	Prevention of experimental human breast cancer bone metastasis in nude mice by tumor-targeting <i>Salmonella typhimurium</i> A1-R.. <i>Journal of Clinical Oncology</i> , 2015, 33, e13513-e13513.	0.8	0
242	Inhibition of soft-tissue sarcoma lung metastasis by tumor-targeting <i>Salmonella typhimurium</i> A1-R.. <i>Journal of Clinical Oncology</i> , 2015, 33, e13515-e13515.	0.8	0
243	Parathyroidectomy Using Indocyanine Green Fluorescence Imaging. <i>VideoEndocrinology</i> , 2015, 2, .	0.1	0
244	Patient-derived orthotopic xenograft (PDOX) nude mouse model of soft-tissue sarcoma more closely mimics the patient behavior in contrast to the subcutaneous ectopic model. <i>Anticancer Research</i> , 2015, 35, 697-701.	0.5	63
245	Imaging the Interaction of Pancreatic Cancer and Stellate Cells in the Tumor Microenvironment during Metastasis. <i>Anticancer Research</i> , 2015, 35, 2545-51.	0.5	24
246	Recruitment of Cancer-Associated Fibroblasts and Blood Vessels by Orthotopic Liver Tumors Imaged in Red Fluorescent Protein (RFP) Transgenic Nude Mice. <i>Anticancer Research</i> , 2015, 35, 5821-5.	0.5	2
247	Toward Curative Fluorescence-Guided Surgery of Pancreatic Cancer. <i>Hepato-Gastroenterology</i> , 2015, 62, 715-22.	0.5	3
248	Polyethylene Glycol (PEG) Linked to Near Infrared (NIR) Dyes Conjugated to Chimeric Anti-Carcinoembryonic Antigen (CEA) Antibody Enhances Imaging of Liver Metastases in a Nude-Mouse Model of Human Colon Cancer. <i>PLoS ONE</i> , 2014, 9, e97965.	1.1	27
249	Fluorescence-Guided Surgery in Combination with UVC Irradiation Cures Metastatic Human Pancreatic Cancer in Orthotopic Mouse Models. <i>PLoS ONE</i> , 2014, 9, e99977.	1.1	26
250	The Tumor-Educated-Macrophage Increase of Malignancy of Human Pancreatic Cancer Is Prevented by Zoledronic Acid. <i>PLoS ONE</i> , 2014, 9, e103382.	1.1	15
251	Metastatic Recurrence in a Pancreatic Cancer Patient Derived Orthotopic Xenograft (PDOX) Nude Mouse Model Is Inhibited by Neoadjuvant Chemotherapy in Combination with Fluorescence-Guided Surgery with an Anti-CA 19-9-Conjugated Fluorophore. <i>PLoS ONE</i> , 2014, 9, e114310.	1.1	82
252	Efficacy of tumor-targeting <i>Salmonella typhimurium</i> A1-R in combination with anti-angiogenesis therapy on a pancreatic cancer patient-derived orthotopic xenograft (PDOX) and cell line mouse models. <i>Oncotarget</i> , 2014, 5, 12346-12357.	0.8	128



#	ARTICLE	IF	CITATIONS
253	Fluorescence-Guided Surgery of Pancreatic Patient-Derived Orthotopic Xenograft(Pdox) with a Portable Imaging System. <i>Annals of Oncology</i> , 2014, 25, v93.	0.6	0
254	A Hypusine- $\epsilon$ IF5A-PEAK1 Switch Regulates the Pathogenesis of Pancreatic Cancer. <i>Cancer Research</i> , 2014, 74, 6671-6681.	0.4	80
255	Tumor-targeting <i>Salmonella typhimurium</i> A1-R decoys quiescent cancer cells to cycle as visualized by FUCCI imaging and become sensitive to chemotherapy. <i>Cell Cycle</i> , 2014, 13, 3958-3963.	1.3	96
256	Spatial-temporal FUCCI imaging of each cell in a tumor demonstrates locational dependence of cell cycle dynamics and chemoresponsiveness. <i>Cell Cycle</i> , 2014, 13, 2110-2119.	1.3	69
257	Specific tumor labeling enhanced by polyethylene glycol linkage of near infrared dyes conjugated to a chimeric anti-carcinoembryonic antigen antibody in a nude mouse model of human pancreatic cancer. <i>Journal of Biomedical Optics</i> , 2014, 19, 101504.	1.4	11
258	Improved Perioperative Outcomes With Minimally Invasive Distal Pancreatectomy. <i>JAMA Surgery</i> , 2014, 149, 237.	2.2	81
259	Outcomes of Robotic-Assisted Transhiatal Esophagectomy for Esophageal Cancer After Neoadjuvant Chemoradiation. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2014, 24, 89-94.	0.5	33
260	Osteosarcoma Cells Enhance Angiogenesis Visualized by Color-Coded Imaging in the In Vivo Gelfoam <sup>®</sup> Assay. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 1490-1494.	1.2	11
261	Efficacy of tumor-targeting <i>Salmonella typhimurium</i> A1-R on nude mouse models of metastatic and disseminated human ovarian cancer. <i>Journal of Cellular Biochemistry</i> , 2014, 115, n/a-n/a.	1.2	47
262	Comparison of UVB and UVC Effects on the DNA Damage-Response Protein 53BP1 in Human Pancreatic Cancer. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 1724-1728.	1.2	19
263	Efficacy of <i>Salmonella typhimurium</i> A1-R Versus Chemotherapy on a Pancreatic Cancer Patient-Derived Orthotopic Xenograft (PDOX). <i>Journal of Cellular Biochemistry</i> , 2014, 115, 1254-1261.	1.2	93
264	Fluorescently labeled chimeric anti-CEA antibody improves detection and resection of human colon cancer in a patient-derived orthotopic xenograft (PDOX) nude mouse model. <i>Journal of Surgical Oncology</i> , 2014, 109, 451-458.	0.8	132
265	Fluorescence-guided surgery improves outcome in an orthotopic osteosarcoma nude-mouse model. <i>Journal of Orthopaedic Research</i> , 2014, 32, 1596-1601.	1.2	26
266	3-Dimensional Tissue Is Formed From Cancer Cells In Vitro on Gelfoam <sup>®</sup> , But Not on Matrigel <sup>TM</sup> . <i>Journal of Cellular Biochemistry</i> , 2014, 115, 1362-1367.	1.2	26
267	Successful Fluorescence-Guided Surgery on Human Colon Cancer Patient-Derived Orthotopic Xenograft Mouse Models Using a Fluorophore-Conjugated Anti-CEA Antibody and a Portable Imaging System. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2014, 24, 241-247.	0.5	117
268	Color-Coded Fluorescence Imaging of Lymph-Node Metastasis, Angiogenesis, and Its Drug-Induced Inhibition. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 457-463.	1.2	7
269	Hand-held high-resolution fluorescence imaging system for fluorescence-guided surgery of patient and cell-line pancreatic tumors growing orthotopically in nude mice. <i>Journal of Surgical Research</i> , 2014, 187, 510-517.	0.8	71
270	Risk factors for hematoma after thyroidectomy: Results from the nationwide inpatient sample. <i>Surgery</i> , 2014, 156, 399-404.	1.0	85

#	ARTICLE	IF	CITATIONS
271	Advantages of Fluorescence-Guided Laparoscopic Surgery of Pancreatic Cancer Labeled with Fluorescent Anti-“Carcinoembryonic Antigen Antibodies in an Orthotopic Mouse Model. <i>Journal of the American College of Surgeons</i> , 2014, 219, 132-141.	0.2	42
272	Invading cancer cells are predominantly in G <sub>0</sub> /G <sub>1</sub> resulting in chemoresistance demonstrated by real-time FUCCI imaging. <i>Cell Cycle</i> , 2014, 13, 953-960.	1.3	67
273	Fluorescence-guided Surgery with a Fluorophore-conjugated Antibody to Carcinoembryonic Antigen (CEA), that Highlights the Tumor, Improves Surgical Resection and Increases Survival in Orthotopic Mouse Models of Human Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 1405-1411.	0.7	76
274	Is there a need for yet another staging system for differentiated thyroid cancer?. <i>Endocrine</i> , 2014, 46, 179-180.	1.1	0
275	Fluorescence-guided surgery of prostate cancer bone metastasis. <i>Journal of Surgical Research</i> , 2014, 192, 124-133.	0.8	13
276	Tumor-targeting <i>Salmonella typhimurium</i> A1-R prevents experimental human breast cancer bone metastasis in nude mice. <i>Oncotarget</i> , 2014, 5, 7119-7125.	0.8	34
277	Selective methioninase-induced trap of cancer cells in S/G2 phase visualized by FUCCI imaging confers chemosensitivity. <i>Oncotarget</i> , 2014, 5, 8729-8736.	0.8	85
278	Inhibition of spontaneous and experimental lung metastasis of soft-tissue sarcoma by tumor-targeting <i>Salmonella typhimurium</i> A1-R. <i>Oncotarget</i> , 2014, 5, 12849-12861.	0.8	39
279	A hand-held portable imaging system for effective fluorescence-guided surgery of a pancreatic patient-derived orthotopic xenograft (PDOX) in nude mice.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15219-e15219.	0.8	0
280	Effect of fluorescence-guided surgery followed by UVC on a pancreatic cancer patient-derived orthotopic xenograft (PDOX) in nude mice.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15220-e15220.	0.8	0
281	Effect of <i>Salmonella typhimurium</i> A1-R on a pancreatic cancer patient-derived orthotopic xenograft (PDOX) in nude mice.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15218-e15218.	0.8	0
282	Abstract A40: Pancreatic cancer patient-derived orthotopic xenograft (PDOX) is effectively targeted by <i>Salmonella typhimurium</i> A1-R. , 2014, , .		0
283	Efficacy comparison of traditional Chinese medicine LQ versus gemcitabine in a mouse model of pancreatic cancer. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 2131-2137.	1.2	17
284	Management of abdominal malignancies: updates from the International Association of Surgeons, Gastroenterologists and Oncologists. <i>Expert Review of Anticancer Therapy</i> , 2013, 13, 395-397.	1.1	0
285	Fluorescence-guided surgery of human colon cancer increases complete resection resulting in cures in an orthotopic nude mouse model. <i>Journal of Surgical Research</i> , 2013, 179, 87-93.	0.8	57
286	Multiphoton tomography visualizes collagen fibers in the tumor microenvironment that maintain cancer cell anchorage and shape. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 99-102.	1.2	33
287	Imaging the efficacy of UVC irradiation on superficial brain tumors and metastasis in live mice at the subcellular level. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 428-434.	1.2	32
288	In vivo serial selection of human pancreatic cancer cells in orthotopic mouse models produces high metastatic variants irrespective of Kras status. <i>Journal of Surgical Research</i> , 2013, 184, 290-298.	0.8	18

#	ARTICLE	IF	CITATIONS
289	In Vivo Fluorescence Imaging of Gastrointestinal Stromal Tumors Using Fluorophore-Conjugated Anti-KIT Antibody. <i>Annals of Surgical Oncology</i> , 2013, 20, 693-700.	0.7	33
290	Laparoscopic Fluorescence Imaging for Identification and Resection of Pancreatic and Hepatobiliary Cancer. <i>Frontiers of Gastrointestinal Research</i> , 2013, , 92-99.	0.1	1
291	Comparison of a chimeric anti-carcinoembryonic antigen antibody conjugated with visible or near-infrared fluorescent dyes for imaging pancreatic cancer in orthotopic nude mouse models. <i>Journal of Biomedical Optics</i> , 2013, 18, 126016.	1.4	36
292	A Dual-Color Genetically Engineered Mouse Model for Multispectral Imaging of the Pancreatic Microenvironment. <i>Pancreas</i> , 2013, 42, 952-958.	0.5	13
293	Fluorescence-Guided Surgery and Fluorescence Laparoscopy for Gastrointestinal Cancers in Clinically-Relevant Mouse Models. <i>Gastroenterology Research and Practice</i> , 2013, 2013, 1-8.	0.7	24
294	Comparison of efficacy of <i>Salmonella typhimurium</i> A1-R and chemotherapy on stem-like and non-stem human pancreatic cancer cells. <i>Cell Cycle</i> , 2013, 12, 2774-2780.	1.3	78
295	Development of a Clinically-Precise Mouse Model of Rectal Cancer. <i>PLoS ONE</i> , 2013, 8, e79453.	1.1	14
296	<i>Salmonella typhimurium</i> A1-R effectively targets human-patient pancreatic tumorgrafts in nude mice.. <i>Journal of Clinical Oncology</i> , 2013, 31, e22012-e22012.	0.8	0
297	<i>Salmonella typhimurium</i> A1-R prolongs survival of aggressive pancreatic cancer in orthotopic nude mouse models.. <i>Journal of Clinical Oncology</i> , 2013, 31, e22013-e22013.	0.8	0
298	<i>Salmonella typhimurium</i> A1-R targets chemoresistant stem-like human pancreatic cancer cells.. <i>Journal of Clinical Oncology</i> , 2013, 31, e22011-e22011.	0.8	0
299	Primer dosing of <i>S. typhimurium</i> A1-R potentiates tumor-targeting and efficacy in immunocompetent mice. <i>Anticancer Research</i> , 2013, 33, 97-102.	0.5	13
300	Subcellular real-time imaging of the efficacy of temozolomide on cancer cells in the brain of live mice. <i>Anticancer Research</i> , 2013, 33, 103-6.	0.5	12
301	Enhanced resection of orthotopic red-fluorescent-protein-expressing human glioma by fluorescence-guided surgery in nude mice. <i>Anticancer Research</i> , 2013, 33, 107-11.	0.5	11
302	A color-coded imaging model of the interaction of $\beta$ 5 integrin-GFP expressed in osteosarcoma cells and RFP expressing blood vessels in Gelfoam <sup>®</sup> vascularized in vivo. <i>Anticancer Research</i> , 2013, 33, 1361-6.	0.5	8
303	Dynamic subcellular imaging of cancer cell mitosis in the brain of live mice. <i>Anticancer Research</i> , 2013, 33, 1367-71.	0.5	14
304	Single cell time-lapse imaging of focus formation by the DNA damage-response protein 53BP1 after UVC irradiation of human pancreatic cancer cells. <i>Anticancer Research</i> , 2013, 33, 1373-7.	0.5	14
305	Real-time imaging of $\beta$ 5 integrin molecular dynamics in osteosarcoma cells in vitro and in vivo. <i>Anticancer Research</i> , 2013, 33, 3021-5.	0.5	9
306	Color-coded imaging of spontaneous vessel anastomosis in vivo. <i>Anticancer Research</i> , 2013, 33, 3041-5.	0.5	6

#	ARTICLE	IF	CITATIONS
307	High lung-metastatic variant of human osteosarcoma cells, selected by passage of lung metastasis in nude mice, is associated with increased expression of $\alpha_3\beta_1$ integrin. <i>Anticancer Research</i> , 2013, 33, 3623-7.	0.5	24
308	Imaging nuclear - cytoplasm dynamics of cancer cells in the intravascular niche of live mice. <i>Anticancer Research</i> , 2013, 33, 4229-36.	0.5	5
309	Inhibition and eradication of human glioma with tumor-targeting <i>Salmonella typhimurium</i> in an orthotopic nude-mouse model. <i>Cell Cycle</i> , 2012, 11, 628-632.	1.3	80
310	Metastases to the Thyroid: A Review of the Literature from the Last Decade. <i>Thyroid</i> , 2012, 22, 258-268.	2.4	247
311	Predictors of Hypocalcemia after Thyroidectomy: Results from the Nationwide Inpatient Sample. <i>ISRN Surgery</i> , 2012, 2012, 1-7.	1.4	58
312	Detection of Colon Cancer Metastases With Fluorescence Laparoscopy in Orthotopic Nude Mouse Models. <i>Archives of Surgery</i> , 2012, 147, 876-80.	2.3	5
313	In Vivo Imaging of Pancreatic Cancer with Fluorescent Proteins in Mouse Models. <i>Methods in Molecular Biology</i> , 2012, 872, 51-67.	0.4	10
314	Nationwide diffusion of laparoscopic resection improves quality and cost measures for distal pancreatectomy. <i>Journal of the American College of Surgeons</i> , 2012, 215, S103-S104.	0.2	0
315	Fluorophore-conjugated antibodies improve surgical resection of pancreatic cancer leading to prolonged disease-free survival and overall survival in orthotopic mouse models. <i>Journal of the American College of Surgeons</i> , 2012, 215, S127-S128.	0.2	1
316	Major liver resection stimulates stromal recruitment and metastasis compared with repeated minor resection. <i>Journal of Surgical Research</i> , 2012, 178, 280-287.	0.8	12
317	KRas Induces a Src/PEAK1/ErbB2 Kinase Amplification Loop That Drives Metastatic Growth and Therapy Resistance in Pancreatic Cancer. <i>Cancer Research</i> , 2012, 72, 2554-2564.	0.4	96
318	PLGA nanoparticle-mediated delivery of tumor antigenic peptides elicits effective immune responses. <i>International Journal of Nanomedicine</i> , 2012, 7, 1475.	3.3	100
319	Shedding (Killer) Light on Tumors. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2012, 24, 235-237.	0.4	3
320	Imaging the inhibition by anti- $\alpha_3\beta_1$ integrin antibody of lung seeding of single osteosarcoma cells in live mice. <i>International Journal of Cancer</i> , 2012, 131, 2027-2033.	2.3	15
321	Multi-color palette of fluorescent proteins for imaging the tumor microenvironment of orthotopic tumorgraft mouse models of clinical pancreatic cancer specimens. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 2290-2295.	1.2	61
322	An LED Light Source and Novel Fluorophore Combinations Improve Fluorescence Laparoscopic Detection of Metastatic Pancreatic Cancer in Orthotopic Mouse Models. <i>Journal of the American College of Surgeons</i> , 2012, 214, 997-1007e2.	0.2	50
323	Fluorescence-Guided Surgery Allows for More Complete Resection of Pancreatic Cancer, Resulting in Longer Disease-Free Survival Compared with Standard Surgery in Orthotopic Mouse Models. <i>Journal of the American College of Surgeons</i> , 2012, 215, 126-135.	0.2	64
324	Effect of anti- $\alpha_3\beta_1$ integrin antibody on lung seeding of osteosarcoma cells in live mice visualized by single-cell in vivo imaging. <i>Journal of Clinical Oncology</i> , 2012, 30, 10072-10072.	0.8	0

#	ARTICLE	IF	CITATIONS
325	Use of tumor-targeting salmonella typhimurium to eradicate human glioma in an orthotopic model in nude mice.. Journal of Clinical Oncology, 2012, 30, 2044-2044.	0.8	0
326	Effect of major liver resection on colon cancer metastasis in the lung and liver.. Journal of Clinical Oncology, 2012, 30, e14014-e14014.	0.8	0
327	The cyan fluorescent protein nude mouse as a host for multicolor-coded imaging models of primary and metastatic tumor microenvironments. Anticancer Research, 2012, 32, 31-8.	0.5	18
328	Color-coded real-time subcellular fluorescence imaging of the interaction between cancer and host cells in live mice. Anticancer Research, 2012, 32, 39-43.	0.5	18
329	Imageable fluorescent metastasis resulting in transgenic GFP mice orthotopically implanted with human-patient primary pancreatic cancer specimens. Anticancer Research, 2012, 32, 1175-80.	0.5	38
330	Inhibition of metastasis of circulating human prostate cancer cells in the chick embryo by an extracellular matrix produced by foreskin fibroblasts in culture. Anticancer Research, 2012, 32, 1573-7.	0.5	8
331	Comparative chemosensitivity of circulating human prostate cancer cells and primary cancer cells. Anticancer Research, 2012, 32, 2881-4.	0.5	7
332	Tumor-educated macrophages promote tumor growth and peritoneal metastasis in an orthotopic nude mouse model of human pancreatic cancer. In Vivo, 2012, 26, 565-9.	0.6	24
333	Non-invasive fluorescent-protein imaging of orthotopic pancreatic-cancer-patient tumorgraft progression in nude mice. Anticancer Research, 2012, 32, 3063-7.	0.5	48
334	Fluorescent proteins enhance UVC PDT of cancer cells. Anticancer Research, 2012, 32, 4327-30.	0.5	22
335	Amphicine carcinoma of the liver. Annals of Diagnostic Pathology, 2011, 15, 355-357.	0.6	13
336	Marker Expression in Circulating Cancer Cells of Pancreatic Cancer Patients. Journal of Surgical Research, 2011, 171, 631-636.	0.8	56
337	High Antimetastatic Efficacy of MEN4901/T-0128, a Novel Camptothecin Carboxymethyl-dextran Conjugate. Journal of Surgical Research, 2011, 171, 684-690.	0.8	10
338	Glowing Tumors Make for Better Detection and Resection. Science Translational Medicine, 2011, 3, 110fs10.	5.8	69
339	Imaging of the interaction of cancer cells and the lymphatic system. Advanced Drug Delivery Reviews, 2011, 63, 886-889.	6.6	7
340	Fluorescence laparoscopy imaging of pancreatic tumor progression in an orthotopic mouse model. Surgical Endoscopy and Other Interventional Techniques, 2011, 25, 48-54.	1.3	33
341	Knockdown of the $\beta$ 1 integrin subunit reduces primary tumor growth and inhibits pancreatic cancer metastasis. International Journal of Cancer, 2011, 129, 2905-2915.	2.3	82
342	Imaging the recruitment of cancer-associated fibroblasts by liver-metastatic colon cancer. Journal of Cellular Biochemistry, 2011, 112, 949-953.	1.2	38

#	ARTICLE	IF	CITATIONS
343	Stem-like and non-stem human pancreatic cancer cells distinguished by morphology and metastatic behavior. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 3549-3554.	1.2	12
344	Submillimeter-Resolution Fluorescence Laparoscopy of Pancreatic Cancer in a Carcinomatosis Mouse Model Visualizes Metastases Not Seen with Standard Laparoscopy. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2011, 21, 485-489.	0.5	20
345	Tumor-selective, adenoviral-mediated GFP genetic labeling of human cancer in the live mouse reports future recurrence after resection. <i>Cell Cycle</i> , 2011, 10, 2737-2741.	1.3	73
346	Tumor-Specific Fluorescence Antibody Imaging Enables Accurate Staging Laparoscopy in an Orthotopic Model of Pancreatic Cancer. <i>Hepato-Gastroenterology</i> , 2011, 59, 1994-9.	0.5	44
347	A rapid imageable in vivo metastasis assay for circulating tumor cells. <i>Anticancer Research</i> , 2011, 31, 3125-8.	0.5	13
348	Comparison of cancer-cell seeding, viability and deformation in the lung, muscle and liver, visualized by subcellular real-time imaging in the live mouse. <i>Anticancer Research</i> , 2011, 31, 3665-72.	0.5	4
349	Real-time imaging of single cancer cell dynamics of lung metastasis. <i>Journal of Cellular Biochemistry</i> , 2010, 109, 58-64.	1.2	44
350	Writing a Successful NIH Mentored Career Development Grant (K Award). <i>Annals of Surgery</i> , 2010, 251, 1013-1017.	2.1	17
351	Divalent Cations Modulate $\alpha 2 \beta 1$ Integrin-Mediated Malignancy in a Novel 3-Dimensional In Vitro Model of Pancreatic Cancer. <i>Pancreas</i> , 2010, 39, 904-912.	0.5	4
352	Disruption of angiogenesis and tumor growth with an orally active drug that stabilizes the inactive state of PDGFR $\beta$ /B-RAF. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 4299-4304.	3.3	55
353	UV light killing efficacy of fluorescent protein-expressing cancer cells in vitro and in vivo. <i>Journal of Cellular Biochemistry</i> , 2010, 110, 1439-1446.	1.2	48
354	Simultaneous color-coded imaging to distinguish cancer stem-like and non-stem cells in the same tumor. <i>Journal of Cellular Biochemistry</i> , 2010, 111, 1035-1041.	1.2	22
355	Magnetic resonance and fluorescence imaging of doxorubicin-loaded nanoparticles using a novel in vivo model. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2010, 6, 797-807.	1.7	44
356	Pseudopodium-enriched atypical kinase 1 regulates the cytoskeleton and cancer progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 10920-10925.	3.3	104
357	RBBP9: A tumor-associated serine hydrolase activity required for pancreatic neoplasia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2189-2194.	3.3	61
358	Metronomic Gemcitabine in Combination with Sunitinib Inhibits Multisite Metastasis and Increases Survival in an Orthotopic Model of Pancreatic Cancer. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 2068-2078.	1.9	46
359	Monotherapy with a Tumor-Targeting Mutant of <i>S. typhimurium</i> Inhibits Liver Metastasis in a Mouse Model of Pancreatic Cancer. <i>Journal of Surgical Research</i> , 2010, 164, 248-255.	0.8	125
360	Half-Antibody Functionalized Lipid-Polymer Hybrid Nanoparticles for Targeted Drug Delivery to Carcinoembryonic Antigen Presenting Pancreatic Cancer Cells. <i>Molecular Pharmaceutics</i> , 2010, 7, 914-920.	2.3	181



#	ARTICLE	IF	CITATIONS
361	Fluorescent Metastatic Mouse Models of Pancreatic Cancer for Drug Discovery. , 2010, , 51-72.		0
362	Real-time imaging of tumor progression in a fluorescent orthotopic mouse model of thyroid cancer. Anticancer Research, 2010, 30, 4415-22.	0.5	7
363	Orthotopic fluorescent peritoneal carcinomatosis model of esophageal cancer. Anticancer Research, 2010, 30, 3933-8.	0.5	9
364	Systemic targeting of primary bone tumor and lung metastasis of high-grade osteosarcoma in nude mice with a tumor-selective strain of <i>Salmonella typhimurium</i> . Cell Cycle, 2009, 8, 870-875.	1.3	113
365	Upregulation of thrombospondin-1 and angiogenesis in an aggressive human pancreatic cancer cell line selected for high metastasis. Molecular Cancer Therapeutics, 2009, 8, 1779-1786.	1.9	22
366	Complementarity of ultrasound and fluorescence imaging in an orthotopic mouse model of pancreatic cancer. BMC Cancer, 2009, 9, 106.	1.1	34
367	A transgenic red fluorescent protein-expressing nude mouse for color-coded imaging of the tumor microenvironment. Journal of Cellular Biochemistry, 2009, 106, 279-284.	1.2	103
368	Development of the transgenic cyan fluorescent protein (CFP)-expressing nude mouse for $\alpha$ -Technicolor-cancer imaging. Journal of Cellular Biochemistry, 2009, 107, 328-334.	1.2	53
369	Fluorescent LYVE-1 Antibody to Image Dynamically Lymphatic Trafficking of Cancer Cells In Vivo. Journal of Surgical Research, 2009, 151, 68-73.	0.8	50
370	Lentivirus-Based DsRed-2-Transfected Pancreatic Cancer Cells for Deep In Vivo Imaging of Metastatic Disease. Journal of Surgical Research, 2009, 157, 63-70.	0.8	26
371	The cyan fluorescent protein (CFP) transgenic mouse as a model for imaging pancreatic exocrine cells. JOP: Journal of the Pancreas, 2009, 10, 152-6.	1.5	4
372	Efficacy of a genetically-modified <i>Salmonella typhimurium</i> in an orthotopic human pancreatic cancer in nude mice. Anticancer Research, 2009, 29, 1873-8.	0.5	106
373	Resection of hepatic metastasis after 5-fluorouracil and cofactor for colon cancer. Hepato-Gastroenterology, 2009, 56, 645-9.	0.5	1
374	Clinically-relevant orthotopic metastatic models of pancreatic cancer imageable with fluorescent genetic reporters. Minerva Chirurgica, 2009, 64, 521-39.	0.8	6
375	Imaging of Primary and Metastatic Pancreatic Cancer Using a Fluorophore-Conjugated Anti-CEA Antibody for Surgical Navigation. World Journal of Surgery, 2008, 32, 1057-1066.	0.8	94
376	Fluorophore-conjugated anti-CEA Antibody for the Intraoperative Imaging of Pancreatic and Colorectal Cancer. Journal of Gastrointestinal Surgery, 2008, 12, 1938-1950.	0.9	133
377	Activation of the $\alpha_2\beta_1$ integrin-mediated malignant phenotype on type I collagen in pancreatic cancer cells by shifts in the concentrations of extracellular $Mg^{2+}$ and $Ca^{2+}$ . International Journal of Cancer, 2008, 122, 2199-2209.	2.3	19
378	Divalent cations modulate the integrin-mediated malignant phenotype in pancreatic cancer cells. Cancer Science, 2008, 99, 1553-1563.	1.7	9



#	ARTICLE	IF	CITATIONS
379	Induction of Cancer Metastasis by Cyclophosphamide Pretreatment of Host Mice: An Opposite Effect of Chemotherapy. <i>Cancer Research</i> , 2008, 68, 516-520.	0.4	115
380	Color-coded imaging of splenocyte-pancreatic cancer cell interactions in the tumor microenvironment. <i>Cell Cycle</i> , 2008, 7, 2916-2921.	1.3	12
381	Outpatient Video-Assisted Thoracoscopic Surgery (VATS) for Ectopic Mediastinal Parathyroid Adenoma: A Case Report and Review of the Literature. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2008, 18, 383-390.	0.5	30
382	Chapter 2 Color-Coded Fluorescent Mouse Models of Cancer Cell Interactions with Blood Vessels and Lymphatics. <i>Methods in Enzymology</i> , 2008, 445, 27-52.	0.4	8
383	Real-time Imaging of Tumor-Cell Shedding and Trafficking in Lymphatic Channels. <i>Cancer Research</i> , 2007, 67, 8223-8228.	0.4	118
384	Imaging of Nucleolar Dynamics During the Cell Cycle of Cancer Cells in Live Mice. <i>Cell Cycle</i> , 2007, 6, 2706-2708.	1.3	12
385	The Integrin-Extracellular Matrix Axis in Pancreatic Cancer. <i>Pancreas</i> , 2007, 35, 293-301.	0.5	98
386	Preclinical fluorescent mouse models of pancreatic cancer. , 2007, , .		0
387	Determination of the Ligand-Binding Specificities of the $\alpha 2 \beta 1$ and $\alpha 1 \beta 1$ Integrins in a Novel 3-Dimensional In Vitro Model of Pancreatic Cancer. <i>Pancreas</i> , 2007, 34, 220-228.	0.5	37
388	Dual-Color Imaging of Angiogenesis and Its Inhibition in Bone and Soft Tissue Sarcoma. <i>Journal of Surgical Research</i> , 2007, 140, 165-170.	0.8	17
389	Incidental Finding of Metastatic Papillary Thyroid Carcinoma in a Patient with Primary Hyperparathyroidism. <i>Endocrine Practice</i> , 2007, 13, 380-383.	1.1	7
390	Integrin-mediated laminin-1 adhesion upregulates CXCR4 and IL-8 expression in pancreatic cancer cells. <i>Surgery</i> , 2007, 141, 804-814.	1.0	32
391	Visualization of nascent tumor angiogenesis in lung and liver metastasis by differential dual-color fluorescence imaging in nestin-linked-GFP mice. <i>Clinical and Experimental Metastasis</i> , 2007, 23, 315-322.	1.7	21
392	The camptothecin derivative CPT-11 inhibits angiogenesis in a dual-color imageable orthotopic metastatic nude mouse model of human colon cancer. <i>Anticancer Research</i> , 2007, 27, 713-8.	0.5	20
393	Dual-Color Imaging of Nascent Blood Vessels Vascularizing Pancreatic Cancer in an Orthotopic Model Demonstrates Antiangiogenesis Efficacy of Gemcitabine. <i>Journal of Surgical Research</i> , 2006, 132, 164-169.	0.8	35
394	Identification of DU 145 prostate cancer cell proteins that bind to the carboxy-terminal peptide of human PTHrP in vitro. <i>Peptides</i> , 2006, 27, 1898-1901.	1.2	1
395	Tumor Cells Genetically Labeled with GFP in the Nucleus and RFP in the Cytoplasm for Imaging Cellular Dynamics. <i>Cell Cycle</i> , 2006, 5, 1198-1201.	1.3	37
396	In vivo Color-Coded Imaging of the Interaction of Colon Cancer Cells and Splenocytes in the Formation of Liver Metastases. <i>Cancer Research</i> , 2006, 66, 11293-11297.	0.4	105

#	ARTICLE	IF	CITATIONS
397	Dual-Color Imaging of Nuclear-Cytoplasmic Dynamics, Viability, and Proliferation of Cancer Cells in the Portal Vein Area. <i>Cancer Research</i> , 2006, 66, 303-306.	0.4	59
398	Development of Real-time Subcellular Dynamic Multicolor Imaging of Cancer-Cell Trafficking in Live Mice with a Variable-Magnification Whole-Mouse Imaging System. <i>Cancer Research</i> , 2006, 66, 4208-4214.	0.4	242
399	Causes of Hypercalcemia in a Population of Military Veterans in the United States. <i>Endocrine Practice</i> , 2006, 12, 535-541.	1.1	3
400	Dual-color imaging of nascent angiogenesis and its inhibition in liver metastases of pancreatic cancer. <i>Anticancer Research</i> , 2006, 26, 3237-42.	0.5	19
401	Real-time In vivo Dual-color Imaging of Intracapillary Cancer Cell and Nucleus Deformation and Migration. <i>Cancer Research</i> , 2005, 65, 4246-4252.	0.4	160
402	Type I Collagen and Divalent Cation Shifts Disrupt Cell-Cell Adhesion, Increase Migration, and Decrease PTHrP, IL-6, and IL-8 Expression in Pancreatic Cancer Cells. <i>International Journal of Gastrointestinal Cancer</i> , 2005, 36, 131-146.	0.4	15
403	GSK3 and PKB/Akt are associated with integrin-mediated regulation of PTHrP, IL-6 and IL-8 expression in FG pancreatic cancer cells. <i>International Journal of Cancer</i> , 2005, 114, 522-530.	2.3	24
404	Heat Shock Protein-70 Expressed on the Surface of Cancer Cells Binds Parathyroid Hormone-Related Protein in Vitro. <i>Endocrinology</i> , 2005, 146, 3567-3576.	1.4	15
405	Nestin-Linked Green Fluorescent Protein Transgenic Nude Mouse for Imaging Human Tumor Angiogenesis. <i>Cancer Research</i> , 2005, 65, 5352-5357.	0.4	139
406	High Correlation of Whole-Body Red Fluorescent Protein Imaging and Magnetic Resonance Imaging on an Orthotopic Model of Pancreatic Cancer. <i>Cancer Research</i> , 2005, 65, 9829-9833.	0.4	48
407	An evidence-based approach to the diagnosis and staging of pancreatic cancer. <i>Pancreatology</i> , 2005, 5, 576-590.	0.5	46
408	Alpha-synuclein overexpression in oligodendrocytic cells results in impaired adhesion to fibronectin and cell death. <i>Molecular and Cellular Neurosciences</i> , 2005, 29, 259-268.	1.0	26
409	Survival Efficacy of Adjuvant Cytosine-Analogue CS-682 in a Fluorescent Orthotopic Model of Human Pancreatic Cancer. <i>Cancer Research</i> , 2004, 64, 1828-1833.	0.4	31
410	Tumor Markers for Pancreatic Cancer: What Happens When Preoperative CA 19-9 is Undetectable?. <i>Annals of Surgical Oncology</i> , 2004, 11, 637-638.	0.7	5
411	An imageable highly metastatic orthotopic red fluorescent protein model of pancreatic cancer. <i>Clinical and Experimental Metastasis</i> , 2004, 21, 7-12.	1.7	45
412	Successful perioperative management of factor X deficiency associated with primary amyloidosis. <i>Journal of Gastrointestinal Surgery</i> , 2004, 8, 358-362.	0.9	32
413	The Extracellular Matrix Differentially Regulates the Expression of PTHrP and the PTH/PTHrP Receptor in FG Pancreatic Cancer Cells. <i>Pancreas</i> , 2004, 29, 85-92.	0.5	18
414	Non-pancreatic periampullary adenocarcinomas: an explanation for favorable prognosis. <i>Hepato-Gastroenterology</i> , 2004, 51, 842-6.	0.5	9

#	ARTICLE	IF	CITATIONS
415	Novel Gene Therapy Approaches to Pancreatic Cancer. <i>International Journal of Gastrointestinal Cancer</i> , 2003, 33, 89-98.	0.4	4
416	Gene Therapy of Pancreatic Cancer With Green Fluorescent Protein and Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Fusion Gene Expression Driven by a Human Telomerase Reverse Transcriptase Promoter. <i>Annals of Surgical Oncology</i> , 2003, 10, 762-772.	0.7	40
417	Adenomatoid Tumor of the Pancreas: A Case Report with Comparison of Histology and Aspiration Cytology. <i>Modern Pathology</i> , 2003, 16, 613-617.	2.9	31
418	A novel red fluorescent protein orthotopic pancreatic cancer model for the preclinical evaluation of chemotherapeutics. <i>Journal of Surgical Research</i> , 2003, 113, 151-160.	0.8	132
419	Metachronous Double Parathyroid Adenomas Involving Two Different Cell Types: Chief Cell and Oxyphil Cell. <i>Endocrine Practice</i> , 2003, 9, 522-525.	1.1	10
420	Efficacy of camptothecin analog DX-8951f (Exatecan Mesylate) on human pancreatic cancer in an orthotopic metastatic model. <i>Cancer Research</i> , 2003, 63, 80-5.	0.4	44
421	Selective antimetastatic activity of cytosine analog CS-682 in a red fluorescent protein orthotopic model of pancreatic cancer. <i>Cancer Research</i> , 2003, 63, 5521-5.	0.4	30
422	Fine Needle Aspiration of Splenic Extramedullary Hematopoiesis Presenting as a Solitary Mass. <i>Acta Cytologica</i> , 2002, 46, 1138-1142.	0.7	19
423	Parathyroid Hormone-related Protein as a Novel Tumor Marker in Pancreatic Adenocarcinoma. <i>Pancreas</i> , 2002, 24, 284-290.	0.5	23
424	Bax-Induction Gene Therapy of Pancreatic Cancer. <i>Journal of Surgical Research</i> , 2002, 106, 346-351.	0.8	36
425	Direct external imaging of nascent cancer, tumor progression, angiogenesis, and metastasis on internal organs in the fluorescent orthotopic model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 3824-3829.	3.3	179
426	The role of sentinel lymph node biopsy for melanoma. <i>Seminars in Oncology</i> , 2002, 29, 341-352.	0.8	31
427	Real-time optical imaging of primary tumor growth and multiple metastatic events in a pancreatic cancer orthotopic model. <i>Cancer Research</i> , 2002, 62, 1534-40.	0.4	141
428	Value of Three-dimensional US for Optimizing Guidance for Ablating Focal Liver Tumors. <i>Journal of Vascular and Interventional Radiology</i> , 2001, 12, 507-515.	0.2	72
429	Human Pancreatic Adenocarcinomas Express Parathyroid Hormone-Related Protein1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 310-316.	1.8	17
430	Cytotoxicity, apoptosis, and viral replication in tumor cells treated with oncolytic ribonucleotide reductase-defective herpes simplex type 1 virus (hrR3) combined with ionizing radiation. <i>Cancer Gene Therapy</i> , 2000, 7, 1051-1059.	2.2	48
431	Chronologically-specific metastatic targeting of human pancreatic tumors in orthotopic models. <i>Clinical and Experimental Metastasis</i> , 2000, 18, 213-218.	1.7	66
432	Antimetastatic efficacy of adjuvant gemcitabine in a pancreatic cancer orthotopic model. <i>Clinical and Experimental Metastasis</i> , 2000, 18, 379-384.	1.7	21

#	ARTICLE	IF	CITATIONS
433	Factors influencing survival after resection for periampullary neoplasms. American Journal of Surgery, 2000, 180, 13-17.	0.9	121
434	Predictors of Recurrence After Local Excision and Postoperative Chemoradiation Therapy of Adenocarcinoma of the Rectum. Annals of Surgical Oncology, 1999, 6, 26-32.	0.7	70
435	Surgical Strategy for the Treatment of Medullary Thyroid Carcinoma. Annals of Surgery, 1999, 230, 697.	2.1	129
436	Adenovirus-mediated wild-type p53 tumor suppressor gene therapy induces apoptosis and suppresses growth of human pancreatic cancer. Annals of Surgical Oncology, 1998, 5, 681-688.	0.7	111
437	Hemangiopericytoma: A 20-year single-institution experience. Annals of Surgical Oncology, 1998, 5, 350-355.	0.7	117
438	Clinical, pathologic, and economic parameters of laparoscopic colon resection for cancer. American Journal of Surgery, 1998, 176, 554-558.	0.9	91
439	Evaluation of GAL4/TATA in Vivo. Journal of Biological Chemistry, 1998, 273, 4972-4975.	1.6	41
440	Does Breast Conservation Therapy in Young Women with Breast Cancer Adversely Affect Local Disease Control and Survival Rate? The M. D. Anderson Cancer Center Experience. Breast Journal, 1997, 3, 169-175.	0.4	8
441	Role of conservation therapy for invasive lobular carcinoma of the breast. Annals of Surgical Oncology, 1997, 4, 650-654.	0.7	42
442	A Packaging System for SV40 Vectors without Viral Coding Sequences. Analytical Biochemistry, 1997, 254, 139-143.	1.1	10
443	Congenital microgastria in a premature infant. Journal of Pediatric Surgery, 1994, 29, 1594-1595.	0.8	24
444	Surgical Management of the Thyroid Nodule: Patient Selection Based on the Results of Fine-Needle Aspiration Cytology. Laryngoscope, 1992, 102, 1353-1356.	1.1	57