Carlos Conceição António

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2442981/publications.pdf

Version: 2024-02-01

88 papers 2,156 citations

279798 23 h-index 254184 43 g-index

90 all docs 90 docs citations

90 times ranked 1620 citing authors

#	Article	IF	CITATIONS
1	Implementation and Comparison of Non-Newtonian Viscosity Models in Hemodynamic Simulations of Patient Coronary Arteries. Advanced Structured Materials, 2022, , 403-428.	0.5	1
2	Dimensional reduction applied to the reliability-based robust design optimization of composite structures. Composite Structures, 2021, 255, 112937.	5.8	6
3	Bayesian inference in validation of global MPP for the reliability analysis of composite structures. International Journal of Mechanics and Materials in Design, 2019, 15, 601-610.	3.0	2
4	Global optimal reliability index of implicit composite laminate structures by evolutionary algorithms. Structural Safety, 2019, 79, 54-65.	5.3	16
5	The Impact of the Right Coronary Artery Geometric Parameters on Hemodynamic Performance. Cardiovascular Engineering and Technology, 2019, 10, 257-270.	1.6	26
6	Sobol' indices as dimension reduction technique in evolutionary-based reliability assessment. Engineering Computations, 2019, 37, 368-398.	1.4	8
7	Multi-objective Memetic Algorithm Based on Learning for Sustainable Design of FRP Composite Structure., 2019,, 1095-1106.		1
8	Reliability-based Robust Design Optimization with the Reliability Index Approach applied to composite laminate structures. Composite Structures, 2019, 209, 844-855.	5.8	27
9	Correlation between geometric parameters of the left coronary artery and hemodynamic descriptors of atherosclerosis: FSI and statistical study. Medical and Biological Engineering and Computing, 2019, 57, 715-729.	2.8	37
10	Robustness and reliability of composite structures: effects of different sources of uncertainty. International Journal of Mechanics and Materials in Design, 2019, 15, 93-107.	3.0	14
11	Analysis of Sequential Transverse B-Mode Ultrasound Images of the Carotid Artery Bifurcation. Lecture Notes in Computational Vision and Biomechanics, 2019, , 521-530.	0.5	0
12	Geometry Reconstruction of a Patient-Specific Right Coronary Artery with Atherosclerotic Plaque for CFD Study. Lecture Notes in Computational Vision and Biomechanics, 2019, , 531-539.	0.5	0
13	A displacement field approach based on FEM-ANN and experiments for identification of elastic properties of composites. International Journal of Advanced Manufacturing Technology, 2018, 95, 4279-4291.	3.0	5
14	A RBRDO approach based on structural robustness and imposed reliability level. Structural and Multidisciplinary Optimization, 2018, 57, 2411-2429.	3.5	15
15	Patient-Specific Study of a Stenosed Carotid Artery Bifurcation Using Fluid–Structure Interactive Simulation. Lecture Notes in Computational Vision and Biomechanics, 2018, , 495-503.	0.5	3
16	Optimal design of composite shells based on minimum weight and maximum feasibility robustness. International Journal of Mechanics and Materials in Design, 2017, 13, 287-310.	3.0	9
17	Multiobjective optimization of mechanical properties based on the composition of adhesives. International Journal of Mechanics and Materials in Design, 2017, 13, 1-24.	3.0	4
18	Reliability-based design optimization and uncertainty quantification for optimal conditions of composite structures with non-linear behavior. Engineering Structures, 2017, 153, 479-490.	5.3	20

#	Article	IF	Citations
19	Optimal design of adhesive composition in footwear industry based on creep rate minimization. International Journal of Advanced Manufacturing Technology, 2016, 84, 2097-2111.	3.0	6
20	Bi-level dominance GA for minimum weight and maximum feasibility robustness of composite structures. Composite Structures, 2016, 135, 83-95.	5.8	7
21	Computational simulation of carotid stenosis and flow dynamics based on patient ultrasound data – A new tool for risk assessment and surgical planning. Advances in Medical Sciences, 2016, 61, 32-39.	2.1	23
22	Effect of the surface treatment in polyurethane and natural leather for the footwear industry. Materialwissenschaft Und Werkstofftechnik, 2015, 46, 47-58.	0.9	6
23	Surface treatment effect in thermoplastic rubber and natural leather for the footwear industry. Materialwissenschaft Und Werkstofftechnik, 2015, 46, 632-643.	0.9	1
24	Prediction of Carotid Hemodynamic Descriptors Based on Ultrasound Data and a Neural Network Model. Lecture Notes in Computational Vision and Biomechanics, 2015, , 157-171.	0.5	0
25	The design, properties and performance of shape optimized masonry blocks. , 2015, , 249-269.		1
26	Sensitivity and Optimization of Peel Strength Based on Composition of Adhesives for Footwear Industry. Journal of Adhesion, 2015, 91, 801-822.	3.0	5
27	A new lightweight masonry block: Thermal and mechanical performance. Archives of Civil and Mechanical Engineering, 2014, 14, 160-169.	3.8	16
28	Optimal topology of urban buildings for maximization of annual solar irradiation availability using a genetic algorithm. Applied Thermal Engineering, 2014, 73, 424-437.	6.0	26
29	Toward hemodynamic diagnosis of carotid artery stenosis based on ultrasound image data and computational modeling. Medical and Biological Engineering and Computing, 2014, 52, 971-983.	2.8	31
30	A memetic algorithm based on multiple learning procedures for global optimal design of composite structures. Memetic Computing, 2014, 6, 113-131.	4.0	19
31	Haemodynamic conditions of patient-specific carotid bifurcation based on ultrasound imaging. Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization, 2014, 2, 157-166.	1.9	13
32	Simulated hemodynamics in human carotid bifurcation based on Doppler ultrasound data. International Journal of Clinical Neurosciences and Mental Health, 2014, , \$15.	0.7	3
33	Local and global Pareto dominance applied to optimal design and material selection of composite structures. Structural and Multidisciplinary Optimization, 2013, 48, 73-94.	3.5	18
34	Uncertainty assessment approach for composite structures based on global sensitivity indices. Composite Structures, 2013, 99, 202-212.	5.8	22
35	Blood flow simulation and vascular reconstruction. Journal of Biomechanics, 2012, 45, 2549-2555.	2.1	20
36	Blood Flow Simulation and Applications. Lecture Notes in Computational Vision and Biomechanics, 2012, , 67-86.	0.5	10

#	Article	IF	CITATIONS
37	Topology optimisation of masonry units from the thermal point of view using a genetic algorithm. Construction and Building Materials, 2011, 25, 2254-2262.	7.2	17
38	Air temperature fields inside refrigeration cabins: A comparison of results from CFD and ANN modelling. Applied Thermal Engineering, 2011, 31, 1244-1251.	6.0	29
39	Uncertainty propagation in inverse reliability-based design of composite structures. International Journal of Mechanics and Materials in Design, 2010, 6, 89-102.	3.0	33
40	Self-adaptation procedures in genetic algorithms applied to the optimal design of composite structures. International Journal of Mechanics and Materials in Design, 2009, 5, 289-302.	3.0	14
41	A study on synergy of multiple crossover operators in a hierarchical genetic algorithm applied to structural optimisation. Structural and Multidisciplinary Optimization, 2009, 38, 117-135.	3.5	19
42	Optimisation of multi-pass cutting parameters in face-milling based on genetic search. International Journal of Advanced Manufacturing Technology, 2009, 44, 1106-1115.	3.0	22
43	An approach for reliability-based robust design optimisation of angle-ply composites. Composite Structures, 2009, 90, 53-59.	5.8	47
44	Artificial neural network based on genetic learning for machining of polyetheretherketone composite materials. International Journal of Advanced Manufacturing Technology, 2008, 39, 1101-1110.	3.0	16
45	From local to global importance measures of uncertainty propagation in composite structures. Composite Structures, 2008, 85, 213-225.	5.8	43
46	Optimization of Forming Processes with Different Sheet Metal Alloys. AIP Conference Proceedings, 2007, , .	0.4	2
47	Uncertainty analysis based on sensitivity applied to angle-ply composite structures. Reliability Engineering and System Safety, 2007, 92, 1353-1362.	8.9	21
48	Optimal design of V and U bending processes using genetic algorithms. Journal of Materials Processing Technology, 2006, 172, 35-41.	6.3	19
49	Optimum pre-form dies in two-stage forging. Journal of Materials Processing Technology, 2006, 174, 325-333.	6.3	20
50	A hierarchical genetic algorithm with age structure for multimodal optimal design of hybrid composites. Structural and Multidisciplinary Optimization, 2006, 31, 280-294.	3.5	42
51	The synergetic effects of hybrid crossover operators in structural optimisation. , 2006, , 435-435.		0
52	Eliminating Forging Defects Using Genetic Algorithms. Materials and Manufacturing Processes, 2005, 20, 509-522.	4.7	19
53	Optimal machining parameters based on surface roughness experimental data and genetic search. Industrial Lubrication and Tribology, 2005, 57, 249-254.	1.3	5
54	Strong displacement discontinuities and Lagrange multipliers in the analysis of finite displacement fracture problems. Computational Mechanics, 2004, 35, 54-71.	4.0	23

#	Article	IF	CITATIONS
55	Experimental study of drilling glass fiber reinforced plastics (GFRP) manufactured by hand lay-up. Composites Science and Technology, 2004, 64, 289-297.	7.8	339
56	Algorithms for the analysis of 3D finite strain contact problems. International Journal for Numerical Methods in Engineering, 2004, 61, 1107-1151.	2.8	14
57	Optimisation of shape and process parameters in metal forging using genetic algorithms. Journal of Materials Processing Technology, 2004, 146, 356-364.	6.3	90
58	Drilling fiber reinforced plastics (FRPs) manufactured by hand lay-up: influence of matrix (Viapal VUP) Tj ETQq0 (0 0 rgBT /C	Overlock 10 Tf
59	Optimization of metal forming processes. Computers and Structures, 2004, 82, 1425-1433.	4.4	27
60	A study on milling of glass fiber reinforced plastics manufactured by hand-lay up using statistical analysis (ANOVA). Composite Structures, 2004, 64, 493-500.	5.8	125
61	Optimization of metal forming processes. Computers and Structures, 2004, 82, 1425-1425.	4.4	1
62	Preform optimal design in metal forging using genetic algorithms. Engineering Computations, 2004, 21, 631-650.	1.4	10
63	Analysis of 3D problems using a new enhanced strain hexahedral element. International Journal for Numerical Methods in Engineering, 2003, 58, 1637-1682.	2.8	86
64	Machinability study on polyetheretherketone (PEEK) unreinforced and reinforced (GF30) for applications in structural components. Composite Structures, 2003, 62, 67-73.	5.8	98
65	A gradient model for finite strain elastoplasticity coupled with damage. Finite Elements in Analysis and Design, 2003, 39, 1191-1235.	3.2	37
66	A hybrid crossover operator for structural optimisation based on commonality in genetic search. Engineering Computations, 2003, 20, 390-408.	1.4	3
67	Optimal cutting conditions in turning of particulate metal matrix composites based on experiment and a genetic search model. Composites Part A: Applied Science and Manufacturing, 2002, 33, 213-219.	7.6	31
68	A multilevel genetic algorithm for optimization of geometrically nonlinear stiffened composite structures. Structural and Multidisciplinary Optimization, 2002, 24, 372-386.	3.5	38
69	Inverse methods in design of industrial forging processes. Journal of Materials Processing Technology, 2002, 128, 266-273.	6.3	26
70	Metal-forming process optimisation by inverse evolutionary search. Journal of Materials Processing Technology, 2002, 121, 403-413.	6.3	48
71	An efficient algorithm to estimate optimal preform die shape parameters in forging. Engineering Computations, 2001, 18, 1057-1077.	1.4	16
72	A hierarchical genetic algorithm for reliability based design of geometrically non-linear composite structures. Composite Structures, 2001, 54, 37-47.	5.8	42

#	Article	IF	CITATIONS
73	Optimal drilling of particulate metal matrix composites based on experimental and numerical procedures. International Journal of Machine Tools and Manufacture, 2001, 41, 21-31.	13.4	67
74	Optimisation of cutting conditions in machining of aluminium matrix composites using a numerical and experimental model. Journal of Materials Processing Technology, 2001, 112, 78-82.	6.3	85
75	Optimal design of beam reinforced composite structures under elasto-plastic loading conditions. Structural and Multidisciplinary Optimization, 2000, 19, 50-63.	3.5	13
76	Optimisation of geometrically non-linear composite structures based on load–displacement control. Composite Structures, 1999, 46, 345-356.	5.8	18
77	Reliability based design with a degradation model of laminated composite structures. Structural Optimization, 1996, 12, 16-28.	0.6	23
78	Optimization of laminated composite structures using a bilevel strategy. Composite Structures, 1995, 33, 193-200.	5.8	17
79	Multilevel optimization of laminated composite structures. Structural Optimization, 1994, 7, 55-60.	0.6	7
80	Near-Optimum Carotid Disease Analysis using Ultrasound Image Data. , 0, , .		0
81	Robust Design of Composites based on Weight Minimization and Uncertainty. , 0, , .		0
82	A Memetic Algorithm for Multi-Objective Design of Composites and Material Selection. , 0, , .		0
83	Multiobjective Optimization for Sustainable Design of Fibre Reinforced Polymer Composite Structures., 0, , .		0
84	Integrating Ultrasound Images using Modular Artificial Neural Networks. , 0, , .		0
85	Robust Design Optimization of Hybrid Composite Structures based on Evolutionary Speciation in Genetic Search. , 0, , .		0
86	Multi-Objective Self-Adaptive Genetic Search for Structural Robust Design. , 0, , .		0
87	The Design of Artificial Grafts using Multi-Objective Genetic Algorithms. , 0, , .		0
88	Reliability Assessment of Composite Structures with Multiple Failure Modes., 0,,.		0