

Peir-In Liang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2443072/publications.pdf>

Version: 2024-02-01

53
papers

858
citations

430874

18
h-index

552781

26
g-index

53
all docs

53
docs citations

53
times ranked

1568
citing authors

#	ARTICLE	IF	CITATIONS
1	Glomerular disease classification and lesion identification by machine learning. <i>Biomedical Journal</i> , 2022, 45, 675-685.	3.1	19
2	Reduced Incidence of Stroke in Patients with Gout Using Benzbromarone. <i>Journal of Personalized Medicine</i> , 2022, 12, 28.	2.5	3
3	Elamipretide treatment during pregnancy ameliorates the progression of polycystic kidney disease in maternal and neonatal mice with PKD1 mutations. <i>Kidney International</i> , 2022, 101, 906-911.	5.2	8
4	Cytomegalovirus colitis with presentation of hemorrhagic colitis in chronic myeloid leukemia during dasatinib therapy. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1155-1157.	1.7	3
5	Podocentric view of glomerular proteinuria: Focused on cytoskeletal changes and toward promising targeted therapies and challenges. <i>Kaohsiung Journal of Medical Sciences</i> , 2021, 37, 539-546.	1.9	0
6	Prognostic Utility of FBLN2 Expression in Patients With Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 570340.	2.8	7
7	Beneficial Therapeutic Approach of Acellular PLGA Implants Coupled With Rehabilitation Exercise for Osteochondral Repair: A Proof of Concept Study in a Minipig Model. <i>American Journal of Sports Medicine</i> , 2020, 48, 2796-2807.	4.2	0
8	Curation of cancer hallmark-based genes and pathways for in silico characterization of chemical carcinogenesis. <i>Database: the Journal of Biological Databases and Curation</i> , 2020, 2020, .	3.0	4
9	Dedifferentiated liposarcoma of the gallbladder. <i>Kaohsiung Journal of Medical Sciences</i> , 2020, 36, 1040-1041.	1.9	1
10	Low Galectin-3 Expression Level in Primary Tumors Is Associated with Metastasis in T1 Lung Adenocarcinoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 1990.	2.4	4
11	MicroRNA-45 suppresses cell migration and invasion in upper tract urothelial carcinoma by targeting ARF6. <i>FASEB Journal</i> , 2020, 34, 5975-5992.	0.5	21
12	Colorectal Cancer Detection Based on Deep Learning. <i>Journal of Pathology Informatics</i> , 2020, 11, 28.	1.7	34
13	The prognostic value of CSN6 expression in upper tract urothelial carcinomas. <i>Kaohsiung Journal of Medical Sciences</i> , 2019, 35, 559-565.	1.9	2
14	CSF-1 Overexpression Predicts Poor Prognosis in Upper Tract Urothelial Carcinomas. <i>Disease Markers</i> , 2019, 2019, 1-9.	1.3	9
15	High expression of Chitinase 3-like-1 is an unfavorable prognostic factor in urothelial carcinoma of upper urinary tract and urinary bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 299.e7-299.e18.	1.6	7
16	Predominant global glomerulosclerosis in patients of upper urinary tract urothelial carcinoma with pre-existing renal function impairment is a predictor of poor renal outcomes. <i>BMC Cancer</i> , 2019, 19, 337.	2.6	2
17	Downregulation of the cytochrome P450 4B1 protein confers a poor prognostic factor in patients with urothelial carcinomas of upper urinary tracts and urinary bladder. <i>Apmis</i> , 2019, 127, 170-180.	2.0	14
18	Glycine N-methyltransferase inhibits aristolochic acid nephropathy by increasing CYP3A44 and decreasing NQO1 expression in female mouse hepatocytes. <i>Scientific Reports</i> , 2018, 8, 6960.	3.3	12

#	ARTICLE	IF	CITATIONS
19	A Preclinical Assessment of Early Continuous Passive Motion and Treadmill Therapeutic Exercises for Generating Chondroprotective Effects After Anterior Cruciate Ligament Rupture. <i>American Journal of Sports Medicine</i> , 2017, 45, 2284-2293.	4.2	19
20	DPP4/CD26 overexpression in urothelial carcinoma confers an independent prognostic impact and correlates with intrinsic biological aggressiveness. <i>Oncotarget</i> , 2017, 8, 2995-3008.	1.8	24
21	Sulfatase-1 overexpression indicates poor prognosis in urothelial carcinoma of the urinary bladder and upper tract. <i>Oncotarget</i> , 2017, 8, 47216-47229.	1.8	26
22	Necdin Overexpression Predicts Poor Prognosis in Patients with Urothelial Carcinomas of the Upper Urinary Tract and Urinary Bladder. <i>Journal of Cancer</i> , 2016, 7, 304-313.	2.5	11
23	Complement Component 1, s Subcomponent Overexpression is an Independent Poor Prognostic Indicator in Patients with Urothelial Carcinomas of the Upper Urinary Tract and Urinary Bladder. <i>Journal of Cancer</i> , 2016, 7, 1396-1405.	2.5	13
24	Downregulation of RNF128 Predicts Progression and Poor Prognosis in Patients with Urothelial Carcinoma of the Upper Tract and Urinary Bladder. <i>Journal of Cancer</i> , 2016, 7, 2187-2196.	2.5	17
25	SPOCK1 Overexpression Confers a Poor Prognosis in Urothelial Carcinoma. <i>Journal of Cancer</i> , 2016, 7, 467-476.	2.5	37
26	CSF2 Overexpression Is Associated with STAT5 Phosphorylation and Poor Prognosis in Patients with Urothelial Carcinoma. <i>Journal of Cancer</i> , 2016, 7, 711-721.	2.5	34
27	High Expression of 17 β -hydroxysteroid Dehydrogenase Type 2 is Associated with a Better Prognosis in Urothelial Carcinoma of the Urinary Tract. <i>Journal of Cancer</i> , 2016, 7, 2221-2230.	2.5	4
28	Overexpression of JAK2: a predictor of unfavorable prognosis for nasopharyngeal carcinoma. <i>Future Oncology</i> , 2016, 12, 1887-1896.	2.4	12
29	Is preoperative anemia a risk factor for upper tract urothelial carcinoma following radical nephroureterectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 337.e1-337.e9.	1.6	10
30	BCAT1 overexpression is an indicator of poor prognosis in patients with urothelial carcinomas of the upper urinary tract and urinary bladder. <i>Histopathology</i> , 2016, 68, 520-532.	2.9	29
31	Synthetic Steroid Hormones Regulated Cell Proliferation Through MicroRNA-34a-5p in Human Ovarian Endometrioma1. <i>Biology of Reproduction</i> , 2016, 94, 60.	2.7	10
32	Overexpression of PTP4A3 is associated with metastasis and unfavorable prognosis in bladder cancer. <i>World Journal of Urology</i> , 2016, 34, 835-846.	2.2	6
33	MCM10 overexpression implicates adverse prognosis in urothelial carcinoma. <i>Oncotarget</i> , 2016, 7, 77777-77792.	1.8	34
34	DDR2 overexpression in urothelial carcinoma indicates an unfavorable prognosis: a large cohort study. <i>Oncotarget</i> , 2016, 7, 78918-78931.	1.8	11
35	Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse Outcome of Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0139624.	2.5	20
36	HAS3 underexpression as an indicator of poor prognosis in patients with urothelial carcinoma of the upper urinary tract and urinary bladder. <i>Tumor Biology</i> , 2015, 36, 5441-5450.	1.8	26

#	ARTICLE	IF	CITATIONS
37	Prognostic Significance of Lymphovascular Invasion in Upper Urinary Tract Urothelial Carcinoma is Influenced by Tumor Location. <i>Annals of Surgical Oncology</i> , 2015, 22, 1392-1400.	1.5	32
38	Obstructive laryngeal schwannoma in a young female. <i>World Journal of Surgical Oncology</i> , 2015, 13, 24.	1.9	8
39	FGF7 Over Expression is an Independent Prognosticator in Patients with Urothelial Carcinoma of the Upper Urinary Tract and Bladder. <i>Journal of Urology</i> , 2015, 194, 223-229.	0.4	37
40	Positive effects of cell-free porous PLGA implants and early loading exercise on hyaline cartilage regeneration in rabbits. <i>Acta Biomaterialia</i> , 2015, 28, 128-137.	8.3	37
41	Subcellular localisation of anillin is associated with different survival outcomes in upper urinary tract urothelial carcinoma. <i>Journal of Clinical Pathology</i> , 2015, 68, 1026-1032.	2.0	14
42	PTP4A3 Independently Predicts Metastasis and Survival in Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , 2015, 194, 1449-1455.	0.4	10
43	INHBA overexpression indicates poor prognosis in urothelial carcinoma of urinary bladder and upper tract. <i>Journal of Surgical Oncology</i> , 2015, 111, 414-422.	1.7	39
44	Intramedullary spinal glioblastoma metastasis from anaplastic astrocytoma of cerebellum: A case report and review of the literature. <i>Journal of Innovative Optical Health Sciences</i> , 2015, 10, 268.	1.0	2
45	Role of Glycine N-Methyltransferase in the Regulation of T-Cell Responses in Experimental Autoimmune Encephalomyelitis. <i>Molecular Medicine</i> , 2014, 20, 684-696.	4.4	8
46	Follicular Dendritic Cell Sarcoma of the Inflammatory Pseudotumor-like Variant Presenting as a Colonic Polyp. <i>Korean Journal of Pathology</i> , 2014, 48, 140.	1.3	31
47	BCL6 overexpression is associated with decreased p19ARF expression and confers an independent prognosticator in gallbladder carcinoma. <i>Tumor Biology</i> , 2014, 35, 1417-1426.	1.8	9
48	Angioimmunoblastic T-cell lymphoma in Taiwan shows a frequent gain of ITK gene. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6097-107.	0.5	14
49	Clinicopathological significance of HuR expression in gallbladder carcinoma: with special emphasis on the implications of its nuclear and cytoplasmic expression. <i>Tumor Biology</i> , 2013, 34, 3059-3069.	1.8	18
50	Ectopic hamartomatous thymoma is distinct from lipomatous pleomorphic adenoma in lacking <i>PLAG1</i> aberration. <i>Histopathology</i> , 2013, 62, 518-522.	2.9	11
51	IGFBP-5 overexpression as a poor prognostic factor in patients with urothelial carcinomas of upper urinary tracts and urinary bladder. <i>Journal of Clinical Pathology</i> , 2013, 66, 573-582.	2.0	43
52	Rsf-1/HBXAP overexpression is independent of gene amplification and is associated with poor outcome in patients with urinary bladder urothelial carcinoma. <i>Journal of Clinical Pathology</i> , 2012, 65, 802-807.	2.0	15
53	HuR cytoplasmic expression is associated with increased cyclin A expression and poor outcome with upper urinary tract urothelial carcinoma. <i>BMC Cancer</i> , 2012, 12, 611.	2.6	37