
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2446065/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | From Olive Drupes to Olive Oil. An HPLC-Orbitrap-based Qualitative and Quantitative Exploration of<br>Olive Key Metabolites. Planta Medica, 2013, 79, 1576-1587.   | 1.3 | 152       |
| 2  | A New Process for the Management of Olive Oil Mill Waste Water and Recovery of Natural Antioxidants. Journal of Agricultural and Food Chemistry, 2007, 55, 2671-2676.  | 5.2 | 145       |
| 3  | Composition and Antimicrobial Activity of the Essential Oils of Five Taxa ofSideritisfrom Greece.<br>Journal of Agricultural and Food Chemistry, 2001, 49, 811-815.  | 5.2 | 119       |
| 4  | Oleuropein prevents doxorubicin-induced cardiomyopathy interfering with signaling molecules and cardiomyocyte metabolism. Journal of Molecular and Cellular Cardiology, 2014, 69, 4-16.  | 1.9 | 98        |
| 5  | Design optimization study of the extraction of olive leaves performed with pressurized liquid extraction using response surface methodology. Separation and Purification Technology, 2014, 122, 323-330.   | 7.9 | 92        |
| 6  | Identification of Throuba Thassos, a Traditional Greek Table Olive Variety, as a Nutritional Rich Source<br>of Oleuropein. Journal of Agricultural and Food Chemistry, 2010, 58, 46-50.  | 5.2 | 67        |
| 7  | Gas chromatographic–tandem mass spectrometric method for the quantitation of carbofuran,<br>carbaryl and their main metabolites in applicators' urine. Journal of Chromatography A, 2006, 1108,<br>99-110.   | 3.7 | 61        |
| 8  | Development of a Rapid and Sensitive SPE-LC-ESI MS/MS Method for the Determination of Chloramphenicol in Seafood. Journal of Agricultural and Food Chemistry, 2004, 52, 1025-1030.   | 5.2 | 52        |
| 9  | Hydroxytyrosol ameliorates metabolic, cardiovascular and liver changes in a rat model of<br>diet-induced metabolic syndrome: Pharmacological and metabolism-based investigation.<br>Pharmacological Research, 2017, 117, 32-45.  | 7.1 | 38        |
| 10 | Determination of colistin A and colistin B in human plasma by UPLC–ESI high resolution tandem MS:<br>Application to a pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2013, 83,<br>228-236.  | 2.8 | 37        |
| 11 | Kinetic Study of the Acidic Hydrolysis of Oleuropein, the Major Bioactive Metabolite of Olive Oil.<br>Journal of Liquid Chromatography and Related Technologies, 2006, 29, 497-508.  | 1.0 | 35        |
| 12 | Serum levels of daptomycin in pediatric patients. Infection, 2012, 40, 367-371.  | 4.7 | 35        |
| 13 | Selective and rapid liquid chromatography/negative-ion electrospray ionization mass spectrometry method for the quantification of valacyclovir and its metabolite in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 864, 78-86. | 2.3 | 32        |
| 14 | Simultaneous determination of oleuropein and its metabolites in plasma by high-performance liquid<br>chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life<br>Sciences, 2003, 785, 157-164.  | 2.3 | 29        |
| 15 | Simultaneous quantification of oleuropein and its metabolites in rat plasma by liquid<br>chromatography electrospray ionization tandem mass spectrometry. Biomedical Chromatography,<br>2010, 24, 506-515.   | 1.7 | 28        |
| 16 | Development and validation of an ultra performance liquid chromatography–tandem mass<br>spectrometry method for the quantification of daptomycin in human plasma. Journal of<br>Pharmaceutical and Biomedical Analysis, 2011, 56, 78-85.   | 2.8 | 28        |
| 17 | The LC–MS-based metabolomics of hydroxytyrosol administration in rats reveals amelioration of the metabolic syndrome. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1041-1042, 45-59.  | 2.3 | 27        |
| 18 | Synthesis and Pharmacological Evaluation of Novel Adenine–Hydrogen Sulfide Slow Release Hybrids<br>Designed as Multitarget Cardioprotective Agents. Journal of Medicinal Chemistry, 2016, 59, 1776-1790.   | 6.4 | 26        |

| #  | Article  | IF                | CITATIONS           |
|----|--|-------------------|---------------------|
| 19 | Quantitation of Oleuropein and Related Metabolites in Decoctions ofOlea europaeaLeaves from Ten<br>Greek Cultivated Varieties by HPLC with Diode Array Detection (HPLCâ€DAD). Journal of Liquid<br>Chromatography and Related Technologies, 2005, 28, 1557-1571.                                   | 1.0               | 25                  |
| 20 | Development of a liquid chromatography–electrospray ionization tandem mass spectrometry (LC–ESI) Tj ET<br>Analytica Chimica Acta, 2006, 573-574, 258-266.  | Qq0 0 0 rş<br>5.4 | gBT /Overlock<br>25 |
| 21 | Rapid isolation and characterization of crocins, picrocrocin, and crocetin from saffron using centrifugal partition chromatography and LC–MS. Journal of Separation Science, 2018, 41, 4105-4114.  | 2.5               | 25                  |
| 22 | Determination of nateglinide in human plasma by high-performance liquid chromatography with<br>pre-column derivatization using a coumarin-type fluorescent reagent. Analytica Chimica Acta, 2007,<br>599, 143-150.   | 5.4               | 22                  |
| 23 | Development of a Sensitive and Specific Solid Phase Extractionâ^'Gas Chromatographyâ^'Tandem Mass<br>Spectrometry Method for the Determination of Elenolic Acid, Hydroxytyrosol, and Tyrosol in Rat<br>Urine. Journal of Agricultural and Food Chemistry, 2005, 53, 6213-6221.                     | 5.2               | 21                  |
| 24 | Conformation of oleuropein, the major bioactive compound of Olea europea. Computational and Theoretical Chemistry, 2007, 821, 125-132.   | 1.5               | 21                  |
| 25 | Acidic hydrolysis of bromazepam studied by high performance liquid chromatography. Isolation and<br>identification of its degradation products. Journal of Pharmaceutical and Biomedical Analysis, 1998,<br>17, 327-335.   | 2.8               | 20                  |
| 26 | Simultaneous quantification of daptomycin and rifampicin in plasma by ultra performance liquid<br>chromatography: Application to a pharmacokinetic study. Journal of Pharmaceutical and Biomedical<br>Analysis, 2010, 51, 901-906.   | 2.8               | 20                  |
| 27 | Quality profile determination of Chios mastic gum essential oil and detection of adulteration in<br>mastic oil products with the application of chiral and non-chiral GC–MS analysis. Fìtoterapìâ, 2016,<br>114, 12-17.  | 2.2               | 20                  |
| 28 | Development and validation of a reversed-phase ion-pair liquid chromatography method for the<br>determination of magnesium ascorbyl phosphate and melatonin in cosmetic creams. Analytica Chimica<br>Acta, 2006, 573-574, 284-290.   | 5.4               | 19                  |
| 29 | Simultaneous Determination of Terbuthylazine and Its Major Hydroxy and Dealkylated Metabolites in<br>Wetland Water Samples Using Solid-Phase Extraction and High-Performance Liquid Chromatography<br>with Diode-Array Detection. Journal of Agricultural and Food Chemistry, 2007, 55, 7270-7277. | 5.2               | 19                  |
| 30 | Kinetic study on the degradation of prazepam in acidic aqueous solutions by high-performance liquid<br>chromatography and fourth-order derivative ultraviolet spectrophotometry. Journal of<br>Pharmaceutical and Biomedical Analysis, 1998, 17, 739-750.  | 2.8               | 18                  |
| 31 | Trans-crocin 4 is not hydrolyzed to crocetin following i.p. administration in mice, while it shows penetration through the blood brain barrier. Fìtoterapìâ, 2018, 129, 62-72.   | 2.2               | 18                  |
| 32 | Crocus-derived compounds alter the aggregation pathway of Alzheimer's Disease - associated beta<br>amyloid protein. Scientific Reports, 2020, 10, 18150.   | 3.3               | 18                  |
| 33 | Human Melanoma-Cell Metabolic Profiling: Identification of Novel Biomarkers Indicating Metastasis.<br>International Journal of Molecular Sciences, 2020, 21, 2436.   | 4.1               | 18                  |
| 34 | DETERMINATION OF VALPROIC ACID IN HUMAN PLASMA BY HPLC WITH FLUORESCENCE DETECTION. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 2833-2847.  | 1.0               | 17                  |
| 35 | Daptomycin Use in a Neonate: Serum Level Monitoring and Outcome. American Journal of Perinatology, 2010, 27, 421-424.  | 1.4               | 17                  |
| 36 | Quantitation of Crocins and Picrocrocin in Saffron by HPLC: Application to Quality Control and Phytochemical Differentiation from Other Crocus Taxa. Planta Medica, 2015, 81, 606-612.   | 1.3               | 17                  |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Determination of Isoflavones in the Aerial Part of Red Clover by HPLC–Diode Array Detection. Journal of Liquid Chromatography and Related Technologies, 2008, 31, 1181-1194.   | 1.0 | 16        |
| 38 | Optimization of parameters affecting signal intensity in an LTQ-orbitrap in negative ion mode: A design of experiments approach. Talanta, 2016, 147, 402-409.  | 5.5 | 16        |
| 39 | BrMOZPhC, a novel coumarin type reagent for the fluorescent derivatisation of carboxylic acids.<br>Analytica Chimica Acta, 2003, 489, 153-163.   | 5.4 | 15        |
| 40 | Could multivariate statistics exploit HPTLC and NMR data to reveal bioactive compounds? The case of<br>Paeonia mascula. Phytochemistry Letters, 2017, 20, 379-385.   | 1.2 | 14        |
| 41 | Alteration in the liver metabolome of rats with metabolic syndrome after treatment with<br>Hydroxytyrosol. A Mass Spectrometry And Nuclear Magnetic Resonance - based metabolomics study.<br>Talanta, 2018, 178, 246-257.  | 5.5 | 14        |
| 42 | Analytical methodologies used for the determination of colistin in biological fluids. Is it still a challenge?. Journal of Pharmaceutical and Biomedical Analysis, 2019, 164, 777-788.   | 2.8 | 14        |
| 43 | Acute administration of the olive constituent, oleuropein, combined with ischemic postconditioning increases myocardial protection by modulating oxidative defense. Free Radical Biology and Medicine, 2021, 166, 18-32.   | 2.9 | 14        |
| 44 | Plasma Metabolomic Alterations Induced by COVID-19 Vaccination Reveal Putative Biomarkers<br>Reflecting the Immune Response. Cells, 2022, 11, 1241.  | 4.1 | 14        |
| 45 | Integrated HPTLCâ€based Methodology for the Tracing of Bioactive Compounds in Herbal Extracts<br>Employing Multivariate Chemometrics. A Case Study on <i>Morus alba</i> . Phytochemical Analysis,<br>2017, 28, 125-131.  | 2.4 | 11        |
| 46 | A novel UHPLC-HRMS-based metabolomics strategy enables the discovery of potential neuroactive metabolites in mice plasma, following i.p. administration of the main Crocus sativus L. bioactive component. Journal of Pharmaceutical and Biomedical Analysis, 2020, 177, 112878.                 | 2.8 | 11        |
| 47 | Phytochemical Differentiation of Saffron (Crocus sativus L.) by High Resolution Mass Spectrometry<br>Metabolomic Studies. Molecules, 2021, 26, 2180.   | 3.8 | 11        |
| 48 | Use of liquid chromatography/electrospray ionization tandem mass spectrometry to study the degradation pathways of terbuthylazine (TER) by <i>Typha latifolia</i> in constructed wetlands: identification of a new TER metabolite. Rapid Communications in Mass Spectrometry, 2012, 26, 181-188. | 1.5 | 10        |
| 49 | Employment of High-Performance Thin-Layer Chromatography for the Quantification of Oleuropein in<br>Olive Leaves and the Selection of a Suitable Solvent System for Its Isolation with Centrifugal<br>Partition Chromatography. Planta Medica, 2015, 81, 1628-1635.                              | 1.3 | 10        |
| 50 | A novel bioanalytical method based on UHPLCâ€HRMS/MS for the quantification of oleuropein in human serum. Application to a pharmacokinetic study. Biomedical Chromatography, 2016, 30, 2016-2023.  | 1.7 | 10        |
| 51 | UHPLC–HRMS-based tissue untargeted metabolomics study of naringin and hesperidin after dietary supplementation in chickens. Food Chemistry, 2018, 269, 276-285.  | 8.2 | 10        |
| 52 | Development and Validation of a Combined Methodology for Assessing the Total Quality Control of<br>Herbal Medicinal Products – Application to Oleuropein Preparations. PLoS ONE, 2013, 8, e78277.  | 2.5 | 10        |
| 53 | Development and validation of a UPLCâ€UV method for the determination of daptomycin in rabbit plasma. Biomedical Chromatography, 2010, 24, 522-527.  | 1.7 | 9         |
| 54 | Kinetics and mechanism of acidic hydrolysis of nordazepam studied by high-performance liquid<br>chromatography and fourth-order derivative ultraviolet spectrophotometry. International Journal<br>of Pharmaceutics, 1998, 167, 69-81.   | 5.2 | 8         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Determination of herbicide terbuthylazine and its major hydroxy and dealkylated metabolites in constructed wetland sediments using solid phase extraction and high performance liquid chromatography-diode array detection. International Journal of Environmental Analytical Chemistry, 2012. 92. 1429-1442. | 3.3 | 8         |
| 56 | Kinetic study on the acidic hydrolysis of lorazepam by a zero-crossing first-order derivative<br>UV-spectrophotometric technique. Talanta, 1999, 48, 685-693.   | 5.5 | 7         |
| 57 | Development of a Validated UHPLC-ESI (-)-HRMS Methodology for the Simultaneous Quantitative<br>Determination of Hesperidin, Hesperetin, Naringin, and Naringenin in Chicken Plasma. Food Analytical<br>Methods, 2019, 12, 1187-1196.  | 2.6 | 7         |
| 58 | Malignancy Grade-Dependent Mapping of Metabolic Landscapes in Human Urothelial Bladder Cancer:<br>Identification of Novel, Diagnostic, and Druggable Biomarkers. International Journal of Molecular<br>Sciences, 2020, 21, 1892.  | 4.1 | 7         |
| 59 | Population Pharmacokinetics and Outcomes of Critically III Pediatric Patients Treated with<br>Intravenous Colistin at Higher Than Recommended Doses. Antimicrobial Agents and Chemotherapy,<br>2021, 65, .  | 3.2 | 7         |
| 60 | A New Coumarin Based Fluorogenic Derivatization Reagent for Labelling Free Carboxyl Groups<br>(Brâ€MOZC). Journal of Liquid Chromatography and Related Technologies, 2003, 26, 385-400.   | 1.0 | 6         |
| 61 | Properties of a new fluorescent coumarin derivatization reagent employing molecular modelling techniques. Computational and Theoretical Chemistry, 2005, 724, 135-142.  | 1.5 | 6         |
| 62 | Quantitation of the Flavonols Quercetin and Kaempferol in the Leaves ofTrigonella<br>foenum-graecumby High-Performance Liquid Chromatography – Diode Array Detection. Analytical<br>Letters, 2011, 44, 1463-1472.   | 1.8 | 6         |
| 63 | Simultaneous Determination of Herbicide Terbuthylazine and Its Major Hydroxy and Dealkylated<br>Metabolites in Typha latifolia L. Wetland Plant Using SPE and HPLC-DAD. Journal of Liquid<br>Chromatography and Related Technologies, 2009, 32, 2975-2992.  | 1.0 | 5         |
| 64 | Transport and dissipation study of the herbicide terbuthylazine and its major metabolites in wetland sediment substrates planted with <i>Typha latifolia</i> L. Desalination and Water Treatment, 2012, 39, 209-214.  | 1.0 | 5         |
| 65 | Pharmacokinetics of Daptomycin in Critically Ill Pediatric Patients. Antimicrobial Agents and Chemotherapy, 2018, 62, .   | 3.2 | 5         |
| 66 | Design of experiments guided multivariate calibration for the quantitation of injectable<br>colistimethate sodium by ultra performance liquid chromatography – High resolution mass<br>spectrometry. Talanta, 2020, 220, 121406.  | 5.5 | 5         |
| 67 | Synthesis, Biological Evaluation and Stability Studies of Some Novel Aza-Acridine Aminoderivatives.<br>Molecules, 2020, 25, 4584.   | 3.8 | 5         |
| 68 | Post-acquisition spectral stitching. An alternative approach for data processing in untargeted<br>metabolomics by UHPLC-ESI(â^')-HRMS. Journal of Chromatography B: Analytical Technologies in the<br>Biomedical and Life Sciences, 2017, 1047, 106-114.  | 2.3 | 4         |
| 69 | Preliminary pharmacokinetic study of the anticancer 6BIO in mice using an UHPLC-MS/MS approach.<br>Journal of Pharmaceutical and Biomedical Analysis, 2019, 164, 317-325.   | 2.8 | 4         |
| 70 | Oleacin and oleocanthal: Two olive oil bioactives in multiple chemical forms. Planta Medica, 2012, 78, .  | 1.3 | 4         |
| 71 | Development and Validation of a UPLC–ESI(-)–MS/MS Methodology for the Simultaneous<br>Quantification of Hesperidin, Naringin, and their Aglycones in Chicken Tissue Samples. Journal of<br>AOAC INTERNATIONAL, 2020, 103, 83-88.  | 1.5 | 3         |
| 72 | A Novel Validated Injectable Colistimethate Sodium Analysis Combining Advanced Chemometrics and Design of Experiments. Molecules, 2021, 26, 1546.   | 3.8 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Exploring the metabolomic profile of cerebellum after exposure to acute stress. Stress, 2021, 24, 952-964.   | 1.8 | 3         |
| 74 | From drupes to olive oil: How do bioactives variate during a single production procedure?. Planta Medica, 2012, 78, .  | 1.3 | 3         |
| 75 | Effect of Supplementation with Olive Leaf Extract Enriched with Oleuropein on the Metabolome and<br>Redox Status of Athletes' Blood and Urine—A Metabolomic Approach. Metabolites, 2022, 12, 195.  | 2.9 | 3         |
| 76 | From By-Products to Fertilizer: Chemical Characterization Using UPLC-QToF-MS via Suspect and Non-Target Screening Strategies. Molecules, 2022, 27, 3498.   | 3.8 | 3         |
| 77 | MOZPhCSE, a New Coumarin Based Fluorescent Derivatization Reagent. Journal of Liquid<br>Chromatography and Related Technologies, 2004, 27, 2699-2713.  | 1.0 | 2         |
| 78 | Targeted Metabolomics: The LC-MS/MS Based Quantification of the Metabolites Involved in the Methylation Biochemical Pathways. Metabolites, 2021, 11, 416.  | 2.9 | 2         |
| 79 | Synthesis, spectroscopic and computational evaluation of a xanthene-based fluorogenic<br>derivatization reagent for the determination of primary amines. Dyes and Pigments, 2021, 196, 109798.   | 3.7 | 2         |
| 80 | Colistimethate Acidic Hydrolysis Revisited: Arrhenius Equation Modeling Using UPLC-QToF MS.<br>Molecules, 2021, 26, 447.   | 3.8 | 2         |
| 81 | The olive constituent oleuropein triggers a postconditioning-like effect in anesthetized rabbits<br>through GSK3beta inhibition and JAK/STAT activation. European Heart Journal, 2013, 34, 3698-3698.  | 2.2 | 1         |
| 82 | A multi-technique analytical approach for impurity profiling during synthesis: The case of difluprednate. Journal of Pharmaceutical and Biomedical Analysis, 2020, 190, 113483.  | 2.8 | 1         |
| 83 | Chemometrically Assisted Optimization of Pregabalin Fluorescent Derivatization Reaction with a<br>Novel Xanthone Analogue and Validation of the Method for the Determination of Pregabalin in Bulk<br>via a Plate Reader. Molecules, 2022, 27, 1954. | 3.8 | 1         |
| 84 | 046 EFFICACY OF DAPTOMYCIN IN MONOTHERAPY OR COMBINED WITH RIFAMPICIN IN A RABBIT MODEL OF EXPERIMENTAL ENDOCARDITIS DUE TO E. FAECIUM. International Journal of Antimicrobial Agents, 2009, 33, S17.  | 2.5 | 0         |
| 85 | Daptomycin Use in a Neonate: Serum Level Monitoring and Outcome. American Journal of<br>Perinatology, 2012, 29, 843-844.   | 1.4 | 0         |
| 86 | Mass spectrometry and the Mediterranean. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1047, 1.  | 2.3 | 0         |
| 87 | Quantum mechanical studies of indirubin derived CDK and GSK3b inhibitors. Planta Medica, 2008, 74, .   | 1.3 | 0         |
| 88 | A new HPLC method for the analysis of Crocus sativus styles. Planta Medica, 2008, 74, .  | 1.3 | 0         |
| 89 | Tandem mass spectrometric studies of polyphenolic metabolites from Olea europaea. Planta Medica,<br>2008, 74, .  | 1.3 | 0         |
| 90 | A rapid LC- MS method for the simultaneous quantification of Oleuropein and its main metabolite,<br>Hydroxytyrosol, in clinical samples after oral administration of commercial herb medicinal products.<br>Planta Medica, 2011, 77, .               | 1.3 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Transport and dissipation study of the herbicide terbuthylazine and its major metabolites in wetland sediment substrates planted with Typha latifolia L. , 0, 39, 209-214.  |     | 0         |
| 92  | Hydroxytyrosol: A compound from nature's arsenal against metabolic syndrome. Planta Medica, 2012,<br>78, .  | 1.3 | 0         |
| 93  | NMR- and UHPLC-MS correlation for identification of biomarkers from woods of Vitis Vinifera cultivar resistant to pathogens. Planta Medica, 2012, 78, .   | 1.3 | Ο         |
| 94  | Is orbitrap quantitative? Critical aspects of its potential using natural products and synthetic drugs<br>as models. Planta Medica, 2012, 78, .   | 1.3 | 0         |
| 95  | Metabolomics study of hydroxytyrosol's administration in a metabolic syndrome rat model. Planta<br>Medica, 2013, 79, .  | 1.3 | Ο         |
| 96  | New analytical methods for the quality control and authentication of olive oil. Planta Medica, 2014, 80, .  | 1.3 | 0         |
| 97  | Synthesis of novel hydroxytyrosol analogues as potential anti-amyloidogenic agents. Planta Medica,<br>2014, 80, .   | 1.3 | Ο         |
| 98  | Metabolic profiling of Greek honey samples and evaluation of their antioxidant activity. Planta<br>Medica, 2015, 81, .  | 1.3 | 0         |
| 99  | Integrated HPTLC-based methodology for the tracing of bioactive compounds in herbal extracts by employing multivariate chemometrics. The case study of anti-tyrosinase agents from Morus alba. Planta Medica, 2015, 81, . | 1.3 | 0         |
| 100 | Exploitation of global microbial biodiversity for the discovery of novel cosmeceuticals using LC-HRMS based metabolomics. Planta Medica, 2015, 81, .  | 1.3 | 0         |
| 101 | Small molecules discovery from marine organisms and microorganisms: A new pipeline combing LC-HRMS and NMR metabolomics. Planta Medica, 2016, 81, S1-S381.  | 1.3 | Ο         |
| 102 | Development and validation of a UPLC method for quantifying trans-crocin 4 and crocetin from saffron in plasma: A pharmacokinetic study. Planta Medica, 2016, 81, S1-S381.  | 1.3 | 0         |
| 103 | A high-throughput multivariate statistics platform for the discovery of tyrosinase inhibitors. Planta<br>Medica, 2019, 85, .  | 1.3 | 0         |
| 104 | A NEW FLUOROGENIC REAGENT FOR LABELLING CARBOXYLIC ACIDS IN HPLC. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 381-395.   | 1.0 | 0         |