## Gisele Gus Manfro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2446907/publications.pdf

Version: 2024-02-01

159 papers 4,081 citations

33 h-index 53 g-index

166 all docs

166 docs citations

166 times ranked 5721 citing authors

#	Article	IF	CITATIONS
1	Psychiatric outcomes and overall functioning in healthcare students during the first wave of the COVID-19 pandemic: a cross-sectional study. Trends in Psychiatry and Psychotherapy, 2023, , .	0.8	О
2	Threat and deprivation are associated with distinct aspects of cognition, emotional processing, and psychopathology in children and adolescents. Developmental Science, 2023, 26, .	2.4	12
3	Validation and clinical application of the Metacognitions Questionnaire in a sample of Brazilian generalized anxiety disorder patients: the effects of different treatment interventions. Trends in Psychiatry and Psychotherapy, 2023, , .	0.8	O
4	<scp>ENIGMAâ€anxiety</scp> working group: Rationale for and organization of <scp>largeâ€scale</scp> neuroimaging studies of anxiety disorders. Human Brain Mapping, 2022, 43, 83-112.	3.6	31
5	<scp>Megaâ€analysis</scp> methods in <scp>ENIGMA</scp> : The experience of the generalized anxiety disorder working group. Human Brain Mapping, 2022, 43, 255-277.	3.6	51
6	Diminished insulin sensitivity is associated with altered brain activation to food cues and with risk for obesity – Implications for individuals born small for gestational age. Appetite, 2022, 169, 105799.	3.7	4
7	Reading narratives whose protagonists experience emotions: fMRI evidence of down-regulation of thalamic regions associated with anxiety disorder. Journal of Neurolinguistics, 2022, 62, 101044.	1.1	0
8	Thrifty-Eating Behavior Phenotype at the Food Court – Programming Goes Beyond Food Preferences. Frontiers in Endocrinology, 2022, 13, .	3.5	4
9	A Three-Arm Randomized Clinical Trial Comparing the Efficacy of a Mindfulness-Based Intervention with an Active Comparison Group and Fluoxetine Treatment for Adults with Generalized Anxiety Disorder. Psychotherapy and Psychosomatics, 2021, 90, 269-279.	8.8	8
10	Anxiety Sensitivity and Panic Disorder: Evaluation of the Impact of Cognitive-Behavioral Group Therapy. Issues in Mental Health Nursing, 2021, 42, 112-118.	1.2	3
11	Telomere length and epigenetic age acceleration in adolescents with anxiety disorders. Scientific Reports, 2021, 11, 7716.	3.3	11
12	Selective serotonin reuptake inhibitors, and serotonin and norepinephrine reuptake inhibitors for anxiety, obsessive-compulsive, and stress disorders: A 3-level network meta-analysis. PLoS Medicine, 2021, 18, e1003664.	8.4	20
13	Heart rate variability as a predictor of improvement in emotional interference in Generalized Anxiety Disorder. Journal of Psychiatric Research, 2021, 140, 22-29.	3.1	2
14	Cortical and subcortical brain structure in generalized anxiety disorder: findings from 28 research sites in the ENIGMA-Anxiety Working Group. Translational Psychiatry, 2021, 11, 502.	4.8	24
15	Heart rate variability: A biomarker of selective response to mindfulness-based treatment versus fluoxetine in generalized anxiety disorder. Journal of Affective Disorders, 2021, 295, 1087-1092.	4.1	2
16	Emotional eating in women with generalized anxiety disorder. Trends in Psychiatry and Psychotherapy, 2021, , .	0.8	0
17	Independent and interactive associations of temperament dimensions with educational outcomes in young adolescents. Learning and Individual Differences, 2020, 78, 101817.	2.7	3
18	Letter to the editor: Training mental health professionals to provide support in brief telepsychotherapy and telepsychiatry for health workers in the SARS-CoV-2 pandemic. Journal of Psychiatric Research, 2020, 131, 269-270.	3.1	6

#	Article	IF	CITATIONS
19	Improved quality of life and reduced depressive symptoms in medical students after a single-session intervention. Revista Brasileira De Psiquiatria, 2020, 42, 145-152.	1.7	13
20	Impulsivity influences food intake in women with generalized anxiety disorder. Revista Brasileira De Psiquiatria, 2020, 42, 382-388.	1.7	12
21	Memory and language impairments are associated with anxiety disorder severity in childhood. Trends in Psychiatry and Psychotherapy, 2020, 42, 161-170.	0.8	4
22	Risk factors for suicidality in patients with panic disorder: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 105, 34-38.	6.1	19
23	Neurodevelopmental and Behavioral Effects of Variations in Omega-3 Polyunsaturated Fatty Acids Levels in Vulnerable Populations. , 2019, , 295-309.		1
24	Mental health initiatives for medical students in Brazil. Lancet Psychiatry, the, 2019, 6, e26.	7.4	2
25	Early Emotional Symptoms Predicting Carotid Atherosclerosis in Youth: Results From a Birth Cohort in Latin America. Journal of the American Heart Association, 2019, 8, e011011.	3.7	8
26	Resilience and coping strategies in cognitive behavioral group therapy for patients with panic disorder. Archives of Psychiatric Nursing, 2019, 33, 428-433.	1.4	11
27	Anxiety disorders in childhood are associated with youth IL-6 levels: A mediation study including metabolic stress and childhood traumatic events. Journal of Psychiatric Research, 2019, 115, 43-50.	3.1	15
28	Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. Frontiers in Psychiatry, 2019, 10, 782.	2.6	18
29	Perceived maternal care is associated with emotional eating in young adults. Physiology and Behavior, 2019, 201, 91-94.	2.1	9
30	Anxiety and Stress-Related Disorders and Mindfulness-Based Interventions: a Systematic Review and Multilevel Meta-analysis and Meta-Regression of Multiple Outcomes. Mindfulness, 2019, 10, 996-1005.	2.8	52
31	Cross-Sectional and Longitudinal Associations of Temperament and Mental Disorders in Youth. Child Psychiatry and Human Development, 2019, 50, 374-383.	1.9	2
32	Generalized anxiety disorder: advances in neuroimaging studies. Revista Brasileira De Psiquiatria, 2019, 41, 279-279.	1.7	2
33	Polygenic Risk Score for Alzheimer's Disease: Implications for Memory Performance and Hippocampal Volumes in Early Life. American Journal of Psychiatry, 2018, 175, 555-563.	7.2	75
34	Respiratory subtype of panic disorder: Can serum phosphate levels be a possible outcome to group cognitive-behavior therapy?. Journal of Affective Disorders, 2018, 235, 474-479.	4.1	4
35	The association between psychotic experiences and traumatic life events: the role of the intention to harm. Psychological Medicine, 2018, 48, 2235-2246.	4.5	13
36	The economic impact of subthreshold and clinical childhood mental disorders. Journal of Mental Health, 2018, 27, 588-594.	1.9	22

#	Article	IF	Citations
37	Fine motor ability and psychiatric disorders in youth. European Child and Adolescent Psychiatry, 2018, 27, 605-613.	4.7	4
38	Can Religious Coping and Depressive Symptoms Predict Clinical Outcome and Quality of Life in Panic Disorder? A Brazilian Longitudinal Study. Journal of Nervous and Mental Disease, 2018, 206, 544-548.	1.0	2
39	DNA methylation in adolescents with anxiety disorder: a longitudinal study. Scientific Reports, 2018, 8, 13800.	3.3	13
40	Prevalence, clinical correlates and maternal psychopathology of deliberate self-harm in children and early adolescents: results from a large community study. Revista Brasileira De Psiquiatria, 2018, 40, 48-55.	1.7	15
41	Group Cognitive Behavioral Therapy and Attention Bias Modification for Childhood Anxiety Disorders: A Factorial Randomized Trial of Efficacy. Journal of Child and Adolescent Psychopharmacology, 2018, 28, 620-630.	1.3	15
42	Moderating effect of PLIN4 genetic variant on impulsivity traits in 5-year-old-children born small for gestational age. Prostaglandins Leukotrienes and Essential Fatty Acids, 2018, 137, 19-25.	2.2	2
43	a Atividade FÃsica Praticada na Vida Adulta É Influenciada Pelo Cuidado Materno Recebido na Infância E Pela Severidade de Episódios Depressivos International Journal of Nutrology, 2018, 11, .	0.1	0
44	The <i>Child Behavior Checklist</i> ê°Obsessive-Compulsive Subscale Detects Severe Psychopathology and Behavioral Problems Among School-Aged Children. Journal of Child and Adolescent Psychopharmacology, 2017, 27, 342-348.	1.3	18
45	Decreased comfort food intake and allostatic load in adolescents carrying the A3669G variant of the glucocorticoid receptor gene. Appetite, 2017, 116, 21-28.	3.7	8
46	The Social Aptitudes Scale: looking at both "ends―of the social functioning dimension. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1031-1040.	3.1	7
47	Gene expression in blood of children and adolescents: Mediation between childhood maltreatment and major depressive disorder. Journal of Psychiatric Research, 2017, 92, 24-30.	3.1	25
48	Inflammation and internalizing disorders in adolescents. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 77, 133-137.	4.8	22
49	Hippocampal insulin resistance and altered food decision-making as players on obesity risk. Neuroscience and Biobehavioral Reviews, 2017, 77, 165-176.	6.1	14
50	Perinatal complications, lipid peroxidation, and mental health problems in a large community pediatric sample. European Child and Adolescent Psychiatry, 2017, 26, 521-529.	4.7	10
51	Psychometric properties of the dimensional anxiety scales for DSMâ€5 in a Brazilian community sample. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	10
52	A general psychopathology factor (P factor) in children: Structural model analysis and external validation through familial risk and child global executive function Journal of Abnormal Psychology, 2017, 126, 137-148.	1.9	189
53	Association between irritability and bias in attention orienting to threat in children and adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2017, 58, 595-602.	5 <b>.</b> 2	36
54	Specific and social fears in children and adolescents: separating normative fears from problem indicators and phobias. Revista Brasileira De Psiquiatria, 2017, 39, 118-125.	1.7	4

#	Article	IF	CITATIONS
55	Attention, memory, visuoconstructive, and executive task performance in adolescents with anxiety disorders: a case-control community study. Trends in Psychiatry and Psychotherapy, 2017, 39, 5-11.	0.8	4
56	Cytokine Levels in Panic Disorder: Evidence for a Dose-Response Relationship. Psychosomatic Medicine, 2017, 79, 126-132.	2.0	22
57	Schedule for Affective Disorders and Schizophrenia for School-Age Children – Present and Lifetime Version (K-SADS-PL), DSM-5 update: translation into Brazilian Portuguese. Revista Brasileira De Psiquiatria, 2017, 39, 384-386.	1.7	24
58	Measuring child maltreatment using multi-informant survey data: a higher-order confirmatory factor analysis. Trends in Psychiatry and Psychotherapy, 2016, 38, 23-32.	0.8	22
59	Phonemic verbal fluency and severity of anxiety disorders in young children. Trends in Psychiatry and Psychotherapy, 2016, 38, 100-104.	0.8	8
60	Factor Structure, Reliability, and Item Parameters of the Brazilian-Portuguese Version of the GAD-7 Questionnaire. Temas Em Psicologia, 2016, 24, 367-376.	0.3	101
61	Serum copeptin in children exposed to maltreatment. Psychiatry and Clinical Neurosciences, 2016, 70, 434-441.	1.8	12
62	Amygdala-based intrinsic functional connectivity and anxiety disorders in adolescents and young adults. Psychiatry Research - Neuroimaging, 2016, 257, 11-16.	1.8	23
63	Default mode network maturation and psychopathology in children and adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 55-64.	5.2	31
64	An integrative approach to investigate the respective roles of single-nucleotide variants and copy-number variants in Attention-Deficit/Hyperactivity Disorder. Scientific Reports, 2016, 6, 22851.	3.3	18
65	Interaction between perceived maternal care, anxiety symptoms, and the neurobehavioral response to palatable foods in adolescents. Stress, 2016, 19, 287-294.	1.8	6
66	Obsessive–compulsive symptoms are associated with psychiatric comorbidities, behavioral and clinical problems: a population-based study of Brazilian school children. European Child and Adolescent Psychiatry, 2016, 25, 175-182.	4.7	38
67	Impulsivity-based thrifty eating phenotype and the protective role of n-3 PUFAs intake in adolescents. Translational Psychiatry, 2016, 6, e755-e755.	4.8	20
68	Attentional bias to threat in children at-risk for emotional disorders: role of gender and type of maternal emotional disorder. European Child and Adolescent Psychiatry, 2016, 25, 735-742.	4.7	24
69	Positive Attributes Buffer the Negative Associations Between Low Intelligence and High Psychopathology WithÂEducational Outcomes. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 47-53.	0.5	20
70	Anxiety in childhood across the globe: findings from meta-regression analyses of the past 15Âyears (1998–2013). European Child and Adolescent Psychiatry, 2016, 25, 557-561.	4.7	3
71	Panic Disorder and Cardiovascular Death: What Is Beneath?. , 2016, , 203-209.		0
72	Executive functions as a potential neurocognitive endophenotype in anxiety disorders: A systematic review considering DSM-IV and DSM-5 diagnostic criteria classification. Dementia E Neuropsychologia, 2015, 9, 285-294.	0.8	5

#	Article	IF	CITATIONS
73	What can HPA axis-linked genes tell us about anxiety disorders in adolescents?. Trends in Psychiatry and Psychotherapy, 2015, 37, 232-237.	0.8	15
74	Attention network functioning in children with anxiety disorders, attention-deficit/hyperactivity disorder and non-clinical anxiety. Psychological Medicine, 2015, 45, 2633-2646.	4.5	43
75	Obsessive-compulsive symptom dimensions in a population-based, cross-sectional sample of school-aged children. Journal of Psychiatric Research, 2015, 62, 108-114.	3.1	45
76	High risk cohort study for psychiatric disorders in childhood: rationale, design, methods and preliminary results. International Journal of Methods in Psychiatric Research, 2015, 24, 58-73.	2.1	148
77	Increased anxiety levels predict a worse endothelial function in patients with lifetime panic disorder: Results from a naturalistic follow-up study. International Journal of Cardiology, 2015, 179, 390-392.	1.7	8
78	Tackling obesity: challenges ahead. Lancet, The, 2015, 386, 740.	13.7	3
79	Early life trauma is associated with decreased peripheral levels of thyroidâ€hormone T3 in adolescents. International Journal of Developmental Neuroscience, 2015, 47, 304-308.	1.6	24
80	Association Between Internalizing Disorders and Day-to-Day Activities of Low Energetic Expenditure. Child Psychiatry and Human Development, 2015, 46, 67-74.	1.9	2
81	Childhood Trauma Questionnaire (CTQ) in Brazilian Samples of Different Age Groups: Findings from Confirmatory Factor Analysis. PLoS ONE, 2014, 9, e87118.	2.5	108
82	Serum NGF, BDNF and IL-6 Levels in Postpartum Mothers As Predictors of Infant Development: The Influence of Affective Disorders. PLoS ONE, 2014, 9, e94581.	2.5	18
83	Dysfunctional family environments and childhood psychopathology: the role of psychiatric comorbidity. Trends in Psychiatry and Psychotherapy, 2014, 36, 147-151.	0.8	7
84	Internalizing disorders and quality of life in adolescence: evidence for independent associations. Revista Brasileira De Psiquiatria, 2014, 36, 305-312.	1.7	8
85	Mechanisms underpinning inattention and hyperactivity: neurocognitive support for ADHD dimensionality. Psychological Medicine, 2014, 44, 3189-3201.	4.5	50
86	Specificity of basic information processing and inhibitory control in attention deficit hyperactivity disorder. Psychological Medicine, 2014, 44, 617-631.	4.5	57
87	Phonemic Verbal Fluency Is Associated with Pediatric Anxiety Disorders: Evidence from a Community Study. Journal of Child and Adolescent Psychopharmacology, 2014, 24, 149-157.	1.3	7
88	Anxiety disorders and anxiety-related traits and serotonin transporter gene-linked polymorphic region (5-HTTLPR) in adolescents. Psychiatric Genetics, 2014, 24, 176-180.	1.1	5
89	Psychometric properties of the Brazilian-Portuguese version of the Spence Children's Anxiety Scale (SCAS): Self- and parent-report versions. Journal of Anxiety Disorders, 2014, 28, 427-436.	3.2	27
90	Somatic, but not cognitive, symptoms of anxiety predict lower levels of physical activity in panic disorder patients. Journal of Affective Disorders, 2014, 164, 63-68.	4.1	22

#	Article	IF	Citations
91	Associations between child disciplinary practices and bullying behavior in adolescents. Jornal De Pediatria, 2014, 90, 408-414.	2.0	14
92	Screen for Child Anxiety Related Emotional Disorders: Are subscale scores reliable? A bifactor model analysis. Journal of Anxiety Disorders, 2014, 28, 966-970.	3.2	11
93	Mineralocorticoid receptor genotype moderates the association between physical neglect and serum BDNF. Journal of Psychiatric Research, 2014, 59, 8-13.	3.1	12
94	Correlation between n-3 polyunsaturated fatty acids consumption and BDNF peripheral levels in adolescents. Lipids in Health and Disease, 2014, 13, 44.	3.0	24
95	Effect of cognitive-behavioral group therapy for panic disorder in changing coping strategies. Comprehensive Psychiatry, 2014, 55, 87-92.	3.1	17
96	The Human Ortholog of Acid-Sensing Ion Channel Gene ASIC1a Is Associated With Panic Disorder and Amygdala Structure and Function. Biological Psychiatry, 2014, 76, 902-910.	1.3	71
97	The Role of Motivation in Cognitive Behavioural Psychotherapy for Anxiety Disorders. Cross-cultural Advancements in Positive Psychology, 2014, , 103-114.	0.2	0
98	Association of a serotonin transporter gene polymorphism (5-HTTLPR) and stressful life events with postpartum depressive symptoms: a population-based study. Journal of Psychosomatic Obstetrics and Gynaecology, 2013, 34, 29-33.	2.1	28
99	From brain to heart: a (not so) long way to go. Expert Review of Neurotherapeutics, 2013, 13, 873-875.	2.8	1
100	Victims and bully-victims but not bullies are groups associated with anxiety symptomatology among Brazilian children and adolescents. European Child and Adolescent Psychiatry, 2013, 22, 641-648.	4.7	30
101	Sensitivity and Specificity of the Screen for Child Anxiety Related Emotional Disorders (SCARED): A Community-Based Study. Child Psychiatry and Human Development, 2013, 44, 391-399.	1.9	49
102	Threat bias in attention orienting: evidence of specificity in a large community-based study. Psychological Medicine, 2013, 43, 733-745.	4.5	110
103	Cognitive-Behavioral Group Therapy for Youths with Anxiety Disorders in the Community: Effectiveness in Low and Middle Income Countries. Behavioural and Cognitive Psychotherapy, 2013, 41, 255-264.	1.2	23
104	Pediatric anxiety disorders: from neuroscience to evidence-based clinical practice. Revista Brasileira De Psiquiatria, 2013, 35, S03-S21.	1.7	28
105	Association between anxiety symptoms and problematic alcohol use in adolescents. Trends in Psychiatry and Psychotherapy, 2013, 35, 106-110.	0.8	5
106	Associations between parenting behavior and anxiety in a rodent model and a clinical sample: relationship to peripheral BDNF levels. Translational Psychiatry, 2012, 2, e195-e195.	4.8	80
107	Reliability and convergent validity of the Childhood Anxiety Sensitivity Index in children and adolescents. Jornal Brasileiro De Psiquiatria, 2012, 61, 193-198.	0.7	3
108	Brazilian Portuguese version of the Spence Children's Anxiety Scale (SCAS-Brasil). Trends in Psychiatry and Psychotherapy, 2012, 34, 147-153.	0.8	13

#	Article	IF	Citations
109	Serotonin gene polymorphisms and psychiatry comorbidities in temporal lobe epilepsy. Epilepsy Research, 2012, 99, 260-266.	1.6	25
110	Anxiety disorders in adolescence are associated with impaired facial expression recognition to negative valence. Journal of Psychiatric Research, 2012, 46, 147-151.	3.1	36
111	Is puberty a trigger for 5HTTLPR polymorphism association with depressive symptoms?. Journal of Psychiatric Research, 2012, 46, 831-833.	3.1	5
112	Youth Quality of Life Instrument-Research version (YQOL-R): psychometric proprieties in a community sample. Jornal De Pediatria, 2012, 88, 443-8.	2.0	8
113	Psychometric properties of the Screen for Child Anxiety Related Emotional Disorders (SCARED) in Brazilian children and adolescents. Journal of Anxiety Disorders, 2011, 25, 741-748.	3.2	62
114	Evidence of association between Val66Met polymorphism at BDNF gene and anxiety disorders in a community sample of children and adolescents. Neuroscience Letters, 2011, 502, 197-200.	2.1	25
115	Predictors of relapse in the second follow-up year post cognitive-behavior therapy for panic disorder. Revista Brasileira De Psiquiatria, 2011, 33, 23-29.	1.7	24
116	The multidimensional evaluation and treatment of anxiety in children and adolescents: rationale, design, methods and preliminary findings. Revista Brasileira De Psiquiatria, 2011, 33, 181-195.	1.7	42
117	What is not "Effective―in Mild to Moderate Depression: Antidepressants or the Hamilton Rating Scale for Depression?. CNS Spectrums, 2011, 16, 99-99.	1.2	6
118	No major clinical impact of Val66Met BDNF gene polymorphism on temporal lobe epilepsy. Epilepsy Research, 2010, 88, 108-111.	1.6	15
119	Full remission and relapse of obsessive-compulsive symptoms after cognitive-behavioral group therapy: a two-year follow-up. Revista Brasileira De Psiquiatria, 2010, 32, 164-168.	1.7	25
120	Panic disorder and serotonergic genes (SLC6A4, HTR1A and HTR2A): Association and interaction with childhood trauma and parenting. Neuroscience Letters, 2010, 485, 11-15.	2.1	34
121	The BDNF Val66Met polymorphism is an independent risk factor for high lethality in suicide attempts of depressed patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 940-944.	4.8	46
122	Emerging research groups studying Brazilian psychiatric genetics. Revista Brasileira De Psiquiatria, 2010, 32, 91-92.	1.7	1
123	Gender differences in the associations between childhood trauma and parental bonding in panic disorder. Revista Brasileira De Psiquiatria, 2009, 31, 314-321.	1.7	25
124	Transtorno do pânico. Revista De Psiquiatria Do Rio Grande Do Sul, 2009, 31, 86-94.	0.3	9
125	Can psychopharmacological treatment change personality traits in patients with panic disorder?. Revista Brasileira De Psiquiatria, 2009, 31, 307-313.	1.7	5
126	Novel allelic variants in the human serotonin transporter gene linked polymorphism (5-HTTLPR) among depressed patients with suicide attempt. Neuroscience Letters, 2009, 451, 79-82.	2.1	14

#	Article	IF	CITATIONS
127	Preliminary evidence of association between EFHC2, a gene implicated in fear recognition, and harm avoidance. Neuroscience Letters, 2009, 452, 84-86.	2.1	14
128	Defense Style Changes With the Addition of Psychodynamic Group Therapy to Clonazepam in Social Anxiety Disorder. Journal of Nervous and Mental Disease, 2009, 197, 547-551.	1.0	15
129	Lack of association between the serotonin transporter promoter polymorphism (5-HTTLPR) and personality traits in asymptomatic patients with panic disorder. Neuroscience Letters, 2008, 431, 173-178.	2.1	15
130	Harm avoidance and self-directedness as essential features of panic disorder patients. Comprehensive Psychiatry, 2008, 49, 476-481.	3.1	58
131	A pilot study of clonazepam versus psychodynamic group therapy plus clonazepam in the treatment of generalized social anxiety disorder. European Psychiatry, 2008, 23, 567-574.	0.2	43
132	An Open-Label Trial of Escitalopram in Children and Adolescents with Social Anxiety Disorder. Journal of Child and Adolescent Psychopharmacology, 2007, 17, 751-760.	1.3	45
133	Brazilian–Portuguese version of defensive style questionnaire-40 for the assessment of defense mechanisms: construct validity study. Psychotherapy Research, 2007, 17, 261-270.	1.8	26
134	Defense Mechanisms After Brief Cognitive-Behavior Group Therapy for Panic Disorder. Journal of Nervous and Mental Disease, 2007, 195, 540-543.	1.0	23
135	The efficacy of milnacipran in panic disorder: an open trial. International Clinical Psychopharmacology, 2007, 22, 153-158.	1.7	23
136	Trauma and defense style as response predictors of pharmacological treatment in panic patients. European Psychiatry, 2007, 22, 87-91.	0.2	20
137	Lack of association between the Serotonin Transporter Promoter Polymorphism (5-HTTLPR) and Panic Disorder: a systematic review and meta-analysis. Behavioral and Brain Functions, 2007, 3, 41.	3.3	59
138	Trauma y estilo de defensa como predictores de respuesta del tratamiento farmacológico en los pacientes con angustia. European Psychiatry (Ed Española), 2007, 14, 271-277.	0.0	0
139	One-year follow-up of pharmacotherapy-resistant patients with panic disorder treated with cognitive-behavior therapy: Outcome and predictors of remission. Behaviour Research and Therapy, 2006, 44, 657-665.	3.1	78
140	Association between suicide attempts in south Brazilian depressed patients with the serotonin transporter polymorphism. Psychiatry Research, 2006, 143, 289-291.	3.3	16
141	Do defense mechanisms vary according to the psychiatric disorder?. Revista Brasileira De Psiquiatria, 2006, 28, 179-183.	1.7	48
142	P50 sensory gating in panic disorder. Journal of Psychiatric Research, 2006, 40, 535-540.	3.1	43
143	Lifetime prevalence of social anxiety disorder in the USA is 5%. Evidence-Based Mental Health, 2006, 9, 88-88.	4.5	0
144	Quality of Life and Treatment Outcome in Panic Disorder: Cognitive Behavior Group Therapy Effects in Patients Refractory to Medication Treatment. Psychotherapy and Psychosomatics, 2006, 75, 183-186.	8.8	39

#	Article	IF	Citations
145	A Randomized Clinical Trial of Cognitive-Behavioral Group Therapy and Sertraline in the Treatment of Obsessive-Compulsive Disorder. Journal of Clinical Psychiatry, 2006, 67, 1133-1139.	2.2	82
146	Transtorno do pânico: diagnóstico e tratamento. Revista Brasileira De Psiquiatria, 2006, 28, 86-86.	1.7	0
147	Evaluation of Defense Mechanisms in Adult Patients With Panic Disorder. Journal of Nervous and Mental Disease, 2005, 193, 619-624.	1.0	31
148	Behaviorial inhibition and history of childhood anxiety disorders in Brazilian adult patients with panic disorder and social anxiety disorder. Revista Brasileira De Psiquiatria, 2005, 27, 97-100.	1.7	11
149	Efeitos da depressão materna no desenvolvimento neurobiológico e psicológico da criança. Revista De Psiquiatria Do Rio Grande Do Sul, 2005, 27, 165-176.	0.3	17
150	Cardiovascular risk factors in children and adolescents with anxiety disorders and their association with disease severity. Nutricion Hospitalaria, 2005, 31, 269-77.	0.3	3
151	Brazilian Patients with Panic Disorder: The Use of Defense Mechanisms and Their Association with Severity. Journal of Nervous and Mental Disease, 2004, 192, 58-64.	1.0	28
152	Cognitive-Behavioral Group Therapy in Obsessive-Compulsive Disorder: A Randomized Clinical Trial. Psychotherapy and Psychosomatics, 2003, 72, 211-216.	8.8	133
153	Treating Medication-Resistant Panic Disorder: Predictors and Outcome of Cognitive-Behavior Therapy in a Brazilian Public Hospital. Psychotherapy and Psychosomatics, 2003, 72, 43-48.	8.8	75
154	Relationship between adult social phobia and childhood anxiety. Revista Brasileira De Psiquiatria, 2003, 25, 96-99.	1.7	6
155	Stress regulates the lymphocyte homing receptor CD62L (L-selectin). Arquivos De Neuro-Psiquiatria, 2003, 61, 20-24.	0.8	6
156	Estudo retrospectivo da associação entre transtorno de pânico em adultos e transtorno de ansiedade na infância. Revista Brasileira De Psiquiatria, 2002, 24, 26-29.	1.7	6
157	Cell-surface expression of L-selectin (CD62L) by blood lymphocytes: Correlates with affective parameters and severity of panic disorder., 2000, 11, 31-37.		18
158	Quality of Life in Patients with Panic Disorder. Journal of Nervous and Mental Disease, 1999, 187, 429-434.	1.0	100
159	Sertraline in the Treatment of Panic Disorder. Archives of General Psychiatry, 1998, 55, 1010.	12.3	141