List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2448164/publications.pdf Version: 2024-02-01



ALASDALD C IVENS

#	Article	IF	CITATIONS
1	O14â€Whole blood profiling of T-cell derived miRNA allows the development of prognostic models in IBD. , 2021, , .		0
2	Mapping immune variation and var gene switching in naive hosts infected with Plasmodium falciparum. ELife, 2021, 10, .	6.0	22
3	Inducible mechanisms of disease tolerance provide an alternative strategy of acquired immunity to malaria. ELife, 2021, 10, .	6.0	43
4	Identification of a Functional Small Noncoding RNA of African Swine Fever Virus. Journal of Virology, 2020, 94, .	3.4	9
5	Site-specific and substrate-specific control of accurate mRNA editing by a helicase complex in trypanosomes. Rna, 2020, 26, 1862-1881.	3.5	9
6	The gut microbiome but not the resistome is associated with urogenital schistosomiasis in preschool-aged children. Communications Biology, 2020, 3, 155.	4.4	33
7	The Methyl-CpG-Binding Protein Mbd2 Regulates Susceptibility to Experimental Colitis via Control of CD11c+ Cells and Colonic Epithelium. Frontiers in Immunology, 2020, 11, 183.	4.8	11
8	A global analysis of low-complexity regions in the Trypanosoma brucei proteome reveals enrichment in the C-terminus of nucleic acid binding proteins providing potential targets of phosphorylation. Wellcome Open Research, 2020, 5, 219.	1.8	0
9	Assembly and annotation of the mitochondrial minicircle genome of a differentiation-competent strain of Trypanosoma brucei. Nucleic Acids Research, 2019, 47, 11304-11325.	14.5	42
10	Macrophage Migration Inhibitory Factor (MIF) Is Essential for Type 2 Effector Cell Immunity to an Intestinal Helminth Parasite. Frontiers in Immunology, 2019, 10, 2375.	4.8	26
11	The lung environment controls alveolar macrophage metabolism and responsiveness in type 2 inflammation. Nature Immunology, 2019, 20, 571-580.	14.5	140
12	Developmental competence and antigen switch frequency can be uncoupled in Trypanosoma brucei. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 22774-22782.	7.1	7
13	Comparative analysis of small RNAs released by the filarial nematode Litomosoides sigmodontis in vivo. PLoS Neglected Tropical Diseases, 2019, 13, e0007811.	3.0	19
14	Helminth-induced Th2 cell dysfunction is distinct from exhaustion and is maintained in the absence of antigen. PLoS Neglected Tropical Diseases, 2019, 13, e0007908.	3.0	21
15	Title is missing!. , 2019, 13, e0007908.		0
16	Title is missing!. , 2019, 13, e0007908.		0
17	Title is missing!. , 2019, 13, e0007908.		0
18	TGF-β mimic proteins form an extended gene family in the murine parasite Heligmosomoides polygyrus. International Journal for Parasitology, 2018, 48, 379-385.	3.1	39

#	Article	IF	CITATIONS
19	A gene expression comparison of Trypanosoma brucei and Trypanosoma congolense in the bloodstream of the mammalian host reveals species-specific adaptations to density-dependent development. PLoS Neglected Tropical Diseases, 2018, 12, e0006863.	3.0	46
20	Dynamics of Colon Monocyte and Macrophage Activation During Colitis. Frontiers in Immunology, 2018, 9, 2764.	4.8	111
21	Non-linear hierarchy of the quorum sensing signalling pathway in bloodstream form African trypanosomes. PLoS Pathogens, 2018, 14, e1007145.	4.7	36
22	Inhibition of Microprocessor Function during the Activation of the Type I Interferon Response. Cell Reports, 2018, 23, 3275-3285.	6.4	14
23	HpARI Protein Secreted by a Helminth Parasite Suppresses Interleukin-33. Immunity, 2017, 47, 739-751.e5.	14.3	130
24	Interspecies quorum sensing in co-infections can manipulate trypanosome transmission potential. Nature Microbiology, 2017, 2, 1471-1479.	13.3	40
25	A structurally distinct TGF-β mimic from an intestinal helminth parasite potently induces regulatory T cells. Nature Communications, 2017, 8, 1741.	12.8	159
26	An Alternative Strategy for Trypanosome Survival in the Mammalian Bloodstream Revealed through Genome and Transcriptome Analysis of the Ubiquitous Bovine Parasite Trypanosoma (Megatrypanum) theileri. Genome Biology and Evolution, 2017, 9, 2093-2109.	2.5	29
27	Heterogeneity of Phenotype and Function Reflects the Multistage Development of T Follicular Helper Cells. Frontiers in Immunology, 2017, 8, 489.	4.8	19
28	Genome-wide RNAi selection identifies a regulator of transmission stage-enriched gene families and cell-type differentiation in Trypanosoma brucei. PLoS Pathogens, 2017, 13, e1006279.	4.7	30
29	Small RNA Profiling in Dengue Virus 2-Infected Aedes Mosquito Cells Reveals Viral piRNAs and Novel Host miRNAs. PLoS Neglected Tropical Diseases, 2016, 10, e0004452.	3.0	113
30	Protein and small nonâ€coding RNAâ€enriched extracellular vesicles are released by the pathogenic blood fluke <i>Schistosoma mansoni</i> . Journal of Extracellular Vesicles, 2015, 4, 28665.	12.2	140
31	Modulation of dendritic cell alternative activation and function by the vitamin A metabolite retinoic acid. International Immunology, 2015, 27, 589-596.	4.0	8
32	NMD3 regulates both mRNA and rRNA nuclear export in African trypanosomes via an XPOI-linked pathway. Nucleic Acids Research, 2015, 43, 4491-4504.	14.5	25
33	Whole blood gene expression profiling of neonates with confirmed bacterial sepsis. Genomics Data, 2015, 3, 41-48.	1.3	32
34	Genome and Phylogenetic Analyses of Trypanosoma evansi Reveal Extensive Similarity to T. brucei and Multiple Independent Origins for Dyskinetoplasty. PLoS Neglected Tropical Diseases, 2015, 9, e3404.	3.0	124
35	Extracellular Onchocerca-derived small RNAs in host nodules and blood. Parasites and Vectors, 2015, 8, 58.	2.5	98
36	A dominant role for the methyl-CpG-binding protein Mbd2 in controlling Th2 induction by dendritic cells. Nature Communications, 2015, 6, 6920.	12.8	87

ALASDAIR C IVENS

#	Article	IF	CITATIONS
37	Differences in the Faecal Microbiome in Schistosoma haematobium Infected Children vs. Uninfected Children. PLoS Neglected Tropical Diseases, 2015, 9, e0003861.	3.0	94
38	Quantitative Analysis of MicroRNAs in Vaccinia virus Infection Reveals Diversity in Their Susceptibility to Modification and Suppression. PLoS ONE, 2015, 10, e0131787.	2.5	6
39	Parasite-Derived MicroRNAs in Host Serum As Novel Biomarkers of Helminth Infection. PLoS Neglected Tropical Diseases, 2014, 8, e2701.	3.0	143
40	High-Throughput Chemical Screening for Antivirulence Developmental Phenotypes in Trypanosoma brucei. Eukaryotic Cell, 2014, 13, 412-426.	3.4	9
41	Exosomes secreted by nematode parasites transfer small RNAs to mammalian cells and modulate innate immunity. Nature Communications, 2014, 5, 5488.	12.8	640
42	Genome-wide dissection of the quorum sensing signalling pathway in Trypanosoma brucei. Nature, 2014, 505, 681-685.	27.8	186
43	Combinatorial quorum sensing allows bacteria to resolve their social and physical environment. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 4280-4284.	7.1	163
44	Identification of a human neonatal immune-metabolic network associated with bacterial infection. Nature Communications, 2014, 5, 4649.	12.8	112
45	Genomic analysis of the causative agents of coccidiosis in domestic chickens. Genome Research, 2014, 24, 1676-1685.	5.5	176
46	A draft genome for the African crocodilian trypanosome Trypanosoma grayi. Scientific Data, 2014, 1, 140024.	5.3	39
47	Combinatorial Communication in Bacteria: Implications for the Origins of Linguistic Generativity. PLoS ONE, 2014, 9, e95929.	2.5	17
48	Clinically Relevant Mutant DNA Gyrase Alters Supercoiling, Changes the Transcriptome, and Confers Multidrug Resistance. MBio, 2013, 4, .	4.1	73
49	Harnessing the genome: development of a hierarchical typing scheme for meticillin-resistant Staphylococcus aureus. Journal of Medical Microbiology, 2013, 62, 36-45.	1.8	4
50	Regulation of Trypanosoma brucei Total and Polysomal mRNA during Development within Its Mammalian Host. PLoS ONE, 2013, 8, e67069.	2.5	38
51	The TCA cycle is not required for selection or survival of multidrug-resistant Salmonella. Journal of Antimicrobial Chemotherapy, 2012, 67, 589-599.	3.0	14
52	A gene expression atlas of the domestic pig. BMC Biology, 2012, 10, 90.	3.8	199
53	A Dictyostelium SH2 adaptor protein required for correct DIF-1 signaling and pattern formation. Developmental Biology, 2011, 353, 290-301.	2.0	3
54	Gene Expression Patterns in Larval Schistosoma mansoni Associated with Infection of the Mammalian Host. PLoS Neglected Tropical Diseases, 2011, 5, e1274.	3.0	98

#	Article	IF	CITATIONS
55	<i>Salmonella</i> Typhi sense host neuroendocrine stress hormones and release the toxin haemolysin E. EMBO Reports, 2011, 12, 252-258.	4.5	47
56	Targets downstream of Cdk8 in Dictyostelium development. BMC Developmental Biology, 2011, 11, 2.	2.1	4
57	Protein variation in blood-dwelling schistosome worms generated by differential splicing of micro-exon gene transcripts. Genome Research, 2010, 20, 1112-1121.	5.5	86
58	Sex Determination in the Social Amoeba <i>Dictyostelium discoideum</i> . Science, 2010, 330, 1533-1536.	12.6	100
59	Two Novel Src Homology 2 Domain Proteins Interact to Regulate Dictyostelium Gene Expression during Growth and Early Development. Journal of Biological Chemistry, 2010, 285, 22927-22935.	3.4	9
60	A new Dictyostelium prestalk cell sub-type. Developmental Biology, 2010, 339, 390-397.	2.0	23
61	Comparison of two DNA microarrays for detection of plasmid-mediated antimicrobial resistance and virulence factor genes in clinical isolates of Enterobacteriaceae and non-Enterobacteriaceae. International Journal of Antimicrobial Agents, 2010, 35, 593-598.	2.5	13
62	Sir2 Paralogues Cooperate to Regulate Virulence Genes and Antigenic Variation in Plasmodium falciparum. PLoS Biology, 2009, 7, e1000084.	5.6	211
63	Anti-schistosomal Intervention Targets Identified by Lifecycle Transcriptomic Analyses. PLoS Neglected Tropical Diseases, 2009, 3, e543.	3.0	116
64	Gene copy number variation throughout the Plasmodium falciparum genome. BMC Genomics, 2009, 10, 353.	2.8	38
65	Genomic and phenotypic variation in epidemic-spanning Salmonella enterica serovar Enteritidis isolates. BMC Microbiology, 2009, 9, 237.	3.3	42
66	The genome of the blood fluke Schistosoma mansoni. Nature, 2009, 460, 352-358.	27.8	945
67	The Amoebal MAP Kinase Response to Legionella pneumophila Is Regulated by DupA. Cell Host and Microbe, 2009, 6, 253-267.	11.0	35
68	Ectopic Recombination of a Malaria var Gene during Mitosis Associated with an Altered var Switch Rate. Journal of Molecular Biology, 2009, 389, 453-469.	4.2	45
69	Comparative Expression Profiling of Leishmania: Modulation in Gene Expression between Species and in Different Host Genetic Backgrounds. PLoS Neglected Tropical Diseases, 2009, 3, e476.	3.0	86
70	A software framework for microarray and gene expression object model (MAGE-OM) array design annotation. BMC Genomics, 2008, 9, 133.	2.8	1
71	Genome-wide transcriptional changes induced by phagocytosis or growth on bacteria in Dictyostelium. BMC Genomics, 2008, 9, 291.	2.8	68
72	Dictyostelium transcriptional responses to Pseudomonas aeruginosa: common and specific effects from PAO1 and PA14 strains. BMC Microbiology, 2008, 8, 109.	3.3	46

#	Article	IF	CITATIONS
73	Widespread duplications in the genomes of laboratory stocks of Dictyostelium discoideum. Genome Biology, 2008, 9, R75.	9.6	67
74	Genome-wide discovery and verification of novel structured RNAs in <i>Plasmodium falciparum</i> . Genome Research, 2008, 18, 281-292.	5.5	81
75	Characterization of the Genomes of a Diverse Collection of <i>Salmonella enterica</i> Serovar Typhimurium Definitive Phage Type 104. Journal of Bacteriology, 2008, 190, 8155-8162.	2.2	51
76	Altered Patterns of Gene Expression Underlying the Enhanced Immunogenicity of Radiation-Attenuated Schistosomes. PLoS Neglected Tropical Diseases, 2008, 2, e240.	3.0	20
77	Epigenetic Silencing of Plasmodium falciparum Genes Linked to Erythrocyte Invasion. PLoS Pathogens, 2007, 3, e107.	4.7	129
78	Sequencing and analysis of chromosome 1 of Eimeria tenella reveals a unique segmental organization. Genome Research, 2007, 17, 311-319.	5.5	49
79	Prophage Sequences Defining Hot Spots of Genome Variation in Salmonella enterica Serovar Typhimurium Can Be Used To Discriminate between Field Isolates. Journal of Clinical Microbiology, 2007, 45, 2590-2598.	3.9	59
80	Genome sequence of a proteolytic (Group I) Clostridium botulinum strain Hall A and comparative analysis of the clostridial genomes. Genome Research, 2007, 17, 1082-1092.	5.5	228
81	Altered retinal microRNA expression profile in a mouse model of retinitis pigmentosa. Genome Biology, 2007, 8, R248.	9.6	120
82	Comparative genomic analysis of three Leishmania species that cause diverse human disease. Nature Genetics, 2007, 39, 839-847.	21.4	648
83	â€ <sup>-</sup> Oming in on schistosomes: prospects and limitations for post-genomics. Trends in Parasitology, 2007, 23, 14-20.	3.3	53
84	Microarray analysis identifies genes preferentially expressed in the lung schistosomulum of Schistosoma mansoni. International Journal for Parasitology, 2006, 36, 1-8.	3.1	74
85	Integration of tools and resources for display and analysis of genomic data for protozoan parasites. International Journal for Parasitology, 2005, 35, 481-493.	3.1	8
86	Microarray-based comparative genomic analyses of the human malaria parasite Plasmodium falciparum using Affymetrix arrays. Molecular and Biochemical Parasitology, 2005, 144, 177-186.	1.1	52
87	The Genome of the Kinetoplastid Parasite, Leishmania major. Science, 2005, 309, 436-442.	12.6	1,237
88	Comparative Genomics of Trypanosomatid Parasitic Protozoa. Science, 2005, 309, 404-409.	12.6	713
89	Leishmania major chromosome 3 contains two long convergent polycistronic gene clusters separated by a tRNA gene. Nucleic Acids Research, 2004, 32, 6716-6716.	14.5	0
90	Gene synteny and evolution of genome architecture in trypanosomatids. Molecular and Biochemical Parasitology, 2004, 134, 183-191.	1.1	92

6

#	Article	IF	CITATIONS
91	Expression profiling of the Leishmania life cycle: cDNA arrays identify developmentally regulated genes present but not annotated in the genome. Molecular and Biochemical Parasitology, 2004, 136, 87-100.	1.1	76
92	Advances in schistosome genomics. Trends in Parasitology, 2004, 20, 154-157.	3.3	61
93	GeneDB: a resource for prokaryotic and eukaryotic organisms. Nucleic Acids Research, 2004, 32, 339D-343.	14.5	199
94	Leishmania major chromosome 3 contains two long convergent polycistronic gene clusters separated by a tRNA gene. Nucleic Acids Research, 2003, 31, 4201-4210.	14.5	65
95	Boudicca , a Retrovirus-Like Long Terminal Repeat Retrotransposon from the Genome of the Human Blood Fluke Schistosoma mansoni. Journal of Virology, 2003, 77, 6153-6166.	3.4	44
96	From genomes to vaccines:Leishmaniaas a model. Philosophical Transactions of the Royal Society B: Biological Sciences, 2002, 357, 5-11.	4.0	49
97	Molecular cloning and characterization of two new isoforms of the protein kinase A catalytic subunit from the human parasite Leishmania. Gene, 2002, 288, 65-75.	2.2	16
98	Leishmania RAB7: characterisation of terminal endocytic stages in an intracellular parasite. Molecular and Biochemical Parasitology, 2002, 123, 105-113.	1.1	27
99	Secondary DNA structure analysis of the coding strand switch regions of five Leishmania major Friedlin chromosomes. Current Genetics, 2001, 40, 186-194.	1.7	18
100	The Leishmania genome project: new insights into gene organization and function. Medical Microbiology and Immunology, 2001, 190, 9-12.	4.8	36
101	Identification and cloning of Lmairk, a member of the Aurora/Ipl1p protein kinase family, from the human protozoan parasite Leishmania. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 2001, 1519, 241-245.	2.4	16
102	Leishmania major:Histone H1 Gene Expression from thesw3Locus. Experimental Parasitology, 1999, 91, 151-160.	1.2	17
103	Genomics and the biology of parasites. BioEssays, 1999, 21, 131-147.	2.5	67
104	The Complete Chromosomal Organization of the Reference Strain of the Leishmania Genome Project, L. major `Friedlin'. Parasitology Today, 1998, 14, 301-303.	3.0	39
105	Differentially expressed Leishmania major gp63 genes encode cell surface leishmanolysin with distinct signals for glycosylphosphatidylinositol attachment1Note: Nucleotide sequence data reported in this paper are available in the GenBankâ,,¢ database under the accession number AF039721.1. Molecular and Biochemical Parasitology. 1998. 93. 31-41.	1.1	58
106	Genetic nomenclature for Trypanosoma and Leishmania. Molecular and Biochemical Parasitology, 1998, 97, 221-224.	1.1	83
107	A Physical Map of the <i>Leishmania major</i> Friedlin Genome. Genome Research, 1998, 8, 135-145.	5.5	78
108	A global map of the Leishmania major genome: prelude to genomic sequencing. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1997, 91, 111-115.	1.8	20

#	Article	IF	CITATIONS
109	Unravelling the Leishmania genome. Current Opinion in Genetics and Development, 1996, 6, 704-710.	3.3	28
110	The generation of ordered sets of cosmid DNA clones from human chromosome region 11p. Genomics, 1992, 13, 89-94.	2.9	16
111	Structure and sequence of the human homeobox gene HOX7. Genomics, 1991, 11, 670-678.	2.9	66
112	The human homeobox gene HOX7 maps to chromosome 4p16.1 and may be implicated in Wolf-Hirschhorn syndrome. Human Genetics, 1990, 84, 473-6.	3.8	70
113	X Chromosome Genes Involved in the Regulation of Facial Clefting and Spina Bifida. The Cleft Palate Journal, 1990, 27, 131-135.	0.6	8
114	Linkage of an X-chromosome cleft palate gene. Nature, 1987, 326, 91-92.	27.8	115
115	A global analysis of low-complexity regions in the Trypanosoma brucei proteome reveals enrichment in the C-terminus of nucleic acid binding proteins providing potential targets of phosphorylation. Wellcome Open Research, 0, 5, 219.	1.8	2