

Marcin Krawczyk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2448489/publications.pdf>

Version: 2024-02-01

148
papers

3,874
citations

117625

34
h-index

155660

55
g-index

151
all docs

151
docs citations

151
times ranked

5151
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic variation in <i>TERT</i> modifies the risk of hepatocellular carcinoma in alcohol-related cirrhosis: results from a genome-wide case-control study. <i>Gut</i> , 2023, 72, 381-391.	12.1	19
2	Mitochondria, oxidative stress and nonalcoholic fatty liver disease: A complex relationship. <i>European Journal of Clinical Investigation</i> , 2022, 52, e13622.	3.4	63
3	Next-generation sequencing of bile cell-free DNA for the early detection of patients with malignant biliary strictures. <i>Gut</i> , 2022, 71, 1141-1151.	12.1	32
4	Key summary of German national treatment guidance for hospitalized COVID-19 patients. <i>Infection</i> , 2022, 50, 93-106.	4.7	30
5	Hypophosphatasia: An Underappreciated Cause of Atraumatic Stress Fractures. <i>American Journal of Medicine</i> , 2022, 135, e18-e19.	1.5	1
6	Acute cholestatic liver injury following carbimazole treatment in a patient with <i>VPS33B</i> haploinsufficiency. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2022, 46, 101803.	1.5	1
7	Epigastric Pain After COVID-19 Vaccination. <i>American Journal of Gastroenterology</i> , 2022, 117, 371-371.	0.4	2
8	Machine learning models predicting decompensation in cirrhosis. <i>Zeitschrift Fur Gastroenterologie</i> , 2022, 60, .	0.5	0
9	Elevated serum bile acids in NASH patients with fibrosis in the context of their cholestatic genetic predisposition. <i>Zeitschrift Fur Gastroenterologie</i> , 2022, 60, .	0.5	0
10	Common variant p. ^D ₁₉ ^H of the hepatobiliary sterol transporter <i>ABCG8</i> increases the risk of gallstones in children. <i>Liver International</i> , 2022, 42, 1585-1592.	3.9	9
11	Cholangiocarcinoma landscape in Europe: Diagnostic, prognostic and therapeutic insights from the ENSCCA Registry. <i>Journal of Hepatology</i> , 2022, 76, 1109-1121.	3.7	119
12	Synergistic and Detrimental Effects of Alcohol Intake on Progression of Liver Steatosis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2636.	4.1	11
13	Successful EUS-guided Hepaticogastrostomy in a Patient with Intrahepatic Cholangiocarcinoma after Right Hemihepatectomy and Roux-en-Y Anastomosis. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2022, 31, 10-10.	0.9	0
14	Metabolic subtypes of patients with NAFLD exhibit distinctive cardiovascular risk profiles. <i>Hepatology</i> , 2022, 76, 1121-1134.	7.3	31
15	Liver stiffness as surrogate parameter in emergency assessment for inpatient health care utilization. <i>PLoS ONE</i> , 2022, 17, e0266069.	2.5	0
16	A Novel Mock Circuit to Test Full-Flow Extracorporeal Membrane Oxygenation. <i>Membranes</i> , 2022, 12, 493.	3.0	4
17	TNF-related apoptosis-inducing ligand, interferon gamma-induced protein 10, and C-reactive protein in predicting the progression of SARS-CoV-2 infection: a prospective cohort study. <i>International Journal of Infectious Diseases</i> , 2022, 122, 178-187.	3.3	15
18	Liver Metastases of Intrahepatic Cholangiocarcinoma: Implications for an Updated Staging System. <i>Hepatology</i> , 2021, 73, 2311-2325.	7.3	40

#	ARTICLE	IF	CITATIONS
19	Measurement of liver and spleen stiffness as complementary methods for assessment of liver fibrosis in autoimmune hepatitis. <i>Liver International</i> , 2021, 41, 348-356.	3.9	16
20	Genetic insight into COVID-19 related liver injury: A note on <i>MBOAT7</i> . <i>Liver International</i> , 2021, 41, 1157-1159.	3.9	5
21	rs641738C>T near <i>MBOAT7</i> is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis. <i>Journal of Hepatology</i> , 2021, 74, 20-30.	3.7	77
22	Amiodarone and hypothyroidism. <i>Lancet</i> , The, 2021, 397, 704.	13.7	3
23	Unresectable malignant obstructive jaundice: a 2-year experience of EUS-guided biliary drainage. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2020-002335.	1.6	1
24	Genetically determined NLRP3 inflammasome activation associates with systemic inflammation and cardiovascular mortality. <i>European Heart Journal</i> , 2021, 42, 1742-1756.	2.2	63
25	Increased B-cell activity with consumption of activated monocytes in severe COVID-19 patients. <i>European Journal of Immunology</i> , 2021, 51, 1449-1460.	2.9	10
26	Chronic Fatigue Persists in a Significant Proportion of Female Patients After Transplantation for Primary Sclerosing Cholangitis. <i>Liver Transplantation</i> , 2021, 27, 1032-1040.	2.4	5
27	Combined analysis of gut microbiota, diet and <i>PNPLA3</i> polymorphism in biopsy-proven non-alcoholic fatty liver disease. <i>Liver International</i> , 2021, 41, 1576-1591.	3.9	11
28	Adiponectin, Leptin, and IGF-1 Are Useful Diagnostic and Stratification Biomarkers of NAFLD. <i>Frontiers in Medicine</i> , 2021, 8, 683250.	2.6	34
29	Epithelia-Sensory Neuron Cross Talk Underlies Cholestatic Itch Induced by Lysophosphatidylcholine. <i>Gastroenterology</i> , 2021, 161, 301-317.e16.	1.3	57
30	REPLY:. <i>Hepatology</i> , 2021, 74, 1129-1131.	7.3	2
31	REPLY:. <i>Hepatology</i> , 2021, 74, 2319-2321.	7.3	1
32	Noncommunicable diseases, climate change and iniquities: What COVID-19 has taught us about syndemic. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13682.	3.4	20
33	Distinct Patterns of Blood Cytokines Beyond a Cytokine Storm Predict Mortality in COVID-19. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 4651-4667.	3.5	24
34	Anti-glycoprotein 2 (anti-GP2) IgA and anti-neutrophil cytoplasmic antibodies to serine proteinase 3 (PR3-ANCA): antibodies to predict severe disease, poor survival and cholangiocarcinoma in primary sclerosing cholangitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 302-313.	3.7	19
35	Impact of Endocrine Disorders on the Liver. <i>Endocrinology</i> , 2021, , 157-177.	0.1	0
36	MARC1 p.A165T variant is associated with decreased markers of liver injury and enhanced antioxidant capacity in autoimmune hepatitis. <i>Scientific Reports</i> , 2021, 11, 24407.	3.3	10

#	ARTICLE	IF	CITATIONS
37	Genetic Variation in HSD17B13 Reduces the Risk of Developing Cirrhosis and Hepatocellular Carcinoma in Alcohol Misusers. <i>Hepatology</i> , 2020, 72, 88-102.	7.3	76
38	Risk of chemotherapy-associated liver injury (CALI) in PNPLA3 p.148M allele carriers: Preliminary results of a transient elastography-based study. <i>Digestive and Liver Disease</i> , 2020, 52, 102-106.	0.9	1
39	Acute Pancreatitis in the Setting of Hepatitis E Virus (Genotype 3) Infection and Compound CLDN2-PRSS1 Risk Variants. <i>Pancreas</i> , 2020, 49, e91-e93.	1.1	4
40	COVID-19: Focus on the lungs but do not forget the gastrointestinal tract. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13276.	3.4	45
41	Liver Phenotypes of European Adults Heterozygous or Homozygous for Piâ—Z Variant of AAT (Piâ—MZ vs) Tj ETQq1,1 0.784314 rgB	1.3	63
42	Prediction of advanced fibrosis in non-alcoholic fatty liver disease using gut microbiota-based approaches compared with simple non-invasive tools. <i>Scientific Reports</i> , 2020, 10, 9385.	3.3	20
43	Hepatic consequences of COVID-19 infection. Lapping or biting?. <i>European Journal of Internal Medicine</i> , 2020, 77, 18-24.	2.2	86
44	The search for the Holy Grail: autoantigenic targets in primary sclerosing cholangitis associated with disease phenotype and neoplasia. <i>Autoimmunity Highlights</i> , 2020, 11, 6.	3.9	6
45	Patients with Cholangiocarcinoma Present Specific RNA Profiles in Serum and Urine Extracellular Vesicles Mirroring the Tumor Expression: Novel Liquid Biopsy Biomarkers for Disease Diagnosis. <i>Cells</i> , 2020, 9, 721.	4.1	63
46	COVID-19 and non-alcoholic fatty liver disease: Two intersecting pandemics. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13338.	3.4	104
47	Synergistic effects of extracellular vesicle phenotyping and AFP in hepatobiliary cancer differentiation. <i>Liver International</i> , 2020, 40, 3103-3116.	3.9	20
48	Primary Sclerosing Cholangitis With Features of Autoimmune Hepatitis: Exploring the Global Variation in Management. <i>Hepatology Communications</i> , 2020, 4, 399-408.	4.3	6
49	Common variation in FAM155A is associated with diverticulitis but not diverticulosis. <i>Scientific Reports</i> , 2020, 10, 1658.	3.3	9
50	Toward Genetic Prediction of Nonalcoholic Fatty Liver Disease Trajectories: PNPLA3 and Beyond. <i>Gastroenterology</i> , 2020, 158, 1865-1880.e1.	1.3	76
51	Childhood obesity, cardiovascular and liver health: a growing epidemic with age. <i>World Journal of Pediatrics</i> , 2020, 16, 438-445.	1.8	48
52	Phenotyping non-alcoholic fatty liver disease by the gut microbiota: Ready for prime time?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1969-1977.	2.8	27
53	High Protein Intake Is Associated With Histological Disease Activity in Patients With NAFLD. <i>Hepatology Communications</i> , 2020, 4, 681-695.	4.3	28
54	Gastrointestinal endoscopy during extracorporeal membrane oxygenation (ECMO) for COVID-19. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 29, 471-473.	0.9	3

#	ARTICLE	IF	CITATIONS
55	Modifiable Factors and Genetic Predisposition Associated with Gallbladder Cancer. A Concise Review. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 24, 339-348.	0.9	8
56	Genetic Risk Factors for Autoimmune Thyroid Disease might Affect the Susceptibility to and Modulate the Progression of Primary Biliary Cholangitis. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 26, 245-252.	0.9	11
57	Impact of Endocrine Disorders on the Liver. <i>Endocrinology</i> , 2020, , 1-21.	0.1	0
58	Plasmapheresis improves chronic fatigue in patients with primary biliary cholangitis. <i>Polish Archives of Internal Medicine</i> , 2020, 131, 205-207.	0.4	4
59	Genetic variant c.711A>T in the hepatobiliary phospholipid transporter ABCB4 is associated with significant liver fibrosis. <i>Journal of Physiology and Pharmacology</i> , 2020, 71, .	1.1	0
60	Heterozygous carriage of the alpha1-antitrypsin Pi*Z variant increases the risk to develop liver cirrhosis. <i>Gut</i> , 2019, 68, 1099-1107.	12.1	100
61	FRI-032-Liver transplantation ameliorates chronic fatigue and improves quality of life in patients with primary sclerosing cholangitis. <i>Journal of Hepatology</i> , 2019, 70, e398.	3.7	0
62	miR-873-5p targets mitochondrial GNMT-Complex II interface contributing to non-alcoholic fatty liver disease. <i>Molecular Metabolism</i> , 2019, 29, 40-54.	6.5	35
63	Consistent alterations in faecal microbiomes of patients with primary sclerosing cholangitis independent of associated colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 580-589.	3.7	67
64	FRI-028-Spleen stiffness and liver stiffness measurements as surrogate markers of liver fibrosis in patients with autoimmune hepatitis: prospective, single-center study. <i>Journal of Hepatology</i> , 2019, 70, e396.	3.7	0
65	FRI-268-Microbiota signature differs significantly between NAFLD and healthy controls but not between NAFL and NASH. <i>Journal of Hepatology</i> , 2019, 70, e512.	3.7	0
66	Hepatic steatosis in patients with acromegaly. <i>Endocrinology, Diabetes and Metabolism</i> , 2019, 2, e00090.	2.4	10
67	FRI-294-Mitochondrial GNMT-complex II is recovered by miR-873-5p targeting in NAFLD. <i>Journal of Hepatology</i> , 2019, 70, e524-e525.	3.7	0
68	Increased Circulating VAP-1 Levels Are Associated with Liver Fibrosis in Chronic Hepatitis C Infection. <i>Journal of Clinical Medicine</i> , 2019, 8, 103.	2.4	7
69	Non-Alcoholic Fatty Liver Disease in Non-Obese Individuals: Prevalence, Pathogenesis and Treatment. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019, 43, 638-645.	1.5	33
70	PS-177-HSD17B13 rs72613567 TA is associated with a reduced risk for developing hepatocellular carcinoma in patients with alcohol-related cirrhosis. <i>Journal of Hepatology</i> , 2019, 70, e109-e110.	3.7	5
71	Molecular perturbations in cholangiocarcinoma: Is it time for precision medicine?. <i>Liver International</i> , 2019, 39, 32-42.	3.9	21
72	Genetics of gallstone disease revisited. <i>Current Opinion in Gastroenterology</i> , 2019, 35, 82-87.	2.3	11

#	ARTICLE	IF	CITATIONS
73	Depression: An Overlooked Villain in Autoimmune Hepatitis?. <i>Hepatology</i> , 2019, 70, 2232-2233.	7.3	9
74	Fat and Sugar – A Dangerous Duet. A Comparative Review on Metabolic Remodeling in Rodent Models of Nonalcoholic Fatty Liver Disease. <i>Nutrients</i> , 2019, 11, 2871.	4.1	14
75	Autoimmune hepatitis exerts a profound, negative effect on health-related quality of life: A prospective, single-centre study. <i>Liver International</i> , 2019, 39, 215-221.	3.9	34
76	Effect of S-Adenosyl-L-Methionine on Liver Biochemistry and Quality of Life in Patients with Primary Biliary Cholangitis Treated with Ursodeoxycholic Acid. A Prospective, Open Label Pilot Study. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019, 27, 273-279.	0.9	26
77	Short-term Dietary Interventions for the Management of Nonalcoholic Fatty Liver. <i>Current Medicinal Chemistry</i> , 2019, 26, 3483-3496.	2.4	3
78	Secondary systemic amyloidosis diagnosed by endoscopic ultrasound-guided liver biopsy. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019, 27, 101-105.	0.9	2
79	Depression in autoimmune hepatitis: a need for detailed psychiatric assessment. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 645-647.	0.4	4
80	Effects of Gene Variants Controlling Vitamin D Metabolism and Serum Levels on Hepatic Steatosis. <i>Digestion</i> , 2018, 97, 298-308.	2.3	6
81	Could inherited predisposition drive non-obese fatty liver disease? Results from German tertiary referral centers. <i>Journal of Human Genetics</i> , 2018, 63, 621-626.	2.3	29
82	Genetics of gallstone disease. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12935.	3.4	38
83	Can genetic testing guide the therapy of cholestatic pruritus? A case of benign recurrent intrahepatic cholestasis type 2 with severe nasobiliary drainage – refractory itch. <i>Hepatology Communications</i> , 2018, 2, 152-154.	4.3	0
84	Selective association of nonaspirin NSAIDs with risk of diverticulitis. <i>International Journal of Colorectal Disease</i> , 2018, 33, 423-430.	2.2	13
85	A Variant of COL3A1 (rs3134646) Is Associated With Risk of Developing Diverticulosis in White Men. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 604-611.	1.3	25
86	Genetic determinants of cholangiopathies: Molecular and systems genetics. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 1484-1490.	3.8	27
87	Reply to: “Diagnostic and prognostic role of circulating microparticles in hepatocellular carcinoma” <i>Journal of Hepatology</i> , 2018, 68, 203-204.	3.7	0
88	Gut Permeability Might be Improved by Dietary Fiber in Individuals with Nonalcoholic Fatty Liver Disease (NAFLD) Undergoing Weight Reduction. <i>Nutrients</i> , 2018, 10, 1793.	4.1	56
89	Effects of liver transplantation on health-related quality of life in patients with primary biliary cholangitis. <i>Clinical Transplantation</i> , 2018, 32, e13434.	1.6	9
90	PNPLA3 p.I148M and TM6SF2 p.E167K variants do not predispose to liver injury in cholestatic liver diseases: A prospective analysis of 178 patients with PSC. <i>PLoS ONE</i> , 2018, 13, e0202942.	2.5	7

#	ARTICLE	IF	CITATIONS
91	Successful DAA-Based Treatment of HCV-Related Fibrosing Cholestatic Hepatitis After Liver Transplantation Due to a Fulminant Liver Failure. <i>American Journal of Gastroenterology</i> , 2018, 113, 1062-1063.	0.4	2
92	EUS-guided reconstruction of the biliary system in a patient post right hemihepatectomy. <i>Digestive and Liver Disease</i> , 2018, 50, 863-864.	0.9	0
93	Exercising the hepatobiliary-gut axis. The impact of physical activity performance. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12958.	3.4	48
94	Cancer-associated circulating large extracellular vesicles in cholangiocarcinoma and hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2017, 67, 282-292.	3.7	123
95	The ABCB4 p.T175A variant as potential modulator of hepatic fibrosis in patients with chronic liver diseases: Looking beyond the cholestatic realm. <i>Hepatology</i> , 2017, 66, 666-667.	7.3	7
96	Serum extracellular vesicles contain protein biomarkers for primary sclerosing cholangitis and cholangiocarcinoma. <i>Hepatology</i> , 2017, 66, 1125-1143.	7.3	218
97	Does transient elastography correlate with liver fibrosis in patients with PSC? Laennec score-based analysis of explanted livers. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 1407-1412.	1.5	14
98	NOD2 gene variants confer risk for secondary sclerosing cholangitis in critically ill patients. <i>Scientific Reports</i> , 2017, 7, 7026.	3.3	9
99	Combined effects of the PNPLA3 rs738409, TM6SF2 rs58542926, and MBOAT7 rs641738 variants on NAFLD severity: a multicenter biopsy-based study. <i>Journal of Lipid Research</i> , 2017, 58, 247-255.	4.2	159
100	Plasmapheresis exerts a long-lasting antipruritic effect in severe cholestatic itch. <i>Liver International</i> , 2017, 37, 743-747.	3.9	20
101	Search for Genetic Modifiers of PSC: Time to Increase the Number of Needles in the Haystack. <i>Annals of Hepatology</i> , 2017, 16, 830-831.	1.5	3
102	Panel of three novel serum markers predicts liver stiffness and fibrosis stages in patients with chronic liver disease. <i>PLoS ONE</i> , 2017, 12, e0173506.	2.5	20
103	Predictive Serum Markers of Gallstone Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017, 64, 337-338.	1.8	2
104	Mice studies disentangle the role of estrogen in gallstone formation. <i>Annals of Hepatology</i> , 2016, 15, 141-142.	1.5	0
105	PNPLA3 p.I148M variant is associated with greater reduction of liver fat content after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2016, 12, 1838-1846.	1.2	60
106	Serum Autotaxin is a Marker of the Severity of Liver Injury and Overall Survival in Patients with Cholestatic Liver Diseases. <i>Scientific Reports</i> , 2016, 6, 30847.	3.3	48
107	Secondary sclerosing cholangitis rapidly leading to liver cirrhosis: a possible post-ICU treatment sequel. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016, 109, 119-120.	0.5	3
108	Reduction of Caloric Intake Might Override the Prosteatotic Effects of the PNPLA3 p.I148M and TM6SF2 p.E167K Variants in Patients with Fatty Liver: Ultrasound-Based Prospective Study. <i>Digestion</i> , 2016, 93, 139-148.	2.3	27

#	ARTICLE	IF	CITATIONS
109	The common <i>PNPLA3</i> variant p.I148M is associated with liver fat contents as quantified by controlled attenuation parameter (<i>CAP</i>). <i>Liver International</i> , 2016, 36, 418-426.	3.9	24
110	Tumour-associated circulating microparticles: A novel liquid biopsy tool for screening and therapy monitoring of colorectal carcinoma and other epithelial neoplasia. <i>Oncotarget</i> , 2016, 7, 30867-30875.	1.8	33
111	Heterozygous Inactivation of the Nuclear Receptor PXR/NR1I2 in a Patient With Anabolic Steroid-Induced Intrahepatic Cholestasis. <i>Hepatitis Monthly</i> , 2016, 16, e35953.	0.2	5
112	Variant adiponutrin confers genetic protection against cholestatic itch. <i>Scientific Reports</i> , 2015, 4, 6374.	3.3	6
113	Effects of dietary education, followed by a tailored fructose-restricted diet in adults with fructose malabsorption. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 785-796.	1.6	20
114	The Frequent Adiponutrin (<i>PNPLA3</i>) Variant p.Ile148Met Is Associated with Early Liver Injury: Analysis of a German Pediatric Cohort. <i>Gastroenterology Research and Practice</i> , 2015, 2015, 1-6.	1.5	8
115	HCC and liver disease risks in homozygous <i>PNPLA3</i> p.I148M carriers approach monogenic inheritance. <i>Journal of Hepatology</i> , 2015, 62, 980-981.	3.7	42
116	The <i>PNPLA3</i> p.Ile148Met Variant and Obesity: brothers-in-arms. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 894-896.	1.2	0
117	Incarcerated Umbilical Hernia After Colonoscopy in a Cirrhotic Patient. <i>American Journal of Medicine</i> , 2015, 128, e13-e14.	1.5	1
118	Vitamin D deficiency is associated with mortality in patients with advanced liver cirrhosis. <i>European Journal of Clinical Investigation</i> , 2014, 44, 176-183.	3.4	58
119	The inulin hydrogen breath test predicts the quality of colonic preparation. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 1579-1587.	2.4	7
120	Healthy <i>PNPLA3</i> risk allele carriers present with unexpected body fat composition. A study of one thousand subjects. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2014, 23, 33-7.	0.9	2
121	Liver fibrosis: How many samples in transjugular liver biopsy are sufficient? Histological vs. clinical value. <i>Abdominal Imaging</i> , 2013, 38, 461-464.	2.0	9
122	Splenosis Mimicking Hepatic Adenoma. <i>Journal of Clinical and Experimental Hepatology</i> , 2013, 3, 351-352.	0.9	6
123	Genetics of biliary lithiasis from an ethnic perspective. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013, 37, 119-125.	1.5	21
124	Modeling hepatic osteodystrophy in <i>Abcb4</i> deficient mice. <i>Bone</i> , 2013, 55, 501-511.	2.9	20
125	Macrophage stimulating protein variation enhances the risk of sporadic extrahepatic cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2013, 45, 612-615.	0.9	10
126	Identification of Combined Genetic Determinants of Liver Stiffness within the <i>SREBP1c-PNPLA3</i> Pathway. <i>International Journal of Molecular Sciences</i> , 2013, 14, 21153-21166.	4.1	13

#	ARTICLE	IF	CITATIONS
127	Genetics and treatment of bile duct stones. <i>Current Opinion in Gastroenterology</i> , 2013, 29, 329-335.	2.3	8
128	PNPLA3-Associated Steatohepatitis: Toward a Gene-Based Classification of Fatty Liver Disease. <i>Seminars in Liver Disease</i> , 2013, 33, 369-379.	3.6	81
129	Gallstone disease in Swedish twins is associated with the Gilbert variant of <i>UGT1A1</i> . <i>Liver International</i> , 2013, 33, 904-908.	3.9	10
130	Intraperitoneal Catumaxomab Therapy in a Cirrhotic Patient with Malignant Ascites due to Urethelial Carcinoma: A Case Report. <i>Onkologie</i> , 2012, 35, 592-594.	0.8	5
131	The hepatic phosphatidylcholine transporter ABCB4 as modulator of glucose homeostasis. <i>FASEB Journal</i> , 2012, 26, 5081-5091.	0.5	22
132	Common genetic variation in vitamin D metabolism is associated with liver stiffness. <i>Hepatology</i> , 2012, 56, 1883-1891.	7.3	54
133	Genetic study of FGF19 receptor variants in gallstone disease. <i>Hepatology</i> , 2012, 56, 2424-2424.	7.3	3
134	A frequent variant in the human bile salt export pump gene ABCB11 is associated with hepatitis C virus infection, but not liver stiffness in a German population. <i>BMC Gastroenterology</i> , 2012, 12, 63.	2.0	9
135	Prolonged cholestasis triggered by hepatitis A virus infection and variants of the hepatocanalicular phospholipid and bile salt transporters. <i>Annals of Hepatology</i> , 2012, 11, 710-714.	1.5	16
136	Phytosterol and cholesterol precursor levels indicate increased cholesterol excretion and biosynthesis in gallstone disease. <i>Hepatology</i> , 2012, 55, 1507-1517.	7.3	43
137	Prolonged cholestasis triggered by hepatitis A virus infection and variants of the hepatocanalicular phospholipid and bile salt transporters. <i>Annals of Hepatology</i> , 2012, 11, 710-4.	1.5	5
138	Gallstones: Environment, Lifestyle and Genes. <i>Digestive Diseases</i> , 2011, 29, 191-201.	1.9	78
139	Variant adiponutrin (PNPLA3) represents a common fibrosis risk gene: Non-invasive elastography-based study in chronic liver disease. <i>Journal of Hepatology</i> , 2011, 55, 299-306.	3.7	78
140	Dissecting the Genetic Heterogeneity of Gallbladder Stone Formation. <i>Seminars in Liver Disease</i> , 2011, 31, 157-172.	3.6	56
141	Pancreatic cancer risk variant ABO rs505922 in patients with cholangiocarcinoma. <i>World Journal of Gastroenterology</i> , 2011, 17, 4640.	3.3	5
142	Nonalcoholic fatty liver disease. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2010, 24, 695-708.	2.4	158
143	Genome-wide association studies and genetic risk assessment of liver diseases. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2010, 7, 669-681.	17.8	68
144	Analysis of the common vasoactive intestinal peptide receptor 1 polymorphism in gallstone patients. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2010, 19, 273-7.	0.9	3

#	ARTICLE	IF	CITATIONS
145	Common Variants of <i>ABCB4</i> and <i>ABCB11</i> and Plasma Lipid Levels: A Study in Sib Pairs with Gallstones, and Controls. <i>Lipids</i> , 2009, 44, 521-526.	1.7	31
146	A Variant of the SLC10A2 Gene Encoding the Apical Sodium-Dependent Bile Acid Transporter Is a Risk Factor for Gallstone Disease. <i>PLoS ONE</i> , 2009, 4, e7321.	2.5	36
147	Current Treatments of Primary Sclerosing Cholangitis. <i>Current Medicinal Chemistry</i> , 2007, 14, 2081-2094.	2.4	15
148	The "Hemolysis Model" for the Study of Cyto-Toxicity and Cyto-Protection by Bile Salts and Phospholipids. , 2006, 578, 93-99.		0