

Kurt Kroenke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2449159/publications.pdf>

Version: 2024-02-01

378
papers

111,642
citations

1877

105
h-index

218

317
g-index

380
all docs

380
docs citations

380
times ranked

75627
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Choosing and Using Patient-Reported Outcome Measures in Clinical Practice. Archives of Physical Medicine and Rehabilitation, 2022, 103, S108-S117. | 0.5 | 11 |
| 2 | The Patient Mania Questionnaire (PMQ-9): a Brief Scale for Assessing and Monitoring Manic Symptoms. Journal of General Internal Medicine, 2022, 37, 1680-1687. | 1.3 | 9 |
| 3 | Prevalence and Predictors of Symptoms in Persons with Advanced Dementia Living in the Community. Journal of Palliative Medicine, 2022, 25, 1376-1385. | 0.6 | 2 |
| 4 | Standardized Versus Tailored Implementation of Measurement-Based Care for Depression in Community Mental Health Clinics. Psychiatric Services, 2022, 73, 1094-1101. | 1.1 | 6 |
| 5 | Brief Educational Video plus Telecare to Enhance Recovery for Older Emergency Department Patients with Acute Musculoskeletal Pain: an update to the study protocol for a randomized controlled trial. Trials, 2022, 23, 400. | 0.7 | 0 |
| 6 | Agreement between older adult patient and caregiver proxy symptom reports. Journal of Patient-Reported Outcomes, 2022, 6, 50. | 0.9 | 10 |
| 7 | Acceptance and commitment therapy for patient fatigue interference and caregiver burden in advanced gastrointestinal cancer: Results of a pilot randomized trial. Palliative Medicine, 2022, 36, 1104-1117. | 1.3 | 13 |
| 8 | SymTrak-8 as a Brief Measure for Assessing Symptoms in Older Adults. Journal of General Internal Medicine, 2021, 36, 1197-1205. | 1.3 | 2 |
| 9 | Screening for perinatal depression with the Patient Health Questionnaire depression scale (PHQ-9): A systematic review and meta-analysis. General Hospital Psychiatry, 2021, 68, 74-82. | 1.2 | 43 |
| 10 | <sc>PHQ</sc>: global uptake of a depression scale. World Psychiatry, 2021, 20, 135-136. | 4.8 | 72 |
| 11 | Balancing the Risks and Benefits of Benzodiazepines. JAMA - Journal of the American Medical Association, 2021, 325, 347. | 3.8 | 52 |
| 12 | Continuing Research During a Crisis. Journal of General Internal Medicine, 2021, 36, 1086-1088. | 1.3 | 4 |
| 13 | Responsiveness of PROMIS and Patient Health Questionnaire (PHQ) Depression Scales in three clinical trials. Health and Quality of Life Outcomes, 2021, 19, 41. | 1.0 | 22 |
| 14 | 70400 Collaborative Care for Opioid Dependence And Pain (CCODAP): A Pilot Randomized Control Trial of an Opioid Tapering Intervention. Journal of Clinical and Translational Science, 2021, 5, 38-39. | 0.3 | 0 |
| 15 | Acceptance and commitment therapy for fatigue interference in advanced gastrointestinal cancer and caregiver burden: protocol of a pilot randomized controlled trial. Pilot and Feasibility Studies, 2021, 7, 99. | 0.5 | 6 |
| 16 | Use of Medications for Treating Anxiety or Depression among Testicular Cancer Survivors: A Multi-Institutional Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1129-1138. | 1.1 | 4 |
| 17 | Two Birds with One Stone: Joint Screening for Perinatal Depression and Anxiety. Journal of Women's Health, 2021, 30, 455-456. | 1.5 | 3 |
| 18 | Research approaches for evaluating opioid sparing in clinical trials of acute and chronic pain treatments: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials recommendations. Pain, 2021, 162, 2669-2681. | 2.0 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Somatic, Anxiety, and Depressive (SAD) Symptoms in Young Adult Latinx Immigrants: Prevalence and Predictors. <i>Journal of Immigrant and Minority Health</i> , 2021, 23, 956-964. | 0.8 | 4 |
| 20 | Estimates From Heterogeneous Studies of Opioid-Related Morbidity. <i>JAMA Pediatrics</i> , 2021, 175, 532. | 3.3 | 1 |
| 21 | Canons of Collaborative Care. <i>Journal of General Internal Medicine</i> , 2021, , 1. | 1.3 | 4 |
| 22 | Risks and Benefits of Benzodiazepines—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 2209. | 3.8 | 0 |
| 23 | Design and methods of the Care Management for the Effective Use of Opioids (CAMEO) trial. <i>Contemporary Clinical Trials</i> , 2021, 106, 106456. | 0.8 | 1 |
| 24 | A Review of the Evidence and Recommendations on Communication Skills and the Patient—Provider Relationship: A Rome Foundation Working Team Report. <i>Gastroenterology</i> , 2021, 161, 1670-1688.e7. | 0.6 | 56 |
| 25 | Diagnostic operating characteristics of PROMIS scales in screening for depression. <i>Journal of Psychosomatic Research</i> , 2021, 147, 110532. | 1.2 | 12 |
| 26 | Composite measures of pain, anxiety, and depressive (PAD) symptoms: Construct and predictive validity. <i>General Hospital Psychiatry</i> , 2021, 72, 1-6. | 1.2 | 4 |
| 27 | Development and field testing of primary care screening tools for harms of long-term opioid therapy continuation and tapering to discontinuation: a study protocol. <i>BMJ Open</i> , 2021, 11, e053524. | 0.8 | 1 |
| 28 | Sleep Disturbance Predicts Less Improvement in Pain Outcomes: Secondary Analysis of the SPACE Randomized Clinical Trial. <i>Pain Medicine</i> , 2020, 21, 1162-1167. | 0.9 | 14 |
| 29 | Telecare management of pain and mood symptoms: Adherence, utility, and patient satisfaction. <i>Journal of Telemedicine and Telecare</i> , 2020, 26, 619-626. | 1.4 | 4 |
| 30 | Brief educational video plus telecare to enhance recovery for older emergency department patients with acute musculoskeletal pain: study protocol for the BETTER randomized controlled trial. <i>Trials</i> , 2020, 21, 615. | 0.7 | 4 |
| 31 | COVID-19 Status Differentially Affects Olfaction: A Prospective Case-Control Study. <i>OTO Open</i> , 2020, 4, 2473974X2097017. | 0.6 | 7 |
| 32 | Disentangling trait versus state characteristics of the Pain Catastrophizing Scale and the PHQ-8 Depression Scale. <i>European Journal of Pain</i> , 2020, 24, 1624-1634. | 1.4 | 7 |
| 33 | Predictors of depression outcomes in adults with cancer: A 12-month longitudinal study. <i>Journal of Psychosomatic Research</i> , 2020, 136, 110169. | 1.2 | 7 |
| 34 | Minimally important differences and severity thresholds are estimated for the PROMIS depression scales from three randomized clinical trials. <i>Journal of Affective Disorders</i> , 2020, 266, 100-108. | 2.0 | 54 |
| 35 | Psychological Processes and Symptom Outcomes in Mindfulness-Based Stress Reduction for Cancer Survivors: A Pilot Study. <i>Mindfulness</i> , 2020, 11, 905-916. | 1.6 | 0 |
| 36 | Patients'™ Experiences with Telecare for Chronic Pain and Mood Symptoms: A Qualitative Study. <i>Pain Medicine</i> , 2020, 21, 2137-2145. | 0.9 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Patient race and opioid misuse history influence provider risk perceptions for future opioid-related problems.. American Psychologist, 2020, 75, 784-795. | 3.8 | 26 |
| 38 | A Time Motion Study Evaluating the Impact of Geographic Cohorting of Hospitalists. Journal of Hospital Medicine, 2020, 15, 338-344. | 0.7 | 9 |
| 39 | Somatic Symptoms. , 2020, , 2110-2113. | | 0 |
| 40 | Assessing depression improvement with the remission evaluation and mood inventory tool (REMIT). General Hospital Psychiatry, 2019, 60, 44-49. | 1.2 | 6 |
| 41 | Measurement invariance of the patient health questionnaire (PHQ) depression screener in U.S. adults across sex, race/ethnicity, and education level: NHANES 2005-2016. Depression and Anxiety, 2019, 36, 813-823. | 2.0 | 126 |
| 42 | Challenges with Implementing the Centers for Disease Control and Prevention Opioid Guideline: A Consensus Panel Report. Pain Medicine, 2019, 20, 724-735. | 0.9 | 146 |
| 43 | Designing the relational team development intervention to improve management of mental health in primary care using iterative stakeholder engagement. BMC Family Practice, 2019, 20, 124. | 2.9 | 3 |
| 44 | PROMIS 4-item measures and numeric rating scales efficiently assess SPADE symptoms compared with legacy measures. Journal of Clinical Epidemiology, 2019, 115, 116-124. | 2.4 | 30 |
| 45 | Automated Self-management (ASM) vs. ASM-Enhanced Collaborative Care for Chronic Pain and Mood Symptoms: the CAMMPS Randomized Clinical Trial. Journal of General Internal Medicine, 2019, 34, 1806-1814. | 1.3 | 27 |
| 46 | Reliability and Validity of SymTrak, a Multi-Domain Tool for Monitoring Symptoms of Older Adults with Multiple Chronic Conditions. Journal of General Internal Medicine, 2019, 34, 908-914. | 1.3 | 7 |
| 47 | Development and Feasibility of SymTrak, a Multi-domain Tool for Monitoring Symptoms of Older Adults in Primary Care. Journal of General Internal Medicine, 2019, 34, 915-922. | 1.3 | 6 |
| 48 | Effect of Collaborative Telerehabilitation on Functional Impairment and Pain Among Patients With Advanced-Stage Cancer. JAMA Oncology, 2019, 5, 644. | 3.4 | 104 |
| 49 | Pain Coping Skills Training for Patients Who Catastrophize About Pain Prior to Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2019, 101, 218-227. | 1.4 | 66 |
| 50 | Ten Principles for More Conservative, Care-Full Diagnosis. Annals of Internal Medicine, 2019, 170, 823. | 2.0 | 12 |
| 51 | Comparative Responsiveness and Minimally Important Difference of Common Anxiety Measures. Medical Care, 2019, 57, 890-897. | 1.1 | 44 |
| 52 | A randomized controlled trial testing a virtual perspective-taking intervention to reduce race and socioeconomic status disparities in pain care. Pain, 2019, 160, 2229-2240. | 2.0 | 38 |
| 53 | Implementing Measurement-Based Care in Behavioral Health. JAMA Psychiatry, 2019, 76, 324. | 6.0 | 327 |
| 54 | Comparative Responsiveness of the PROMIS Pain Interference Short Forms With Legacy Pain Measures: Results From Three Randomized Clinical Trials. Journal of Pain, 2019, 20, 664-675. | 0.7 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Comparative validity and responsiveness of PHQ-ADS and other composite anxiety-depression measures. <i>Journal of Affective Disorders</i> , 2019, 246, 437-443. | 2.0 | 48 |
| 56 | Core Outcome Measures for Chronic Musculoskeletal Pain Research: Recommendations from a Veterans Health Administration Work Group. <i>Pain Medicine</i> , 2019, 20, 1500-1508. | 0.9 | 34 |
| 57 | Effect of Opioid vs Nonopioid Medications on Pain-Related Function in Patients With Chronic Back Pain or Hip or Knee Osteoarthritis Pain. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 872. | 3.8 | 720 |
| 58 | Pain measurement in research and practice. <i>Journal of General Internal Medicine</i> , 2018, 33, 7-8. | 1.3 | 9 |
| 59 | Depression screening and management in primary care. <i>Family Practice</i> , 2018, 35, 1-3. | 0.8 | 14 |
| 60 | Incorporating PROMIS Symptom Measures into Primary Care Practice—a Randomized Clinical Trial. <i>Journal of General Internal Medicine</i> , 2018, 33, 1245-1252. | 1.3 | 41 |
| 61 | Association of Mental Health Conditions and Treatments With Long-term Opioid Analgesic Receipt Among Adolescents. <i>JAMA Pediatrics</i> , 2018, 172, 423. | 3.3 | 46 |
| 62 | Acceptability of a telecare intervention for persistent musculoskeletal pain. <i>Journal of Telemedicine and Telecare</i> , 2018, 24, 44-50. | 1.4 | 9 |
| 63 | Cancer-related loneliness mediates the relationships between social constraints and symptoms among cancer patients. <i>Journal of Behavioral Medicine</i> , 2018, 41, 243-252. | 1.1 | 36 |
| 64 | Comprehensive vs. Assisted Management of Mood and Pain Symptoms (CAMMPS) trial: Study design and sample characteristics. <i>Contemporary Clinical Trials</i> , 2018, 64, 179-187. | 0.8 | 22 |
| 65 | The rationale, design, and methods of a randomized, controlled trial to evaluate the effectiveness of collaborative telecare in preserving function among patients with late stage cancer and hematologic conditions. <i>Contemporary Clinical Trials</i> , 2018, 64, 254-264. | 0.8 | 19 |
| 66 | Estimating minimally important differences for the PROMIS pain interference scales: results from 3 randomized clinical trials. <i>Pain</i> , 2018, 159, 775-782. | 2.0 | 147 |
| 67 | Ten Principles for More Conservative, Care-Full Diagnosis. <i>Annals of Internal Medicine</i> , 2018, 169, 643. | 2.0 | 37 |
| 68 | Depression Screening Rates and Symptom Severity by Alcohol Use Among Primary Care Adult Patients. <i>Journal of the American Board of Family Medicine</i> , 2018, 31, 724-732. | 0.8 | 8 |
| 69 | Opioid use prior to knee arthroplasty in patients who catastrophize about their pain: preoperative data from a multisite randomized clinical trial. <i>Journal of Pain Research</i> , 2018, Volume 11, 1549-1557. | 0.8 | 2 |
| 70 | A qualitative study of patients'™ perceptions of the utility of patient-reported outcome measures of symptoms in primary care clinics. <i>Quality of Life Research</i> , 2018, 27, 3157-3166. | 1.5 | 24 |
| 71 | When and How to Treat Subthreshold Depression. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 702. | 3.8 | 22 |
| 72 | The Cancer Loneliness Scale and Cancer-related Negative Social Expectations Scale: development and validation. <i>Quality of Life Research</i> , 2017, 26, 1901-1913. | 1.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Management of Chronic Pain in the Aftermath of the Opioid Backlash. JAMA - Journal of the American Medical Association, 2017, 317, 2365. | 3.8 | 49 |
| 74 | Incident and long-term opioid therapy among patients with psychiatric conditions and medications: a national study of commercial health care claims. Pain, 2017, 158, 140-148. | 2.0 | 96 |
| 75 | Depression as Measured by PHQ-9 Versus Clinical Diagnosis as an Independent Predictor of Long-Term Mortality in a Prospective Cohort of Medical Inpatients. Psychosomatic Medicine, 2017, 79, 273-282. | 1.3 | 30 |
| 76 | Design, recruitment outcomes, and sample characteristics of the Strategies for Prescribing Analgesics Comparative Effectiveness (SPACE) trial. Contemporary Clinical Trials, 2017, 62, 130-139. | 0.8 | 19 |
| 77 | Screening for Depression. JAMA - Journal of the American Medical Association, 2017, 318, 745. | 3.8 | 27 |
| 78 | Comparing the Patient Health Questionnaire " 15 and the Somatic Symptom Scale " 8 as measures of somatic symptom burden. Journal of Psychosomatic Research, 2017, 101, 44-50. | 1.2 | 35 |
| 79 | Closing the False Divide: Sustainable Approaches to Integrating Mental Health Services into Primary Care. Journal of General Internal Medicine, 2017, 32, 404-410. | 1.3 | 162 |
| 80 | Variations in the management of fibromyalgia by physician specialty: rheumatology versus primary care. Journal of Pragmatic and Observational Research, 2016, 7, 11. | 1.1 | 4 |
| 81 | Comparative Responsiveness of the PROMIS Pain Interference Short Forms, Brief Pain Inventory, PEG, and SF-36 Bodily Pain Subscale. Medical Care, 2016, 54, 414-421. | 1.1 | 82 |
| 82 | The SPADE Symptom Cluster in Primary Care Patients With Chronic Pain. Clinical Journal of Pain, 2016, 32, 388-393. | 0.8 | 49 |
| 83 | Randomized controlled pilot trial of mindfulness-based stress reduction compared to psychoeducational support for persistently fatigued breast and colorectal cancer survivors. Supportive Care in Cancer, 2016, 24, 4085-4096. | 1.0 | 89 |
| 84 | The bidirectional relationship between sleep complaints and pain: Analysis of data from a randomized trial.. Health Psychology, 2016, 35, 41-49. | 1.3 | 105 |
| 85 | Symptom Improvement Requires More Than Screening and Feedback. Journal of Clinical Oncology, 2016, 34, 3351-3352. | 0.8 | 9 |
| 86 | Cognitive and Situational Precipitants of Loneliness Among Patients With Cancer: A Qualitative Analysis. Oncology Nursing Forum, 2016, 43, 156-163. | 0.5 | 32 |
| 87 | Development and Validation of the Somatic Symptom Disorder" B Criteria Scale (SSD-12). Psychosomatic Medicine, 2016, 78, 5-12. | 1.3 | 150 |
| 88 | Capsule Commentary on Meredith et al., Impact of Collaborative Care for Underserved Patients with PTSD in Primary Care: A Randomized Controlled Trial. Journal of General Internal Medicine, 2016, 31, 536-536. | 1.3 | 0 |
| 89 | Pain self-management training increases self-efficacy, self-management behaviours and pain and depression outcomes. European Journal of Pain, 2016, 20, 1070-1078. | 1.4 | 69 |
| 90 | Patient Health Questionnaire Anxiety and Depression Scale: Initial Validation in Three Clinical Trials. Psychosomatic Medicine, 2016, 78, 716-727. | 1.3 | 275 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Opioid Use as a Predictor of Health Care Use and Pain Outcomes: Analysis of Clinical Trial Data. <i>Pain Medicine</i> , 2016, 17, 1261-1268. | 0.9 | 8 |
| 92 | Prevalence, Risk Factors, and Correlates of Anxiety at 1 Year After Moderate to Severe Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 701-707. | 0.5 | 48 |
| 93 | Beneficial Effects of Improvement in Depression, Pain Catastrophizing, and Anxiety on Pain Outcomes: A 12-Month Longitudinal Analysis. <i>Journal of Pain</i> , 2016, 17, 215-222. | 0.7 | 77 |
| 94 | Industry Support of Medical Research: Important Opportunity or Treacherous Pitfall?. <i>Journal of General Internal Medicine</i> , 2016, 31, 228-233. | 1.3 | 31 |
| 95 | Somatic symptoms deserve our attention.. <i>Families, Systems and Health</i> , 2016, 34, 330-333. | 0.4 | 4 |
| 96 | Implementing measurement-based care (iMBC) for depression in community mental health: a dynamic cluster randomized trial study protocol. <i>Implementation Science</i> , 2015, 10, 127. | 2.5 | 55 |
| 97 | Long-term Evaluation of Opioid Treatment in Fibromyalgia. <i>Clinical Journal of Pain</i> , 2015, 31, 7-13. | 0.8 | 59 |
| 98 | Lower PHQ-9 cutpoint accurately diagnosed depression in people with long-term conditions attending the Accident and Emergency Department. <i>Journal of Affective Disorders</i> , 2015, 176, 155-163. | 2.0 | 26 |
| 99 | Evaluation of Stepped Care for Chronic Pain (ESCAPE) in Veterans of the Iraq and Afghanistan Conflicts. <i>JAMA Internal Medicine</i> , 2015, 175, 682. | 2.6 | 97 |
| 100 | Telemedicine Screening for Eye Disease. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1666. | 3.8 | 13 |
| 101 | Pragmatic characteristics of patient-reported outcome measures are important for use in clinical practice. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1085-1092. | 2.4 | 80 |
| 102 | Chronic pain and comorbid mental health conditions: independent associations of posttraumatic stress disorder and depression with pain, disability, and quality of life. <i>Journal of Behavioral Medicine</i> , 2015, 38, 535-543. | 1.1 | 131 |
| 103 | The Role of Decision Aids in Depression Care. <i>JAMA Internal Medicine</i> , 2015, 175, 1770. | 2.6 | 7 |
| 104 | The Interaction of Patient Race, Provider Bias, and Clinical Ambiguity on Pain Management Decisions. <i>Journal of Pain</i> , 2015, 16, 558-568. | 0.7 | 111 |
| 105 | Randomized controlled pilot study of mindfulness-based stress reduction for persistently fatigued cancer survivors. <i>Psycho-Oncology</i> , 2015, 24, 885-893. | 1.0 | 110 |
| 106 | Cost effectiveness of telecare management for pain and depression in patients with cancer: results from a randomized trial. <i>General Hospital Psychiatry</i> , 2014, 36, 599-606. | 1.2 | 36 |
| 107 | Telecare Collaborative Management of Chronic Pain in Primary Care. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 240. | 3.8 | 149 |
| 108 | The Somatic Symptom Scale-8 (SSS-8). <i>JAMA Internal Medicine</i> , 2014, 174, 399. | 2.6 | 408 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Capsule Commentary on Marc et al., Reliability and Validity of the Haitian Creole PHQ-9. <i>Journal of General Internal Medicine</i> , 2014, 29, 1691-1691. | 1.3 | 0 |
| 110 | Preferences, Experience, and Attitudes in the Management of Chronic Pain and Depression. <i>Clinical Journal of Pain</i> , 2014, 30, 766-774. | 0.8 | 21 |
| 111 | Methods for the design of vasomotor symptom trials. <i>Menopause</i> , 2014, 21, 45-58. | 0.8 | 57 |
| 112 | Are the Harms of False-Positive Screening Test Results Minimal or Meaningful?. <i>JAMA Internal Medicine</i> , 2014, 174, 961. | 2.6 | 3 |
| 113 | Distance Therapy to Improve Symptoms and Quality of Life. <i>Psychosomatic Medicine</i> , 2014, 76, 578-580. | 1.3 | 6 |
| 114 | Operating Characteristics of PROMIS Four-Item Depression and Anxiety Scales in Primary Care Patients with Chronic Pain. <i>Pain Medicine</i> , 2014, 15, 1892-1901. | 0.9 | 138 |
| 115 | Validity of the Greek version of the PHQ 15-item Somatic Symptom Severity Scale in patients with chronic medical conditions and correlations with emergency department use and illness perceptions. <i>Comprehensive Psychiatry</i> , 2014, 55, 1950-1959. | 1.5 | 22 |
| 116 | Symptom Burden and Comorbidities Impact the Consistency of Responses on Patient-Reported Functional Outcomes. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 79-86. | 0.5 | 14 |
| 117 | The Influence of Patient Sex, Provider Sex, and Sexist Attitudes on Pain Treatment Decisions. <i>Journal of Pain</i> , 2014, 15, 551-559. | 0.7 | 65 |
| 118 | A Practical and Evidence-Based Approach to Common Symptoms. <i>Annals of Internal Medicine</i> , 2014, 161, 579. | 2.0 | 105 |
| 119 | Trends in Office-Based Mental Health Care Provided by Psychiatrists and Primary Care Physicians. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 247-253. | 1.1 | 141 |
| 120 | Integrating Depression Care: The Time Has Come. <i>Journal of General Internal Medicine</i> , 2013, 28, 333-335. | 1.3 | 1 |
| 121 | Association between anxiety, health-related quality of life and functional impairment in primary care patients with chronic pain. <i>General Hospital Psychiatry</i> , 2013, 35, 359-365. | 1.2 | 142 |
| 122 | Association between sense of coherence and health-related quality of life among primary care patients with chronic musculoskeletal pain. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 216. | 1.0 | 29 |
| 123 | Somatic symptoms in cancer patients trajectory over 12 months and impact on functional status and disability. <i>Supportive Care in Cancer</i> , 2013, 21, 765-773. | 1.0 | 37 |
| 124 | Longitudinal Comparison of Three Depression Measures in Adult Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 71-82. | 0.6 | 35 |
| 125 | Stepped Care to Optimize Pain care Effectiveness (SCOPE) trial study design and sample characteristics. <i>Contemporary Clinical Trials</i> , 2013, 34, 270-281. | 0.8 | 53 |
| 126 | The Mentoring Competency Assessment. <i>Academic Medicine</i> , 2013, 88, 1002-1008. | 0.8 | 161 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Endoscopic Ultrasound-Guided Celiac Plexus Neurolysis in Pancreatic Cancer: A Prospective Pilot Study of Safety Using 10â€‰mL versus 20â€‰mL Alcohol. <i>Diagnostic and Therapeutic Endoscopy</i> , 2013, 2013, 1-6. | 1.5 | 29 |
| 128 | Telephone-based cognitive-behavioural therapy and a structured exercise programme are effective for chronic widespread pain (fibromyalgia). <i>Evidence-Based Medicine</i> , 2013, 18, 23-24. | 0.6 | 5 |
| 129 | Diagnostic Testing and the Illusory Reassurance of Normal Results. <i>JAMA Internal Medicine</i> , 2013, 173, 416. | 2.6 | 22 |
| 130 | Longitudinal Observation of Treatment Patterns and Outcomes for Patients with Fibromyalgia: 12-Month Findings from the REFLECTIONS Study. <i>Pain Medicine</i> , 2013, 14, 1400-1415. | 0.9 | 30 |
| 131 | Anxiety but Not Social Stressors Predict 12-Month Depression and Pain Severity. <i>Clinical Journal of Pain</i> , 2013, 29, 95-101. | 0.8 | 60 |
| 132 | Maternal Somatic Symptoms, Psychosocial Correlates, and Subsequent Pediatric Emergency Department Use. <i>Pediatric Emergency Care</i> , 2013, 29, 170-174. | 0.5 | 5 |
| 133 | Longitudinal relationships between fatigue and depression in cancer patients with depression and/or pain.. <i>Health Psychology</i> , 2013, 32, 1199-1208. | 1.3 | 24 |
| 134 | Enhancing the clinical utility of depression screening. <i>Cmaj</i> , 2012, 184, 281-282. | 0.9 | 133 |
| 135 | Predictors of Cancer-Related Pain Improvement Over Time. <i>Psychosomatic Medicine</i> , 2012, 74, 642-647. | 1.3 | 35 |
| 136 | A pragmatic 12-week, randomized trial of duloxetine versus generic selective serotonin-reuptake inhibitors in the treatment of adult outpatients in a moderate-to-severe depressive episode. <i>International Clinical Psychopharmacology</i> , 2012, 27, 17-26. | 0.9 | 26 |
| 137 | Burden of Illness and Treatment Patterns for Patients with Fibromyalgia. <i>Pain Medicine</i> , 2012, 13, 1366-1376. | 0.9 | 50 |
| 138 | Calling All Pain Patients: Telehealth Has Arrived. <i>Pain Practice</i> , 2012, 12, 502-505. | 0.9 | 3 |
| 139 | Testing the PHQ-9 Interview and Observational Versions (PHQ-9 OV) for MDS 3.0. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 618-625. | 1.2 | 104 |
| 140 | The Relationship of Level of Positive Mental Health With Current Mental Disorders in Predicting Suicidal Behavior and Academic Impairment in College Students. <i>Journal of American College Health</i> , 2012, 60, 126-133. | 0.8 | 296 |
| 141 | Depression Improvement Is Related to Social Role Functioning After Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 978-982. | 0.5 | 23 |
| 142 | Comparative Responsiveness of Pain Measures in Cancer Patients. <i>Journal of Pain</i> , 2012, 13, 764-772. | 0.7 | 44 |
| 143 | A phase III randomized three-arm trial of physical therapist delivered pain coping skills training for patients with total knee arthroplasty: the KASTPain protocol. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 149. | 0.8 | 37 |
| 144 | Deriving Competencies for Mentors of Clinical and Translational Scholars. <i>Clinical and Translational Science</i> , 2012, 5, 273-280. | 1.5 | 67 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Impact of Depression on 12-Month Outcomes in Primary-Care Patients with Chronic Musculoskeletal Pain. <i>Journal of Musculoskeletal Pain</i> , 2012, 20, 8-17. | 0.3 | 15 |
| 146 | Do Somatic and Cognitive Symptoms of Traumatic Brain Injury Confound Depression Screening?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 818-823. | 0.5 | 76 |
| 147 | Comparing fibromyalgia across different clinical settings: Is it apples and oranges, or oranges and tangerines?*. <i>European Journal of Pain</i> , 2011, 15, 887-888. | 1.4 | 2 |
| 148 | A Provisional Screening Instrument for Four Common Mental Disorders in Adult Primary Care Patients. <i>Psychosomatics</i> , 2011, 52, 48-55. | 2.5 | 26 |
| 149 | Reciprocal Relationship Between Pain and Depression: A 12-Month Longitudinal Analysis in Primary Care. <i>Journal of Pain</i> , 2011, 12, 964-973. | 0.7 | 424 |
| 150 | Cancer-Related Pain and Disability: A Longitudinal Study. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 813-821. | 0.6 | 22 |
| 151 | Toward a more comprehensive assessment of depression remission: the Remission Evaluation and Mood Inventory Tool (REMIT). <i>General Hospital Psychiatry</i> , 2011, 33, 279-286. | 1.2 | 16 |
| 152 | Comparison of SF-36 vitality scale and Fatigue Symptom Inventory in assessing cancer-related fatigue. <i>Supportive Care in Cancer</i> , 2011, 19, 1255-1259. | 1.0 | 71 |
| 153 | PHQ-8 Days: a measurement option for DSM-5 Major Depressive Disorder (MDD) severity. <i>Population Health Metrics</i> , 2011, 9, 11. | 1.3 | 51 |
| 154 | Screening for major depression in cancer outpatients. <i>Cancer</i> , 2011, 117, 218-227. | 2.0 | 139 |
| 155 | PDI-4A: An Augmented Provisional Screening Instrument Assessing 5 Additional Common Anxiety-Related Diagnoses in Adult Primary Care Patients. <i>Postgraduate Medicine</i> , 2011, 123, 89-95. | 0.9 | 7 |
| 156 | Telecare Management of Pain and Depression in Patients With Cancer. <i>Journal of Ambulatory Care Management</i> , 2011, 34, 126-139. | 0.5 | 27 |
| 157 | Trauma Exposure and Posttraumatic Stress Disorder in Primary Care Patients. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 304-312. | 1.1 | 30 |
| 158 | The association of depression and anxiety with health-related quality of life in cancer patients with depression and/or pain. <i>Psycho-Oncology</i> , 2010, 19, 734-741. | 1.0 | 223 |
| 159 | Comparative Responsiveness of Pain Outcome Measures Among Primary Care Patients With Musculoskeletal Pain. <i>Medical Care</i> , 2010, 48, 1007-1014. | 1.1 | 131 |
| 160 | Review: GPs accurately diagnose about 50% of patients with depression and accurately classify 81% of nondepressed patients. <i>Annals of Internal Medicine</i> , 2010, 152, JC4. | 2.0 | 0 |
| 161 | The Association of Depression and Pain with Health-Related Quality of Life, Disability, and Health Care Use in Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2010, 40, 327-341. | 0.6 | 192 |
| 162 | Authors' reply to letter on pharmacotherapy of chronic pain. <i>General Hospital Psychiatry</i> , 2010, 32, 112-113. | 1.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Musculoskeletal pain and measures of depression: response to comment on the article by Poleshuck et al. <i>General Hospital Psychiatry</i> , 2010, 32, 114-115. | 1.2 | 10 |
| 164 | Screening for suicidality in cancer patients using Item 9 of the nine-item patient health questionnaire; does the item score predict who requires further assessment?. <i>General Hospital Psychiatry</i> , 2010, 32, 218-220. | 1.2 | 49 |
| 165 | The Patient Health Questionnaire Somatic, Anxiety, and Depressive Symptom Scales: a systematic review. <i>General Hospital Psychiatry</i> , 2010, 32, 345-359. | 1.2 | 2,879 |
| 166 | Depression and comorbid panic in primary care patients. <i>Journal of Affective Disorders</i> , 2010, 123, 283-290. | 2.0 | 9 |
| 167 | Training and Career Development for Comparative Effectiveness Research Workforce Development: CTSA Consortium Strategic Goal Committee on Comparative Effectiveness Research Workgroup on Workforce Development. <i>Clinical and Translational Science</i> , 2010, 3, 258-262. | 1.5 | 14 |
| 168 | Predictors of Pain Outcomes in Patients with Chronic Musculoskeletal Pain Co-morbid with Depression: Results from a Randomized Controlled Trial. <i>Pain Medicine</i> , 2010, 11, 482-491. | 0.9 | 64 |
| 169 | Sex Differences in Pain and Pain-Related Disability among Primary Care Patients with Chronic Musculoskeletal Pain. <i>Pain Medicine</i> , 2010, 11, 232-239. | 0.9 | 108 |
| 170 | The Adverse Effects of Comorbid Pain on Depression Outcomes in Primary Care Patients: Results from the Artist Trial. <i>Pain Medicine</i> , 2010, 11, 732-741. | 0.9 | 57 |
| 171 | Analgesic Prescribing for Patients Who Are Discharged from an Emergency Department. <i>Pain Medicine</i> , 2010, 11, 1072-1077. | 0.9 | 53 |
| 172 | Effect of Telecare Management on Pain and Depression in Patients With Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 163. | 3.8 | 277 |
| 173 | Somatic Symptoms in Patients With Cancer Experiencing Pain or Depression. <i>Archives of Internal Medicine</i> , 2010, 170, 1686-94. | 4.3 | 88 |
| 174 | The HSCL-20: One questionnaire, two versions. <i>Journal of Psychosomatic Research</i> , 2010, 68, 313-314. | 1.2 | 14 |
| 175 | The Pragmatic-Explanatory Continuum Indicator Summary (PRECIS) instrument was useful for refining a randomized trial design: Experiences from an investigative team. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1271-1275. | 2.4 | 32 |
| 176 | Self-Management Support and Communication from Nurse Care Managers Compared with Primary Care Physicians: A Focus Group Study of Patients with Chronic Musculoskeletal Pain. <i>Pain Management Nursing</i> , 2010, 11, 26-34. | 0.4 | 55 |
| 177 | Responsiveness of motor and nonmotor symptoms of Parkinson disease to dopaminergic therapy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 57-61. | 2.5 | 55 |
| 178 | The P4 Screener. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2010, 12, . | 0.6 | 67 |
| 179 | Eficacia del tratamiento de los trastornos somatomorfos. , 2010, , 137-156. | | 0 |
| 180 | Unburdening the Difficult Clinical Encounter. <i>Archives of Internal Medicine</i> , 2009, 169, 333. | 4.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Short-Term Psychodynamic Psychotherapy for Somatic Disorders. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 265-274. | 4.0 | 250 |
| 182 | Efficacy of Treatment for Somatoform Disorders: A Review of Randomized Controlled Trials. <i>Focus (American Psychiatric Publishing)</i> , 2009, 7, 414-423. | 0.4 | 4 |
| 183 | Optimized Antidepressant Therapy and Pain Self-management in Primary Care Patients With Depression and Musculoskeletal Pain. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 2099. | 3.8 | 382 |
| 184 | Psychosocial stress and anxiety in musculoskeletal pain patients with and without depression. <i>General Hospital Psychiatry</i> , 2009, 31, 116-122. | 1.2 | 53 |
| 185 | Pharmacotherapy of chronic pain: a synthesis of recommendations from systematic reviews. <i>General Hospital Psychiatry</i> , 2009, 31, 206-219. | 1.2 | 250 |
| 186 | The Indiana Cancer Pain and Depression (INCPAD) trial. <i>General Hospital Psychiatry</i> , 2009, 31, 240-253. | 1.2 | 62 |
| 187 | The PHQ-8 as a measure of current depression in the general population. <i>Journal of Affective Disorders</i> , 2009, 114, 163-173. | 2.0 | 3,230 |
| 188 | Validity/Reliability of PHQ-9 and PHQ-2 Depression Scales Among Adults Living with HIV/AIDS in Western Kenya. <i>Journal of General Internal Medicine</i> , 2009, 24, 189-197. | 1.3 | 373 |
| 189 | Development and Initial Validation of the PEG, a Three-item Scale Assessing Pain Intensity and Interference. <i>Journal of General Internal Medicine</i> , 2009, 24, 733-738. | 1.3 | 484 |
| 190 | Metropolitan and micropolitan statistical area estimates of depression and anxiety using the Patient Health Questionnaire-8 in the 2006 Behavioral Risk Factor Surveillance System. <i>International Journal of Public Health</i> , 2009, 54, 117-124. | 1.0 | 18 |
| 191 | Barriers and Facilitators to Chronic Pain Self-Management: A Qualitative Study of Primary Care Patients with Comorbid Musculoskeletal Pain and Depression. <i>Pain Medicine</i> , 2009, 10, 1280-1290. | 0.9 | 197 |
| 192 | Measuring and distilling the impact of pain. <i>Pain</i> , 2009, 142, 7-8. | 2.0 | 6 |
| 193 | Associations between smoking cessation and anxiety and depression among U.S. adults. <i>Addictive Behaviors</i> , 2009, 34, 491-497. | 1.7 | 107 |
| 194 | Cancer-Related Fatigue and Its Associations With Depression and Anxiety: A Systematic Review. <i>Psychosomatics</i> , 2009, 50, 440-447. | 2.5 | 268 |
| 195 | An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ-4. <i>Psychosomatics</i> , 2009, 50, 613-621. | 2.5 | 327 |
| 196 | Pain and Depression in Gynecology Patients. <i>Psychosomatics</i> , 2009, 50, 270-276. | 2.5 | 25 |
| 197 | The Associations Between Depression, Health-Related Quality of Life, Social Support, Life Satisfaction, and Disability in Community-Dwelling US Adults. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 61-64. | 0.5 | 153 |
| 198 | Cancer-Related Fatigue and Its Associations With Depression and Anxiety: A Systematic Review. <i>Psychosomatics</i> , 2009, 50, 440-447. | 2.5 | 134 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ-4. <i>Psychosomatics</i> , 2009, 50, 613-621. | 2.5 | 2,151 |
| 200 | Self-management practices among primary care patients with musculoskeletal pain and depression. <i>Journal of Behavioral Medicine</i> , 2008, 31, 301-307. | 1.1 | 36 |
| 201 | Effectiveness of a 1-Year Resident Training Program in Clinical Research: A Controlled Before-and-After Study. <i>Journal of General Internal Medicine</i> , 2008, 23, 122-128. | 1.3 | 51 |
| 202 | Trajectories of improvement for six depression-related outcomes. <i>General Hospital Psychiatry</i> , 2008, 30, 26-31. | 1.2 | 30 |
| 203 | The association of depression and anxiety with obesity and unhealthy behaviors among community-dwelling US adults. <i>General Hospital Psychiatry</i> , 2008, 30, 127-137. | 1.2 | 432 |
| 204 | Depression, anxiety and somatization in primary care: syndrome overlap and functional impairment. <i>General Hospital Psychiatry</i> , 2008, 30, 191-199. | 1.2 | 549 |
| 205 | Gastrointestinal symptoms in primary care: Prevalence and association with depression and anxiety. <i>Journal of Psychosomatic Research</i> , 2008, 64, 605-612. | 1.2 | 133 |
| 206 | A transdisciplinary training program for behavioral oncology and cancer control scientists. <i>Nursing Outlook</i> , 2008, 56, 123-131. | 1.5 | 13 |
| 207 | Impact of pain on the outcomes of depression treatment: Results from the RESPECT trial. <i>Pain</i> , 2008, 134, 209-215. | 2.0 | 137 |
| 208 | Depression and Anxiety in the United States: Findings From the 2006 Behavioral Risk Factor Surveillance System. <i>Psychiatric Services</i> , 2008, 59, 1383-1390. | 1.1 | 335 |
| 209 | Prevalence, Impact, and Prognosis of Multisomatoform Disorder in Primary Care: A 5-Year Follow-up Study. <i>Psychosomatic Medicine</i> , 2008, 70, 430-434. | 1.3 | 108 |
| 210 | Association of Depression and Anxiety Alone and in Combination With Chronic Musculoskeletal Pain in Primary Care Patients. <i>Psychosomatic Medicine</i> , 2008, 70, 890-897. | 1.3 | 425 |
| 211 | RESPECT-Mil: Feasibility of a Systems-Level Collaborative Care Approach to Depression and Post-Traumatic Stress Disorder in Military Primary Care. <i>Military Medicine</i> , 2008, 173, 935-940. | 0.4 | 122 |
| 212 | Efficient and effective care of depression in medical settings. <i>Managed Care</i> , 2008, 17, 15-21; discussion 21, 25-6. | 0.3 | 0 |
| 213 | Care Management of Poststroke Depression. <i>Stroke</i> , 2007, 38, 998-1003. | 1.0 | 120 |
| 214 | Effects of depression and pain severity on satisfaction in medical outpatients: Analysis of the Medical Outcomes Study. <i>Journal of Rehabilitation Research and Development</i> , 2007, 44, 143. | 1.6 | 41 |
| 215 | Anxiety Disorders in Primary Care: Prevalence, Impairment, Comorbidity, and Detection. <i>Annals of Internal Medicine</i> , 2007, 146, 317. | 2.0 | 3,084 |
| 216 | Pharmacologic Management of Painful Bladder Syndrome/Interstitial Cystitis. <i>Archives of Internal Medicine</i> , 2007, 167, 1922. | 4.3 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Outcome and Impact of Mental Disorders in Primary Care at 5 years. <i>Psychosomatic Medicine</i> , 2007, 69, 270-276. | 1.3 | 67 |
| 218 | Revising the Classification of Somatoform Disorders: Key Questions and Preliminary Recommendations. <i>Psychosomatics</i> , 2007, 48, 277-285. | 2.5 | 152 |
| 219 | Somatoform Disorders and Recent Diagnostic Controversies. <i>Psychiatric Clinics of North America</i> , 2007, 30, 593-619. | 0.7 | 50 |
| 220 | Triangulating Patient and Clinician Perspectives on Clinically Important Differences in Health-Related Quality of Life among Patients with Heart Disease. <i>Health Services Research</i> , 2007, 42, 2257-2274. | 1.0 | 26 |
| 221 | The association of depression and anxiety with medical symptom burden in patients with chronic medical illness. <i>General Hospital Psychiatry</i> , 2007, 29, 147-155. | 1.2 | 780 |
| 222 | Stepped Care for Affective Disorders and Musculoskeletal Pain (SCAMP) study. <i>General Hospital Psychiatry</i> , 2007, 29, 506-517. | 1.2 | 79 |
| 223 | Concordance between the PHQ-9 and the HSCL-20 in depressed primary care patients. <i>Journal of Affective Disorders</i> , 2007, 99, 139-145. | 2.0 | 73 |
| 224 | Efficacy of Treatment for Somatoform Disorders: A Review of Randomized Controlled Trials. <i>Psychosomatic Medicine</i> , 2007, 69, 881-888. | 1.3 | 365 |
| 225 | Validity of patient-reported health-related quality of life global ratings of change using structural equation modeling. <i>Quality of Life Research</i> , 2007, 16, 1193-1202. | 1.5 | 26 |
| 226 | Measuring Patient and Clinician Perspectives to Evaluate Change in Health-Related Quality of Life Among Patients with Chronic Obstructive Pulmonary Disease. <i>Journal of General Internal Medicine</i> , 2007, 22, 161-170. | 1.3 | 37 |
| 227 | An Exploratory Study of Primary Care Physician Decision Making Regarding Total Joint Arthroplasty. <i>Journal of General Internal Medicine</i> , 2007, 22, 74-79. | 1.3 | 7 |
| 228 | Duloxetine in Practice-Based Clinical Settings. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2007, 09, 271-279. | 0.6 | 4 |
| 229 | Interpreting quality-of-life data: methods for community consensus in asthma. <i>Annals of Allergy, Asthma and Immunology</i> , 2006, 96, 826-833. | 0.5 | 4 |
| 230 | Symptoms, Syndromes, and the Value of Psychiatric Diagnostics in Patients Who Have Functional Somatic Disorders. <i>Medical Clinics of North America</i> , 2006, 90, 603-626. | 1.1 | 89 |
| 231 | Physician-estimated disease severity in patients with chronic heart or lung disease: a cross-sectional analysis. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 60. | 1.0 | 14 |
| 232 | Physical symptom disorder: A simpler diagnostic category for somatization-spectrum conditions. <i>Journal of Psychosomatic Research</i> , 2006, 60, 335-339. | 1.2 | 131 |
| 233 | Management of chronic prostatitis/chronic pelvic pain syndrome: An evidence-based approach. <i>Urology</i> , 2006, 67, 881-888. | 0.5 | 36 |
| 234 | Minor Depression: Midway between Major Depression and Euthymia. <i>Annals of Internal Medicine</i> , 2006, 144, 528. | 2.0 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | How Valid Are Family Proxy Assessments of Stroke Patients' Health-Related Quality of Life?. <i>Stroke</i> , 2006, 37, 2081-2085. | 1.0 | 125 |
| 236 | Racial and Ethnic Differences in the Relationship Between Depression Severity and Functional Status. <i>Psychiatric Services</i> , 2006, 57, 498-503. | 1.1 | 49 |
| 237 | Predictors of Incident Chronic Widespread Pain Among Veterans Following the First Gulf War. <i>Clinical Journal of Pain</i> , 2006, 22, 554-563. | 0.8 | 31 |
| 238 | Antidepressants and Cognitive-Behavioral Therapy for Symptom Syndromes. <i>CNS Spectrums</i> , 2006, 11, 212-222. | 0.7 | 129 |
| 239 | Using the patient health questionnaire-9 to measure depression among racially and ethnically diverse primary care patients. <i>Journal of General Internal Medicine</i> , 2006, 21, 547-552. | 1.3 | 558 |
| 240 | Managing somatization. <i>Journal of General Internal Medicine</i> , 2006, 21, 797-799. | 1.3 | 27 |
| 241 | Outcomes Among Family Caregivers of Aphasic Versus Nonaphasic Stroke Survivors. <i>Rehabilitation Nursing</i> , 2006, 31, 33-42. | 0.3 | 99 |
| 242 | A comparison of traditional and Rasch cut points for assessing clinically important change in health-related quality of life among patients with asthma. <i>Quality of Life Research</i> , 2006, 15, 1639-1649. | 1.5 | 15 |
| 243 | Impact of pain severity and location on health-related quality of life. <i>Rheumatology International</i> , 2006, 26, 567-572. | 1.5 | 18 |
| 244 | Factors Associated with Drug Adherence and Blood Pressure Control in Patients with Hypertension. <i>Pharmacotherapy</i> , 2006, 26, 483-492. | 1.2 | 123 |
| 245 | Long term outcomes from the IMPACT randomised trial for depressed elderly patients in primary care. <i>BMJ: British Medical Journal</i> , 2006, 332, 259-263. | 2.4 | 286 |
| 246 | A Brief Measure for Assessing Generalized Anxiety Disorder. <i>Archives of Internal Medicine</i> , 2006, 166, 1092. | 4.3 | 18,596 |
| 247 | Venlafaxine Extended Release in the Short-Term Treatment of Depressed and Anxious Primary Care Patients With Multisomatoform Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 72-80. | 1.1 | 73 |
| 248 | Performance of the PHQ-9 as a Screening Tool for Depression After Stroke. <i>Stroke</i> , 2005, 36, 635-638. | 1.0 | 312 |
| 249 | Treatment of Depression Improves Physical Functioning in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 367-373. | 1.3 | 189 |
| 250 | A Comparison of Clinically Important Differences in Health-Related Quality of Life for Patients with Chronic Lung Disease, Asthma, or Heart Disease. <i>Health Services Research</i> , 2005, 40, 577-592. | 1.0 | 206 |
| 251 | Nine-month predictors and outcomes of SSRI antidepressant continuation in primary care. <i>General Hospital Psychiatry</i> , 2005, 27, 229-236. | 1.2 | 45 |
| 252 | Access to communication technologies in a sample of cancer patients: an urban and rural survey. <i>BMC Cancer</i> , 2005, 5, 18. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Symptomatic severity of prime-MD diagnosed episodes of panic and generalized anxiety disorder in primary care. <i>Journal of General Internal Medicine</i> , 2005, 20, 623-628. | 1.3 | 25 |
| 254 | Somatoform Disorders: Time for a New Approach in DSM-V. <i>American Journal of Psychiatry</i> , 2005, 162, 847-855. | 4.0 | 432 |
| 255 | Detecting and monitoring depression with a two-item questionnaire (PHQ-2). <i>Journal of Psychosomatic Research</i> , 2005, 58, 163-171. | 1.2 | 1,078 |
| 256 | Physical symptoms as a predictor of health care use and mortality among older adults. <i>American Journal of Medicine</i> , 2005, 118, 301-306. | 0.6 | 86 |
| 257 | A comparison of clinically important differences in health-related quality of life for patients with chronic lung disease, asthma, or heart disease. <i>Health Services Research</i> , 2005, 40, 577-91. | 1.0 | 101 |
| 258 | Symptomatic severity of PRIME-MD diagnosed episodes of panic and generalized anxiety disorder in primary care. <i>Journal of General Internal Medicine</i> , 2005, 20, 623-8. | 1.3 | 16 |
| 259 | Going to Scale: Re-Engineering Systems for Primary Care Treatment of Depression. <i>Annals of Family Medicine</i> , 2004, 2, 301-304. | 0.9 | 61 |
| 260 | Test-Retest Reliability of the Mirowsky-Ross 2 Å– 2 Index of the Sense of Control. <i>Psychological Reports</i> , 2004, 94, 725-732. | 0.9 | 17 |
| 261 | Re-engineering systems for the treatment of depression in primary care: cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2004, 329, 602. | 2.4 | 248 |
| 262 | The outcome of physical symptoms with treatment of depression. <i>Journal of General Internal Medicine</i> , 2004, 19, 813-818. | 1.3 | 129 |
| 263 | The many C&E™s of primary care. <i>Journal of General Internal Medicine</i> , 2004, 19, 708-709. | 1.3 | 24 |
| 264 | Comparative validity of three screening questionnaires for DSM-IV depressive disorders and physicians' diagnoses. <i>Journal of Affective Disorders</i> , 2004, 78, 131-140. | 2.0 | 874 |
| 265 | Measuring depression outcome with a brief self-report instrument: sensitivity to change of the Patient Health Questionnaire (PHQ-9). <i>Journal of Affective Disorders</i> , 2004, 81, 61-66. | 2.0 | 1,223 |
| 266 | Low yield of thyroid-stimulating hormone testing in elderly patients with depression. <i>General Hospital Psychiatry</i> , 2004, 26, 302-309. | 1.2 | 27 |
| 267 | Predicting reports of unmet expectations among rheumatology patients. <i>Arthritis and Rheumatism</i> , 2004, 51, 215-221. | 6.7 | 24 |
| 268 | Common comorbidity scales were similar in their ability to predict health care costs and mortality. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 1040-1048. | 2.4 | 307 |
| 269 | Clinically important differences in health status for patients with heart disease: an expert consensus panel report. <i>American Heart Journal</i> , 2004, 147, 615-622. | 1.2 | 122 |
| 270 | Anxiety and Depression in Patients With Pulmonary Hypertension. <i>Psychosomatic Medicine</i> , 2004, 66, 831-836. | 1.3 | 196 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Impact of Pain on Depression Treatment Response in Primary Care. <i>Psychosomatic Medicine</i> , 2004, 66, 17-22. | 1.3 | 315 |
| 272 | Monitoring Depression Treatment Outcomes With the Patient Health Questionnaire-9. <i>Medical Care</i> , 2004, 42, 1194-1201. | 1.1 | 1,017 |
| 273 | Update in General Internal Medicine. <i>Annals of Internal Medicine</i> , 2004, 141, 213. | 2.0 | 0 |
| 274 | Suicidality as a Possible Side Effect of Antidepressant Treatment. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2004, 06, 79-86. | 0.6 | 18 |
| 275 | Differing symptoms of abused versus nonabused women in obstetric-gynecology settings. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 707-713. | 0.7 | 43 |
| 276 | Patients presenting with somatic complaints: epidemiology, psychiatric co-morbidity and management. <i>International Journal of Methods in Psychiatric Research</i> , 2003, 12, 34-43. | 1.1 | 486 |
| 277 | Rheumatology patients' use of complementary therapies: Results from a one-year longitudinal study. <i>Arthritis and Rheumatism</i> , 2003, 49, 619-625. | 6.7 | 58 |
| 278 | Clinically important changes in health-related quality of life for patients with chronic obstructive pulmonary disease. <i>Journal of General Internal Medicine</i> , 2003, 18, 196-202. | 1.3 | 111 |
| 279 | Is the distal hyperplastic polyp a marker for proximal neoplasia?. <i>Journal of General Internal Medicine</i> , 2003, 18, 128-137. | 1.3 | 39 |
| 280 | Improving patient satisfaction with the transfer of care. <i>Journal of General Internal Medicine</i> , 2003, 18, 364-369. | 1.3 | 24 |
| 281 | Depression and Pain Comorbidity. <i>Archives of Internal Medicine</i> , 2003, 163, 2433. | 4.3 | 2,653 |
| 282 | Gender and Symptoms in Primary Care Practices. <i>Psychosomatics</i> , 2003, 44, 359-366. | 2.5 | 25 |
| 283 | Somatic Symptoms in Primary Care: Etiology and Outcome. <i>Psychosomatics</i> , 2003, 44, 471-478. | 2.5 | 182 |
| 284 | Clinically important differences in health-related quality of life for patients with asthma: an expert consensus panel report. <i>Annals of Allergy, Asthma and Immunology</i> , 2003, 91, 148-153. | 0.5 | 32 |
| 285 | Effect of Improving Depression Care on Pain and Functional Outcomes Among Older Adults With Arthritis. <i>JAMA - Journal of the American Medical Association</i> , 2003, 290, 2428. | 3.8 | 510 |
| 286 | 9-11, Personal Stress, Mental Health, and Sense of Control Among Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003, 58, S146-S150. | 2.4 | 33 |
| 287 | Unexplained Symptoms After Terrorism and War: An Expert Consensus Statement. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 1040-1048. | 0.9 | 69 |
| 288 | Age, Aging, and the Sense of Control Among Older Adults: A Longitudinal Reconsideration. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003, 58, S212-S220. | 2.4 | 70 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Major Depression, Physical Illness, and Suicidal Ideation in Primary Care. <i>Psychosomatic Medicine</i> , 2003, 65, 501-505. | 1.3 | 132 |
| 290 | The Patient Health Questionnaire-2. <i>Medical Care</i> , 2003, 41, 1284-1292. | 1.1 | 4,547 |
| 291 | Predictors of Psychiatric Comorbidity in Medical Outpatients. <i>Psychosomatic Medicine</i> , 2003, 65, 764-770. | 1.3 | 48 |
| 292 | Evaluation of Acute Knee Pain in Primary Care. <i>Annals of Internal Medicine</i> , 2003, 139, 575. | 2.0 | 174 |
| 293 | Identifying New Diseases and Their Causes: The Dilemma of Illnesses in Gulf War Veterans. <i>Military Medicine</i> , 2003, 168, 186-193. | 0.4 | 8 |
| 294 | Identifying new diseases and their causes: the dilemma of illnesses in Gulf War veterans. <i>Military Medicine</i> , 2003, 168, 186-93. | 0.4 | 2 |
| 295 | A 75-Year-Old Man With Depression. <i>JAMA - Journal of the American Medical Association</i> , 2002, 287, 1568. | 3.8 | 13 |
| 296 | The Teacher and Learner Interactive Assessment System (TeLIAS): A New Tool to Assess Teaching Behaviors in the Ambulatory Setting. <i>Teaching and Learning in Medicine</i> , 2002, 14, 249-256. | 1.3 | 14 |
| 297 | The PHQ-15: Validity of a New Measure for Evaluating the Severity of Somatic Symptoms. <i>Psychosomatic Medicine</i> , 2002, 64, 258-266. | 1.3 | 2,386 |
| 298 | A Three-Component Model for Reengineering Systems for the Treatment of Depression in Primary Care. <i>Psychosomatics</i> , 2002, 43, 441-450. | 2.5 | 115 |
| 299 | Psychological medicine. <i>BMJ: British Medical Journal</i> , 2002, 324, 1536-1537. | 2.4 | 17 |
| 300 | Psychological Disorders and Distress in Older Primary Care Patients: A Comparison of Older and Younger Samples. <i>Psychosomatic Medicine</i> , 2002, 64, 635-643. | 1.3 | 63 |
| 301 | The PHQ-9: A New Depression Diagnostic and Severity Measure. <i>Psychiatric Annals</i> , 2002, 32, 509-515. | 0.1 | 4,079 |
| 302 | Studying Symptoms: Sampling and Measurement Issues. <i>Annals of Internal Medicine</i> , 2001, 134, 844. | 2.0 | 144 |
| 303 | Validation and Utility of the Patient Health Questionnaire in Diagnosing Mental Disorders in 1003 General Hospital Spanish Inpatients. <i>Psychosomatic Medicine</i> , 2001, 63, 679-686. | 1.3 | 489 |
| 304 | Polypharmacy and medication adherence. <i>Journal of General Internal Medicine</i> , 2001, 16, 137-139. | 1.3 | 61 |
| 305 | The PHQ-9. <i>Journal of General Internal Medicine</i> , 2001, 16, 606-613. | 1.3 | 29,194 |
| 306 | Predictors of patient satisfaction. <i>Social Science and Medicine</i> , 2001, 52, 609-620. | 1.8 | 664 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Similar Effectiveness of Paroxetine, Fluoxetine, and Sertraline in Primary Care. JAMA - Journal of the American Medical Association, 2001, 286, 2947. | 3.8 | 264 |
| 308 | Depression Screening Is Not Enough. Annals of Internal Medicine, 2001, 134, 418. | 2.0 | 42 |
| 309 | Symptoms Research: A Fertile Field. Annals of Internal Medicine, 2001, 134, 801. | 2.0 | 51 |
| 310 | The Depression in Primary Care Tool Kit. International Journal of Psychiatry in Medicine, 2000, 30, 99-110. | 0.8 | 9 |
| 311 | Contributions of general internal medicine teaching units. Journal of General Internal Medicine, 2000, 15, 277-283. | 1.3 | 9 |
| 312 | Treatment of fibromyalgia with antidepressants. Journal of General Internal Medicine, 2000, 15, 659-666. | 1.3 | 316 |
| 313 | Validity and utility of the PRIME-MD Patient Health Questionnaire in assessment of 3000 obstetric-gynecologic patients: The PRIME-MD Patient Health Questionnaire Obstetrics-Gynecology Study. American Journal of Obstetrics and Gynecology, 2000, 183, 759-769. | 0.7 | 734 |
| 314 | Somatization in primary care: it's time for parity. General Hospital Psychiatry, 2000, 22, 141-143. | 1.2 | 24 |
| 315 | Cognitive-Behavioral Therapy for Somatization and Symptom Syndromes: A Critical Review of Controlled Clinical Trials. Psychotherapy and Psychosomatics, 2000, 69, 205-215. | 4.0 | 452 |
| 316 | Treatment of functional gastrointestinal disorders with antidepressant medications: a meta-analysis ¹¹ The opinions in this article represent those of the authors and are not to be construed, in any way, to represent those of the U.S. Army or the Department of Defense.. American Journal of Medicine, 2000, 108, 65-72. | 0.6 | 471 |
| 317 | Interventions to Improve Provider Diagnosis and Treatment of Mental Disorders in Primary Care: A Critical Review of the Literature. Psychosomatics, 2000, 41, 39-52. | 2.5 | 154 |
| 318 | Brief Interventions for Problem Drinking: The Road to Dissemination. Medical Care, 2000, 38, 4-6. | 1.1 | 5 |
| 319 | Difficult Patient Encounters in the Ambulatory Clinic. Archives of Internal Medicine, 1999, 159, 1069. | 4.3 | 271 |
| 320 | Case-finding for depression in primary care: a randomized trial— Access the "Journal Club" discussion of this paper at http://www.elsevier.com/locate/ajmselect/ . American Journal of Medicine, 1999, 106, 36-43. | 0.6 | 197 |
| 321 | Evaluating dizziness. American Journal of Medicine, 1999, 107, 468-478. | 0.6 | 93 |
| 322 | Symptoms in hospitalized patients: outcome and satisfaction with care. American Journal of Medicine, 1999, 107, 425-431. | 0.6 | 47 |
| 323 | Use of Complementary Therapies for Arthritis among Patients of Rheumatologists. Annals of Internal Medicine, 1999, 131, 409. | 2.0 | 346 |
| 324 | A comparison of physicians' and patients' attitudes toward pharmaceutical industry gifts. Journal of General Internal Medicine, 1998, 13, 151-154. | 1.3 | 173 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 325 | Clinical Predictors of Mental Disorders Among Medical Outpatients: Validation of the "S4" Model. Psychosomatics, 1998, 39, 431-436. | 2.5 | 26 |
| 326 | A Symptom Checklist to Screen for Somatoform Disorders in Primary Care. Psychosomatics, 1998, 39, 263-272. | 2.5 | 160 |
| 327 | The value of screening for psychiatric disorders prior to upper endoscopy. Journal of Psychosomatic Research, 1998, 44, 279-287. | 1.2 | 30 |
| 328 | Patient Expectations for Care: How Hidden Is the Agenda?. Mayo Clinic Proceedings, 1998, 73, 191-193. | 1.4 | 20 |
| 329 | Multiple Organ Toxicity From Addition of Erythromycin to Long-term Lovastatin Therapy. Southern Medical Journal, 1998, 91, 202-205. | 0.3 | 53 |
| 330 | Chronic Medications in the Perioperative Period. Southern Medical Journal, 1998, 91, 358-364. | 0.3 | 30 |
| 331 | Identifying Patients With Depression in the Primary Care Setting. Archives of Internal Medicine, 1998, 158, 2469. | 4.3 | 90 |
| 332 | Gender Differences in the Reporting of Physical and Somatoform Symptoms. Psychosomatic Medicine, 1998, 60, 150-155. | 1.3 | 449 |
| 333 | Signs, Symptoms, and Ill-Defined Conditions in Persian Gulf War Veterans. Psychosomatic Medicine, 1998, 60, 663-668. | 1.3 | 51 |
| 334 | The Value of Screening for Psychiatric Disorders in Rheumatology Referrals. Archives of Internal Medicine, 1998, 158, 2357. | 4.3 | 43 |
| 335 | Symptoms in 18,495 Persian Gulf War Veterans. Journal of Occupational and Environmental Medicine, 1998, 40, 520-528. | 0.9 | 93 |
| 336 | Multisomatoform Disorder. Archives of General Psychiatry, 1997, 54, 352. | 13.8 | 351 |
| 337 | Patient Satisfaction and Quality of Care. Military Medicine, 1997, 162, 273-277. | 0.4 | 69 |
| 338 | How Well Do Internists Diagnose Common Musculoskeletal Complaints?. Journal of Clinical Rheumatology, 1997, 3, 16-23. | 0.5 | 3 |
| 339 | Bedside Teaching. Southern Medical Journal, 1997, 90, 1069-1074. | 0.3 | 40 |
| 340 | Depressive and Anxiety Disorders in Patients Presenting With Physical Complaints. American Journal of Medicine, 1997, 103, 339-347. | 0.6 | 253 |
| 341 | Discovering Depression in Medical Patients: Reasonable Expectations. Annals of Internal Medicine, 1997, 126, 463. | 2.0 | 34 |
| 342 | The clinician-educator's Present and future roles. Journal of General Internal Medicine, 1997, 12, S1-S4. | 1.3 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Increasing the use of advance directives in medical outpatients. <i>Journal of General Internal Medicine</i> , 1997, 12, 412-415. | 1.3 | 61 |
| 344 | Symptoms and science. <i>Journal of General Internal Medicine</i> , 1997, 12, 509-510. | 1.3 | 28 |
| 345 | Gender, quality of life, and mental disorders in primary care: Results from the PRIME-MD 1000 study. <i>American Journal of Medicine</i> , 1996, 101, 526-533. | 0.6 | 194 |
| 346 | Conducting research as a busy clinician-teacher or trainee. <i>Journal of General Internal Medicine</i> , 1996, 11, 360-365. | 1.3 | 11 |
| 347 | Primary care and mental illness. <i>Journal of General Internal Medicine</i> , 1996, 11, 441-442. | 1.3 | 2 |
| 348 | The difficult patient. <i>Journal of General Internal Medicine</i> , 1996, 11, 1-8. | 1.3 | 338 |
| 349 | When the physician leaves the patient. <i>Journal of General Internal Medicine</i> , 1995, 10, 206-210. | 1.3 | 17 |
| 350 | Health-Related Quality of Life in Primary Care Patients With Mental Disorders. <i>JAMA - Journal of the American Medical Association</i> , 1995, 274, 1511. | 3.8 | 439 |
| 351 | Gender differences in depression in primary care. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 173, 654-659. | 0.7 | 135 |
| 352 | Mental Health Services in Army Primary Care: The Need for a Collaborative Health Care Agenda. <i>Military Medicine</i> , 1994, 159, 203-209. | 0.4 | 15 |
| 353 | One-year outcome for patients with a chief complaint of dizziness. <i>Journal of General Internal Medicine</i> , 1994, 9, 684-689. | 1.3 | 27 |
| 354 | A controlled trial of a seminar to improve medical student attitudes toward, knowledge about, and use of the medical literature. <i>Journal of General Internal Medicine</i> , 1994, 9, 436-439. | 1.3 | 44 |
| 355 | Psychiatric disorders and functional impairment in patients with persistent dizziness. <i>Journal of General Internal Medicine</i> , 1993, 8, 530-535. | 1.3 | 63 |
| 356 | Response Evidence-based vs emotion-based medical decision-making: Routine preoperative HIV testing vs universal precautions. <i>Journal of Clinical Epidemiology</i> , 1993, 46, 1233-1236. | 2.4 | 5 |
| 357 | Presentation Preoperative HIV testing: Is it less expensive than universal precautions?. <i>Journal of Clinical Epidemiology</i> , 1993, 46, 1219-1227. | 2.4 | 18 |
| 358 | Postoperative Complications After Thoracic and Major Abdominal Surgery in Patients With and Without Obstructive Lung Disease. <i>Chest</i> , 1993, 104, 1445-1451. | 0.4 | 209 |
| 359 | Symptoms in the Community. <i>Archives of Internal Medicine</i> , 1993, 153, 2474. | 4.3 | 384 |
| 360 | Causes of Persistent Dizziness. <i>Annals of Internal Medicine</i> , 1992, 117, 898-904. | 2.0 | 233 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Symptoms in medical patients: An untended field. American Journal of Medicine, 1992, 92, S3-S6. | 0.6 | 37 |
| 362 | Attending rounds. Journal of General Internal Medicine, 1992, 7, 68-75. | 1.3 | 31 |
| 363 | Chronic fatigue syndrome: Is it real?. Postgraduate Medicine, 1991, 89, 44-55. | 0.9 | 12 |
| 364 | Handouts: Making the Lecture Portable. Medical Teacher, 1991, 13, 199-203. | 1.0 | 12 |
| 365 | Attending rounds. Journal of General Internal Medicine, 1990, 5, 229-233. | 1.3 | 35 |
| 366 | The Safety of Phenylpropanolamine in Patients with Stable Hypertension. Annals of Internal Medicine, 1989, 111, 1043. | 2.0 | 20 |
| 367 | Common symptoms in ambulatory care: Incidence, evaluation, therapy, and outcome. American Journal of Medicine, 1989, 86, 262-266. | 0.6 | 861 |
| 368 | Improving House Staff Ordering of Three Common Laboratory Tests. Medical Care, 1987, 25, 928-935. | 1.1 | 33 |
| 369 | The 10-minute talk. American Journal of Medicine, 1987, 83, 329-330. | 0.6 | 16 |
| 370 | Poster sessions. American Journal of Medicine, 1987, 83, 1129-1130. | 0.6 | 5 |
| 371 | Ambulatory care: Practice imperfect. American Journal of Medicine, 1986, 80, 339-342. | 0.6 | 12 |
| 372 | The admission urinalysis. Journal of General Internal Medicine, 1986, 1, 238-242. | 1.3 | 29 |
| 373 | Polypharmacy. Causes, consequences, and cure. American Journal of Medicine, 1985, 79, 149-152. | 0.6 | 39 |
| 374 | The case presentation. Stumbling blocks and stepping stones. American Journal of Medicine, 1985, 79, 605-608. | 0.6 | 15 |
| 375 | The lecture: Where it wavers. American Journal of Medicine, 1984, 77, 393-396. | 0.6 | 20 |
| 376 | Acute Renal Failure After Digital Subtraction Angiography. Southern Medical Journal, 1984, 77, 1346. | 0.3 | 1 |
| 377 | Eosinophilic Radiculomyeloencephalitis: An Angiostrongyliasis Outbreak in American Samoa Related to Ingestion of Achatina fulica Snails. American Journal of Tropical Medicine and Hygiene, 1982, 31, 1114-1122. | 0.6 | 92 |
| 378 | Evidence-based treatment. , 0, , 69-96. | | 14 |