

# Sinan Kuday

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2450184/publications.pdf>

Version: 2024-02-01

528  
papers

33,689  
citations

5574  
82  
h-index

6836  
155  
g-index

543  
all docs

543  
docs citations

543  
times ranked

11948  
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	4.1	6,386
2	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
3	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2016, 76, 292.	3.9	453
4	Observation of Associated Near-Side and Away-Side Long-Range Correlations in $\sqrt{s} = 13\text{TeV}$ proton-proton collisions with the ATLAS detector. Physical Review Letters, 2013, 110, 182302.	3.9	444
5	Improved luminosity determination in pp collisions at $\sqrt{s} = 7\text{TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
6	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
7	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
8	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s}=8\text{TeV}$ . European Physical Journal C, 2016, 76, 581.	3.9	298
9	Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 88-119.	4.1	295
10	Luminosity determination in pp collisions at $\sqrt{s} = 8\text{TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
11	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7\text{TeV}$ and $8\text{TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
12	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
13	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
14	Measurement of the W-boson mass in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
15	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
16	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
17	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
18	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8\text{TeV}$ in pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197

#	ARTICLE	IF	CITATIONS
19	Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 707, 195.	4.1	195
20	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	7.8	185
21	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 903.	3.9	181
22	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
23	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
24	Measurement of the $e+e^- \rightarrow l^+l^-$ cross section between 600 and 900 MeV using initial state radiation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 629-638.	4.1	174
25	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
26	Measurement with the ATLAS detector of multi-particle azimuthal correlations in $p_T$ distributions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 731.	4.1	169
27	Search for new high-mass phenomena in the dilepton final state using 36 $\text{fb}^{-1}$ of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
28	Measurement of the transverse momentum and $\eta$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
29	Measurement of hard double-parton interactions in $W + 2\text{-jet}$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 033038.	2.9	147
30	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
31	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
32	Precision measurement and interpretation of inclusive $W^+ + W^-$ . European Physical Journal C, 2017, 77, 367.	3.9	145
33	Measurement of the $t\bar{t}$ production cross-section using $e\gamma$ events with $b$ -tagged jets in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
34	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
35	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
36	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136

#	ARTICLE	IF	CITATIONS
37	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
38	Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in pp collisions at $s = 7$ $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
39	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	130
40	Search for Dark Matter in Events with a Hadronically Decaying $Z$ -Boson and Missing Transverse Momentum in pp Collisions at $s = 8$ TeV with the ATLAS Detector. Physical Review Letters, 2014, 112, 041802.	7.8	129
41	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8$ $\sqrt{s} = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
42	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126
43	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
44	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
45	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	3.9	119
46	Search for additional heavy neutral Higgs and gauge bosons in the di-tau final state produced in $t\bar{t}$ events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
47	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 503. Measurement of the t-channel single top-quark production cross section in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 503.	3.9	115
48	Measurements of the t-channel single top-quark production cross section in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 503.	4.1	113
49	Ph		

#	ARTICLE	IF	CITATIONS
55	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
56	Search for heavy resonances decaying into $WW$ in the $eu\ mu\ u\ e\ \bar{e}\ \bar{l}\ l$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	3.9	108
57	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2509.	3.9	105
58	Transverse Momentum in Collision Data at $\sqrt{s} = 2.76$ TeV. <i>Extra Dimensions in Events with a Photon and Missing Transverse Momentum</i> . <i>European Physical Journal C</i> , 2013, 73, 101.	7.8	105
59	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	102
60	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 2056.	3.9	101
61	Searches for Higgs boson pair production in the $ZZ$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	4.7	101
62	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 761, 158-178.	3.9	101
63	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335.	3.9	95
64	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	3.9	95
65	Centrality and rapidity dependence of inclusive jet production in $pp$ collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 748, 392-413.	3.9	93
66	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
67	Measurements of the $W$ production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	3.9	92
68	Search for massive long-lived particles using multitrack displaced vertices or displaced lepton pairs in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	4.7	91
69	Search for dark matter in events with a photon and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	4.7	90
70	Search for dark matter in events with a photon and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	4.7	90
71	Search for dark matter in events with a photon and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	4.7	90
72	Search for dark matter in events with a photon and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	4.7	90

#	ARTICLE	IF	CITATIONS
73	Search for Higgs boson pair production in the $\bar{b}b\bar{b}b$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
74	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated ( $W/Z$ )H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
75	The Large Hadronâ€“Electron Collider at the HL-LHC. Journal of Physics G: Nuclear and Particle Physics, 2021, 48, 110501.	3.6	89
76	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
77	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
78	Measurement of $W\pm$ and Z-boson production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	4.7	88
79	Electron efficiency measurements with the ATLAS detector using 2012 LHC protonâ€“proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
80	Measurement of the correlation between flow harmonics of different order in lead-lead collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. Physical Review C, 2015, 92, 044904.	4.7	84
81	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
82	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
83	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
84	Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
85	Observation of Spin Correlation in $\pi^+\pi^-$ Events from Collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 76.	7.8	80
86	Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
87	Search for production of WW/WZ W W / W Z resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
88	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
89	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in protonâ€“proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
90	Measurement of upsilon production in 7 TeV collisions at ATLAS. Physical Review D, 2013, 87, .	4.7	78



#	ARTICLE	IF	CITATIONS
109	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
110	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71
111	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
112	Measurement of the high-mass Drell-Yan differential cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 725, 243. <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	4.7	71
113	Mass Threshold for $t\bar{t}$ Production. <i>Physical Review D</i> , 2012, 85, 054012. <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	7.8	70
114	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 303.	3.9	70
115	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. Observation of a Neutral Charmoniumlike State <i>Physical Review D</i> , 2016, 93, 092003. <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	4.7	70
116	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	3.9	68
118	Measurements of the center-of-mass energies at BESIII via the di-muon process. <i>Chinese Physics C</i> , 2016, 40, 063001.	3.7	68
119	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67
120	Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{ GeV}$ Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
121	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	66
122	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
123	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
124	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	64
125	Study of dynamics of $\pi^+\pi^-$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2015, 92, 032003.	4.7	64
126	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a Z boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229.	3.9	64

#	ARTICLE	IF	CITATIONS
127	Evidence for the H $\rightarrow b\bar{b}$ $\rightarrow$ $b\bar{b} \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
128	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
129	Search for a Supersymmetric Partner to the Top Quark in Final States with Jets and Missing Transverse Momentum at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2012, 109, 211802.	7.8	63
130	Measurement of Z boson Production in Pb-Pb Collisions at $s_{NN} = 2.76$ TeV with the ATLAS Detector. Physical Review Letters, 2013, 110, 022301.	7.8	63
131	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
132	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
133	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	3.9	62
134	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{l}^3$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
135	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	61
136	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
137	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
138	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s} = 5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
139	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
140	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
141	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
142	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e^+e^- \rightarrow l^+l^- \rightarrow b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
143	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
144	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60

#	ARTICLE	IF	CITATIONS
145	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
146	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
147	Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton-proton run. Journal of Instrumentation, 2013, 8, P07004-P07004.	1.2	59
148	Measurement of the production of a $W$ boson in association with a charm quark in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
149	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
150	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$ and $5.0\text{TeV}$ . European Physical Journal C, 2018, 78, 142. Measurement of the inclusive isolated prompt photons cross section in $\text{cm}^2/\text{mb}/\text{math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ collisions $\text{at} \langle \text{mml:math} \text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:msort} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msort} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:math} \text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ the ATLAS J. Physical Review D, 2014, 89	3.9	59
151	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.	4.7	58
152	Search for Magnetic Monopoles in $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo}$ $\text{mathvariant}=\text{"bold"}$ $= \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{e}^{-\frac{1}{2} \ln 2} \langle / \text{mml:mtext} \rangle \langle \text{mml:mi} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions with the ATLAS Detector. Physical Review Letters, 2012, 109, 261803.	3.9	58
153	Measurement of the $W$ boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
154	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s}=7\text{TeV}$ . Measurement of the $t\bar{t}$ production cross-section using $\text{altimg}=\text{"si1.gif"}$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{over111232002}$ $\text{accent}=\text{"true"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo}$ $\text{stretchy}=\text{"false"}$ $\hat{\Lambda} \langle \text{mml:mo} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ production cross-section using $e^{1/4}$ events with b-tagged jets in pp collisions at $\sqrt{s}=8\text{TeV}$ . $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si107.gif"}$ Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	4.1	57
155	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at $8\text{TeV}$ using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
156	Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s}=8\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
157	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
158	Charged-particle distributions in $\text{altimg}=\text{"si1.gif"}$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{\Lambda}\text{TeV}$ pp interactions measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2016, 758, 67-88.	4.7	55
159	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55

#	ARTICLE	IF	CITATIONS
163	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
164	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
165	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
166	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
167	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
168	Search for Higgs boson pair production in the $\gamma\gamma WW \rightarrow l^+l^-l^+l^-$ channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
169	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
170	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
171	Search for lepton-flavour-violating $H \rightarrow l^+l^-l^+l^-$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
172	Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 749, 519-541.	4.1	52
173	Measurement of the top quark mass in the $t\bar{t}$ channel using ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
174	Measurement of D <sub>s</sub> <sup>+</sup> , D <sub>s</sub> <sup>-</sup> and $\Lambda_c^0$ meson production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2015, 75, 52.	2.5	52
175	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	4.1	52
176	Measurement of the top quark mass with the template method in the $t\bar{t}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 1.	3.9	51
177	Measurements of Four-Lepton Production at the $\sqrt{s} = 8 \text{ TeV}$ channel from $t\bar{t}$ and $WZ$ channels. European Physical Journal C, 2012, 72, 1.	3.9	51
178	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	7.8	51
179	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
180	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51

#	ARTICLE	IF	CITATIONS
181	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ . European Physical Journal C, 2017, 77, 379.	3.9	51
182	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
183	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
184	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
185	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 401. Search for Higgs bosons decaying to $\tau^{\pm}\nu\tau^{\pm}\nu$ in $36 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 401.	3.9	50
186	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 401.	3.9	50
187	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 401.	7.8	49
188	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
189	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
190	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
191	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1860.	3.9	48
192	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1860.	7.8	48
193	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1860.	4.7	48
194	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
195	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
196	Measurement of total and differential $W + W'$ production cross sections in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. Journal of High Energy Physics, 2016, 2016, 1.	4.7	47
197	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 361.	3.9	47
198	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46

#	ARTICLE	IF	CITATIONS
199	Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta'$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
200	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
201	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
202	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
203	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	45
204	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
205	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
206	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
207	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
208	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
209	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. Study of decay dynamics and asymmetry in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
210	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
211	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. Search for scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
212	Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	45
213	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. Search for scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
214	Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	45
215	Search for the Standard Model Higgs boson in the $H \rightarrow 4\ell$ decay mode in $\sqrt{s} = 7$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
216	Measurement of exclusive production in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.1	43

#	ARTICLE	IF	CITATIONS
217	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	43
218	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 442.	3.9	43
219	Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	3.9	43
220	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
221	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
222	Two-particle Bose-Einstein correlations in pp collisions at $s = 0.9 \text{ and } 7 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 466.	3.9	42
223	Measurement of Azimuthal Asymmetries in Inclusive Charged Dipion Production in $e+e^-$ Annihilations at $s = 3.65 \text{ GeV}$ . <i>Physical Review Letters</i> , 2016, 116, 042001.	7.8	42
224	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
225	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	41
226	Measurement of the production and lepton charge asymmetry of $W$ bosons in Pb+Pb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 23.	3.9	41
227	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using $3.2 \text{ fb}^{-1}$ of $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40.	3.9	41
228	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
229	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. <small>Search for pair production of heavy top-like quarks decaying to a high-<math>\eta</math> <math>t\bar{t}</math> resonance. <math>\text{sqrt}(s)=7 \text{ TeV}</math> with the ATLAS detector. <i>Journal of High Energy Physics</i>, 2015, 2015, 1.</small>	4.7	40
230	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
231	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3117.	3.9	40
232	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
233	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
234	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40

#	ARTICLE	IF	CITATIONS
235	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+ \ell^- \ell^+ \ell^-$ final states using 139 $\text{fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2021, 81, 1.	3.9	40
236	Measurement of angular correlations in Drell-Yan lepton pairs to probe $\sin(\Delta\phi)$ of the two boson transverse momentum at $\sqrt{s} = 8\text{TeV}$ . European Physical Journal C, 2016, 76, 12.	3.9	39
237	Search for flavour-changing neutral current top-quark decays to $\ell^+ \ell^- q \bar{q} Z \nu \bar{\nu}$ in $\sqrt{s} = 8\text{TeV}$ p p collision data collected with the ATLAS detector at $\sqrt{s} = 8\text{TeV}$ . European Physical Journal C, 2016, 76, 12.	3.9	39
238	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8\text{TeV}$ . European Physical Journal C, 2016, 76, 87.	3.9	39
239	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8\text{TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
240	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
241	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
242	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
243	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
244	Search for new phenomena in photon + jet events collected in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2011, 708, 562-570.	4.7	37
245	Amplitude analysis for the production of $t\bar{t}$ and $b\bar{b}$ produced in radiative $\gamma t\bar{t}$ and $\gamma b\bar{b}$ decays. Physical Review D, 2015, 92, 1.	4.7	37
246	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
247	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8\text{TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
248	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
249	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 $\text{fb}^{-1}$ of $\sqrt{s} = 13\text{TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
250	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7\text{TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	36
251	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	36
252	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	36

#	ARTICLE	IF	CITATIONS
253	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
254	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
255	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36
256	Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ measured with the ATLAS detector. <i>Physical Review C</i> , 2016, 93, 1.	3.9	36
257	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
258	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36
259	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2700.	3.9	36
260	Search for Quantum Black Hole Production in High-Invariant-Mass $t\bar{t}$ and $b\bar{b}$ production. <i>European Physical Journal C</i> , 2014, 74, 2701.	7.8	35
261	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
262	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W \pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
263	Search for top quark decays $t \rightarrow qH$ with $H \rightarrow b\bar{b}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
264	Search for $W \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
265	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using 4.5 $\text{fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
266	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
267	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
268	Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 712, 22-39.	4.7	34
269	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.	3.9	34
270	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector using the Matrix Element Method. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 228-246.	3.9	34

#	ARTICLE	IF	CITATIONS
271	Measurements of top-quark pair differential and double-differential cross-sections in the $\ell\ell jj$ channel with $pp$ collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
272	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
273	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
274	Dynamics of isolated-photon plus jet production in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Nuclear Physics B, 2013, 875, 483-535.	2.5	33
275	Analysis of events with b-jets and a pair of leptons of the same charge in $pp$ collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
276	Measurement of exclusive $W+W^-$ production and search for exclusive Higgs boson production in $pp$ collisions at $s=8$ TeV using the ATLAS detector. Physical Review D, 2016, 94, .	4.7	33
277	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
278	Measurements of $\chi(2S)$ and $X(3872)$ $J/\psi + \psi$ production in $pp$ collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
279	Search for third generation scalar leptoquarks in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
280	Measurement of $c_1$ and $c_2$ production with $\sqrt{s}=7$ TeV $pp$ collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
281	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s}=8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32
282	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $\ell\ell jj$ decay channel at $\sqrt{s}=13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
283	Measurement of the b-hadron production cross section using decays to $b\rightarrow s\gamma$ . Nuclear Physics B, 2012, 864, 341-381.	2.5	31
284	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
285	Measurement of the differential cross-section of $B^+$ meson production in $pp$ collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
286	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
287	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H\rightarrow\ell\ell jj$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 69-85.	4.1	31
288	Measurement of the production cross section of $t\bar{t}$ at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 69-85.	7.8	31

#	ARTICLE	IF	CITATIONS
289	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
290	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
291	Search for $WW/WZ$ resonance production in $\ell\ell qq$ final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
292	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79.	3.9	30
293	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	30
294	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
295	Charged-particle distributions in pp interactions at $s = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
296	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
297	Study of $WW\gamma$ and $WZ\gamma$ . <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
298	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
299	Evidence for $t\bar{t} \rightarrow t\bar{t}$ production in the multilepton final state in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
300	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	29
301	Dijet production in pp collisions with large rapidity gaps at the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Particle and High-Energy Physics</i> , 2014, 754, 14-234.	4.1	29
302	Measurement of jet charge in dijet events from $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, 034001.	4.7	29
303	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
304	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
305	Search for heavy diboson resonances in semileptonic final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
306	A search for prompt lepton-jets in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 719, 299-317.	4.1	29

#	ARTICLE	IF	CITATIONS
307	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	28
308	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 755, 285-305.		
309	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . <i>European Physical Journal C</i> , 2017, 77, 804.	3.9	28
310	Measurement of $WW/WZ \rightarrow ell u q q' \rightarrow WW/WZ \rightarrow l^{\pm} l^{\mp} q q' \rightarrow l^{\pm} l^{\mp} \ell^{\pm} \ell^{\mp}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
311	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
312	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
313	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physical Review C</i> , 2017, 95, 054905.	3.9	27
314	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. <i>European Physical Journal C</i> , 2015, 75, 407.	3.9	27
315	Measurements of top-quark pair differential cross-sections in the $e\bar{e} \rightarrow t\bar{t}$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 292.	3.9	27
316	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 625.	3.9	27
317	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{l}_i$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
318	Measurement of the parity-violating asymmetry parameter $A_{CP}$ in $t\bar{t}$ production at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 47.	4.7	26
319	Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Physical Review D</i> , 2015, 92, 092001.	4.7	26
320	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 474.	3.9	26
321	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $ell\bar{ell} bb\bar{b}$ and $ell\bar{ell} WW$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
322	A search for $t\bar{t}$ resonances with the ATLAS detector in $2.05 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 2083.	3.9	25
323	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	25
324	Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b-quark pair with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 718, 369-390.	4.1	25

#	ARTICLE	IF	CITATIONS
325	Measurement of the low-mass Drell-Yan differential cross section at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25
326	Determination of the top-quark pole mass using $t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in $7 \text{ TeV}$ pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
327	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
328	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
329	Measurement of the $\tau^+$ and $\tau^-$ lifetimes and mass in the ATLAS experiment. <i>Physical Review D</i> , 2013, 87, 1.	4.7	24
330	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at $13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
331	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $s = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
332	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
333	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
334	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
335	Time-dependent angular analysis of the decay $B_s \rightarrow \psi(2S) \pi^+$ and extraction of the CP-violating weak phase by ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	23
336	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3168.	3.9	23
337	Measurement of the underlying event in jet events from $7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
338	Determination of the Ratio of Quark Fragmentation Fractions $b \rightarrow f$ by ATLAS. <i>Physical Review Letters</i> , 2015, 115, 262001.	4.7	23
339	A search for high-mass resonances decaying to $t\bar{t}, t\bar{t}\gamma$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	23
340	Measurement of transverse energy correlations in multi-jet events in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector and determination of the strong coupling constant $\alpha_s$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 75, 228.	4.1	23
341	Measurement of three-jet production cross-sections in pp collisions at $7 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228.	3.9	23
342	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23

#	ARTICLE	IF	CITATIONS
343	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
344	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
345	AtFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	23
346	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	22
347	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	3.9	22
348	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
349	Measurement of the $t\bar{t} W\bar{W}$ and $t\bar{t} Z\bar{Z}$ production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
350	Study of $(W/Z)H$ production and Higgs boson couplings using $H\rightarrow WW^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
351	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	22
352	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
353	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
354	Measurement of the polarization in $W\rightarrow l\nu l\nu$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 2062. A search for high-mass resonances decaying to $l\nu l\nu$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Nuclear Physics B</i> , 2013, 875, 21–41.	3.9	21
355	Measurement of the production cross-section of $J/\psi(2S)\rightarrow J/\psi(\ell^+\ell^- + \ell^+\ell^-)$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
356	Determination of spin and parity of the Higgs boson in the $WW^*\rightarrow e\mu\mu\mu$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	3.9	21
357	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
358	Study of $\text{D}\rightarrow\text{D}'\text{K}$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physical Review D</i> , 2016, 94, 034017.	4.7	21
359	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21

#	ARTICLE	IF	CITATIONS
361	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
362	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20
363	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
364	Measurement of differential cross-sections of a single top quark produced in association with a $W$ boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
365	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	19
366	Measurement of $k_T$ splitting scales in $W\rightarrow l\nu$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
367	Measurement of the form factors in the decay $t\rightarrow b\gamma$ . <i>Physical Review D</i> , 2015, 92, 1.		
368	Search for photonic signatures of gauge-mediated supersymmetry in $8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2015, 92, 1.	4.7	19
369	Search for flavour-changing neutral current top quark decays $t\rightarrow b\gamma$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
370	Addendum to "Measurement of the $t\bar{t}$ production cross-section using events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
371	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
372	Probing lepton flavour violation via neutrinoless $\nu_\mu \rightarrow \nu_e$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
373	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
374	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
375	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
376	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb $^{-1}$ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
377	Search for resonant diboson production in the $WW/WZ\rightarrow l\nu jj$ decay channels with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physical Review D</i> , 2013, 87.	4.7	18
378	Measurement of colour flow with the jet pull angle in $t\bar{t}$ events using the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physical Review D</i> , 2014, 89.	4.1	18

#	ARTICLE	IF	CITATIONS
379	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow b\bar{b}$ , in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
380	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
381	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
382	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
383	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	17
384	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	17
385	Modelling $Z \rightarrow l^+l^-$ processes in ATLAS with $l^+$ -embedded $Z \rightarrow l^+l^-$ data. <i>Journal of Instrumentation</i> , 2015, 10, P09018-P09018.	1.2	17
386	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
387	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
388	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
389	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
390	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
391	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
392	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
393	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
394	Search for the $HH \rightarrow b\bar{b}b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
395	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
396	Search for resonant top quark plus jet production in $t\bar{t} + \text{jets}$ with the ATLAS detector in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . <i>Physical Review D</i> , 2012, 86, .	4.7	16

#	ARTICLE	IF	CITATIONS
397	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
398	Search for new particles decaying to $ZZ$ using final states with leptons and jets with the ATLAS detector in $\langle \text{mml:math altimg="si1.gif" overflow="scroll"} \rangle$ . $\text{xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema"}$ $\text{xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{xmlns:tb="http://www.elsevier.com/xml/compo/table/dtd" xmlns:sh="http://www.elsevier.com/xml/sect/physlettB/1998/1998Math/MathML"}$ $\text{overflow="scroll" >}$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:msub} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle$ $\text{mathvariant="normal" NN} \langle \text{mml:mi} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:msub} \rangle$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:mo} \rangle$ $= \langle \text{mml:mo} \rangle$ $\langle \text{mml:mn} \rangle$ $2.76 \langle \text{mml:mn} \rangle$ $\langle \text{mml:mo} \rangle$ $\text{with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 751, 51-59.}$	4.1	16
399	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
400	Measurements of four-lepton production in pp collisions at $\langle \text{mml:math altimg="si1.gif" overflow="scroll" >}$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:mi} \rangle$ $s \langle \text{mml:mi} \rangle$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:mo} \rangle$ $= \langle \text{mml:mo} \rangle$ $\langle \text{mml:mn} \rangle$ $8 \langle \text{mml:mn} \times \text{mml:math altimg="si1.gif" overflow="scroll" >}$ $\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 552-572.	4.1	16
401	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
402	Measurement of colour flow using jet-pull observables in $\text{tar[t] t t \bar{t}}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 847.	3.9	16
403	Measurement of differential cross sections and $W^+/W^{\bar{\nu}}$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
404	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
405	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
406	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
407	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
408	Search for a multi-Higgs-boson cascade in $\langle \text{mml:math altimg="si1.gif" overflow="scroll" >}$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:msup} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle$ $W \langle \text{mml:mi} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mo} \rangle$ $+ \langle \text{mml:mo} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle$ $W \langle \text{mml:mi} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mo} \rangle$ $\langle \text{mml:math altimg="si1.gif" overflow="scroll" >}$ $\text{Physical Review D, 2014, 89...}$ with the ATLAS detector in $\text{xmlns:math}$ . Physical Review D, 2014, 89...	4.7	15
409	Standalone vertex finding in the ATLAS muon spectrometer. Journal of Instrumentation, 2014, 9, P02001-P02001.	1.2	15
410	Measurement of event-shape observables in $Z \rightarrow e^+ e^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
411	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+ e^- \mu^+ \mu^-$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
412	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
413	Optimisation of large-radius jet reconstruction for the ATLAS detector in $13\text{TeV}$ proton-proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15

#	ARTICLE	IF	CITATIONS
415	Determination of jet calibration and energy resolution in proton- $\pi^+$ proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
416	Search for excited leptons in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	14
417	Search for heavy narrow resonance decaying to $e^{\pm}/\mu^{\pm}$ , $e^{\pm}/\tau^{\pm}$ , or $t/\bar{t}$ with the ATLAS detector in $\text{mmml:math}$ $\text{altimg=}$ $\text{st1.gif}$ $\text{overflow= scroll}$ $\text{xmns:xocs=}$ <a href="http://www.elsevier.com/xml/xocs/dtd">http://www.elsevier.com/xml/xocs/dtd</a> $\text{xmns:xs=}$ "http://www.w3.org/2001/XMLSchema" $\text{xmns:xi=}$ "http://www.w3.org/2001/XMLSchema-instance" $\text{xmns:ja=}$ "http://www.elsevier.com/xml/ja/dtd" $\text{xmns:mml=}$ "http://www.w3.org/1998/Math/MathML" $\text{xmns:tb=}$ "http://www.elsevier.com/xml/commab-table/1.0!" $\text{xmns:table=}$ "http://www.elsevier.com/xml/	4.1	14
418	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
419	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
420	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
421	Studies of $Z^{\prime 3}$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
422	Measurement of VH, $H \rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
423	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
424	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	14
425	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
426	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
427	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
428	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
429	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
430	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
431	Measurement of the CP-violating phase $\delta_s$ and the $B_s^0 \rightarrow J/\psi \ell^+ \ell^-$ decay width difference with $B_s^0 \rightarrow J/\psi \ell^+ \ell^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
432	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
433	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
434	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
435	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $s = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 102.	3.9	13
436	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $s = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
437	Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2012, 86, .	4.7	12
438	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
439	Measurement of charged-particle event shape variables in inclusive $s = 7 \text{ TeV}$ proton-proton interactions with the ATLAS detector. Physical Review D, 2013, 88, .	4.7	12
440	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of $s = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
441	Study of heavy-flavor quarks produced in association with top-quark pairs at $s = 7 \text{ TeV}$ using the ATLAS detector. Physical Review D, 2014, 89, . Measurement of the branching ratio $\text{BR}(t \rightarrow b\ell\nu)$ using the ATLAS detector. Physical Review D, 2014, 89, .	4.7	12
442			

#	ARTICLE	IF	CITATIONS
451	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
452	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
453	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7 \text{ TeV}$ , 8 and $13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2022, 82, 1. Search for single $\tau$ production with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 2015, 1-76.	3.9	12
454	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.1	11
455	Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 2016, 1-11.	4.7	11
456	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, 1.	4.7	11
457	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
458	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
459	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
460	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in $13 \text{ TeV}$ pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
461	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	11
462	Search for the Higgs boson in the $t\bar{t}$ final state in $13 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	4.1	10
463	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	10
464	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
465	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10
466	Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 10-28.	4.1	10
467	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the $\tau^+\tau^-$ channel with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 487.	3.9	10
468	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W^\pm$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
469	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
470	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	10
471	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
472	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
473	Measurement of the $t\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
474	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
475	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
476	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
477	Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+ \pi^-$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.1	8
478	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
479	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
480	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
481	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
482	Measurements of $W+W^{\prime\prime}$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
483	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
484	Reconstruction and identification of boosted di-jet systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
485	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	8

#	ARTICLE	IF	CITATIONS
487	Observation of $e^+e^- \rightarrow e^+e^-$ . Physical Review D, 2015, 92, .	4.7	7
488	Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	7
489	Measurement of the branching fraction for $t(3770) \rightarrow t\bar{t}0$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 103-109.	4.1	7
490	Measurement of $Z/\gamma$ polarisation in $Z \rightarrow e^+e^-$ . European Physical Journal C, 2018, 78, 163.	3.9	7
491	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
492	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
493	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
494	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
495	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
496	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	3.9	6
497	Pair production of new heavy leptons with $U(1)_Y$ charge at linear colliders. International Journal of Modern Physics A, 2014, 29, 1450055. Measurement of the branching fractions of $t \rightarrow l \nu b \bar{b}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 750, 466-474.	1.5	5
498	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
500	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
501	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
502	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
503	Measurement of jet activity in top quark events using the $e^{\pm} \nu e^{\pm} \nu$ final state with two b-tagged jets in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
504	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
505	Search for top squarks in events with a Higgs or Z boson using $139\text{fb}^{-1}$ of pp collision data at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
506	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm}$ $\rightarrow \pi^{\pm}$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
507	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
508	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s}=13\text{TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
509	Measurement of the k t splitting scales in $Z \rightarrow \ell^+ \ell^-$ events in pp collisions at $s=8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
510	Projections for neutral Di-Boson and Di-Higgs interactions at FCC-he collider. Nuclear Physics B, 2018, 932, 1-14.	2.5	3
511	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
512	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s})=7\text{TeV}$ using $4.5\text{fb}^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.		3
513	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
514	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
515	Measurement of b-quark fragmentation properties in jets using the decay $B^\pm \rightarrow J/\psi K^\pm$ in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
516	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
517	Measurement of the $t\bar{t}$ production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $(\sqrt{s})=7\text{TeV}$ with the ATLAS detector. , 2014, 74, 1.		2
518	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s})=8\text{TeV}$ with the ATLAS detector. , 2015, 75, 1.		2
519	Search for exotic decays of the Higgs boson into $b\overline{b}$ and missing transverse momentum in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
520	Measurement of the energy asymmetry in $t\bar{t}$ production at $13\text{TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
521	Title is missing!. Acta Physica Polonica B, 2012, 43, 63.	0.8	1
522	Resonant production of Sbottom via RPV couplings at the LHeC. Journal of the Korean Physical Society, 2014, 64, 1783-1787.	0.7	1

#	ARTICLE	IF	CITATIONS
523	Probing charged Higgs boson couplings at a future circular hadron collider. Physical Review D, 2016, 94, .	4.7	1
524	Search for production of ( $WW/WZ$ ) resonances decaying to a lepton, neutrino and jets in ( $pp$ ) collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. , 2015, 75, 1.		1
525	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $pp$ collision data at ( $\sqrt{s}=8,\text{TeV}\}$ ) with the ATLAS detector. , 2016, 76, 1.		1
526	Azimuthal Angular Decorrelation of Jets at Future High-energy Colliders. Acta Physica Polonica B, 2019, 50, 149.	0.8	1
527	SINGLE PRODUCTION OF FOURTH FAMILY SNEUTRINO VIA RPV COUPLINGS AT LINEAR COLLIDERS. Modern Physics Letters A, 2012, 27, 1250161.	1.2	0
528	Production and Decay of Up-Type and Down-Type New Heavy Quarks through Anomalous Interactions at the LHC. Advances in High Energy Physics, 2015, 2015, 1-14.	1.1	0