

Sinan Kuday

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2450184/publications.pdf>

Version: 2024-02-01

528
papers

33,689
citations

5574
82
h-index

6836
155
g-index

543
all docs

543
docs citations

543
times ranked

11948
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in Run $\bar{2}$. European Physical Journal C, 2022, 82, 1.	3.9	6
2	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
3	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
6	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
7	Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{\pm} events in Run $\bar{2}$ data. European Physical Journal C, 2022, 82, 1.	3.9	4
8	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
9	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
10	Measurement of the energy asymmetry in $t\bar{t}$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
11	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1.	3.9	12
12	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
13	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
14	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
15	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
16	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
17	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
18	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
19	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
20	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
21	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
22	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
23	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
24	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^-$ and $e^+e^- \rightarrow \mu^+\mu^-$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
25	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
26	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $b\bar{b}$ and WW final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
27	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
28	Measurements of $W+W^\pm$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
29	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	46
30	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
31	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
32	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
33	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\pm$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
34	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
35	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
36	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82

#	ARTICLE	IF	CITATIONS
37	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
38	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
39	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
40	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
41	Search for dark matter produced in association with a single top quark in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
42	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
43	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
44	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
45	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13\text{TeV}$ proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
46	Measurement of the t-bar-t and b-bar-b production cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
47	The Large Hadron-Electron Collider at the HL-LHC. Journal of Physics G: Nuclear and Particle Physics, 2021, 48, 110501.	3.6	89
48	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
49	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
50	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
51	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
52	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
53	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
54	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
55	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
56	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 1.	3.9	32
57	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
58	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
59	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
60	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
61	Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
62	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
63	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
64	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
65	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
66	Reconstruction and identification of boosted di-lepton systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
67	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
68	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
69	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
70	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
71	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
72	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
73	Determination of jet calibration and energy resolution in protonâ€“proton collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
74	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
75	Measurement of the cross-section and charge asymmetry of W bosons produced in protonâ€“proton collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
76	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC protonâ€“proton collision data at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	77
77	Searches for scalar leptoquarks and differential cross-section measurements in dileptonâ€“dijet events in protonâ€“proton collisions at a centre-of-mass energy of $\sqrt{s} = 13\text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	22
78	Measurement of VH, $H\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
79	Performance of top-quark and \varvec{W} -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
80	Electron and photon energy calibration with the ATLAS detector using 2015â€“2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
81	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
82	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
83	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
84	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
85	Measurement of fiducial and differential $W^+ + W^-$ production cross-sections at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
86	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
87	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in protonâ€“proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
88	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13\text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	130
89	Measurements of top-quark pair differential and double-differential cross-sections in the $e\bar{e} + \text{jets}$ channel with pp collisions at $\sqrt{s}=13\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
90	Azimuthal Angular Decorrelation of Jets at Future High-energy Colliders. Acta Physica Polonica B, 2019, 50, 149.	0.8	1

#	ARTICLE	IF	CITATIONS
91	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
92	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
93	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
94	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
95	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and 5.0 TeV . <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
96	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171.	3.9	75
97	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
98	Search for heavy ZZ resonances in the $e^+e^- \rightarrow e^+e^- \rightarrow \ell^+\ell^- \ell^+\ell^-$ final states using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	3.9	101
99	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
100	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow \ell^+\ell^- \ell^+\ell^-$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	3.9	108
101	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
102	Search for WW/Z resonance production in $\ell^+\ell^- q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
103	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow \ell^+\ell^- \ell^+\ell^-$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	46
104	Prompt and non-prompt J/psi elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
105	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow \ell^+\ell^- \ell^+\ell^-$ channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
106	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16
107	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. <i>European Physical Journal C</i> , 2018, 78, 401.	3.9	50
108	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30

#	ARTICLE	IF	CITATIONS
109	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
110	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
111	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
112	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
113	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
114	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
115	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
116	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
117	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
118	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
119	Projections for neutral Di-Boson and Di-Higgs interactions at FCC-he collider. Nuclear Physics B, 2018, 932, 1-14.	2.5	3
120	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
121	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
122	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
123	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	3.9	132
124	Measurement of Z/γ polarisation in $Z/\gamma \rightarrow e^+e^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
125	Measurement of differential cross sections and W^+/W^- cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
126	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41

#	ARTICLE	IF	CITATIONS
127	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
128	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
129	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
130	Measurement of the W boson polarisation in $t\bar{t}\ell^-\ell^+$ events from pp collisions at $s = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
131	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton+proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
132	Measurements of top-quark pair differential cross-sections in the emu channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
133	Performance of algorithms that reconstruct missing transverse momentum in proton+proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
134	Measurement of the prompt J/psi pair production cross-section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
135	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
136	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
137	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
138	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
139	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
140	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}\ell^-\ell^+$. European Physical Journal C, 2017, 77, 804.	3.9	28
141	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
142	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
143	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
144	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $p_T > 13 \text{ GeV}$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12

#	ARTICLE	IF	CITATIONS
145	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
146	Measurements of $\tilde{\chi}(2S)$ and $X(3872) \rightarrow J/\psi + \tilde{\chi}^0$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
147	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
148	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
149	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
150	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
151	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47
152	Precision measurement and interpretation of inclusive $W^+ + W^-$ production. <i>European Physical Journal C</i> , 2017, 77, 367.	3.9	145
153	Measurement of jet fragmentation in Pb+Pb and pp collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
154	Search for dark matter at $s = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	3.9	80
155	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
156	Search for direct top squark pair production in final states with two leptons in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	3.9	50
157	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
158	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
159	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
160	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
161	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
162	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38

#	ARTICLE	IF	CITATIONS
163	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
164	Measurement of $WW/WZ \rightarrow e\ell u q \bar{q}'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
165	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
166	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
167	Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
168	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
169	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow l^+l^-$, in $s = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
170	Study of $WW\gamma$ and $WZ\gamma$ in $s = 8$ TeV. European Physical Journal C, 2017, 77, 646.	3.9	30
171	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
172	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
173	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
174	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
175	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
176	Measurement of the k t splitting scales in $Z \rightarrow l^+l^-$ events in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
177	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
178	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
179	Search for new high-mass phenomena in the dilepton final state using 36 fb $^{-1}$ of proton-proton collision data at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
180	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32

#	ARTICLE	IF	CITATIONS
181	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
182	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
183	Measurement of event-shape observables in $Z \rightarrow e^+ e^-$ and $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
184	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
185	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
186	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
187	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}, b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
188	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73
189	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
190	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
191	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
192	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
193	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453
194	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658.	3.9	48
195	Measurement of total and differential $W + W^\pm$ production cross sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2016, 2016, .	4.7	47
196	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565.	3.9	31
197	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	44
198	Dijet production in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with large rapidity gaps at the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 754, 214-234.	4.1	29

#	ARTICLE	IF	CITATIONS
199	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71
200	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow l^+l^-$ decay channel at $s=8\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 753, 69-85.	4.1	31
201	Measurement of the $e+e^- \rightarrow l^+l^-$ cross section between 600 and 900 MeV using initial state radiation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 753, 629-638.	4.1	174
202	Search for flavour-changing neutral current top-quark decays to φZ in $p p$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
203	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $p p$ collision data at $\sqrt{s}=8\text{TeV}$. <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39
204	Search for direct top squark pair production in final states with two tau leptons in $p p$ collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10
205	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in $p p$ collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	43
206	Measurement of $W\Lambda^\pm$ and Z -boson production cross sections in $p p$ collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 759, 601-621.	4.1	8
207	Study of the rare decays of $B^0 \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow \mu^+\mu^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 513.	3.9	46
208	Search for supersymmetry in a final state containing two photons and missing transverse momentum in φZ . <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
209	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	70
210	Measurement of the total cross section from elastic scattering in $p p$ collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 761, 159-178.	4.1	8
211	Search for single production of vector-like quarks decaying into Wb in $p p$ collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 442.	3.9	43
212	Measurement of the top quark mass in the $c\bar{c} \rightarrow b\bar{b} + \ell^+\ell^-$ channel from φZ . <i>European Physical Journal C</i> , 2016, 76, 442.	4.1	52
213	Measurement of the relative width difference of the $B^0 \rightarrow B^-\bar{B}^0$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
214	Measurement of Azimuthal Asymmetries in Inclusive Charged Dipion Production in $e+e^-$ Annihilations at $s=3.65\text{GeV}$. <i>Physical Review Letters</i> , 2016, 116, 042001.	7.8	42

#	ARTICLE	IF	CITATIONS
217	Probing charged Higgs boson couplings at a future circular hadron collider. Physical Review D, 2016, 94, .	4.7	1
218	Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Physical Review C, 2016, 93, 034905. <small>Measured with the ATLAS detector.</small>	2.9	36
219	Measurement of the differential cross section for the production of photons from top quark decays in the helicity basis at $\sqrt{s} = 7 \text{ TeV}$. Physical Review C, 2016, 93, 034906. <small>Measurement of the differential cross section for the production of photons from top quark decays in the helicity basis at $\sqrt{s} = 7 \text{ TeV}$.</small>	4.7	11
220	Measurement of the differential cross section for the production of photons from top quark decays in the helicity basis at $\sqrt{s} = 7 \text{ TeV}$. Physical Review C, 2016, 93, 034906. <small>Measurement of the differential cross section for the production of photons from top quark decays in the helicity basis at $\sqrt{s} = 7 \text{ TeV}$.</small>	7.8	31
221	Production cross-section using e^{\pm}/e^{\pm} events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2016, 76, 295. <small>Production cross-section using e^{\pm}/e^{\pm} events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$.</small>	4.1	57
222	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295. <small>Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment.</small>	3.9	50
223	Performance of pile-up mitigation techniques for jets in $\sqrt{s} = 8 \text{ TeV}$ p p collisions at $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 581. <small>Performance of pile-up mitigation techniques for jets in $\sqrt{s} = 8 \text{ TeV}$ p p collisions at $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$.</small>	3.9	298
224	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 8 \text{ TeV}$. Physical Review Letters, 2016, 117, 182002. <small>Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 8 \text{ TeV}$.</small>	7.8	185
225	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ $\text{TeV} \rightarrow \text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322. <small>Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ $\text{TeV} \rightarrow \text{pp}$ collisions with the ATLAS detector.</small>	3.9	51
226	Measurement of jet activity in top quark events using the e^{\pm}/e^{\pm} final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. <small>Measurement of jet activity in top quark events using the e^{\pm}/e^{\pm} final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$.</small>	4.7	4
227	Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 291. <small>Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$.</small>	3.9	154
228	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} \mu^{\mp}$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. <small>Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} \mu^{\mp}$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$.</small>	4.7	15
229	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. <small>Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$.</small>	4.7	20
230	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1. <small>A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions.</small>	4.7	14
231	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. <small>Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$.</small>	4.7	17
232	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021. <small>A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$.</small>	2.9	2
233	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013. <small>Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period.</small>	1.2	11
234	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538. <small>Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector.</small>	3.9	115

#	ARTICLE	IF	CITATIONS
235	Study of $\mathrm{W} + \mathrm{W}$ production and search for exclusive Higgs boson production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2016, 94, .	4.7	21
236	Measurements of the center-of-mass energies at BESIII via the di-muon process. <i>Chinese Physics C</i> , 2016, 40, 063001.	3.7	68
237	Measurement of exclusive $\mathrm{W} + \mathrm{W}$ production and search for exclusive Higgs boson production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2016, 94, .	4.7	33
238	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2\mathrm{S})$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
239	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
240	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
241	Addendum to "Measurement of the $t\bar{t}$ production cross-section using emu electrons in events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
242	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
243	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
244	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
245	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
246	Measurement of the CP-violating phase δ_s and the $B_s^0 \rightarrow \pi^+ \pi^-$ meson decay width difference with $B_s^0 \rightarrow \pi^+ \pi^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
247	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
248	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
249	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
250	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
251	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	3.9	60
252	Measurement of the branching fraction for $\Lambda_c(3770) \rightarrow \Lambda_c^+ \pi^-$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 753, 103-109.	4.1	7

#	ARTICLE	IF	CITATIONS
253	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
254	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
255	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
256	Measurements of four-lepton production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 752, 572.	4.1	10
257	Measurement of the charge asymmetry in highly boosted top-quark pair production in pp collisions collected by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 10.	4.1	10
258	Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 10.	4.1	10
259	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector using the Matrix Element Method. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 752, 673.	4.1	10
260	Combination of searches for $W\rightarrow l\nu$ and $Z\rightarrow ll$ resonances in pp interactions measured with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 755, 285.	4.1	10
261	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62
262	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	3.9	95
263	Probing lepton flavour violation via neutrinoless $\nu_e \rightarrow \nu_\mu + \nu_\tau$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
264	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
265	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 259.	3.9	72
266	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	49
267	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
268	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5.	3.9	109
269	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	3.9	274

#	ARTICLE	IF	CITATIONS
271	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
272	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow 4l$ decay channel at $\sqrt{s} = 8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
273	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
274	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.	1	
275	Measurement of the correlation between flow harmonics of different order in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. Physical Review C, 2015, 92, .	4.7	37
276	Observation of $t\bar{t} \rightarrow e^+e^-$. Physical Review D, 2015, 92, .	4.7	7
277	Amplitude analysis of the produced in radiative decays. Physical Review D, 2015, 92, .	4.7	37
278	Measurement of the form factors in the decay of $t\bar{t}$ produced in radiative decays. Physical Review D, 2015, 92, .	4.7	37
279	Search for $t\bar{t}$ production in $t\bar{t} \rightarrow e^+e^-$. Physical Review D, 2015, 92, .	4.7	91
280	Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	7
281	Study of decay dynamics and asymmetry in $t\bar{t}$ produced in radiative decays. Physical Review D, 2015, 92, .	4.7	45
282	Study of decay dynamics and asymmetry in $t\bar{t}$ produced in radiative decays. Physical Review D, 2015, 92, .	7.8	48
283	Observation of a Neutral Charmonium Resonance. Physical Review D, 2015, 92, .	7.8	10
284	Measurement of the Absolute Branching Fraction for $t\bar{t} \rightarrow e^+e^-$. Physical Review D, 2015, 92, .	7.8	71
285	Observation of the Neutral Structure near the $t\bar{t}$ threshold. Physical Review D, 2015, 92, .	7.8	70
286	Cross sections and forward-backward ratios in $t\bar{t}$ production. Physical Review D, 2015, 92, .	7.8	27
287	Cross sections and forward-backward ratios in $t\bar{t}$ production. Physical Review D, 2015, 92, .	2.9	44
288	Observation of a Neutral Charmonium Resonance. Physical Review D, 2015, 92, .	2.9	44

#	ARTICLE or Higgs bosons decaying to $\langle \text{mml:math} \rangle$ in the $\langle \text{mml:math} \rangle$ final state in $\langle \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$	IF	CITATIONS
289	display="inline">><mml:mi>a</mml:mi><mml:mi>a</mml:mi></mml:math> in the <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>{\tilde t}_1</mml:mi><mml:mi>{\tilde t}_2</mml:mi></mml:math> final state in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math> collisions at <mml:math display="block">\sqrt{s}=8\text{TeV}	4.7	19
290	Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	19
291	Study of dynamics of $\langle \text{mml:math} \rangle$ <math display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle D \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle 0 \langle /mml:mn \rangle \langle /mml:math \rangle stretchy="false">â†'</mml:mo><mml:msup><mml:mrow><mml:mi>K</mml:mi></mml:mrow><mml:mrow><mml:mi>{\tilde b}</mml:mi></mml:mrow></mml:math> Physical Review D, 2015, 92, .	4.7	64
292	Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector at the LHC. Physical Review D, 2015, 92, .	4.7	26
293	Search for Higgs boson pair production in the $\langle \text{mml:math} \rangle$ <math display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle h \langle /mml:mi \rangle \langle \text{mml:mi} \rangle h \langle /mml:mi \rangle \langle \text{mml:mo} \rangle stretchy="false">â†'</mml:mo><mml:mi>b</mml:mi><mml:mi>b</mml:mi><mml:mi>{\tilde t}_1</mml:mi><mml:mi>{\tilde t}_2</mml:mi></mml:math> <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle \text{mml:math} \rangle boson and a light quark in <math>\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Z \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle c \langle /mml:mi \rangle \langle /mml:mrow \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle collisions at <math>\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle T_j \text{ ETQq1 } 1.0784314 \text{ rgBT } / \text{Overlock } 10	4.7	101
294	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:math} \rangle Collisions at <math>\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:math \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:msort} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:math \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:mn} \rangle 8 \langle /mml:mn \rangle \langle \text{mml:mtext} \rangle \text{at } \langle \text{mml:math} \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:mi} \rangle b_k \langle /mml:mi \rangle \langle /mml:math \rangle 1-Quark Fragmentation Fractions <math>\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle f \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle \text{mml:math} \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:mi} \rangle 7.8 \langle /mml:mi \rangle \langle /mml:math \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle f \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle \text{mml:math} \rangle <math display="block">\langle \text{mml:math} \rangle <math display="block">\langle \text{mml:mi} \rangle d \langle /mml:mi \rangle \langle /mml:math \rangle Physical Review Letters, 2015, 115, 262001	7.8	49
295	Modelling $Z \rightarrow {\tilde t}_1 {\tilde t}_2$ processes in ATLAS with ${\tilde t}_1$ -embedded $Z \rightarrow {\tilde t}_1 {\tilde t}_1$ data. Journal of Instrumentation, 2015, 10, P09018-P09018.	1.2	17
296	Measurement of the production of high-p _T di-jets in lead+Cu lead collisions at $\sqrt{s}=200\text{GeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 751, 376-395.	4.7	4
297	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8\text{TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
298	A search for high-mass resonances decaying to ${\tilde t}_1 + {\tilde t}_2 \rightarrow$ in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
299	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 â€” interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
300	Search for lepton-flavour-violating $H \rightarrow {\tilde t}_1 {\tilde t}_1$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
301	Measurement of four-jet differential cross sections in $s = 8\text{TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
302	Measurement of transverse energy correlations in 4-jet events in pp collisions at $\sqrt{s}=8\text{TeV}$ using the ATLAS detector and determination of the strong coupling constant. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 751, 10-16.	4.1	23
303	Measurement of colourflow with the jet pull angle fit. Nuclear, Elementary Particle and High-Energy Physics, 2015, 751, 10-16.	4.1	18
304	Measurement of four-jet differential cross sections in $s = 8\text{TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.1	18
305	Measurement of colourflow with the jet pull angle fit. Nuclear, Elementary Particle and High-Energy Physics, 2015, 751, 10-16.	4.1	18
306	Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector at $\sqrt{s}=8\text{TeV}$. Physical Review D, 2015, 92, .	4.1	18

#	ARTICLE	IF	CITATIONS
307	Measurement of exclusive $\text{t t} \bar{\text{t}} \text{W} \bar{\text{W}}$ production in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Nuclear Physics B</i> , 2015, 902, 43.	4.1	43
308	A search for $\text{t t} \bar{\text{t}} \text{Z}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
309	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	28
310	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67
311	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
312	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
313	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
314	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
315	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	84
316	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
317	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
318	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
319	Determination of the top-quark pole mass using $\text{t t} \bar{\text{t}} \text{Z}$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
320	Measurement of the $\text{t t} \bar{\text{t}} \text{W}$ and $\text{t t} \bar{\text{t}} \text{Z}$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
321	Search for flavour-changing neutral current top quark decays $\text{t} \rightarrow \text{Hq}$ in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
322	Centrality and rapidity dependence of inclusive jet production in pp collisions at $s = 8 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 748, 392-413.	4.1	93
323	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
324	Precision measurement of the integrated luminosity of the data taken by BESIII at center-of-mass energies between 3.810 GeV and 4.600 GeV. <i>Chinese Physics C</i> , 2015, 39, 093001.	3.7	109

#	ARTICLE	IF	CITATIONS
325	Production and Decay of Up-Type and Down-Type New Heavy Quarks through Anomalous Interactions at the LHC. <i>Advances in High Energy Physics</i> , 2015, 2015, 1-14.	1.1	0
326	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
327	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
328	Search for $W' \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
329	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
330	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
331	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. Measurement of the branching ratio $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"$	4.7	22

#	ARTICLE	IF	CITATIONS
343	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
344	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
345	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in $p p$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209.	3.9	79
346	Performance of the ATLAS muon trigger in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 120.	3.9	62
347	Search for Higgs boson pair production in the $\bar{b}\bar{b} \rightarrow b\bar{b}$ final state from pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 412.	3.9	90
348	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e^+e^- \mu^+\mu^-$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	3.9	21
349	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299.	3.9	238
350	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e^+e^- \rightarrow b\bar{b}$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263.	3.9	60
351	Measurement of three-jet production cross-sections in $p p$ collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228.	3.9	23
352	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335.	3.9	95
353	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 303.	3.9	70
354	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476.	3.9	174
355	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229.	3.9	64
356	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 349.	3.9	123
357	Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 749, 519-541.	4.1	52
358	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318.	3.9	56
359	Search for heavy long-lived multi-charged particles in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36
360	Two-particle Bose-Einstein correlations in pp collisions at $s = 0.9 \text{ and } 7 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 466.	3.9	42

#	ARTICLE	IF	CITATIONS
361	Measurement of the top quark mass in the $\star\{t\} \rightarrow \{\text{lepton+jets}\}$ $t\bar{t} \rightarrow \{\text{lepton+jets}\}$ and $\star\{t\} \rightarrow \{\text{dilepton}\}$ $t\bar{t} \rightarrow \{\text{dilepton}\}$ channels using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
362	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
363	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7) \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.	3	
364	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8) \text{ TeV}$ with the ATLAS detector. , 2015, 75, 1.	1	
365	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}=8) \text{ TeV}$ with the ATLAS detector. , 2015, 75, 1.	2	
366	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	3	
367	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.	3	
368	Pair production of new heavy leptons with $U(1)\epsilon^2$ charge at linear colliders. International Journal of Modern Physics A, 2014, 29, 1450055.	1.5	5
369	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
370	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $p\bar{p}$ collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
371	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
372	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
373	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
374	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
375	Measurement of the $t\bar{t}$ production cross-section using $e\bar{e}$ events with b -tagged jets in $p\bar{p}$ collisions at $\sqrt{s}=7 \text{ TeV}$ and 8 TeV with the ATLAS detector. Search for Quantum Black Hole Production in High-Invariant-Mass Final States Using $\overline{t}t$ Events with b -Tagged Jets in $p\bar{p}$ Collisions at $\sqrt{s}=7 \text{ TeV}$ and 8 TeV with the ATLAS Detector. , 2014, 2014, 1.	3.9	143
376	Search for dark matter in events with a Z boson and missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. , 2014, 2014, 1.	7.8	35
377	Search for dark matter in events with a Z boson and missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. , 2014, 2014, 1.	7.8	51
378	Search for dark matter in events with a Z boson and missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. , 2014, 2014, 1.	4.7	90

#	ARTICLE	IF	CITATIONS
379	Measurement of the inclusive isolated prompt photons cross section in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Nature</i> , 2014, 509, 333-336.	4.7	58
380	Search for a multi-Higgs-boson cascade in pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2014, 89, 112001.	4.7	15
381	the helicity amplitudes for the decay $Z \rightarrow b\bar{b}$ in pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2014, 89, 112002.	4.7	26
382	Study of heavy-flavor quarks produced in association with top-quark pairs at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2014, 89, 112003.	4.7	12
383	Search for Dark Matter in Events with a Hadronically Decaying $W \rightarrow Z \rightarrow \ell^+ \ell^-$ and Missing Transverse Momentum in pp Collisions at $s = 8 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2014, 112, 041802.	7.8	129
384	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	66
385	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $s = 7 \text{ TeV}$ in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	3.9	58
386	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	172
387	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134.	3.9	48
388	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	3.9	68
389	Measurement of distributions sensitive to the underlying event in inclusive Z -boson production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195.	3.9	46
390	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	41
391	Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow t\bar{t}(\ell^+\ell^- + \nu\bar{\nu})$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
392	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	131
393	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b -jets at $s = 8 \text{ TeV}$ in pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
394	Measurement of differential production cross-sections for a Z boson in association with b -jets in pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
395	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
396	Search for Higgs boson decays to a photon and a Z boson in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 732, 8-27.	4.7	21

#	ARTICLE	IF	CITATIONS
397	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
398	Measurement of the mass difference between top and anti-top quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.1	8
399	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
400	Resonant production of Sbottom via RPV couplings at the LHeC. <i>Journal of the Korean Physical Society</i> , 2014, 64, 1783-1787.	0.7	1
401	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13
402	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	3.9	204
403	Measurement of the underlying event in jet events from $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
404	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	3.9	22
405	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	3.9	77
406	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
407	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	88
408	Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
409	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
410	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
411	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	145
412	Search for top quark decays $t \rightarrow qH$ with $H \rightarrow \tau^{\pm}\bar{\nu}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
413	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
414	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25

#	ARTICLE	IF	CITATIONS
415	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
416	Measurement of $t\bar{t} c_1$ and $t\bar{t} c_2$ production with $s = 7 \text{ TeV}$ pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	32
417	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	10
418	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
419	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883. Search for new phenomena in photon + jet events collected in proton+proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 728, 562-578.	3.9	55
420	Standalone vertex finding in the ATLAS muon spectrometer. <i>Journal of Instrumentation</i> , 2014, 9, P02001-P02001.	1.2	15
422	Measurement of the ($t\bar{t}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ($\sqrt{s}=7$) and 8 TeV with the ATLAS detector., 2014, 74, 1.		2
423	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	73
424	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	53
425	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
426	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	137
427	Measurement of ZZ production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ and limits on anomalous ZZZ and ZZ \tilde{l}^3 couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	61
428	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	19
429	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
430	Measurement of k T splitting scales in $W\rightarrow l\nu$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
431	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow \tau^{\pm} \nu$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Measurement of angular correlations in Drell-Yan lepton pairs to probe</i> $\tan\beta$. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	119
432	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow \tau^{\pm} \nu$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Measurement of angular correlations in Drell-Yan lepton pairs to probe</i> $\tan\beta$. <i>European Physical Journal C</i> , 2013, 73, 2432.		

#	ARTICLE	IF	CITATIONS
433	Measurement of the high-mass Drell-Yan differential cross-section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 725, 223-242.	4.1	21
434	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
435	Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 88-119.	4.1	295
436	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
437	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
438	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
439	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
440	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
441	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	3.9	105
442	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
443	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
444	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
445	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
446	Search for charged nearly mass degenerate with the lightest neutralino based on a disappearing-track signature in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	110
447	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
448	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
449	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59

#	ARTICLE	IF	CITATIONS
451	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
452	Search for single top quark production with the ATLAS detector at $\sqrt{s}=7\text{TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.1	11
453	Production of isolated photons plus jets in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 776, 195.	4.1	195
454	Dynamics of isolated-photon plus jet production in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Nuclear Physics B</i> , 2013, 875, 483-535.	2.5	33
455	Search for pair production of heavy top-like quarks decaying to a high- p_T lepton and a b quark in collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 776, 169.	4.1	169
456	Search for prompt lepton-jets in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>Nuclear Physics B</i> , 2013, 875, 483-535.	4.1	40
457	Search for 25 heavy narrow resonance decaying to e^{\pm}/μ^{\pm} with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 776, 169.	4.1	14
458	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	61
460	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s}=7\text{TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
462	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15
463	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
464	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2306.	3.9	209
465	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2328.	3.9	45
466	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2013, 111, 232002.	7.8	57
467	Measurement of hard double-parton interactions in W + 2-jet events at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 033038.	2.9	147
468	Search for WH production with a light Higgs boson decaying to prompt electron+jets in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	15

#	ARTICLE	IF	CITATIONS
487	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7\text{TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
488	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
489	Search for the Standard Model Higgs boson in the $H \rightarrow l^+l^-$ decay mode in $\sqrt{s} = 7\text{TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
490	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
491	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
492	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
493	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
494	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
495	Time-dependent angular analysis of the decay $B_s \rightarrow \psi \pi^+$ and extraction of the CP-violating weak phase by ATLAS. Journal of High Energy Physics, 2012, 2012, .	4.7	23
496	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
497	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
498	Search for excited leptons in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	14
499	A Particle Consistent with the Higgs Boson Observed with the ATLAS Detector at the Large Hadron Collider. Science, 2012, 338, 1576-1582.	12.6	74
500	Measurement of the b-hadron production cross section using decays to $b \rightarrow s \ell^+ \ell^-$. Nuclear Physics B, 2012, 864, 341-381.	2.5	31
501	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	4.1	6,386
502	Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	3.9	109
503	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7\text{TeV}$. European Physical Journal C, 2012, 72, 2083.	3.9	25
504	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37

#	ARTICLE	IF	CITATIONS
505	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
506	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
507	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
508	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{\text{mathbf}{s}} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
509	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
510	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
511	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	36

#	ARTICLE	IF	CITATIONS
523	Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters B, 2012, 716, 1–10.	3.9	36
524	Search for new particles decaying to ZZ using final states with leptons and jets with the ATLAS detector in $\sqrt{s} = 7\text{ TeV}$ collisions. Physics Letters B, 2012, 716, 11–18.	4.1	16
525	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	51
526	Measurement of the top quark mass with the template method in the $t\bar{t} + \text{lepton} + \text{jets}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	3.9	101
527	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 2056.	3.9	21
528	Measurement of the polarization in $W \rightarrow l^+ l^-$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 2062.	3.9	21