

Benoit Violet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2452357/publications.pdf>

Version: 2024-02-01

345
papers

44,619
citations

2565

99
h-index

2634

200
g-index

370
all docs

370
docs citations

370
times ranked

52804
citing authors

#	ARTICLE	IF	CITATIONS
1	Inactivation of AMPK Leads to Attenuation of Antigen Presentation and Immune Evasion in Lung Adenocarcinoma. <i>Clinical Cancer Research</i> , 2022, 28, 227-237.	3.2	11
2	Cell adhesion suppresses autophagy via Src/FAK-mediated phosphorylation and inhibition of AMPK. <i>Cellular Signalling</i> , 2022, 89, 110170.	1.7	8
3	AMPK-PERK axis represses oxidative metabolism and enhances apoptotic priming of mitochondria in acute myeloid leukemia. <i>Cell Reports</i> , 2022, 38, 110197.	2.9	22
4	Intestinal Epithelial AMPK Deficiency Causes Delayed Colonic Epithelial Repair in DSS-Induced Colitis. <i>Cells</i> , 2022, 11, 590.	1.8	13
5	At the crossroads of fertility and metabolism: the importance of AMPK-dependent signaling in female infertility associated with hyperandrogenism. <i>Human Reproduction</i> , 2022, 37, 1207-1228.	0.4	13
6	Atrial AMP-activated protein kinase is critical for prevention of dysregulation of electrical excitability and atrial fibrillation. <i>JCI Insight</i> , 2022, 7, .	2.3	6
7	The Marine-Derived Macrolactone Mandelalide A Is an Indirect Activator of AMPK. <i>Marine Drugs</i> , 2022, 20, 418.	2.2	4
8	AICAR and compound C negatively modulate HCC-induced primary human hepatic stellate cell activation in vitro. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, G543-G556.	1.6	5
9	Acidosis-induced activation of distal nephron principal cells triggers Gdf15 secretion and adaptive proliferation of intercalated cells. <i>Acta Physiologica</i> , 2021, 232, e13661.	1.8	10
10	Deletion of intestinal epithelial AMP-activated protein kinase alters distal colon permeability but not glucose homeostasis. <i>Molecular Metabolism</i> , 2021, 47, 101183.	3.0	17
11	Human $\gamma\delta$ T cell sensing of AMPK-dependent metabolic tumor reprogramming through TCR recognition of EphA2. <i>Science Immunology</i> , 2021, 6, .	5.6	23
12	Role of Cardiac AMP-Activated Protein Kinase in a Non-pathological Setting: Evidence From Cardiomyocyte-Specific, Inducible AMP-Activated Protein Kinase β_1 -Knockout Mice. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 731015.	1.8	7
13	Metformin reduces macrophage HIF1 α -dependent proinflammatory signaling to restore brown adipocyte function in vitro. <i>Redox Biology</i> , 2021, 48, 102171.	3.9	15
14	AMPK activation by SC4 inhibits noradrenaline-induced lipolysis and insulin-stimulated lipogenesis in white adipose tissue. <i>Biochemical Journal</i> , 2021, 478, 3869-3889.	1.7	4
15	Lack of Endothelial β_1 AMPK Reverses the Vascular Protective Effects of Exercise by Causing eNOS Uncoupling. <i>Antioxidants</i> , 2021, 10, 1974.	2.2	4
16	Myeloid deletion and therapeutic activation of AMPK do not alter atherosclerosis in male or female mice. <i>Journal of Lipid Research</i> , 2020, 61, 1697-1706.	2.0	6
17	Hypoglycemia-Sensing Neurons of the Ventromedial Hypothalamus Require AMPK-Induced Txn2 Expression but Are Dispensable for Physiological Counterregulation. <i>Diabetes</i> , 2020, 69, 2253-2266.	0.3	19
18	Activation of Adenosine Monophosphate-Activated Protein Kinase Reduces the Onset of Diet-Induced Hepatocellular Carcinoma in Mice. <i>Hepatology Communications</i> , 2020, 4, 1056-1072.	2.0	6

#	ARTICLE	IF	CITATIONS
19	Reciprocity Between Skeletal Muscle AMPK Deletion and Insulin Action in Diet-Induced Obese Mice. <i>Diabetes</i> , 2020, 69, 1636-1649.	0.3	11
20	Inducible deletion of skeletal muscle AMPK \pm reveals that AMPK is required for nucleotide balance but dispensable for muscle glucose uptake and fat oxidation during exercise. <i>Molecular Metabolism</i> , 2020, 40, 101028.	3.0	32
21	Glucose availability but not changes in pancreatic hormones sensitizes hepatic AMPK activity during nutritional transition in rodents. <i>Journal of Biological Chemistry</i> , 2020, 295, 5836-5849.	1.6	11
22	Paradoxical activation of AMPK by glucose drives selective EP300 activity in colorectal cancer. <i>PLoS Biology</i> , 2020, 18, e3000732.	2.6	18
23	Editorial: AMPK and mTOR Beyond Signaling: Emerging Roles in Transcriptional Regulation. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 641552.	1.8	1
24	Metformin lowers glucose 6-phosphate in hepatocytes by activation of glycolysis downstream of glucose phosphorylation. <i>Journal of Biological Chemistry</i> , 2020, 295, 3330-3346.	1.6	22
25	The stress polarity signaling (SPS) pathway serves as a marker and a target in the leaky gut barrier: implications in aging and cancer. <i>Life Science Alliance</i> , 2020, 3, e201900481.	1.3	28
26	Understanding the glucoregulatory mechanisms of metformin in type 2 diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2019, 15, 569-589.	4.3	391
27	AMPK promotes induction of the tumor suppressor FLCN through activation of TFEB independently of mTOR. <i>FASEB Journal</i> , 2019, 33, 12374-12391.	0.2	57
28	AMPK Activation Promotes Tight Junction Assembly in Intestinal Epithelial Caco-2 Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5171.	1.8	38
29	Inhibition of mitochondrial complex 1 by the S6K1 inhibitor PF-4708671 partly contributes to its glucose metabolic effects in muscle and liver cells. <i>Journal of Biological Chemistry</i> , 2019, 294, 12250-12260.	1.6	16
30	AMPK and TBC1D1 Regulate Muscle Glucose Uptake After, but Not During, Exercise and Contraction. <i>Diabetes</i> , 2019, 68, 1427-1440.	0.3	67
31	Metabolic and Innate Immune Cues Merge into a Specific Inflammatory Response via the UPR. <i>Cell</i> , 2019, 177, 1201-1216.e19.	13.5	100
32	Phenformin, But Not Metformin, Delays Development of T Cell Acute Lymphoblastic Leukemia/Lymphoma via Cell-Autonomous AMPK Activation. <i>Cell Reports</i> , 2019, 27, 690-698.e4.	2.9	54
33	AMP-Activated Protein Kinase Signalling. <i>International Journal of Molecular Sciences</i> , 2019, 20, 766.	1.8	7
34	Chemical genetic screen identifies Gapex-5/GAPVD1 and STBD1 as novel AMPK substrates. <i>Cellular Signalling</i> , 2019, 57, 45-57.	1.7	18
35	Editorial: Metformin: Beyond Diabetes. <i>Frontiers in Endocrinology</i> , 2019, 10, 851.	1.5	12
36	Endothelial β 1AMPK modulates angiotensin II-mediated vascular inflammation and dysfunction. <i>Basic Research in Cardiology</i> , 2019, 114, 8.	2.5	32

#	ARTICLE	IF	CITATIONS
37	Finely-tuned regulation of AMP-activated protein kinase is crucial for human adult erythropoiesis. <i>Haematologica</i> , 2019, 104, 907-918.	1.7	8
38	LKB1 as a Gatekeeper of Hepatocyte Proliferation and Genomic Integrity during Liver Regeneration. <i>Cell Reports</i> , 2018, 22, 1994-2005.	2.9	23
39	Knockdown of Human AMPK Using the CRISPR/Cas9 Genome-Editing System. <i>Methods in Molecular Biology</i> , 2018, 1732, 171-194.	0.4	8
40	Measurement of AMPK-Induced Inhibition of Lipid Synthesis Flux in Cultured Cells. <i>Methods in Molecular Biology</i> , 2018, 1732, 363-371.	0.4	3
41	The adenosine monophosphate-activated protein kinase-vacuolar adenosine triphosphatase-pH axis: A key regulator of the profibrogenic phenotype of human hepatic stellate cells. <i>Hepatology</i> , 2018, 68, 1140-1153.	3.6	13
42	AMPK Re-Activation Suppresses Hepatic Steatosis but its Downregulation Does Not Promote Fatty Liver Development. <i>EBioMedicine</i> , 2018, 28, 194-209.	2.7	136
43	Promise and challenges for direct small molecule AMPK activators. <i>Biochemical Pharmacology</i> , 2018, 153, 147-158.	2.0	63
44	AMPK activation counteracts cardiac hypertrophy by reducing O-GlcNAcylation. <i>Nature Communications</i> , 2018, 9, 374.	5.8	179
45	A RAS-CaMKK1 ² -AMPK ^{1/2} pathway promotes senescence by licensing post-translational activation of C/EBP β through a novel 3'UTR mechanism. <i>Oncogene</i> , 2018, 37, 3528-3548.	2.6	12
46	Metformin regulates global DNA methylation via mitochondrial one-carbon metabolism. <i>Oncogene</i> , 2018, 37, 963-970.	2.6	85
47	AMPK in skeletal muscle function and metabolism. <i>FASEB Journal</i> , 2018, 32, 1741-1777.	0.2	289
48	Endothelial autophagic flux hampers atherosclerotic lesion development. <i>Autophagy</i> , 2018, 14, 173-175.	4.3	24
49	AMPK Activation Reduces Hepatic Lipid Content by Increasing Fat Oxidation In Vivo. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2826.	1.8	98
50	The LKB1-AMPK-1 signaling pathway triggers hypoxic pulmonary vasoconstriction downstream of mitochondria. <i>Science Signaling</i> , 2018, 11, .	1.6	27
51	Loss of AMPK ^{1/2} Impairs Hedgehog-Driven Medulloblastoma Tumorigenesis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3287.	1.8	5
52	Activation of AMPK for a Break in Hepatic Lipid Accumulation and Circulating Cholesterol. <i>EBioMedicine</i> , 2018, 31, 15-16.	2.7	5
53	Exercise-induced molecular mechanisms promoting glycogen supercompensation in human skeletal muscle. <i>Molecular Metabolism</i> , 2018, 16, 24-34.	3.0	58
54	1AMPK deletion in myelomonocytic cells induces a pro-inflammatory phenotype and enhances angiotensin II-induced vascular dysfunction. <i>Cardiovascular Research</i> , 2018, 114, 1883-1893.	1.8	22

#	ARTICLE	IF	CITATIONS
55	AICAR Antiproliferative Properties Involve the AMPK-Independent Activation of the Tumor Suppressors LATS 1 and 2. <i>Neoplasia</i> , 2018, 20, 555-562.	2.3	13
56	Metformin directly targets the H3K27me3 demethylase KDM6A/UTX. <i>Aging Cell</i> , 2018, 17, e12772.	3.0	58
57	A functional role for AMPK in female fertility and endometrial regeneration. <i>Reproduction</i> , 2018, 156, 501-513.	1.1	13
58	Kidney-specific genetic deletion of both AMPK α -subunits causes salt and water wasting. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F352-F365.	1.3	11
59	Activation of Skeletal Muscle AMPK Promotes Glucose Disposal and Glucose Lowering in Non-human Primates and Mice. <i>Cell Metabolism</i> , 2017, 25, 1147-1159.e10.	7.2	205
60	Activation of AMP-activated protein kinase rapidly suppresses multiple pro-inflammatory pathways in adipocytes including IL-1 receptor-associated kinase-4 phosphorylation. <i>Molecular and Cellular Endocrinology</i> , 2017, 440, 44-56.	1.6	83
61	AMPK α -LDH pathway regulates muscle stem cell self-renewal by controlling metabolic homeostasis. <i>EMBO Journal</i> , 2017, 36, 1946-1962.	3.5	95
62	GFAT1 phosphorylation by AMPK promotes VEGF-induced angiogenesis. <i>Biochemical Journal</i> , 2017, 474, 983-1001.	1.7	84
63	AMPK is not required for the effect of metformin on the inhibition of BMP6-induced hepcidin gene expression in hepatocytes. <i>Scientific Reports</i> , 2017, 7, 12679.	1.6	12
64	Autophagy is required for endothelial cell alignment and atheroprotection under physiological blood flow. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E8675-E8684.	3.3	156
65	CDK4 Phosphorylates AMPK α 2 to Inhibit Its Activity and Repress Fatty Acid Oxidation. <i>Molecular Cell</i> , 2017, 68, 336-349.e6.	4.5	55
66	Loss of hepatic AMP-activated protein kinase impedes the rate of glycogenolysis but not gluconeogenic fluxes in exercising mice. <i>Journal of Biological Chemistry</i> , 2017, 292, 20125-20140.	1.6	46
67	The autophagy initiator ULK1 sensitizes AMPK to allosteric drugs. <i>Nature Communications</i> , 2017, 8, 571.	5.8	65
68	Chronic Intermittent Hypoxia Impairs Insulin Sensitivity but Improves Whole-Body Glucose Tolerance by Activating Skeletal Muscle AMPK. <i>Diabetes</i> , 2017, 66, 2942-2951.	0.3	60
69	Targeting tumour-stromal interactions α differential pharmacological modification of AMPK/mTORC1 in human hepatic stellate cells and hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2017, 66, S461.	1.8	0
70	The vacuolar adenosine tri-phosphatase (v-ATPase) proton pump as therapeutic target in human activated HSC. <i>Journal of Hepatology</i> , 2017, 66, S650.	1.8	0
71	Modifying the Dietary Carbohydrate-to-Protein Ratio Alters the Postprandial Macronutrient Oxidation Pattern in Liver of AMPK-Deficient Mice. <i>Journal of Nutrition</i> , 2017, 147, 1669-1676.	1.3	27
72	Metformin suppresses adipogenesis through both AMP-activated protein kinase (AMPK)-dependent and AMPK-independent mechanisms. <i>Molecular and Cellular Endocrinology</i> , 2017, 440, 57-68.	1.6	105

#	ARTICLE	IF	CITATIONS
73	Enhanced Muscle Insulin Sensitivity After Contraction/Exercise Is Mediated by AMPK. <i>Diabetes</i> , 2017, 66, 598-612.	0.3	137
74	The Energy Sensor AMPK: Adaptations to Exercise, Nutritional and Hormonal Signals. <i>Research and Perspectives in Endocrine Interactions</i> , 2017, , 13-24.	0.2	10
75	Stromal Lkb1 deficiency leads to gastrointestinal tumorigenesis involving the IL-11â€™JAK/STAT3 pathway. <i>Journal of Clinical Investigation</i> , 2017, 128, 402-414.	3.9	56
76	Liver AMP-Activated Protein Kinase Is Unnecessary for Gluconeogenesis but Protects Energy State during Nutrient Deprivation. <i>PLoS ONE</i> , 2017, 12, e0170382.	1.1	20
77	Obesity Impairs Skeletal Muscle Regeneration Through Inhibition of AMPK. <i>Diabetes</i> , 2016, 65, 188-200.	0.3	127
78	Editorial (Thematic Issue: AMPK: New Frontiers in Human Diseases). <i>Current Drug Targets</i> , 2016, 17, 852-852.	1.0	1
79	AMPK antagonizes hepatic glucagon-stimulated cyclic AMP signalling via phosphorylation-induced activation of cyclic nucleotide phosphodiesterase 4B. <i>Nature Communications</i> , 2016, 7, 10856.	5.8	117
80	AMP-activated protein kinase modulates tau phosphorylation and tau pathology in vivo. <i>Scientific Reports</i> , 2016, 6, 26758.	1.6	95
81	Myeloid-Restricted AMPK \pm 1 Promotes Host Immunity and Protects against IL-12/23p40â€™Dependent Lung Injury during Hookworm Infection. <i>Journal of Immunology</i> , 2016, 196, 4632-4640.	0.4	23
82	Investigation of salicylate hepatic responses in comparison with chemical analogues of the drug. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 1412-1422.	1.8	8
83	AMP-activated Protein Kinase Up-regulates Mitogen-activated Protein (MAP) Kinase-interacting Serine/Threonine Kinase 1a-dependent Phosphorylation of Eukaryotic Translation Initiation Factor 4E. <i>Journal of Biological Chemistry</i> , 2016, 291, 17020-17027.	1.6	9
84	AMPK/ \pm -Ketoglutarate Axis Dynamically Mediates DNA Demethylation in the Prdm16 Promoter and Brown Adipogenesis. <i>Cell Metabolism</i> , 2016, 24, 542-554.	7.2	195
85	Anti-Inflammatory Effects of Metformin Irrespective of Diabetes Status. <i>Circulation Research</i> , 2016, 119, 652-665.	2.0	498
86	Phosphorylation of Janus kinase 1 (JAK1) by AMP-activated protein kinase (AMPK) links energy sensing to anti-inflammatory signaling. <i>Science Signaling</i> , 2016, 9, ra109.	1.6	80
87	Animal Models to Study AMPK. <i>Exs</i> , 2016, 107, 441-469.	1.4	5
88	AMP-activated Protein Kinase. <i>Exs</i> , 2016, , .	1.4	10
89	Targeting AMPK: From Ancient Drugs to New Small-Molecule Activators. <i>Exs</i> , 2016, 107, 327-350.	1.4	25
90	343 Mitochondrial dysfunction activates the AMPK signaling and autophagy to promote cell survival. <i>Journal of Investigative Dermatology</i> , 2016, 136, S60.	0.3	1

#	ARTICLE	IF	CITATIONS
91	Mitochondrial dysfunction activates the AMPK signaling and autophagy to promote cell survival. <i>Genes and Diseases</i> , 2016, 3, 82-87.	1.5	51
92	AMP-Activated Protein Kinase Suppresses Autoimmune Central Nervous System Disease by Regulating M1-Type Macrophage- α Th17 Axis. <i>Journal of Immunology</i> , 2016, 197, 747-760.	0.4	25
93	Specific deletion of AMP-activated protein kinase (β 1AMPK) in mouse Sertoli cells modifies germ cell quality. <i>Molecular and Cellular Endocrinology</i> , 2016, 423, 96-112.	1.6	34
94	AMP-activated Protein Kinase Deficiency Blocks the Hypoxic Ventilatory Response and Thus Precipitates Hypoventilation and Apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 193, 1032-1043.	2.5	41
95	AMP-activated protein kinase suppresses urate crystal-induced inflammation and transduces colchicine effects in macrophages. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 286-294.	0.5	91
96	p53 coordinates decidual sestrin 2/AMPK/mTORC1 signaling to govern parturition timing. <i>Journal of Clinical Investigation</i> , 2016, 126, 2941-2954.	3.9	70
97	Proglucagon Promoter Cre-Mediated AMPK Deletion in Mice Increases Circulating GLP-1 Levels and Oral Glucose Tolerance. <i>PLoS ONE</i> , 2016, 11, e0149549.	1.1	13
98	AMP-activated Protein Kinase As a Target For Pathogens: Friends Or Foes?. <i>Current Drug Targets</i> , 2016, 17, 942-953.	1.0	28
99	Biotin deprivation impairs mitochondrial structure and function and has implications for inherited metabolic disorders. <i>Molecular Genetics and Metabolism</i> , 2015, 116, 204-214.	0.5	15
100	AMPK maintains energy homeostasis and survival in cancer cells via regulating p38/PGC-1 β -mediated mitochondrial biogenesis. <i>Cell Death Discovery</i> , 2015, 1, 15063.	2.0	117
101	Specific Deletion of AMP-Activated Protein Kinase (β 1AMPK) in Murine Oocytes Alters Junctional Protein Expression and Mitochondrial Physiology. <i>PLoS ONE</i> , 2015, 10, e0119680.	1.1	28
102	Metformin Antagonizes Cancer Cell Proliferation by Suppressing Mitochondrial-Dependent Biosynthesis. <i>PLoS Biology</i> , 2015, 13, e1002309.	2.6	176
103	LKB1 and AMPK β 1 are required in pancreatic alpha cells for the normal regulation of glucagon secretion and responses to hypoglycemia. <i>Molecular Metabolism</i> , 2015, 4, 277-286.	3.0	23
104	Beyond Energy Homeostasis: the Expanding Role of AMP-Activated Protein Kinase in Regulating Metabolism. <i>Cell Metabolism</i> , 2015, 21, 799-804.	7.2	77
105	The PRKAA1/AMPK β 1 pathway triggers autophagy during CSF1-induced human monocyte differentiation and is a potential target in CMML. <i>Autophagy</i> , 2015, 11, 1114-1129.	4.3	86
106	Metformin takes a new route to clinical efficacy. <i>Nature Reviews Endocrinology</i> , 2015, 11, 390-392.	4.3	14
107	Direct Binding of Arsenic Trioxide to AMPK and Generation of Inhibitory Effects on Acute Myeloid Leukemia Precursors. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 202-212.	1.9	24
108	Co-activation of AMPK and mTORC1 Induces Cytotoxicity in Acute Myeloid Leukemia. <i>Cell Reports</i> , 2015, 11, 1446-1457.	2.9	93

#	ARTICLE	IF	CITATIONS
109	The Energy Sensor AMPK Regulates T Cell Metabolic Adaptation and Effector Responses In Vivo. <i>Immunity</i> , 2015, 42, 41-54.	6.6	505
110	AMPK is critical for enhancing skeletal muscle fatty acid utilization during in vivo exercise in mice. <i>FASEB Journal</i> , 2015, 29, 1725-1738.	0.2	68
111	Prior AICAR Stimulation Increases Insulin Sensitivity in Mouse Skeletal Muscle in an AMPK-Dependent Manner. <i>Diabetes</i> , 2015, 64, 2042-2055.	0.3	115
112	Mitochondrial dysfunction in primary human fibroblasts triggers an adaptive cell survival program that requires AMPK. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 529-540.	1.8	40
113	Translational Tolerance of Mitochondrial Genes to Metabolic Energy Stress Involves TISU and eIF1-eIF4G Cooperation in Start Codon Selection. <i>Cell Metabolism</i> , 2015, 21, 479-492.	7.2	80
114	Leishmania infantum Modulates Host Macrophage Mitochondrial Metabolism by Hijacking the SIRT1-AMPK Axis. <i>PLoS Pathogens</i> , 2015, 11, e1004684.	2.1	96
115	AMPK Suppresses Vascular Inflammation In Vivo by Inhibiting Signal Transducer and Activator of Transcription-1. <i>Diabetes</i> , 2015, 64, 4285-4297.	0.3	58
116	Activation of AMPK in adipocytes is essential for nicotine-induced insulin resistance in vivo. <i>Nature Medicine</i> , 2015, 21, 373-382.	15.2	143
117	Expanding roles for AMPK in skeletal muscle plasticity. <i>Trends in Endocrinology and Metabolism</i> , 2015, 26, 275-286.	3.1	111
118	Motif affinity and mass spectrometry proteomic approach for the discovery of cellular AMPK targets: Identification of mitochondrial fission factor as a new AMPK substrate. <i>Cellular Signalling</i> , 2015, 27, 978-988.	1.7	143
119	AMPK is essential for acute exercise-induced gene responses but not for exercise training-induced adaptations in mouse skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 309, E900-E914.	1.8	28
120	Apoptolidins A and C activate AMPK in metabolically sensitive cell types and are mechanistically distinct from oligomycin A. <i>Biochemical Pharmacology</i> , 2015, 93, 251-265.	2.0	17
121	Differential effects of AMPK agonists on cell growth and metabolism. <i>Oncogene</i> , 2015, 34, 3627-3639.	2.6	121
122	AMPK Signaling Involvement for the Repression of the IL-1-Induced Group IIA Secretory Phospholipase A2 Expression in VSMCs. <i>PLoS ONE</i> , 2015, 10, e0132498.	1.1	11
123	AMPK Activation by A-769662 Controls IL-6 Expression in Inflammatory Arthritis. <i>PLoS ONE</i> , 2015, 10, e0140452.	1.1	39
124	AMP-activated protein kinase is dispensable for maintaining ATP levels and for survival following inhibition of glycolysis, but promotes tumour engraftment of Ras-transformed fibroblasts. <i>Oncotarget</i> , 2015, 6, 11833-11847.	0.8	7
125	Adenosine-Mono-Phosphate-Activated Protein Kinase-Independent Effects of Metformin in T Cells. <i>PLoS ONE</i> , 2014, 9, e106710.	1.1	31
126	Metformin Protects Against Systolic Overload-Induced Heart Failure Independent of AMP-Activated Protein Kinase. <i>Hypertension</i> , 2014, 63, 723-728.	1.3	66

#	ARTICLE	IF	CITATIONS
127	The LKB1-salt-inducible kinase pathway functions as a key gluconeogenic suppressor in the liver. <i>Nature Communications</i> , 2014, 5, 4535.	5.8	131
128	The Ca ²⁺ /calmodulin-dependent kinase kinase ² -AMP-activated protein kinase ¹ pathway regulates phosphorylation of cytoskeletal targets in thrombin-stimulated human platelets. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 973-986.	1.9	30
129	Interleukin ⁶ deletion in mice driven by a P ² C ² ERT ² prevents against high-fat diet-induced gain weight and adiposity in female mice. <i>Acta Physiologica</i> , 2014, 211, 585-596.	1.8	13
130	Role of AMP-activated protein kinase in regulating hypoxic survival and proliferation of mesenchymal stem cells. <i>Cardiovascular Research</i> , 2014, 101, 20-29.	1.8	36
131	Inhibition of AMP-Activated Protein Kinase Signaling Alleviates Impairments in Hippocampal Synaptic Plasticity Induced by Amyloid β . <i>Journal of Neuroscience</i> , 2014, 34, 12230-12238.	1.7	143
132	5-Aminoimidazole-4-carboxamide-1- β -D-ribofuranoside (AICAR) Effect on Glucose Production, but Not Energy Metabolism, Is Independent of Hepatic AMPK in Vivo. <i>Journal of Biological Chemistry</i> , 2014, 289, 5950-5959.	1.6	60
133	The AMPK-SIRT signaling network regulates glucose tolerance under calorie restriction conditions. <i>Life Sciences</i> , 2014, 100, 55-60.	2.0	33
134	A small-molecule benzimidazole derivative that potently activates AMPK to increase glucose transport in skeletal muscle: comparison with effects of contraction and other AMPK activators. <i>Biochemical Journal</i> , 2014, 460, 363-375.	1.7	71
135	AMP-Activated Protein Kinase Induces p53 by Phosphorylating MDMX and Inhibiting Its Activity. <i>Molecular and Cellular Biology</i> , 2014, 34, 148-157.	1.1	86
136	Discrete mechanisms of mTOR and cell cycle regulation by AMPK agonists independent of AMPK. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E435-44.	3.3	194
137	PRKAA1/AMPK ¹ is required for autophagy-dependent mitochondrial clearance during erythrocyte maturation. <i>Autophagy</i> , 2014, 10, 1522-1534.	4.3	31
138	Lipoprotein internalisation induced by oncogenic AMPK activation is essential to maintain glioblastoma cell growth. <i>European Journal of Cancer</i> , 2014, 50, 3187-3197.	1.3	28
139	Metformin: From Mechanisms of Action to Therapies. <i>Cell Metabolism</i> , 2014, 20, 953-966.	7.2	1,019
140	Peroxisome Proliferator-Activated Receptor ³ Coactivator 1 ¹ and FoxO3A Mediate Chondroprotection by AMP-Activated Protein Kinase. <i>Arthritis and Rheumatology</i> , 2014, 66, 3073-3082.	2.9	83
141	AMP-activated Protein Kinase ² and E2F1 Transcription Factor Mediate Doxorubicin-induced Cytotoxicity by Forming a Positive Signal Loop in Mouse Embryonic Fibroblasts and Non-carcinoma Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 4839-4852.	1.6	20
142	Mechanism of Action of Compound-13: An α -1-Selective Small Molecule Activator of AMPK. <i>Chemistry and Biology</i> , 2014, 21, 866-879.	6.2	103
143	LKB1 and AMPK regulate synaptic remodeling in old age. <i>Nature Neuroscience</i> , 2014, 17, 1190-1197.	7.1	106
144	AMPK controls exercise endurance, mitochondrial oxidative capacity, and skeletal muscle integrity. <i>FASEB Journal</i> , 2014, 28, 3211-3224.	0.2	182

#	ARTICLE	IF	CITATIONS
145	Reduced scar maturation and contractility lead to exaggerated left ventricular dilation after myocardial infarction in mice lacking AMPK $\hat{\pm}$ 1. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 74, 32-43.	0.9	52
146	AMPK $\hat{\pm}$ 1 controls hepatocyte proliferation independently of energy balance by regulating Cyclin A2 expression. <i>Journal of Hepatology</i> , 2014, 60, 152-159.	1.8	38
147	Bypassing AMPK Phosphorylation. <i>Chemistry and Biology</i> , 2014, 21, 567-569.	6.2	12
148	Co-Activation of AMPK and mTORC1 Is Synthetically Lethal in Acute Myeloid Leukemia. <i>Blood</i> , 2014, 124, 616-616.	0.6	0
149	The P2Y6-AMPK Pathway Triggers Autophagy during CSF-1-Induced Human Monocyte Differentiation and Is a Potential Target in CMML. <i>Blood</i> , 2014, 124, 4347-4347.	0.6	0
150	The anti-diabetic drug metformin does not affect bone mass in vivo or fracture healing. <i>Osteoporosis International</i> , 2013, 24, 2659-2670.	1.3	74
151	AMPK $\hat{\pm}$ 1 deficiency amplifies proinflammatory myeloid APC activity and CD40 signaling. <i>Journal of Leukocyte Biology</i> , 2013, 94, 1113-1121.	1.5	91
152	AMPK $\hat{\pm}$ 1 Regulates Macrophage Skewing at the Time of Resolution of Inflammation during Skeletal Muscle Regeneration. <i>Cell Metabolism</i> , 2013, 18, 251-264.	7.2	375
153	Perivascular Adipose Tissue Control of Insulin-Induced Vasoreactivity in Muscle Is Impaired in db/db Mice. <i>Diabetes</i> , 2013, 62, 590-598.	0.3	105
154	TIM-4 Glycoprotein-Mediated Degradation of Dying Tumor Cells by Autophagy Leads to Reduced Antigen Presentation and Increased Immune Tolerance. <i>Immunity</i> , 2013, 39, 1070-1081.	6.6	100
155	Revisiting the mechanisms of metformin action in the liver. <i>Annales D'Endocrinologie</i> , 2013, 74, 123-129.	0.6	57
156	AMP-Activated Protein Kinase $\hat{\pm}$ 1 but Not $\hat{\pm}$ 2 Catalytic Subunit Potentiates Myogenin Expression and Myogenesis. <i>Molecular and Cellular Biology</i> , 2013, 33, 4517-4525.	1.1	57
157	Susceptibility to ATP depletion of primary proximal tubular cell cultures derived from mice lacking either the $\hat{\pm}$ 1 or the $\hat{\pm}$ 2 isoform of the catalytic domain of AMPK. <i>BMC Nephrology</i> , 2013, 14, 251.	0.8	6
158	AMPK Is a Negative Regulator of the Warburg Effect and Suppresses Tumor Growth In Vivo. <i>Cell Metabolism</i> , 2013, 17, 113-124.	7.2	754
159	Biguanides suppress hepatic glucagon signalling by decreasing production of cyclic AMP. <i>Nature</i> , 2013, 494, 256-260.	13.7	707
160	Overexpression of AMP-activated protein kinase or protein kinase D prevents lipid-induced insulin resistance in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 55, 165-173.	0.9	14
161	Differential regulation of eEF2 and p70S6K by AMPK α 2 in heart. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 780-790.	1.8	20
162	Inhibition of AMP-Activated Protein Kinase Accentuates Lipopolysaccharide-Induced Lung Endothelial Barrier Dysfunction and Lung Injury In Vivo. <i>American Journal of Pathology</i> , 2013, 182, 1021-1030.	1.9	76

#	ARTICLE	IF	CITATIONS
163	Role of AMPK in UVB-induced DNA damage repair and growth control. <i>Oncogene</i> , 2013, 32, 2682-2689.	2.6	82
164	AMPK β 1: A glucose sensor that controls CD8 T cell memory. <i>European Journal of Immunology</i> , 2013, 43, 889-896.	1.6	201
165	Phosphatidylinositol 3-phosphate 5-kinase (PIKfyve) is an AMPK target participating in contraction-stimulated glucose uptake in skeletal muscle. <i>Biochemical Journal</i> , 2013, 455, 195-206.	1.7	50
166	AMP-activated protein kinase mediates myogenin expression and myogenesis via histone deacetylase 5. <i>American Journal of Physiology - Cell Physiology</i> , 2013, 305, C887-C895.	2.1	37
167	Aberrant Endoplasmic Reticulum Stress in Vascular Smooth Muscle Increases Vascular Contractility and Blood Pressure in Mice Deficient of AMP-Activated Protein Kinase β 2 In Vivo. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 595-604.	1.1	66
168	Autophagy Controls p38 Activation to Promote Cell Survival under Genotoxic Stress. <i>Journal of Biological Chemistry</i> , 2013, 288, 1603-1611.	1.6	91
169	AMPK Activation by Oncogenesis Is Required to Maintain Cancer Cell Proliferation in Astrocytic Tumors. <i>Cancer Research</i> , 2013, 73, 2628-2638.	0.4	112
170	Adenosine Monophosphate-Activated Protein Kinase β 2 Deficiency Promotes Vascular Smooth Muscle Cell Migration via S-Phase Kinase-Associated Protein 2 Upregulation and E-Cadherin Downregulation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2800-2809.	1.1	21
171	Genetic deletion of catalytic subunits of AMP-activated protein kinase increases osteoclasts and reduces bone mass in young adult mice. <i>Journal of Biological Chemistry</i> , 2013, 288, 23432.	1.6	1
172	Genetic Deletion of Catalytic Subunits of AMP-activated Protein Kinase Increases Osteoclasts and Reduces Bone Mass in Young Adult Mice. <i>Journal of Biological Chemistry</i> , 2013, 288, 12187-12196.	1.6	51
173	Connection Between Cardiac Vascular Permeability, Myocardial Edema, and Inflammation During Sepsis. <i>Critical Care Medicine</i> , 2013, 41, e411-e422.	0.4	48
174	AMPK dysregulation promotes diabetes-related reduction of superoxide and mitochondrial function. <i>Journal of Clinical Investigation</i> , 2013, 123, 4888-4899.	3.9	373
175	AMPK Activation through Mitochondrial Regulation Results in Increased Substrate Oxidation and Improved Metabolic Parameters in Models of Diabetes. <i>PLoS ONE</i> , 2013, 8, e81870.	1.1	48
176	AMP Activated Protein Kinase Is Indispensable for Myocardial Adaptation to Caloric Restriction in Mice. <i>PLoS ONE</i> , 2013, 8, e59682.	1.1	33
177	AMPK regulates contraction-induced glucose uptake in situ but not ex vivo. <i>FASEB Journal</i> , 2013, 27, 1202.12.	0.2	0
178	Abstract C55: Investigating mechanisms of gastrointestinal polyposis and osteoblastic tumor formation induced by mesenchymal Lkb1 deficiency. , 2013, , .		0
179	AMP-activated protein kinase phosphorylates and inactivates liver glycogen synthase. <i>Biochemical Journal</i> , 2012, 443, 193-203.	1.7	98
180	Hepatic Peroxisome Proliferator-Activated Receptor β 3 Coactivator 1 α and Hepcidin Are Coregulated in Fasted/Refed States in Mice. <i>Clinical Chemistry</i> , 2012, 58, 1487-1488.	1.5	2

#	ARTICLE	IF	CITATIONS
181	Protein Kinase D1 Is Essential for Contraction-induced Glucose Uptake but Is Not Involved in Fatty Acid Uptake into Cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2012, 287, 5871-5881.	1.6	32
182	AMP-Activated Protein Kinase $\hat{\pm}1$ Protects Against Diet-Induced Insulin Resistance and Obesity. <i>Diabetes</i> , 2012, 61, 3114-3125.	0.3	39
183	Mice lacking AMP-activated protein kinase $\hat{\pm}1$ catalytic subunit have increased bone remodelling and modified skeletal responses to hormonal challenges induced by ovariectomy and intermittent PTH treatment. <i>Journal of Endocrinology</i> , 2012, 214, 349-358.	1.2	22
184	Inactivation of AMPK $\hat{\pm}1$ Induces Asthenozoospermia and Alters Spermatozoa Morphology. <i>Endocrinology</i> , 2012, 153, 3468-3481.	1.4	78
185	Defining the Contribution of AMP-activated Protein Kinase (AMPK) and Protein Kinase C (PKC) in Regulation of Glucose Uptake by Metformin in Skeletal Muscle Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 20088-20099.	1.6	84
186	Enhanced Ca^{2+} entry and $\text{Na}^{+}/\text{Ca}^{2+}$ exchanger activity in dendritic cells from AMP-activated protein kinase-deficient mice. <i>FASEB Journal</i> , 2012, 26, 3049-3058.	0.2	34
187	Transcriptional regulation of gene expression during osmotic stress responses by the mammalian target of rapamycin. <i>Nucleic Acids Research</i> , 2012, 40, 4368-4384.	6.5	40
188	$\hat{\pm}1$ AMP-Activated Protein Kinase Mediates Vascular Protective Effects of Exercise. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 1632-1641.	1.1	32
189	AMP-activated protein kinase pathway and bone metabolism. <i>Journal of Endocrinology</i> , 2012, 212, 277-290.	1.2	98
190	Activation of AMP-activated protein kinase $\hat{\pm}2$ by nicotine instigates formation of abdominal aortic aneurysms in mice in vivo. <i>Nature Medicine</i> , 2012, 18, 902-910.	15.2	209
191	Ionizing radiation regulates the expression of AMP-activated protein kinase (AMPK) in epithelial cancer cells. <i>Radiotherapy and Oncology</i> , 2012, 102, 459-465.	0.3	39
192	Loss of AMP-Activated Protein Kinase- $\hat{\pm}2$ Impairs the Insulin-Sensitizing Effect of Calorie Restriction in Skeletal Muscle. <i>Diabetes</i> , 2012, 61, 1051-1061.	0.3	82
193	Maintenance of Metabolic Homeostasis by Sestrin2 and Sestrin3. <i>Cell Metabolism</i> , 2012, 16, 311-321.	7.2	242
194	Metformin Reduces Endogenous Reactive Oxygen Species and Associated DNA Damage. <i>Cancer Prevention Research</i> , 2012, 5, 536-543.	0.7	284
195	Cellular and molecular mechanisms of metformin: an overview. <i>Clinical Science</i> , 2012, 122, 253-270.	1.8	1,337
196	1262 ROLE OF SIRT1 AND AMPK IN THE DEVELOPMENT OF INSULIN RESISTANCE ASSOCIATED TO NON-ALCOHOLIC FATTY LIVER DISEASE. <i>Journal of Hepatology</i> , 2012, 56, S499.	1.8	0
197	Activation of the AMP-Activated Protein Kinase by Eicosapentaenoic Acid (EPA, 20:5 n-3) Improves Endothelial Function In Vivo. <i>PLoS ONE</i> , 2012, 7, e35508.	1.1	47
198	Regulation of the Proteasome by AMPK in Endothelial Cells: The Role of O-GlcNAc Transferase (OGT). <i>PLoS ONE</i> , 2012, 7, e36717.	1.1	26

#	ARTICLE	IF	CITATIONS
199	Chronic Exposure to Nicotine Enhances Insulin Sensitivity through $\hat{I}\pm 7$ Nicotinic Acetylcholine Receptor-STAT3 Pathway. PLoS ONE, 2012, 7, e51217.	1.1	43
200	Activation of AMP-activated Protein Kinase Stimulates Na ⁺ ,K ⁺ -ATPase Activity in Skeletal Muscle Cells. Journal of Biological Chemistry, 2012, 287, 23451-23463.	1.6	58
201	Macrophage AMPK $\hat{I}\pm 1$ is necessary for the resolution of inflammation during skeletal muscle regeneration. FASEB Journal, 2012, 26, 1078.5.	0.2	0
202	Localization, Structure and Regulation of AMP-Activated Protein Kinase in the Small Intestine. Gastroenterology, 2011, 140, S-543.	0.6	0
203	AMP-Activated Protein Kinase and Metabolic Control. Handbook of Experimental Pharmacology, 2011, , 303-330.	0.9	85
204	Proteome Analysis of Erythrocytes Lacking AMP-Activated Protein Kinase Reveals a Role of PAK2 Kinase in Eryptosis. Journal of Proteome Research, 2011, 10, 1690-1697.	1.8	83
205	Disorders in AMPK and Insulin Signalling Pathways in the Intestine of Insulin-Resistant and Diabetic Psammomys Obesus. Gastroenterology, 2011, 140, S-544.	0.6	1
206	Metformine et cancer. Du diab \hat{A} te au cancer \hat{A} : de nouvelles perspectives th \hat{A} rapeutiques pour la metformine. Medecine Des Maladies Metaboliques, 2011, 5, 29-37.	0.1	4
207	Cellular Energy Depletion Resets Whole-Body Energy by Promoting Coactivator-Mediated Dietary Fuel Absorption. Cell Metabolism, 2011, 13, 35-43.	7.2	78
208	Cardiotrophin-1 Is a Key Regulator of Glucose and Lipid Metabolism. Cell Metabolism, 2011, 14, 242-253.	7.2	103
209	CCCP induces autophagy in an AMPK-independent manner. Biochemical and Biophysical Research Communications, 2011, 416, 343-348.	1.0	49
210	AMPK Alpha 1-Induced RhoA Phosphorylation Mediates Vasoprotective Effect of Estradiol. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 2634-2642.	1.1	42
211	Regulation of hepatic metabolism by AMPK. Journal of Hepatology, 2011, 54, 827-829.	1.8	90
212	Phosphorylation of ULK1 (hATG1) by AMP-Activated Protein Kinase Connects Energy Sensing to Mitophagy. Science, 2011, 331, 456-461.	6.0	2,107
213	678 AMP-ACTIVATED PROTEIN KINASE (AMPK) IS REQUIRED FOR G1/S PROGRESSION DURING LIVER REGENERATION. Journal of Hepatology, 2011, 54, S273.	1.8	0
214	AMPK Regulates Circadian Rhythms in a Tissue- and Isoform-Specific Manner. PLoS ONE, 2011, 6, e18450.	1.1	113
215	Increased FAT/CD36 Cycling and Lipid Accumulation in Myotubes Derived from Obese Type 2 Diabetic Patients. PLoS ONE, 2011, 6, e28981.	1.1	34
216	AMPK and mTOR regulate autophagy through direct phosphorylation of Ulk1. Nature Cell Biology, 2011, 13, 132-141.	4.6	5,447

#	ARTICLE	IF	CITATIONS
217	The Glycolytic Shift in Fumarate-Hydratase-Deficient Kidney Cancer Lowers AMPK Levels, Increases Anabolic Propensities and Lowers Cellular Iron Levels. <i>Cancer Cell</i> , 2011, 20, 315-327.	7.7	190
218	Metformin activates AMP-activated protein kinase in primary human hepatocytes by decreasing cellular energy status. <i>Diabetologia</i> , 2011, 54, 3101-3110.	2.9	226
219	AMP-activated protein kinase deficiency reduces ozone-induced lung injury and oxidative stress in mice. <i>Respiratory Research</i> , 2011, 12, 64.	1.4	23
220	Nicotinamide phosphoribosyltransferase protects against ischemic stroke through SIRT1-dependent adenosine monophosphate-activated kinase pathway. <i>Annals of Neurology</i> , 2011, 69, 360-374.	2.8	255
221	AMP Activated Protein Kinase- α 2 Regulates Expression of Estrogen-Related Receptor- α , a Metabolic Transcription Factor Related to Heart Failure Development. <i>Hypertension</i> , 2011, 58, 696-703.	1.3	76
222	α 1AMP-Activated Protein Kinase Preserves Endothelial Function During Chronic Angiotensin II Treatment by Limiting Nox2 Upregulation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 560-566.	1.1	65
223	Impaired Expression of Uncoupling Protein 2 Causes Defective Postischemic Angiogenesis in Mice Deficient in AMP-Activated Protein Kinase α Subunits. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1757-1765.	1.1	35
224	AMP-activated protein kinase (AMPK) activity is not required for neuronal development but regulates axogenesis during metabolic stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 5849-5854.	3.3	113
225	Antagonistic control of muscle cell size by AMPK and mTORC1. <i>Cell Cycle</i> , 2011, 10, 2640-2646.	1.3	75
226	AMP-activated Protein Kinase Suppresses Matrix Metalloproteinase-9 Expression in Mouse Embryonic Fibroblasts. <i>Journal of Biological Chemistry</i> , 2011, 286, 16030-16038.	1.6	50
227	Diet and Gastrointestinal Bypass-Induced Weight Loss. <i>Diabetes</i> , 2011, 60, 810-818.	0.3	132
228	The AMPK γ subunit plays an essential role in erythrocyte membrane elasticity, and its genetic inactivation induces splenomegaly and anemia. <i>FASEB Journal</i> , 2011, 25, 337-347.	0.2	33
229	AMPK α 2 Deletion Exacerbates Neointima Formation by Upregulating Skp2 in Vascular Smooth Muscle Cells. <i>Circulation Research</i> , 2011, 109, 1230-1239.	2.0	90
230	Cold tolerance, cold-induced hyperphagia, and nonshivering thermogenesis are normal in α -AMPK α mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 301, R473-R483.	0.9	28
231	Inhibition of the AMP-Activated Protein Kinase- α 2 Accentuates Agonist-Induced Vascular Smooth Muscle Contraction and High Blood Pressure in Mice. <i>Hypertension</i> , 2011, 57, 1010-1017.	1.3	64
232	Adiponectin suppresses gluconeogenic gene expression in mouse hepatocytes independent of LKB1-AMPK signaling. <i>Journal of Clinical Investigation</i> , 2011, 121, 2518-2528.	3.9	147
233	Close encounters of a novel kind: A multi-targeted cancer drug meets a metabolic sensor. <i>Cancer Biology and Therapy</i> , 2010, 10, 77-78.	1.5	1
234	The LKB1/AMPK signaling pathway has tumor suppressor activity in acute myeloid leukemia through the repression of mTOR-dependent oncogenic mRNA translation. <i>Blood</i> , 2010, 116, 4262-4273.	0.6	173

#	ARTICLE	IF	CITATIONS
235	AMPK $\hat{1}\pm 2$ subunit is involved in platelet signaling, clot retraction, and thrombus stability. <i>Blood</i> , 2010, 116, 2134-2140.	0.6	42
236	AICAR induces apoptosis independently of AMPK and p53 through up-regulation of the BH3-only proteins BIM and NOXA in chronic lymphocytic leukemia cells. <i>Blood</i> , 2010, 116, 3023-3032.	0.6	95
237	Loss of AMP-activated protein kinase $\hat{1}\pm 2$ subunit in mouse $\hat{1}^2$ -cells impairs glucose-stimulated insulin secretion and inhibits their sensitivity to hypoglycaemia. <i>Biochemical Journal</i> , 2010, 429, 323-333.	1.7	60
238	Development of hepatic fibrosis occurs normally in AMPK-deficient mice. <i>Clinical Science</i> , 2010, 118, 411-420.	1.8	27
239	Ablation of AMP-activated protein kinase $\hat{1}\pm 1$ and $\hat{1}\pm 2$ from mouse pancreatic beta cells and RIP2.Cre neurons suppresses insulin release in vivo. <i>Diabetologia</i> , 2010, 53, 924-936.	2.9	99
240	AMPK-independent induction of autophagy by cytosolic Ca ²⁺ increase. <i>Cellular Signalling</i> , 2010, 22, 914-925.	1.7	145
241	Maintenance of red blood cell integrity by AMP-activated protein kinase $\hat{1}\pm 1$ catalytic subunit. <i>FEBS Letters</i> , 2010, 584, 3667-3671.	1.3	24
242	Non-CDK-bound p27 (p27NCDK) is a marker for cell stress and is regulated through the Akt/PKB and AMPK-kinase pathways. <i>Experimental Cell Research</i> , 2010, 316, 762-774.	1.2	11
243	PKA phosphorylates and inactivates AMPK $\hat{1}\pm$ to promote efficient lipolysis. <i>EMBO Journal</i> , 2010, 29, 469-481.	3.5	235
244	Stimulation of human and mouse erythrocyte Na ⁺ /K ⁺ /2Cl ⁻ cotransport by osmotic shrinkage does not involve AMP-activated protein kinase, but is associated with STE20/SPS1-related proline/alanine-rich kinase activation. <i>Journal of Physiology</i> , 2010, 588, 2315-2328.	1.3	16
245	Acadesine Inhibits Tissue Factor Induction and Thrombus Formation by Activating the Phosphoinositide 3-Kinase/Akt Signaling Pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1000-1006.	1.1	22
246	AMPK $\hat{1}\pm 2$ Deletion Causes Aberrant Expression and Activation of NAD(P)H Oxidase and Consequent Endothelial Dysfunction In Vivo. <i>Circulation Research</i> , 2010, 106, 1117-1128.	2.0	279
247	Activation of AMP-activated Protein Kinase by Vascular Endothelial Growth Factor Mediates Endothelial Angiogenesis Independently of Nitric-oxide Synthase. <i>Journal of Biological Chemistry</i> , 2010, 285, 10638-10652.	1.6	74
248	Signaling Kinase AMPK Activates Stress-Promoted Transcription via Histone H2B Phosphorylation. <i>Science</i> , 2010, 329, 1201-1205.	6.0	320
249	AMP-Activated Protein Kinase-Deficient Mice Are Resistant to the Metabolic Effects of Resveratrol. <i>Diabetes</i> , 2010, 59, 554-563.	0.3	595
250	AMPK $\hat{1}\pm 1$ Deletion Shortens Erythrocyte Life Span in Mice. <i>Journal of Biological Chemistry</i> , 2010, 285, 19976-19985.	1.6	93
251	AMP-activated Protein Kinase $\hat{1}\pm 2$ Subunit Is Required for the Preservation of Hepatic Insulin Sensitivity by n-3 Polyunsaturated Fatty Acids. <i>Diabetes</i> , 2010, 59, 2737-2746.	0.3	74
252	Coordinated maintenance of muscle cell size control by AMP-activated protein kinase. <i>FASEB Journal</i> , 2010, 24, 3555-3561.	0.2	88

#	ARTICLE	IF	CITATIONS
253	AMPK as a therapeutic target in renal cell carcinoma. <i>Cancer Biology and Therapy</i> , 2010, 10, 1168-1177.	1.5	55
254	Metformin inhibits hepatic gluconeogenesis in mice independently of the LKB1/AMPK pathway via a decrease in hepatic energy state. <i>Journal of Clinical Investigation</i> , 2010, 120, 2355-2369.	3.9	1,001
255	AMP-activated protein kinase (AMPK) activation regulates in vitro bone formation and bone mass. <i>Bone</i> , 2010, 47, 309-319.	1.4	160
256	Metformin, Independent of AMPK, Inhibits mTORC1 in a Rag GTPase-Dependent Manner. <i>Cell Metabolism</i> , 2010, 11, 390-401.	7.2	747
257	AMPK inhibition in health and disease. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2010, 45, 276-295.	2.3	330
258	AMPK: Lessons from transgenic and knockout animals. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 19.	3.0	248
259	Targeting the AMPK pathway for the treatment of Type 2 diabetes. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 3380.	3.0	227
260	Homo-oligomerization and Activation of AMP-activated Protein Kinase Are Mediated by the Kinase Domain I \pm G-Helix. <i>Journal of Biological Chemistry</i> , 2009, 284, 27425-27437.	1.6	25
261	In Vivo Activation of AMP-Activated Protein Kinase Attenuates Diabetes-Enhanced Degradation of GTP Cyclohydrolase I. <i>Diabetes</i> , 2009, 58, 1893-1901.	0.3	132
262	Important role for AMPK β 1 in limiting skeletal muscle cell hypertrophy. <i>FASEB Journal</i> , 2009, 23, 2264-2273.	0.2	106
263	Role of Adenosine 5 α -Monophosphate-Activated Protein Kinase in Interleukin-6 Release from Isolated Mouse Skeletal Muscle. <i>Endocrinology</i> , 2009, 150, 600-606.	1.4	40
264	Basal autophagy induction without AMP-activated protein kinase under low glucose conditions. <i>Autophagy</i> , 2009, 5, 1155-1165.	4.3	39
265	AMP-activated protein kinase activator A-769662 is an inhibitor of the Na $^{+}$ -K $^{+}$ -ATPase. <i>American Journal of Physiology - Cell Physiology</i> , 2009, 297, C1554-C1566.	2.1	56
266	Hypoxic activation of AMPK is dependent on mitochondrial ROS but independent of an increase in AMP/ATP ratio. <i>Free Radical Biology and Medicine</i> , 2009, 46, 1386-1391.	1.3	269
267	Beyond AICA riboside: In search of new specific AMP α -activated protein kinase activators. <i>IUBMB Life</i> , 2009, 61, 18-26.	1.5	81
268	Regulation of Cl $^{-}$ secretion by AMPK in vivo. <i>Pflügers Archiv European Journal of Physiology</i> , 2009, 457, 1071-1078.	1.3	32
269	AMPK controls epithelial Na $^{+}$ channels through Nedd4-2 and causes an epithelial phenotype when mutated. <i>Pflügers Archiv European Journal of Physiology</i> , 2009, 458, 713-721.	1.3	64
270	AMP α -activated protein kinase in the regulation of hepatic energy metabolism: from physiology to therapeutic perspectives. <i>Acta Physiologica</i> , 2009, 196, 81-98.	1.8	401

#	ARTICLE	IF	CITATIONS
271	Ion Channel Regulation by AMPK. <i>Annals of the New York Academy of Sciences</i> , 2009, 1177, 89-100.	1.8	42
272	Crucial role for LKB1 to AMPK \pm 2 axis in the regulation of CD36-mediated long-chain fatty acid uptake into cardiomyocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009, 1791, 212-219.	1.2	83
273	Loss of AMPK exacerbates experimental autoimmune encephalomyelitis disease severity. <i>Biochemical and Biophysical Research Communications</i> , 2009, 386, 16-20.	1.0	64
274	Prevention of steatohepatitis by pioglitazone: Implication of adiponectin-dependent inhibition of SREBP-1c and inflammation. <i>Journal of Hepatology</i> , 2009, 50, 489-500.	1.8	34
275	Mécanisme d'action hépatique de la metformine dans le diabète de type 2. <i>Medecine Des Maladies Metaboliques</i> , 2009, 3, 48-54.	0.1	3
276	Positive Regulatory Control Loop between Gut Leptin and Intestinal GLUT2/GLUT5 Transporters Links to Hepatic Metabolic Functions in Rodents. <i>PLoS ONE</i> , 2009, 4, e7935.	1.1	61
277	AMP-activated protein kinase regulates lymphocyte responses to metabolic stress but is largely dispensable for immune cell development and function. <i>European Journal of Immunology</i> , 2008, 38, 948-956.	1.6	91
278	A769662, a novel activator of AMP-activated protein kinase, inhibits non-proteolytic components of the 26S proteasome by an AMPK-independent mechanism. <i>FEBS Letters</i> , 2008, 582, 2650-2654.	1.3	76
279	Identification of protein kinase D as a novel contraction-activated kinase linked to GLUT4-mediated glucose uptake, independent of AMPK. <i>Cellular Signalling</i> , 2008, 20, 543-556.	1.7	33
280	Role of AMP-activated protein kinase in autophagy and proteasome function. <i>Biochemical and Biophysical Research Communications</i> , 2008, 369, 964-968.	1.0	67
281	AMPK \pm 2 counteracts the development of cardiac hypertrophy induced by isoproterenol. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 677-681.	1.0	57
282	Intestinal Gluconeogenesis Is a Key Factor for Early Metabolic Changes after Gastric Bypass but Not after Gastric Lap-Band in Mice. <i>Cell Metabolism</i> , 2008, 8, 201-211.	7.2	270
283	467 IMPACT OF AMP-ACTIVATED PROTEIN KINASE (AMPK) ON THE CONTROL OF HEPATIC STELLATE CELLS (HSCS) ACTIVATION IN VITRO. <i>Journal of Hepatology</i> , 2008, 48, S178.	1.8	0
284	Upregulation of Mitochondrial Uncoupling Protein-2 by the AMP-Activated Protein Kinase in Endothelial Cells Attenuates Oxidative Stress in Diabetes. <i>Diabetes</i> , 2008, 57, 3222-3230.	0.3	160
285	AMP Activated Protein Kinase \pm 2 Deficiency Exacerbates Pressure-Overload-Induced Left Ventricular Hypertrophy and Dysfunction in Mice. <i>Hypertension</i> , 2008, 52, 918-924.	1.3	165
286	Resveratrol Inhibits Cardiac Hypertrophy via AMP-activated Protein Kinase and Akt. <i>Journal of Biological Chemistry</i> , 2008, 283, 24194-24201.	1.6	216
287	AMP-activated Protein Kinase Phosphorylates and Desensitizes Smooth Muscle Myosin Light Chain Kinase. <i>Journal of Biological Chemistry</i> , 2008, 283, 18505-18512.	1.6	99
288	Role of Adenosine 5'-Monophosphate-Activated Protein Kinase Subunits in Skeletal Muscle Mammalian Target of Rapamycin Signaling. <i>Molecular Endocrinology</i> , 2008, 22, 1105-1112.	3.7	39

#	ARTICLE	IF	CITATIONS
289	AMP-activated Protein Kinase Inhibits Transforming Growth Factor- β -induced Smad3-dependent Transcription and Myofibroblast Transdifferentiation. <i>Journal of Biological Chemistry</i> , 2008, 283, 10461-10469.	1.6	115
290	AMPK β 1 Activation Is Required for Stimulation of Glucose Uptake by Twitch Contraction, but Not by H ₂ O ₂ , in Mouse Skeletal Muscle. <i>PLoS ONE</i> , 2008, 3, e2102.	1.1	77
291	Mechanism of Action of A-769662, a Valuable Tool for Activation of AMP-activated Protein Kinase. <i>Journal of Biological Chemistry</i> , 2007, 282, 32549-32560.	1.6	376
292	Systemic Treatment with the Antidiabetic Drug Metformin Selectively Impairs p53-Deficient Tumor Cell Growth. <i>Cancer Research</i> , 2007, 67, 6745-6752.	0.4	835
293	A role for AMP-activated protein kinase in diabetes-induced renal hypertrophy. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F617-F627.	1.3	253
294	Lack of AMPK β 2 enhances pyruvate dehydrogenase activity during exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E1242-E1249.	1.8	33
295	The relationship between p38 mitogen-activated protein kinase and AMP-activated protein kinase during myocardial ischemia. <i>Cardiovascular Research</i> , 2007, 76, 465-472.	1.8	21
296	Dual cardiac contractile effects of the β 2-AMPK deletion in low-flow ischemia and reperfusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H3136-H3147.	1.5	71
297	Neuroprotective Effects of Adenosine Monophosphate- Activated Protein Kinase Inhibition and Gene Deletion in Stroke. <i>Stroke</i> , 2007, 38, 2992-2999.	1.0	198
298	AMP-Activated Protein Kinase β 2 Deficiency Affects Cardiac Cardiolipin Homeostasis and Mitochondrial Function. <i>Diabetes</i> , 2007, 56, 786-794.	0.3	50
299	Activation of 5'-AMP-activated Kinase with Diabetes Drug Metformin Induces Casein Kinase I ϵ (CKI ϵ)-dependent Degradation of Clock Protein mPer2. <i>Journal of Biological Chemistry</i> , 2007, 282, 20794-20798.	1.6	212
300	A Conserved Sequence Immediately N-terminal to the Bateman Domains in AMP-activated Protein Kinase β 3 Subunits Is Required for the Interaction with the β 2 Subunits. <i>Journal of Biological Chemistry</i> , 2007, 282, 16117-16125.	1.6	25
301	Role of AMPK β 2 in basal, training-, and AICAR-induced GLUT4, hexokinase II, and mitochondrial protein expression in mouse muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E331-E339.	1.8	147
302	AMP-activated protein kinase-independent inhibition of hepatic mitochondrial oxidative phosphorylation by AICA riboside. <i>Biochemical Journal</i> , 2007, 404, 499-507.	1.7	100
303	S6 Kinase Deletion Suppresses Muscle Growth Adaptations to Nutrient Availability by Activating AMP Kinase. <i>Cell Metabolism</i> , 2007, 5, 476-487.	7.2	163
304	Targeting AMP-activated protein kinase as a novel therapeutic approach for the treatment of metabolic disorders. <i>Diabetes and Metabolism</i> , 2007, 33, 395-402.	1.4	156
305	Iron overload in Hepc1 β mice is not impairing glucose homeostasis. <i>FEBS Letters</i> , 2007, 581, 1053-1057.	1.3	27
306	Compound C inhibits hypoxic activation of HIF α 1 independent of AMPK. <i>FEBS Letters</i> , 2007, 581, 5727-5731.	1.3	93

#	ARTICLE	IF	CITATIONS
307	Activation of AMP kinase $\hat{\pm}1$ subunit induces aortic vasorelaxation in mice. <i>Journal of Physiology</i> , 2007, 581, 1163-1171.	1.3	107
308	AMPK is essential for energy homeostasis regulation and glucose sensing by POMC and AgRP neurons. <i>Journal of Clinical Investigation</i> , 2007, 117, 2325-2336.	3.9	445
309	Activation of AMP-activated protein kinase in the liver: a new strategy for the management of metabolic hepatic disorders. <i>Journal of Physiology</i> , 2006, 574, 41-53.	1.3	457
310	Expression of Uncoupling Protein 3 and GLUT4 Gene in Skeletal Muscle of Preterm Newborns: Possible Control by AMP-Activated Protein Kinase. <i>Pediatric Research</i> , 2006, 60, 569-575.	1.1	10
311	Liver Adenosine Monophosphate-Activated Kinase- $\hat{\pm}2$ Catalytic Subunit Is a Key Target for the Control of Hepatic Glucose Production by Adiponectin and Leptin But Not Insulin. <i>Endocrinology</i> , 2006, 147, 2432-2441.	1.4	216
312	AMPK-Mediated AS160 Phosphorylation in Skeletal Muscle Is Dependent on AMPK Catalytic and Regulatory Subunits. <i>Diabetes</i> , 2006, 55, 2051-2058.	0.3	239
313	Role of the $\hat{\pm}2$ -isoform of AMP-activated protein kinase in the metabolic response of the heart to no-flow ischemia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H2875-H2883.	1.5	80
314	Understanding the Molecular Basis of the Interaction between NDPK-A and AMPK $\hat{\pm}1$. <i>Molecular and Cellular Biology</i> , 2006, 26, 5921-5931.	1.1	12
315	5 $\hat{\pm}2$ -AMP-Activated Protein Kinase (AMPK) Is Induced by Low-Oxygen and Glucose Deprivation Conditions Found in Solid-Tumor Microenvironments. <i>Molecular and Cellular Biology</i> , 2006, 26, 5336-5347.	1.1	395
316	Activation of the AMP-Activated Kinase by Antidiabetes Drug Metformin Stimulates Nitric Oxide Synthesis In Vivo by Promoting the Association of Heat Shock Protein 90 and Endothelial Nitric Oxide Synthase. <i>Diabetes</i> , 2006, 55, 496-505.	0.3	411
317	Stimulation of AMP-Activated Protein Kinase Is Essential for the Induction of Drug Metabolizing Enzymes by Phenobarbital in Human and Mouse Liver. <i>Molecular Pharmacology</i> , 2006, 70, 1925-1934.	1.0	84
318	5-Aminoimidazole-4-Carboxamide-1- $\hat{\pm}$ -D-Ribofuranoside and Metformin Inhibit Hepatic Glucose Phosphorylation by an AMP-Activated Protein Kinase-Independent Effect on Glucokinase Translocation. <i>Diabetes</i> , 2006, 55, 865-874.	0.3	171
319	Short-Term Overexpression of a Constitutively Active Form of AMP-Activated Protein Kinase in the Liver Leads to Mild Hypoglycemia and Fatty Liver. <i>Diabetes</i> , 2005, 54, 1331-1339.	0.3	346
320	Anti-lipolytic Action of AMP-activated Protein Kinase in Rodent Adipocytes. <i>Journal of Biological Chemistry</i> , 2005, 280, 25250-25257.	1.6	286
321	Effects of $\hat{\pm}2$ -AMPK knockout on exercise-induced gene activation in mouse skeletal muscle. <i>FASEB Journal</i> , 2005, 19, 1146-1148.	0.2	248
322	Polyunsaturated fatty acids suppress glycolytic and lipogenic genes through the inhibition of ChREBP nuclear protein translocation. <i>Journal of Clinical Investigation</i> , 2005, 115, 2843-2854.	3.9	256
323	Induced Adiposity and Adipocyte Hypertrophy in Mice Lacking the AMP-Activated Protein Kinase- $\hat{\pm}2$ Subunit. <i>Diabetes</i> , 2004, 53, 2242-2249.	0.3	142
324	Knockout of the $\hat{\pm}2$ but Not $\hat{\pm}1$ 5 $\hat{\pm}2$ -AMP-activated Protein Kinase Isoform Abolishes 5-Aminoimidazole-4-carboxamide-1- $\hat{\pm}$ -D-ribofuranosidebut Not Contraction-induced Glucose Uptake in Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 2004, 279, 1070-1079.	1.6	484

#	ARTICLE	IF	CITATIONS
325	5-Aminoimidazole-4-Carboxamide-1- β -D-Ribofuranoside Inhibits Proinflammatory Response in Glial Cells: A Possible Role of AMP-Activated Protein Kinase. <i>Journal of Neuroscience</i> , 2004, 24, 479-487.	1.7	260
326	The β -5'AMP-Activated Protein Kinase Is a Site 2 Glycogen Synthase Kinase in Skeletal Muscle and Is Responsive to Glucose Loading. <i>Diabetes</i> , 2004, 53, 3074-3081.	0.3	215
327	Anti-obesity effects of α -lipoic acid mediated by suppression of hypothalamic AMP-activated protein kinase. <i>Nature Medicine</i> , 2004, 10, 727-733.	15.2	480
328	LRH-1/hB1F and HNF1 synergistically up-regulate hepatitis B virus gene transcription and DNA replication. <i>Cell Research</i> , 2003, 13, 451-458.	5.7	40
329	A possible role for AMP-activated protein kinase in exercise-induced glucose utilization: insights from humans and transgenic animals. <i>Biochemical Society Transactions</i> , 2003, 31, 186-190.	1.6	11
330	Physiological role of AMP-activated protein kinase (AMPK): insights from knockout mouse models. <i>Biochemical Society Transactions</i> , 2003, 31, 216-219.	1.6	215
331	The AMP-activated protein kinase α 2 catalytic subunit controls whole-body insulin sensitivity. <i>Journal of Clinical Investigation</i> , 2003, 111, 91-98.	3.9	444
332	Role of AMP-activated protein kinase in the regulation of gene transcription. <i>Biochemical Society Transactions</i> , 2002, 30, 307-311.	1.6	15
333	Functional analysis of the glucose response element of the rat glucagon receptor gene in insulin-producing INS-1 cells. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2002, 1574, 175-186.	2.4	15
334	Transcription factor-dependent regulation of CBP and P/CAF histone acetyltransferase activity. <i>EMBO Journal</i> , 2001, 20, 1984-1992.	3.5	113
335	Hepatocyte Nuclear Factor 1α Controls the Expression of Terminal Complement Genes. <i>Journal of Experimental Medicine</i> , 2001, 194, 1683-1690.	4.2	19
336	Hepatocyte Nuclear Factor-4 α Involved in Type 1 Maturity-Onset Diabetes of the Young Is a Novel Target of AMP-Activated Protein Kinase. <i>Diabetes</i> , 2001, 50, 1515-1521.	0.3	145
337	Embryonic but Not Postnatal Reexpression of Hepatocyte Nuclear Factor 1α (HNF1 α) Can Reactivate the Silent Phenylalanine Hydroxylase Gene in HNF1 α -Deficient Hepatocytes. <i>Molecular and Cellular Biology</i> , 2001, 21, 3662-3670.	1.1	12
338	Regulation of cdc2 gene expression by the upstream stimulatory factors (USFs). <i>Oncogene</i> , 1999, 18, 1945-1955.	2.6	28
339	TATA Binding Protein Discriminates between Different Lesions on DNA, Resulting in a Transcription Decrease. <i>Molecular and Cellular Biology</i> , 1998, 18, 3907-3914.	1.1	50
340	Upstream Stimulatory Factor-2 (USF2) Activity Is Required for Glucose Stimulation of L-Pyruvate Kinase Promoter Activity in Single Living Islet β -Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 20636-20640.	1.6	71
341	Protein Kinase A-Dependent Phosphorylation Modulates DNA-Binding Activity of Hepatocyte Nuclear Factor 4. <i>Molecular and Cellular Biology</i> , 1997, 17, 4208-4219.	1.1	177
342	An auxiliary peptide required for the function of two activation domains in upstream stimulatory factor 2 (USF2) transcription factor. <i>Genes and Function</i> , 1997, 1, 87-97.	2.8	4

#	ARTICLE	IF	CITATIONS
343	Bcl-2 protects from lethal hepatic apoptosis induced by an anti-Fas antibody in mice. <i>Nature Medicine</i> , 1996, 2, 80-86.	15.2	380
344	Immunochemical Characterization and Transacting Properties of Upstream Stimulatory Factor Isoforms. <i>Journal of Biological Chemistry</i> , 1996, 271, 1405-1415.	1.6	182
345	AMPK and the Metabolic Syndrome. , 0, , 541-569.		0