

# Seetha Shankaran

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/245322/publications.pdf>

Version: 2024-02-01

200  
papers

17,765  
citations

22153

59  
h-index

14208

128  
g-index

213  
all docs

213  
docs citations

213  
times ranked

11449  
citing authors

#	ARTICLE	IF	CITATIONS
1	Whole-Body Hypothermia for Neonates with Hypoxic-Ischemic Encephalopathy. <i>New England Journal of Medicine</i> , 2005, 353, 1574-1584.	27.0	2,498
2	Neonatal Outcomes of Extremely Preterm Infants From the NICHD Neonatal Research Network. <i>Pediatrics</i> , 2010, 126, 443-456.	2.1	2,252
3	Trends in Care Practices, Morbidity, and Mortality of Extremely Preterm Neonates, 1993-2012. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 1039.	7.4	2,008
4	Childhood Outcomes after Hypothermia for Neonatal Encephalopathy. <i>New England Journal of Medicine</i> , 2012, 366, 2085-2092.	27.0	620
5	Therapeutic Hypothermia after Out-of-Hospital Cardiac Arrest in Children. <i>New England Journal of Medicine</i> , 2015, 372, 1898-1908.	27.0	371
6	The Maternal Lifestyle Study: Effects of Substance Exposure During Pregnancy on Neurodevelopmental Outcome in 1-Month-Old Infants. <i>Pediatrics</i> , 2002, 110, 1182-1192.	2.1	275
7	Chorioamnionitis and Early Childhood Outcomes Among Extremely Low-Gestational-Age Neonates. <i>JAMA Pediatrics</i> , 2014, 168, 137.	6.2	241
8	Therapeutic Hypothermia after In-Hospital Cardiac Arrest in Children. <i>New England Journal of Medicine</i> , 2017, 376, 318-329.	27.0	230
9	Whole-Body Hypothermia for Neonatal Encephalopathy: Animal Observations as a Basis for a Randomized, Controlled Pilot Study in Term Infants. <i>Pediatrics</i> , 2002, 110, 377-385.	2.1	223
10	Effect of Depth and Duration of Cooling on Deaths in the NICU Among Neonates With Hypoxic Ischemic Encephalopathy. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 2629.	7.4	222
11	Effect of Therapeutic Hypothermia Initiated After 6 Hours of Age on Death or Disability Among Newborns With Hypoxic-Ischemic Encephalopathy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1550.	7.4	212
12	Low Birth Weight and Preterm Births: Etiologic Fraction Attributable to Prenatal Drug Exposure. <i>Journal of Perinatology</i> , 2005, 25, 631-637.	2.0	200
13	The Maternal Lifestyle Study: Cognitive, Motor, and Behavioral Outcomes of Cocaine-Exposed and Opiate-Exposed Infants Through Three Years of Age. <i>Pediatrics</i> , 2004, 113, 1677-1685.	2.1	192
14	Acute neonatal morbidity and long-term central nervous system sequelae of perinatal asphyxia in term infants. <i>Early Human Development</i> , 1991, 25, 135-148.	1.8	190
15	Hypothermia and Other Treatment Options for Neonatal Encephalopathy: An Executive Summary of the Eunice Kennedy Shriver NICHD Workshop. <i>Journal of Pediatrics</i> , 2011, 159, 851-858.e1.	1.8	189
16	Effect of Depth and Duration of Cooling on Death or Disability at Age 18 Months Among Neonates With Hypoxic-Ischemic Encephalopathy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 57.	7.4	184
17	Elevated Temperature After Hypoxic-Ischemic Encephalopathy: Risk Factor for Adverse Outcomes. <i>Pediatrics</i> , 2008, 122, 491-499.	2.1	183
18	The Maternal Lifestyle Study: Drug exposure during pregnancy and short-term maternal outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 487-495.	1.3	175

#	ARTICLE	IF	CITATIONS
19	Hypothermia and perinatal asphyxia: Executive summary of the National Institute of Child Health and Human Development workshop. <i>Journal of Pediatrics</i> , 2006, 148, 170-175.e1.	1.8	173
20	Correction. <i>Archives of Disease in Childhood</i> , 2014, 99, 301.1-301.	1.9	162
21	Outcomes of Safety and Effectiveness in a Multicenter Randomized, Controlled Trial of Whole-Body Hypothermia for Neonatal Hypoxic-Ischemic Encephalopathy. <i>Pediatrics</i> , 2008, 122, e791-e798.	2.1	159
22	Acute Neonatal Effects of Cocaine Exposure During Pregnancy. <i>JAMA Pediatrics</i> , 2005, 159, 824.	3.0	156
23	Outcome of Term Infants Using Apgar Scores at 10 Minutes Following Hypoxic-Ischemic Encephalopathy. <i>Pediatrics</i> , 2009, 124, 1619-1626.	2.1	144
24	Magnetic resonance spectroscopy assessment of brain injury after moderate hypothermia in neonatal encephalopathy: a prospective multicentre cohort study. <i>Lancet Neurology</i> , The, 2019, 18, 35-45.	10.2	140
25	Neonatal Magnetic Resonance Imaging Pattern of Brain Injury as a Biomarker of Childhood Outcomes following a Trial of Hypothermia for Neonatal Hypoxic-Ischemic Encephalopathy. <i>Journal of Pediatrics</i> , 2015, 167, 987-993.e3.	1.8	135
26	Short- and Long-Term Outcomes of Moderate and Late Preterm Infants. <i>American Journal of Perinatology</i> , 2016, 33, 305-317.	1.4	135
27	Effects of alcohol use, smoking, and illicit drug use on fetal growth in black infants. <i>Journal of Pediatrics</i> , 1994, 124, 757-764.	1.8	134
28	Hypocarbica and Adverse Outcome in Neonatal Hypoxic-Ischemic Encephalopathy. <i>Journal of Pediatrics</i> , 2011, 158, 752-758.e1.	1.8	134
29	Therapeutic Hypothermia for Neonatal Encephalopathy in Low- and Middle-Income Countries: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e58834.	2.5	128
30	Hypothermia for moderate or severe neonatal encephalopathy in low-income and middle-income countries (HELIX): a randomised controlled trial in India, Sri Lanka, and Bangladesh. <i>The Lancet Global Health</i> , 2021, 9, e1273-e1285.	6.3	122
31	Cognitive Outcomes After Neonatal Encephalopathy. <i>Pediatrics</i> , 2015, 135, e624-e634.	2.1	121
32	Developmental Outcomes of Very Preterm Infants with Tracheostomies. <i>Journal of Pediatrics</i> , 2014, 164, 1303-1310.e2.	1.8	119
33	Predicting Outcomes of Neonates Diagnosed With Hypoxemic-Ischemic Encephalopathy. <i>Pediatrics</i> , 2006, 118, 2084-2093.	2.1	116
34	Cumulative Index of Exposure to Hypocarbica and Hyperoxia as Risk Factors for Periventricular Leukomalacia in Low Birth Weight Infants. <i>Pediatrics</i> , 2006, 118, 1654-1659.	2.1	115
35	Impact of maternal substance use during pregnancy on childhood outcome. <i>Seminars in Fetal and Neonatal Medicine</i> , 2007, 12, 143-150.	2.3	111
36	Markers of Successful Extubation in Extremely Preterm Infants, and Morbidity After Failed Extubation. <i>Journal of Pediatrics</i> , 2017, 189, 113-119.e2.	1.8	109

#	ARTICLE	IF	CITATIONS
37	Therapeutic hypothermia in neonates. Review of current clinical data, ILCOR recommendations and suggestions for implementation in neonatal intensive care units. <i>Resuscitation</i> , 2008, 78, 7-12.	3.0	107
38	Evolution of Encephalopathy during Whole Body Hypothermia for Neonatal Hypoxic-Ischemic Encephalopathy. <i>Journal of Pediatrics</i> , 2012, 160, 567-572.e3.	1.8	105
39	Risk factors for early death among extremely low-birth-weight infants. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 796-802.	1.3	102
40	Clinical Seizures in Neonatal Hypoxic-Ischemic Encephalopathy Have No Independent Impact on Neurodevelopmental Outcome: Secondary Analyses of Data from the Neonatal Research Network Hypothermia Trial. <i>Journal of Child Neurology</i> , 2011, 26, 322-328.	1.4	98
41	Outcomes of Small for Gestational Age Infants Born at <27 Weeks' Gestation. <i>Journal of Pediatrics</i> , 2013, 163, 55-60.e3.	1.8	96
42	Gestational cocaine exposure and intrauterine growth: maternal lifestyle study*1. <i>Obstetrics and Gynecology</i> , 2002, 100, 916-924.	2.4	91
43	Predictive Value of an Early Amplitude Integrated Electroencephalogram and Neurologic Examination. <i>Pediatrics</i> , 2011, 128, e112-e120.	2.1	89
44	Outcomes in childhood following therapeutic hypothermia for neonatal hypoxic-ischemic encephalopathy (HIE). <i>Seminars in Perinatology</i> , 2016, 40, 549-555.	2.5	89
45	Prenatal and Perinatal Risk and Protective Factors for Neonatal Intracranial Hemorrhage. <i>JAMA Pediatrics</i> , 1996, 150, 491.	3.0	88
46	Neonatal Encephalopathy: Treatment with Hypothermia. <i>Journal of Neurotrauma</i> , 2009, 26, 437-443.	3.4	87
47	Association of Neurodevelopmental Outcomes and Neonatal Morbidities of Extremely Premature Infants With Differential Exposure to Antenatal Steroids. <i>JAMA Pediatrics</i> , 2016, 170, 1164.	6.2	86
48	Apgar scores at 10 min and outcomes at 6-7 years following hypoxic-ischaemic encephalopathy. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013, 98, F473-F479.	2.8	84
49	Prospective research in infants with mild encephalopathy identified in the first six hours of life: neurodevelopmental outcomes at 18-22 months. <i>Pediatric Research</i> , 2018, 84, 861-868.	2.3	83
50	Surgery and Neurodevelopmental Outcome of Very Low-Birth-Weight Infants. <i>JAMA Pediatrics</i> , 2014, 168, 746.	6.2	82
51	Admission Temperature and Associated Mortality and Morbidity among Moderately and Extremely Preterm Infants. <i>Journal of Pediatrics</i> , 2018, 192, 53-59.e2.	1.8	82
52	Neurodevelopmental Outcomes of Preterm Infants With Retinopathy of Prematurity by Treatment. <i>Pediatrics</i> , 2019, 144, .	2.1	75
53	Outcome of extremely-low-birth-weight infants at highest risk: Gestational age $\geq$ 24 weeks, birth weight $\geq$ 750 g, and 1-minute Apgar $\geq$ 3. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 1084-1091.	1.3	73
54	Hypoxic-ischemic Encephalopathy and Novel Strategies for Neuroprotection. <i>Clinics in Perinatology</i> , 2012, 39, 919-929.	2.1	71

#	ARTICLE	IF	CITATIONS
55	Neonatal outcomes of moderately preterm infants compared to extremely preterm infants. <i>Pediatric Research</i> , 2017, 82, 297-304.	2.3	71
56	Association Between Patterns of Maternal Substance Use and Infant Birth Weight, Length, and Head Circumference. <i>Pediatrics</i> , 2004, 114, e226-e234.	2.1	70
57	Hypothermia for hypoxic-ischemic encephalopathy. <i>Expert Review of Obstetrics and Gynecology</i> , 2010, 5, 227-239.	0.4	69
58	Fetal Origin of Childhood Disease. <i>JAMA Pediatrics</i> , 2006, 160, 977-81.	3.0	68
59	Neurobehavioral Assessment Predicts Motor Outcome in Preterm Infants. <i>Journal of Pediatrics</i> , 2010, 156, 366-371.	1.8	68
60	Therapeutic Hypothermia for Neonatal Encephalopathy. <i>Current Treatment Options in Neurology</i> , 2012, 14, 608-619.	1.8	63
61	Initial Laparotomy Versus Peritoneal Drainage in Extremely Low Birthweight Infants With Surgical Necrotizing Enterocolitis or Isolated Intestinal Perforation. <i>Annals of Surgery</i> , 2021, 274, e370-e380.	4.2	62
62	Therapeutic hypothermia in mild neonatal encephalopathy: a national survey of practice in the UK. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2018, 103, F388-F390.	2.8	61
63	Blood Cytokine Profiles Associated with Distinct Patterns of Bronchopulmonary Dysplasia among Extremely Low Birth Weight Infants. <i>Journal of Pediatrics</i> , 2016, 174, 45-51.e5.	1.8	60
64	Outcome after posthemorrhagic ventriculomegaly in comparison with mild hemorrhage without ventriculomegaly. <i>Journal of Pediatrics</i> , 1989, 114, 109-114.	1.8	57
65	Racial/Ethnic Disparities Among Extremely Preterm Infants in the United States From 2002 to 2016. <i>JAMA Network Open</i> , 2020, 3, e206757.	5.9	56
66	PaCO <sub>2</sub> in Surfactant, Positive Pressure, and Oxygenation Randomised Trial (SUPPORT). <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015, 100, F145-F149.	2.8	52
67	Preterm Neuroimaging and School-Age Cognitive Outcomes. <i>Pediatrics</i> , 2018, 142, .	2.1	52
68	Aerosolized PGE1: A Selective Pulmonary Vasodilator in Neonatal Hypoxemic Respiratory Failure Results of a Phase I/II Open Label Clinical Trial. <i>Pediatric Research</i> , 2004, 56, 579-585.	2.3	51
69	Association of Antenatal Corticosteroids With Mortality, Morbidity, and Neurodevelopmental Outcomes in Extremely Preterm Multiple Gestation Infants. <i>JAMA Pediatrics</i> , 2016, 170, 593.	6.2	51
70	Neonatal Encephalopathy With Group B Streptococcal Disease Worldwide: Systematic Review, Investigator Group Datasets, and Meta-analysis. <i>Clinical Infectious Diseases</i> , 2017, 65, S173-S189.	5.8	51
71	Pulmonary Hypertension Associated with Hypoxic-Ischemic Encephalopathy—Antecedent Characteristics and Comorbidities. <i>Journal of Pediatrics</i> , 2018, 196, 45-51.e3.	1.8	51
72	Therapeutic hypothermia for mild neonatal encephalopathy: a systematic review and meta-analysis. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 225-228.	2.8	51

#	ARTICLE	IF	CITATIONS
73	Maternal Race, Demography, and Health Care Disparities Impact Risk for Intraventricular Hemorrhage in Preterm Neonates. <i>Journal of Pediatrics</i> , 2014, 164, 1005-1011.e3.	1.8	49
74	Neurodevelopmental and Behavioral Outcomes in Extremely Premature Neonates With Ventriculomegaly in the Absence of Periventricular-Intraventricular Hemorrhage. <i>JAMA Pediatrics</i> , 2018, 172, 32.	6.2	46
75	Therapeutic Hypothermia. <i>Clinics in Perinatology</i> , 2018, 45, 241-255.	2.1	43
76	Temperature profile and outcomes of neonates undergoing whole body hypothermia for neonatal hypoxic-ischemic encephalopathy. <i>Pediatric Critical Care Medicine</i> , 2012, 13, 53-59.	0.5	42
77	Elevated temperature and 6â€to 7â€year outcome of neonatal encephalopathy. <i>Annals of Neurology</i> , 2013, 73, 520-528.	5.3	41
78	Effect of inborn vs. outborn delivery on neurodevelopmental outcomes in infants with hypoxicâ€ischemic encephalopathy: secondary analyses of the NICHD whole-body cooling trial. <i>Pediatric Research</i> , 2012, 72, 414-419.	2.3	39
79	Outcomes of Hypoxic-Ischemic Encephalopathy in Neonates Treated with Hypothermia. <i>Clinics in Perinatology</i> , 2014, 41, 149-159.	2.1	39
80	Hypothermia for encephalopathy in low and middle-income countries (HELIX): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 432.	1.6	37
81	Acute Perinatal Sentinel Events, Neonatal Brain Injury Pattern, and Outcome of Infants Undergoing a Trial of Hypothermia for Neonatal Hypoxic-Ischemic Encephalopathy. <i>Journal of Pediatrics</i> , 2017, 180, 275-278.e2.	1.8	35
82	Delivery Room Resuscitation and Short-Term Outcomes in Moderately Preterm Infants. <i>Journal of Pediatrics</i> , 2018, 195, 33-38.e2.	1.8	35
83	The postnatal management of the asphyxiated term infant. <i>Clinics in Perinatology</i> , 2002, 29, 675-692.	2.1	34
84	Summary Statistics of Neonatal Intensive Care Unit Network Neurobehavioral Scale Scores From the Maternal Lifestyle Study: A Quasinormative Sample. <i>Pediatrics</i> , 2004, 113, 668-675.	2.1	34
85	Screening Cranial Imaging at Multiple Time Points Improves Cystic Periventricular Leukomalacia Detection. <i>American Journal of Perinatology</i> , 2015, 32, 973-979.	1.4	33
86	Hypothermia as a Treatment for Birth Asphyxia. <i>Clinical Obstetrics and Gynecology</i> , 2007, 50, 624-635.	1.1	32
87	Genome-wide association study of sepsis in extremely premature infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017, 102, F439-F445.	2.8	32
88	Therapeutic hypothermia initiated within 6 hours of birth is associated with reduced brain injury on MR biomarkers in mild hypoxic-ischaemic encephalopathy: a non-randomised cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019, 104, F515-F520.	2.8	32
89	Hypothermia: An Evolving Treatment for Neonatal Hypoxic Ischemic Encephalopathy. <i>Pediatrics</i> , 2008, 121, 648-649.	2.1	31
90	Adenosine Infusion Improves Oxygenation in Term Infants With Respiratory Failure. <i>Pediatrics</i> , 1996, 97, 295-300.	2.1	31

#	ARTICLE	IF	CITATIONS
91	Risk for obesity in adolescence starts in early childhood. <i>Journal of Perinatology</i> , 2011, 31, 711-716.	2.0	29
92	Functional status at 18 months of age as a predictor of childhood disability after neonatal hypoxic-ischemic encephalopathy. <i>Developmental Medicine and Child Neurology</i> , 2014, 56, 1052-1058.	2.1	29
93	Association between sedation/analgesia and neurodevelopment outcomes in neonatal hypoxic-ischemic encephalopathy. <i>Journal of Perinatology</i> , 2018, 38, 1060-1067.	2.0	29
94	Therapeutic hypothermia for neonatal encephalopathy. <i>Current Opinion in Pediatrics</i> , 2015, 27, 152-157.	2.0	28
95	Impact of Interhospital Transport on the Physiologic Status of Very Low-Birth-Weight Infants. <i>American Journal of Perinatology</i> , 2014, 31, 237-244.	1.4	27
96	Death or Neurodevelopmental Impairment at 18 to 22 Months Corrected Age in a Randomized Trial of Early Dexamethasone to Prevent Death or Chronic Lung Disease in Extremely Low Birth Weight Infants. <i>Journal of Pediatrics</i> , 2014, 164, 34-39.e2.	1.8	27
97	Antenatal magnesium sulfate exposure and acute cardiorespiratory events in preterm infants. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 94.e1-94.e7.	1.3	27
98	Outcomes of Extremely Preterm Infants Born to Insulin-Dependent Diabetic Mothers. <i>Pediatrics</i> , 2016, 137, .	2.1	27
99	Inadequate oral feeding as a barrier to discharge in moderately preterm infants. <i>Journal of Perinatology</i> , 2019, 39, 1219-1228.	2.0	27
100	Hypothermia for encephalopathy in low-income and middle-income countries: feasibility of whole-body cooling using a low-cost servo-controlled device. <i>BMJ Paediatrics Open</i> , 2018, 2, e000245.	1.4	26
101	Residual brain injury after early discontinuation of cooling therapy in mild neonatal encephalopathy. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2018, 103, F383-F387.	2.8	26
102	Effects of Myo-inositol on Type 1 Retinopathy of Prematurity Among Preterm Infants &lt;28 Weeks&sup>™&sup> Gestational Age. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1649.	7.4	26
103	Neonatal Encephalopathic Cerebral Injury in South India Assessed by Perinatal Magnetic Resonance Biomarkers and Early Childhood Neurodevelopmental Outcome. <i>PLoS ONE</i> , 2014, 9, e87874.	2.5	26
104	Mothers' Reports of Their Low Birth Weight Infants' Subsequent Development on the Minnesota Child Development Inventory. <i>Journal of Pediatric Psychology</i> , 1980, 5, 353-364.	2.1	25
105	Prevention, Diagnosis, and Treatment of Cerebral Palsy in Near-term and Term Infants. <i>Clinical Obstetrics and Gynecology</i> , 2008, 51, 829-839.	1.1	25
106	Outcomes of extremely low birthweight infants with acidosis at birth. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014, 99, F263-F268.	2.8	25
107	Hypothermia for neonatal hypoxic-ischemic encephalopathy: NICHD Neonatal Research Network contribution to the field. <i>Seminars in Perinatology</i> , 2016, 40, 385-390.	2.5	25
108	Early caregiving stress exposure moderates the relation between respiratory sinus arrhythmia reactivity at 1 month and biobehavioral outcomes at age 3. <i>Psychophysiology</i> , 2016, 53, 83-96.	2.4	25

#	ARTICLE	IF	CITATIONS
109	Infants'™ early visual attention and social engagement as developmental precursors to joint attention.. <i>Developmental Psychology</i> , 2016, 52, 1721-1731.	1.6	25
110	Rise and Fall of Therapeutic Hypothermia in Low-Resource Settings: Lessons from the HELIX Trial. <i>Indian Journal of Pediatrics</i> , 2021, , 1.	0.8	25
111	Changes in Amplitude-integrated Electroencephalography in Neonates Treated with Extracorporeal Membrane Oxygenation: A Pilot Study. <i>Journal of Pediatrics</i> , 2006, 148, 125-127.	1.8	23
112	Cerebral Palsy and Growth Failure at 6 to 7 Years. <i>Pediatrics</i> , 2013, 132, e905-e914.	2.1	23
113	Outcomes from infancy to adulthood after assisted reproductive technology. <i>Fertility and Sterility</i> , 2014, 101, 1217-1221.	1.0	23
114	Association between Urinary Lactate to Creatinine Ratio and Neurodevelopmental Outcome in Term Infants with Hypoxic-Ischemic Encephalopathy. <i>Journal of Pediatrics</i> , 2008, 153, 375-378.e2.	1.8	22
115	Changes in the PQRST Intervals and Heart Rate Variability Associated with Rewarming in Two Newborns Undergoing Hypothermia Therapy. <i>Neonatology</i> , 2009, 96, 93-95.	2.0	22
116	Outcomes of Preterm Infants following Discussions about Withdrawal or Withholding of Life Support. <i>Journal of Pediatrics</i> , 2017, 190, 118-123.e4.	1.8	22
117	Phenobarbital and Temperature Profile During Hypothermia for Hypoxic-Ischemic Encephalopathy. <i>Journal of Child Neurology</i> , 2012, 27, 451-457.	1.4	21
118	Pharmacokinetics and safety of a single intravenous dose of myo-inositol in preterm infants of 23-29 wk. <i>Pediatric Research</i> , 2013, 74, 721-729.	2.3	21
119	Inhaled PGE1 in neonates with hypoxemic respiratory failure: two pilot feasibility randomized clinical trials. <i>Trials</i> , 2014, 15, 486.	1.6	21
120	Therapeutic hypothermia for neonatal encephalopathy in Indian neonatal units: A survey of national practices. <i>Indian Pediatrics</i> , 2017, 54, 969-970.	0.4	21
121	Outcomes Following Post-Hemorrhagic Ventricular Dilatation among Infants of Extremely Low Gestational Age. <i>Journal of Pediatrics</i> , 2020, 226, 36-44.e3.	1.8	21
122	Hypothermia for hypoxic ischemic encephalopathy in infants <math>\leq 36</math>weeks. <i>Early Human Development</i> , 2009, 85, S49-S52.	1.8	20
123	Magnetic Resonance Biomarkers in Neonatal Encephalopathy (MARBLE): a prospective multicountry study. <i>BMJ Open</i> , 2015, 5, e008912.	1.9	20
124	Safety and pharmacokinetics of multiple dose myo-inositol in preterm infants. <i>Pediatric Research</i> , 2016, 80, 209-217.	2.3	20
125	Outcome of Preterm Infants with Transient Cystic Periventricular Leukomalacia on Serial Cranial Imaging Up to Term Equivalent Age. <i>Journal of Pediatrics</i> , 2018, 195, 59-65.e3.	1.8	20
126	Preemptive Morphine During Therapeutic Hypothermia After Neonatal Encephalopathy: A Secondary Analysis. <i>Therapeutic Hypothermia and Temperature Management</i> , 2020, 10, 45-52.	0.9	19



#	ARTICLE	IF	CITATIONS
127	Prenatal cocaine exposure and childhood obesity at nine years. <i>Neurotoxicology and Teratology</i> , 2011, 33, 188-197.	2.4	18
128	Discordance in Antenatal Corticosteroid Use and Resuscitation Following Extremely Preterm Birth. <i>Journal of Pediatrics</i> , 2019, 208, 156-162.e5.	1.8	18
129	Prenatal cocaine exposure and BMI and blood pressure at 9 years of age. <i>Journal of Hypertension</i> , 2010, 28, 1166-1175.	0.5	18
130	Challenge of conducting trials of neuroprotection in the asphyxiated term infant. <i>Seminars in Perinatology</i> , 2003, 27, 320-332.	2.5	17
131	Long-Term Impact of Maternal Substance Use During Pregnancy and Extrauterine Environmental Adversity: Stress Hormone Levels of Preadolescent Children. <i>Pediatric Research</i> , 2011, 70, 213-219.	2.3	17
132	Hypothermia: Novel approaches for premature infants. <i>Early Human Development</i> , 2011, 87, S17-S18.	1.8	17
133	Adrenal function links to early postnatal growth and blood pressure at age 6 in children born extremely preterm. <i>Pediatric Research</i> , 2019, 86, 339-347.	2.3	17
134	Transcriptomics of Maternal and Fetal Membranes Can Discriminate between Gestational-Age Matched Preterm Neonates with and without Cognitive Impairment Diagnosed at 18-24 Months. <i>PLoS ONE</i> , 2015, 10, e0118573.	2.5	16
135	Weaning of Moderately Preterm Infants from the Incubator to the Crib: A Randomized Clinical Trial. <i>Journal of Pediatrics</i> , 2019, 204, 96-102.e4.	1.8	16
136	Genetic variants associated with patent ductus arteriosus in extremely preterm infants. <i>Journal of Perinatology</i> , 2019, 39, 401-408.	2.0	16
137	Need for more evidence in the prevention and management of perinatal asphyxia and neonatal encephalopathy in low and middle-income countries: A call for action. <i>Seminars in Fetal and Neonatal Medicine</i> , 2021, 26, 101271.	2.3	16
138	Advantages of Bayesian monitoring methods in deciding whether and when to stop a clinical trial: an example of a neonatal cooling trial. <i>Trials</i> , 2016, 17, 335.	1.6	15
139	Whole Blood Gene Expression Reveals Specific Transcriptome Changes in Neonatal Encephalopathy. <i>Neonatology</i> , 2019, 115, 68-76.	2.0	15
140	Association Between Increased Seizures During Rewarming After Hypothermia for Neonatal Hypoxic Ischemic Encephalopathy and Abnormal Neurodevelopmental Outcomes at 2-Year Follow-up. <i>JAMA Neurology</i> , 2021, 78, 1484.	9.0	15
141	Brain Sonography, Computed Tomography, and Single-Photon Emission Computed Tomography in Term Neonates with Perinatal Asphyxia. <i>Clinics in Perinatology</i> , 1993, 20, 379-394.	2.1	14
142	Temperature Control During Therapeutic Hypothermia for Newborn Encephalopathy Using Different Blanketrol Devices. <i>Therapeutic Hypothermia and Temperature Management</i> , 2014, 4, 193-200.	0.9	14
143	The contributions of early adverse experiences and trajectories of respiratory sinus arrhythmia on the development of neurobehavioral disinhibition among children with prenatal substance exposure. <i>Development and Psychopathology</i> , 2014, 26, 901-916.	2.3	14
144	Effects of Hypoxic-Ischemic Encephalopathy and Whole-Body Hypothermia on Neonatal Auditory Function: A Pilot Study. <i>American Journal of Perinatology</i> , 2008, 25, 435-441.	1.4	13

#	ARTICLE	IF	CITATIONS
145	Hypothermia for Perinatal Asphyxial Encephalopathy. <i>New England Journal of Medicine</i> , 2010, 362, 1051-1052.	27.0	13
146	Is It Time for a Randomized Controlled Trial of Hypothermia for Mild Hypoxic-Ischemic Encephalopathy?. <i>Journal of Pediatrics</i> , 2020, 220, 241-244.	1.8	13
147	Neurological and developmental outcomes following neonatal encephalopathy treated with therapeutic hypothermia. <i>Seminars in Fetal and Neonatal Medicine</i> , 2021, 26, 101274.	2.3	13
148	Transactional relations between caregiving stress, executive functioning, and problem behavior from early childhood to early adolescence. <i>Development and Psychopathology</i> , 2016, 28, 743-756.	2.3	12
149	Antecedents and Outcomes of Abnormal Cranial Imaging in Moderately Preterm Infants. <i>Journal of Pediatrics</i> , 2018, 195, 66-72.e3.	1.8	12
150	Limitations of Conventional Magnetic Resonance Imaging as a Predictor of Death or Disability Following Neonatal Hypoxic-Ischemic Encephalopathy in the Late Hypothermia Trial. <i>Journal of Pediatrics</i> , 2021, 230, 106-111.e6.	1.8	12
151	Neonatal Encephalopathy: Treatment With Hypothermia. <i>NeoReviews</i> , 2010, 11, e85-e92.	0.8	11
152	Growth Outcomes of Preterm Infants Exposed to Different Oxygen Saturation Target Ranges from Birth. <i>Journal of Pediatrics</i> , 2016, 176, 62-68.e4.	1.8	11
153	Early-Onset Neonatal Group B Streptococcal Sepsis: Intrapartum Antibiotic Prophylaxis in the Clinical Setting. <i>Journal of Perinatology</i> , 2001, 21, 9-14.	2.0	10
154	Current Status of Hypothermia for Hypoxemic Ischemia of the Newborn. <i>Indian Journal of Pediatrics</i> , 2014, 81, 578-584.	0.8	10
155	Withholding or withdrawing life-sustaining treatment in extremely low gestational age neonates. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2021, 106, 238-243.	2.8	10
156	Identifying at Risk Infants Following Neonatal Extracorporeal Membrane Oxygenation. <i>Journal of Perinatology</i> , 1999, 19, 367-372.	2.0	9
157	Apolipoprotein E genotype and outcome in infants with hypoxic-ischemic encephalopathy. <i>Pediatric Research</i> , 2014, 75, 424-430.	2.3	9
158	Reactivity and regulation of motor responses in cocaine-exposed infants. <i>Neurotoxicology and Teratology</i> , 2014, 43, 25-32.	2.4	9
159	Effects of prenatal substance exposure on infant temperament vary by context. <i>Development and Psychopathology</i> , 2016, 28, 309-326.	2.3	9
160	Birth weight discordance in very low birth weight twins: mortality, morbidity, and neurodevelopment. <i>Journal of Perinatology</i> , 2019, 39, 1229-1240.	2.0	9
161	Pre-emptive opioid sedation during therapeutic hypothermia. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 108-109.	2.8	9
162	Early Determination of Prognosis in Neonatal Moderate or Severe Hypoxic-Ischemic Encephalopathy. <i>Pediatrics</i> , 2021, 147, .	2.1	9

#	ARTICLE	IF	CITATIONS
163	Prenatal Cocaine Exposure and Motor Performance at 4 Months. American Journal of Occupational Therapy, 2011, 65, e60-e68.	0.3	9
164	Prenatal cocaine exposure and BMI and blood pressure at 9 years of age. Journal of Hypertension, 2010, 28, 1166-75.	0.5	9
165	Systemic levels following PGE 1 inhalation in neonatal hypoxemic respiratory failure. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 1093-1098.	1.5	7
166	Prenatal cocaine exposure and small-for-gestational-age status: Effects on growth at 6years of age. Neurotoxicology and Teratology, 2011, 33, 575-581.	2.4	7
167	Maternal and infant affect at 4 months predicts performance and verbal IQ at 4 and 7 years in a diverse population. Developmental Science, 2017, 20, e12479.	2.4	7
168	Efficacy of pharmacologic closure of patent ductus arteriosus in small-for-gestational-age extremely preterm infants. Early Human Development, 2017, 113, 10-17.	1.8	7
169	Early Elevation in Interleukin-6 is Associated with Reduced Growth in Extremely Low Birth Weight Infants. American Journal of Perinatology, 2017, 34, 240-247.	1.4	7
170	Transcriptomic profile of adverse neurodevelopmental outcomes after neonatal encephalopathy. Scientific Reports, 2020, 10, 13100.	3.3	7
171	Association of Total Sarnat Score with brain injury and neurodevelopmental outcomes after neonatal encephalopathy. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2021, 106, 669-672.	2.8	7
172	Predictive Ability of 10-Minute Apgar Scores for Mortality and Neurodevelopmental Disability. Pediatrics, 2022, 149, .	2.1	7
173	Incidence, Management, and Outcomes of Cardiovascular Insufficiency in Critically Ill Term and Late Preterm Newborn Infants. American Journal of Perinatology, 2014, 31, 947-956.	1.4	6
174	The Neonatal Research Network: History since 2003, future directions and challenges. Seminars in Perinatology, 2016, 40, 337-340.	2.5	6
175	Blood Biomarkers and 6- to 7-Year Childhood Outcomes Following Neonatal Encephalopathy. American Journal of Perinatology, 2022, 39, 732-749.	1.4	6
176	Outcomes of infants with hypoxic ischemic encephalopathy and persistent pulmonary hypertension of the newborn: results from three NICHD studies. Journal of Perinatology, 2021, 41, 502-511.	2.0	6
177	Neonatal Morbidities among Moderately Preterm Infants with and without Exposure to Antenatal Corticosteroids. American Journal of Perinatology, 2018, 35, 1213-1221.	1.4	5
178	Response to a different view concerning the NICHD neonatal research network late hypothermia trial. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 772-773.	1.5	5
179	In-hospital mortality and morbidity among extremely preterm infants in relation to maternal body mass index. Journal of Perinatology, 2021, 41, 1014-1024.	2.0	5
180	Reference Values for Three Channels of Amplitude-Integrated EEG Using the Brainz BRM3 Cerebral Function Monitor in Normal Term Neonates: A Pilot Study. Pediatric Neurology, 2015, 52, 344-348.	2.1	4

#	ARTICLE	IF	CITATIONS
181	Childhood neurodevelopmental outcome following extremely preterm birth. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 843-844.	5.6	4
182	Association of prenatal opiate exposure with youth outcomes assessed from infancy through adolescence. <i>Journal of Perinatology</i> , 2020, 40, 1056-1065.	2.0	4
183	White matter injury after neonatal encephalopathy is associated with thalamic metabolite perturbations. <i>EBioMedicine</i> , 2020, 52, 102663.	6.1	4
184	Parental and professional perceptions of informed consent and participation in a time-critical neonatal trial: a mixed-methods study in India, Sri Lanka and Bangladesh. <i>BMJ Global Health</i> , 2021, 6, e005757.	4.7	4
185	Questions about the HELIX trial – Authors' reply. <i>The Lancet Global Health</i> , 2021, 9, e1654-e1655.	6.3	4
186	Model for severe intracranial hemorrhage and role of early indomethacin in extreme preterm infants. <i>Pediatric Research</i> , 2022, , .	2.3	4
187	Feasibility of invasive monitoring of intracranial pressure in term neonates. <i>Brain and Development</i> , 1994, 16, 121-125.	1.1	3
188	Growth Rates of Infants Randomized to Continuous Positive Airway Pressure or Intubation After Extremely Preterm Birth. <i>Journal of Pediatrics</i> , 2021, 237, 148-153.e3.	1.8	3
189	Blanket temperature during therapeutic hypothermia and outcomes in hypoxic ischemic encephalopathy. <i>Journal of Perinatology</i> , 2022, 42, 348-353.	2.0	3
190	Neuroprotection for hypoxic-ischemic encephalopathy: Contributions from the neonatal research network. <i>Seminars in Perinatology</i> , 2022, 46, 151639.	2.5	3
191	Hemorrhagic lesions of the central nervous system. , 2003, , 175-188.		2
192	Neonatal oxygen saturations and blood pressure at school-age in children born extremely preterm: a cohort study. <i>Journal of Perinatology</i> , 2020, 40, 902-908.	2.0	2
193	Duration of noninvasive respiratory support and risk for bronchopulmonary dysplasia or death. <i>Journal of Perinatology</i> , 2022, 42, 454-460.	2.0	2
194	Definitions of Cardiovascular Insufficiency and Relation to Outcomes in Critically Ill Newborn Infants. <i>American Journal of Perinatology</i> , 2015, 32, 1024-1030.	1.4	1
195	Hypothermia for neonatal encephalopathy: how do we move forward?. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2022, 107, 4-5.	2.8	1
196	PREDICTIVE VALUE OF AMPLITUDE-INTEGRATED ELECTROENCEPHALOGRAPHY ON OUTCOME IN NEONATAL EXTRACORPOREAL MEMBRANE OXYGENATION. <i>Pediatrics</i> , 2008, 121, S140.2-S140.	2.1	0
197	Rise and Fall of Therapeutic Hypothermia in Low-Resource Settings: Lessons from the HELIX Trial: Authors' Reply. <i>Indian Journal of Pediatrics</i> , 2022, 89, 311-313.	0.8	0
198	<i>In Reply</i>: Does Adenosine Infusion Improve Oxygenation in Term Infants With Respiratory Failure?. <i>Pediatrics</i> , 1996, 98, 1225-1225.	2.1	0

#	ARTICLE	IF	CITATIONS
199	Current Status of Therapeutic Hypothermia in India: Few Concerns: Authors' Reply. Indian Pediatrics, 2018, 55, 347-348.	0.4	0
200	The effects of betamethasone on the amplitude integrated EEG of infants born at 34- or 35-weeks gestation. Journal of Perinatology, 0, , .	2.0	0