## Zhiwei Liu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2459899/publications.pdf

Version: 2024-02-01

361413 315739 1,745 70 20 38 h-index citations g-index papers 71 71 71 1999 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	An Epidemiological and Molecular Study of the Relationship Between Smoking, Risk of Nasopharyngeal Carcinoma, and Epstein–Barr Virus Activation. Journal of the National Cancer Institute, 2012, 104, 1396-1410.	6.3	164
2	Genome sequencing analysis identifies Epstein–Barr virus subtypes associated with high risk of nasopharyngeal carcinoma. Nature Genetics, 2019, 51, 1131-1136.	21.4	133
3	Fluctuations of Epstein-Barr Virus Serological Antibodies and Risk for Nasopharyngeal Carcinoma: A Prospective Screening Study with a 20-Year Follow-Up. PLoS ONE, 2011, 6, e19100.	2.5	129
4	Establishment of VCA and EBNA1 IgAâ€based combination by enzymeâ€linked immunosorbent assay as preferred screening method for nasopharyngeal carcinoma: a twoâ€stage design with a preliminary performance study and a mass screening in southern China. International Journal of Cancer, 2012, 131, 406-416.	5.1	116
5	Two Epstein-Barr Virus-Related Serologic Antibody Tests in Nasopharyngeal Carcinoma Screening: Results From the Initial Phase of a Cluster Randomized Controlled Trial in Southern China. American Journal of Epidemiology, 2013, 177, 242-250.	3.4	108
6	Tumor Microenvironment Macrophage Inhibitory Factor Directs the Accumulation of Interleukin-17-producing Tumor-infiltrating Lymphocytes and Predicts Favorable Survival in Nasopharyngeal Carcinoma Patients. Journal of Biological Chemistry, 2012, 287, 35484-35495.	3.4	73
7	Active and Passive Smoking and Risk of Nasopharyngeal Carcinoma: A Population-Based Case-Control Study in Southern China. American Journal of Epidemiology, 2017, 185, 1272-1280.	3.4	68
8	Evaluation of plasma Epsteinâ€Barr virus DNA load to distinguish nasopharyngeal carcinoma patients from healthy highâ€risk populations in Southern China. Cancer, 2014, 120, 1353-1360.	4.1	62
9	Quantification of familial risk of nasopharyngeal carcinoma in a highâ€incidence area. Cancer, 2017, 123, 2716-2725.	4.1	54
10	Identification of a Novel, EBV-Based Antibody Risk Stratification Signature for Early Detection of Nasopharyngeal Carcinoma in Taiwan. Clinical Cancer Research, 2018, 24, 1305-1314.	7.0	52
11	Oral Hygiene and Risk of Nasopharyngeal Carcinoma—A Population-Based Case–Control Study in China. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1201-1207.	2.5	46
12	Whole-Exome Sequencing of Nasopharyngeal Carcinoma Families Reveals Novel Variants Potentially Involved in Nasopharyngeal Carcinoma. Scientific Reports, 2019, 9, 9916.	3.3	32
13	Hepatitis B Virus Infection and Risk of Nasopharyngeal Carcinoma in Southern China. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1766-1773.	2.5	30
14	Integrative molecular characterisation of gallbladder cancer reveals micro-environment-associated subtypes. Journal of Hepatology, 2021, 74, 1132-1144.	3.7	30
15	Association between poor oral health and gastric cancer: A prospective cohort study. International Journal of Cancer, 2018, 143, 2281-2288.	5.1	29
16	Sepsis and Risk of Cancer Among Elderly Adults in the United States. Clinical Infectious Diseases, 2019, 68, 717-724.	5.8	29
17	Development of a population-based cancer case-control study in southern china. Oncotarget, 2017, 8, 87073-87085.	1.8	29
18	Past and Recent Salted Fish and Preserved Food Intakes Are Weakly Associated with Nasopharyngeal Carcinoma Risk in Adults in Southern China. Journal of Nutrition, 2019, 149, 1596-1605.	2.9	25

#	Article	IF	Citations
19	Association of circulating inflammation proteins and gallstone disease. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 1920-1924.	2.8	23
20	Association Between Aspirin Use and Biliary Tract Cancer Survival. JAMA Oncology, 2019, 5, 1802.	7.1	23
21	Statin use and reduced risk of biliary tract cancers in the UK Clinical Practice Research Datalink. Gut, 2019, 68, 1458-1464.	12.1	23
22	The Association between the Comprehensive Epstein–Barr Virus Serologic Profile and Endemic Burkitt Lymphoma. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 57-62.	2.5	23
23	Inverse Association Between Poor Oral Health and Inflammatory Bowel Diseases. Clinical Gastroenterology and Hepatology, 2017, 15, 525-531.	4.4	21
24	Chinese nonmedicinal herbal diet and risk of nasopharyngeal carcinoma: A populationâ€based caseâ€control study. Cancer, 2019, 125, 4462-4470.	4.1	21
25	Tobacco Use, Oral Health, and Risk of Parkinson's Disease. American Journal of Epidemiology, 2017, 185, 538-545.	3.4	20
26	Medical History, Medication Use, and Risk of Nasopharyngeal Carcinoma. American Journal of Epidemiology, 2018, 187, 2117-2125.	3.4	20
27	Sibship size, birth order and risk of nasopharyngeal carcinoma and infectious mononucleosis: a nationwide study in Sweden. International Journal of Epidemiology, 2016, 45, 825-834.	1.9	19
28	Mass screening for liver cancer: results from a demonstration screening project in Zhongshan City, China. Scientific Reports, 2018, 8, 12787.	3.3	17
29	Cancer risk in the relatives of patients with nasopharyngeal carcinoma—a register-based cohort study in Sweden. British Journal of Cancer, 2015, 112, 1827-1831.	6.4	16
30	Benign tumors in myotonic dystrophy type I target diseaseâ€related cancer sites. Annals of Clinical and Translational Neurology, 2019, 6, 1510-1518.	3.7	16
31	<scp>Epsteinâ€Barr</scp> virus and human papillomavirus serum antibodies define the viral status of nasopharyngeal carcinoma in a low endemic country. International Journal of Cancer, 2020, 147, 461-471.	5.1	16
32	Circulating Levels of Inflammatory Proteins and Survival in Patients with Gallbladder Cancer. Scientific Reports, 2018, 8, 5671.	3.3	15
33	Body mass index, body shape, and risk of nasopharyngeal carcinoma: A populationâ€based case–control study in Southern China. Cancer Medicine, 2019, 8, 1835-1844.	2.8	15
34	Evaluation of the antibody response to the EBV proteome in EBVâ€associated classical Hodgkin lymphoma. International Journal of Cancer, 2020, 147, 608-618.	5.1	15
35	Patterns of Human Leukocyte Antigen Class I and Class II Associations and Cancer. Cancer Research, 2021, 81, 1148-1152.	0.9	15
36	Moist smokeless tobacco (Snus) use and risk of Parkinson's disease. International Journal of Epidemiology, 2017, 46, dyw294.	1.9	14

#	Article	IF	Citations
37	Cigarette smoking increases the risk of nasopharyngeal carcinoma through the elevated level of IgA antibody against Epsteinâ€Barr virus capsid antigen: A mediation analysis. Cancer Medicine, 2020, 9, 1867-1876.	2.8	14
38	Validation of an Epstein-Barr Virus Antibody Risk Stratification Signature for Nasopharyngeal Carcinoma by Use of Multiplex Serology. Journal of Clinical Microbiology, 2020, 58, .	3.9	14
39	Immunologic markers and risk of hepatocellular carcinoma in hepatitis B virus†and hepatitis C virus†infected individuals. Alimentary Pharmacology and Therapeutics, 2021, 54, 833-842.	3.7	14
40	Patterns of Interindividual Variability in the Antibody Repertoire Targeting Proteins Across the Epstein-Barr Virus Proteome. Journal of Infectious Diseases, 2018, 217, 1923-1931.	4.0	13
41	Residence characteristics and risk of nasopharyngeal carcinoma in southern China: A population-based case-control study. Environment International, 2021, 151, 106455.	10.0	11
42	Prospective assessment of a nasopharyngeal carcinoma risk score in a population undergoing screening. International Journal of Cancer, 2021, 148, 2398-2406.	5.1	9
43	Comparison of new magnetic resonance imaging grading system with conventional endoscopy for the early detection of nasopharyngeal carcinoma. Cancer, 2021, 127, 3403-3412.	4.1	9
44	Multilaboratory Assessment of Epstein-Barr Virus Serologic Assays: the Case for Standardization. Journal of Clinical Microbiology, 2019, 57, .	3.9	8
45	Reproductive history and risk of nasopharyngeal carcinoma: A population-based case–control study in southern China. Oral Oncology, 2019, 88, 102-108.	1.5	8
46	Context but not reading speed modulates transposed-word effects in Chinese reading. Acta Psychologica, 2021, 215, 103272.	1.5	8
47	A transposed-word effect across space and time: Evidence from Chinese. Cognition, 2022, 218, 104922.	2.2	8
48	Smokeless tobacco (snus) use and colorectal cancer incidence and survival: Results from nine pooled cohorts. Scandinavian Journal of Public Health, 2017, 45, 741-748.	2.3	7
49	No association between moist oral snuff (snus) use and oral cancer: pooled analysis of nine prospective observational studies. Scandinavian Journal of Public Health, 2021, 49, 833-840.	2.3	7
50	HLA Zygosity Increases Risk of Hepatitis B Virus-Associated Hepatocellular Carcinoma. Journal of Infectious Diseases, 2021, , .	4.0	7
51	Involvement Modulates the Effects of Deception on Memory in Daily Life. Frontiers in Psychology, 2021, 12, 756297.	2.1	7
52	Utility of Epstein–Barr Virus DNA in Nasopharynx Swabs as a Reflex Test to Triage Seropositive Individuals in Nasopharyngeal Carcinoma Screening Programs. Clinical Chemistry, 2022, 68, 953-962.	3.2	7
53	Poor oral health and risk of incident myocardial infarction: A prospective cohort study of Swedish adults, 1973–2012. Scientific Reports, 2018, 8, 11479.	3.3	6
54	Who did I lie to that day? Deception impairs memory in daily life. Psychological Research, 2022, 86, 1763-1773.	1.7	6

#	Article	IF	Citations
55	Beasley's 1981 paper: The power of a well-designed cohort study to drive liver cancer research and prevention. Cancer Epidemiology, 2018, 53, 195-199.	1.9	5
56	Evaluation of Rare and Common Variants from Suspected Familial or Sporadic Nasopharyngeal Carcinoma (NPC) Susceptibility Genes in Sporadic NPC. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1682-1686.	2.5	5
57	A transposed-word effect in Chinese reading. Attention, Perception, and Psychophysics, 2020, 82, 3788-3794.	1.3	5
58	Epstein-Barr Virus-Based Nasopharyngeal Carcinoma (NPC) Risk Prediction Scores Are Elevated in NPC Multiplex Family Members in Taiwan. Journal of Infectious Diseases, 2021, 223, 441-444.	4.0	5
59	Characterization of the humoral immune response to the EBV proteome in extranodal NK/T-cell lymphoma. Scientific Reports, 2021, 11, 23664.	3.3	4
60	Interval Cancers in Nasopharyngeal Carcinoma Screening: Comparing Two Screening Intervals after a Negative Initial Screening Result. Journal of Medical Screening, 2012, 19, 195-200.	2.3	3
61	Association Between Human Leukocyte Antigen Class I and II Diversity and Non-virus-associated Solid Tumors. Frontiers in Genetics, 2021, 12, 675860.	2.3	3
62	Fine Mapping of the MHC Region Identifies Novel Variants Associated with HBV-Related Hepatocellular Carcinoma in Han Chinese. Journal of Hepatocellular Carcinoma, 2021, Volume 8, 951-961.	3.7	3
63	More Lies Lead to More Memory Impairments in Daily Life. Frontiers in Psychology, 2022, 13, 822788.	2.1	3
64	Cancer patterns in nasopharyngeal carcinoma multiplex families over 15 years. Cancer, 2021, 127, 4171-4176.	4.1	2
65	Birth order and risk of nasopharyngeal carcinoma in multiplex families from <scp>T</scp> aiwan. International Journal of Cancer, 2016, 139, 2467-2473.	5.1	1
66	Abstract 2333: Aspirin may extend biliary tract cancer survival: Results from population-based cohort. , 2019, , .		1
67	Liu et al. Respond to "Epstein-Barr Virus Screening for Nasopharyngeal Carcinoma". American Journal of Epidemiology, 2013, 177, 254-255.	3.4	0
68	FIVE AUTHORS REPLY. American Journal of Epidemiology, 2018, 187, 399-399.	3.4	0
69	Abstract 2758: Cancer risk in relatives of nasopharyngeal carcinoma - A register-based cohort study in Sweden., 2015,,.		0
70	Identifying Epstein-Barr virus peptide sequences associated with differential IgG antibody response. International Journal of Infectious Diseases, 2021, 114, 65-71.	3.3	0