

Zhiwei Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2459899/publications.pdf>

Version: 2024-02-01

70
papers

1,745
citations

361413

20
h-index

315739

38
g-index

71
all docs

71
docs citations

71
times ranked

1999
citing authors

#	ARTICLE	IF	CITATIONS
1	A transposed-word effect across space and time: Evidence from Chinese. <i>Cognition</i> , 2022, 218, 104922.	2.2	8
2	Who did I lie to that day? Deception impairs memory in daily life. <i>Psychological Research</i> , 2022, 86, 1763-1773.	1.7	6
3	More Lies Lead to More Memory Impairments in Daily Life. <i>Frontiers in Psychology</i> , 2022, 13, 822788.	2.1	3
4	Utility of Epstein-Barr Virus DNA in Nasopharynx Swabs as a Reflex Test to Triage Seropositive Individuals in Nasopharyngeal Carcinoma Screening Programs. <i>Clinical Chemistry</i> , 2022, 68, 953-962.	3.2	7
5	No association between moist oral snuff (snus) use and oral cancer: pooled analysis of nine prospective observational studies. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 833-840.	2.3	7
6	Epstein-Barr Virus-Based Nasopharyngeal Carcinoma (NPC) Risk Prediction Scores Are Elevated in NPC Multiplex Family Members in Taiwan. <i>Journal of Infectious Diseases</i> , 2021, 223, 441-444.	4.0	5
7	Patterns of Human Leukocyte Antigen Class I and Class II Associations and Cancer. <i>Cancer Research</i> , 2021, 81, 1148-1152.	0.9	15
8	Integrative molecular characterisation of gallbladder cancer reveals micro-environment-associated subtypes. <i>Journal of Hepatology</i> , 2021, 74, 1132-1144.	3.7	30
9	Prospective assessment of a nasopharyngeal carcinoma risk score in a population undergoing screening. <i>International Journal of Cancer</i> , 2021, 148, 2398-2406.	5.1	9
10	HLA Zygosity Increases Risk of Hepatitis B Virus-Associated Hepatocellular Carcinoma. <i>Journal of Infectious Diseases</i> , 2021, , .	4.0	7
11	Context but not reading speed modulates transposed-word effects in Chinese reading. <i>Acta Psychologica</i> , 2021, 215, 103272.	1.5	8
12	Residence characteristics and risk of nasopharyngeal carcinoma in southern China: A population-based case-control study. <i>Environment International</i> , 2021, 151, 106455.	10.0	11
13	Comparison of new magnetic resonance imaging grading system with conventional endoscopy for the early detection of nasopharyngeal carcinoma. <i>Cancer</i> , 2021, 127, 3403-3412.	4.1	9
14	Immunologic markers and risk of hepatocellular carcinoma in hepatitis B virus- and hepatitis C virus-infected individuals. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 833-842.	3.7	14
15	Cancer patterns in nasopharyngeal carcinoma multiplex families over 15 years. <i>Cancer</i> , 2021, 127, 4171-4176.	4.1	2
16	Association Between Human Leukocyte Antigen Class I and II Diversity and Non-virus-associated Solid Tumors. <i>Frontiers in Genetics</i> , 2021, 12, 675860.	2.3	3
17	Fine Mapping of the MHC Region Identifies Novel Variants Associated with HBV-Related Hepatocellular Carcinoma in Han Chinese. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 951-961.	3.7	3
18	Involvement Modulates the Effects of Deception on Memory in Daily Life. <i>Frontiers in Psychology</i> , 2021, 12, 756297.	2.1	7

#	ARTICLE	IF	CITATIONS
19	Identifying Epstein-Barr virus peptide sequences associated with differential IgG antibody response. <i>International Journal of Infectious Diseases</i> , 2021, 114, 65-71.	3.3	0
20	Characterization of the humoral immune response to the EBV proteome in extranodal NK/T-cell lymphoma. <i>Scientific Reports</i> , 2021, 11, 23664.	3.3	4
21	Evaluation of the antibody response to the EBV proteome in EBV-associated classical Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2020, 147, 608-618.	5.1	15
22	Cigarette smoking increases the risk of nasopharyngeal carcinoma through the elevated level of IgA antibody against Epstein-Barr virus capsid antigen: A mediation analysis. <i>Cancer Medicine</i> , 2020, 9, 1867-1876.	2.8	14
23	A transposed-word effect in Chinese reading. <i>Attention, Perception, and Psychophysics</i> , 2020, 82, 3788-3794.	1.3	5
24	The Association between the Comprehensive Epstein-Barr Virus Serologic Profile and Endemic Burkitt Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 57-62.	2.5	23
25	Validation of an Epstein-Barr Virus Antibody Risk Stratification Signature for Nasopharyngeal Carcinoma by Use of Multiplex Serology. <i>Journal of Clinical Microbiology</i> , 2020, 58, .	3.9	14
26	Epstein-Barr virus and human papillomavirus serum antibodies define the viral status of nasopharyngeal carcinoma in a low endemic country. <i>International Journal of Cancer</i> , 2020, 147, 461-471.	5.1	16
27	Sepsis and Risk of Cancer Among Elderly Adults in the United States. <i>Clinical Infectious Diseases</i> , 2019, 68, 717-724.	5.8	29
28	Whole-Exome Sequencing of Nasopharyngeal Carcinoma Families Reveals Novel Variants Potentially Involved in Nasopharyngeal Carcinoma. <i>Scientific Reports</i> , 2019, 9, 9916.	3.3	32
29	Evaluation of Rare and Common Variants from Suspected Familial or Sporadic Nasopharyngeal Carcinoma (NPC) Susceptibility Genes in Sporadic NPC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1682-1686.	2.5	5
30	Association Between Aspirin Use and Biliary Tract Cancer Survival. <i>JAMA Oncology</i> , 2019, 5, 1802.	7.1	23
31	Benign tumors in myotonic dystrophy type I target disease-related cancer sites. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 1510-1518.	3.7	16
32	Chinese nonmedicinal herbal diet and risk of nasopharyngeal carcinoma: A population-based case-control study. <i>Cancer</i> , 2019, 125, 4462-4470.	4.1	21
33	Multilaboratory Assessment of Epstein-Barr Virus Serologic Assays: the Case for Standardization. <i>Journal of Clinical Microbiology</i> , 2019, 57, .	3.9	8
34	Genome sequencing analysis identifies Epstein-Barr virus subtypes associated with high risk of nasopharyngeal carcinoma. <i>Nature Genetics</i> , 2019, 51, 1131-1136.	21.4	133
35	Past and Recent Salted Fish and Preserved Food Intakes Are Weakly Associated with Nasopharyngeal Carcinoma Risk in Adults in Southern China. <i>Journal of Nutrition</i> , 2019, 149, 1596-1605.	2.9	25
36	Body mass index, body shape, and risk of nasopharyngeal carcinoma: A population-based case-control study in Southern China. <i>Cancer Medicine</i> , 2019, 8, 1835-1844.	2.8	15

#	ARTICLE	IF	CITATIONS
37	Statin use and reduced risk of biliary tract cancers in the UK Clinical Practice Research Datalink. <i>Gut</i> , 2019, 68, 1458-1464.	12.1	23
38	Reproductive history and risk of nasopharyngeal carcinoma: A population-based case-control study in southern China. <i>Oral Oncology</i> , 2019, 88, 102-108.	1.5	8
39	Abstract 2333: Aspirin may extend biliary tract cancer survival: Results from population-based cohort. , 2019, , .		1
40	Beasley's 1981 paper: The power of a well-designed cohort study to drive liver cancer research and prevention. <i>Cancer Epidemiology</i> , 2018, 53, 195-199.	1.9	5
41	FIVE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2018, 187, 399-399.	3.4	0
42	Patterns of Interindividual Variability in the Antibody Repertoire Targeting Proteins Across the Epstein-Barr Virus Proteome. <i>Journal of Infectious Diseases</i> , 2018, 217, 1923-1931.	4.0	13
43	Association of circulating inflammation proteins and gallstone disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1920-1924.	2.8	23
44	Circulating Levels of Inflammatory Proteins and Survival in Patients with Gallbladder Cancer. <i>Scientific Reports</i> , 2018, 8, 5671.	3.3	15
45	Identification of a Novel, EBV-Based Antibody Risk Stratification Signature for Early Detection of Nasopharyngeal Carcinoma in Taiwan. <i>Clinical Cancer Research</i> , 2018, 24, 1305-1314.	7.0	52
46	Medical History, Medication Use, and Risk of Nasopharyngeal Carcinoma. <i>American Journal of Epidemiology</i> , 2018, 187, 2117-2125.	3.4	20
47	Poor oral health and risk of incident myocardial infarction: A prospective cohort study of Swedish adults, 1973-2012. <i>Scientific Reports</i> , 2018, 8, 11479.	3.3	6
48	Mass screening for liver cancer: results from a demonstration screening project in Zhongshan City, China. <i>Scientific Reports</i> , 2018, 8, 12787.	3.3	17
49	Association between poor oral health and gastric cancer: A prospective cohort study. <i>International Journal of Cancer</i> , 2018, 143, 2281-2288.	5.1	29
50	Moist smokeless tobacco (Snus) use and risk of Parkinson's disease. <i>International Journal of Epidemiology</i> , 2017, 46, dyw294.	1.9	14
51	Inverse Association Between Poor Oral Health and Inflammatory Bowel Diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 525-531.	4.4	21
52	Quantification of familial risk of nasopharyngeal carcinoma in a high-incidence area. <i>Cancer</i> , 2017, 123, 2716-2725.	4.1	54
53	Active and Passive Smoking and Risk of Nasopharyngeal Carcinoma: A Population-Based Case-Control Study in Southern China. <i>American Journal of Epidemiology</i> , 2017, 185, 1272-1280.	3.4	68
54	Tobacco Use, Oral Health, and Risk of Parkinson's Disease. <i>American Journal of Epidemiology</i> , 2017, 185, 538-545.	3.4	20

#	ARTICLE	IF	CITATIONS
55	Smokeless tobacco (snus) use and colorectal cancer incidence and survival: Results from nine pooled cohorts. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 741-748.	2.3	7
56	Development of a population-based cancer case-control study in southern china. <i>Oncotarget</i> , 2017, 8, 87073-87085.	1.8	29
57	Oral Hygiene and Risk of Nasopharyngeal Carcinoma—A Population-Based Case–Control Study in China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1201-1207.	2.5	46
58	Birth order and risk of nasopharyngeal carcinoma in multiplex families from Taiwan. <i>International Journal of Cancer</i> , 2016, 139, 2467-2473.	5.1	1
59	Sibship size, birth order and risk of nasopharyngeal carcinoma and infectious mononucleosis: a nationwide study in Sweden. <i>International Journal of Epidemiology</i> , 2016, 45, 825-834.	1.9	19
60	Cancer risk in the relatives of patients with nasopharyngeal carcinoma—a register-based cohort study in Sweden. <i>British Journal of Cancer</i> , 2015, 112, 1827-1831.	6.4	16
61	Hepatitis B Virus Infection and Risk of Nasopharyngeal Carcinoma in Southern China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1766-1773.	2.5	30
62	Abstract 2758: Cancer risk in relatives of nasopharyngeal carcinoma - A register-based cohort study in Sweden. , 2015, , .		0
63	Evaluation of plasma Epstein–Barr virus DNA load to distinguish nasopharyngeal carcinoma patients from healthy high-risk populations in Southern China. <i>Cancer</i> , 2014, 120, 1353-1360.	4.1	62
64	Liu et al. Respond to "Epstein-Barr Virus Screening for Nasopharyngeal Carcinoma". <i>American Journal of Epidemiology</i> , 2013, 177, 254-255.	3.4	0
65	Two Epstein-Barr Virus-Related Serologic Antibody Tests in Nasopharyngeal Carcinoma Screening: Results From the Initial Phase of a Cluster Randomized Controlled Trial in Southern China. <i>American Journal of Epidemiology</i> , 2013, 177, 242-250.	3.4	108
66	Tumor Microenvironment Macrophage Inhibitory Factor Directs the Accumulation of Interleukin-17-producing Tumor-infiltrating Lymphocytes and Predicts Favorable Survival in Nasopharyngeal Carcinoma Patients. <i>Journal of Biological Chemistry</i> , 2012, 287, 35484-35495.	3.4	73
67	An Epidemiological and Molecular Study of the Relationship Between Smoking, Risk of Nasopharyngeal Carcinoma, and Epstein–Barr Virus Activation. <i>Journal of the National Cancer Institute</i> , 2012, 104, 1396-1410.	6.3	164
68	Interval Cancers in Nasopharyngeal Carcinoma Screening: Comparing Two Screening Intervals after a Negative Initial Screening Result. <i>Journal of Medical Screening</i> , 2012, 19, 195-200.	2.3	3
69	Establishment of VCA and EBNA1 IgA–based combination by enzyme-linked immunosorbent assay as preferred screening method for nasopharyngeal carcinoma: a two-stage design with a preliminary performance study and a mass screening in southern China. <i>International Journal of Cancer</i> , 2012, 131, 406-416.	5.1	116
70	Fluctuations of Epstein-Barr Virus Serological Antibodies and Risk for Nasopharyngeal Carcinoma: A Prospective Screening Study with a 20-Year Follow-Up. <i>PLoS ONE</i> , 2011, 6, e19100.	2.5	129