

Jenny Jouin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2462109/publications.pdf>

Version: 2024-02-01

53
papers

1,093
citations

430874

18
h-index

414414

32
g-index

53
all docs

53
docs citations

53
times ranked

1269
citing authors

#	ARTICLE	IF	CITATIONS
1	Aluminum concentration range for the extrudability of ceramic pastes. <i>Open Ceramics</i> , 2022, 9, 100213.	2.0	0
2	Control of the aluminosilico-phosphate geopolymers properties and structures by the phosphorus concentration. <i>Materials Chemistry and Physics</i> , 2021, 258, 123867.	4.0	9
3	Layered double hydroxide-indomethacin hybrid: A promising biocompatible compound for the treatment of neuroinflammatory diseases. <i>Journal of Drug Delivery Science and Technology</i> , 2021, 61, 102190.	3.0	2
4	Study of the formation of acid-based geopolymer networks and their resistance to water by time/temperature treatments. <i>Journal of the American Ceramic Society</i> , 2021, 104, 5445-5456.	3.8	7
5	Solvent effect in the nonaqueous synthesis of ZrO ₂ nanoparticles under alkaline conditions. <i>Journal of Materials Science</i> , 2020, 55, 2802-2814.	3.7	2
6	Crystallization Pathway of Size-Controlled SnO ₂ Nanoparticles Synthesized via a Nonaqueous Sol-Gel Route. <i>Crystal Growth and Design</i> , 2020, 20, 1110-1118.	3.0	7
7	Detrimental Effect and Neutralization of <i>in Situ</i> Produced Water on Zirconia Nanoparticles Obtained by a Nonaqueous Sol-Gel Method. <i>Inorganic Chemistry</i> , 2019, 58, 15175-15188.	4.0	7
8	Investigation on the structural and microstructural properties of copper-doped hydroxyapatite coatings deposited using solution precursor plasma spraying. <i>Journal of the European Ceramic Society</i> , 2019, 39, 4255-4263.	5.7	38
9	Acid-based geopolymers: Understanding of the structural evolutions during consolidation and after thermal treatments. <i>Journal of Non-Crystalline Solids</i> , 2019, 512, 90-97.	3.1	57
10	Relation between working properties and structural properties from ²⁷ Al, ²⁹ Si and ³¹ P NMR and XRD of acid-based geopolymers from 25 to 1000°C. <i>Materials Chemistry and Physics</i> , 2019, 228, 293-302.	4.0	33
11	Advanced microstructural study of solution precursor plasma sprayed Zn doped hydroxyapatite coatings. <i>Journal of the European Ceramic Society</i> , 2018, 38, 2134-2144.	5.7	33
12	Composition and properties of phosphoric acid-based geopolymers. <i>Journal of Non-Crystalline Solids</i> , 2018, 493, 94-98.	3.1	56
13	Influence of various metakaolin raw materials on the water and fire resistance of geopolymers prepared in phosphoric acid. <i>Journal of Non-Crystalline Solids</i> , 2018, 500, 493-501.	3.1	43
14	Narrow electromagnetically induced transparencies in Rb confined large-core core inner-wall coated Kagome HC-PCFs. , 2018, , .		0
15	In-situ dwell-time measurement of Rb at the inner-wall coated-surface of HC-PCF. , 2018, , .		0
16	Structure and analgesic properties of layered double hydroxides intercalated with low amounts of ibuprofen. <i>Journal of the American Ceramic Society</i> , 2017, 100, 2712-2721.	3.8	7
17	Structural modifications of lanthanum silicate oxyapatite exposed to high water pressure. <i>Journal of the European Ceramic Society</i> , 2017, 37, 2149-2158.	5.7	9
18	Local structure and oxide-ion conduction mechanism in apatite-type lanthanum silicates. <i>Science and Technology of Advanced Materials</i> , 2017, 18, 644-653.	6.1	6

#	ARTICLE	IF	CITATIONS
19	Kinetics of reactive diffusion between solid La_2GeO_5 and gases [$\text{GeO} + 1/2\text{O}_2$]. Journal of the Ceramic Society of Japan, 2017, 125, 524-527.	1.1	1
20	Single laser-beam generated sub-Doppler transparencies in Rb-filled Kagome HC-PCF. , 2017, , .		0
21	Ground-state atomic polarization relaxation-time measurement of Rb filled hypocycloidal core-shaped Kagome HC-PCF. Journal of Physics B: Atomic, Molecular and Optical Physics, 2016, 49, 185401.	1.5	4
22	Well-aligned polycrystalline lanthanum silicate oxyapatite grown by reactive diffusion between solid La_2SiO_5 and gases [$\text{SiO}_2 + 1/2\text{O}_2$]. Journal of Solid State Chemistry, 2016, 235, 1-6.	2.9	9
23	Ground-state population relaxation dynamics of polarized Rb atoms in Kagome HC-PCF. , 2016, , .		0
24	Synthesis and characterization of ultrasmall zirconia particles prepared via nonhydrolytic route. Acta Crystallographica Section A: Foundations and Advances, 2015, 71, s385-s386.	0.1	0
25	Stabilization Effect of Surface Impurities on the Structure of Ultrasmall ZrO_2 Nanoparticles: An Ab-Initio Study. Journal of Physical Chemistry C, 2015, 119, 15618-15626.	3.1	9
26	Crystal Structure and Oxide-Ion Conductivity of Highly Grain-Aligned Polycrystalline Lanthanum Germanate Oxyapatite Grown by Reactive Diffusion between Solid La_2GeO_5 and Gases [$\text{GeO} + 1/2\text{O}_2$]. Crystal Growth and Design, 2015, 15, 3435-3441.	3.0	7
27	Unusual structural-disorder stability of mechanochemically derived- $\text{Pb}(\text{Sc}_{0.5}\text{Nb}_{0.5})\text{O}_3$. Journal of Materials Chemistry C, 2015, 3, 10309-10315.	5.5	15
28	Identification of the rate-determining step in oxygen transport through $\text{La}_{1-x}\text{Sr}_x\text{Fe}_{1-y}\text{Ga}_y\text{O}_{3-\delta}$ perovskite membranes. Journal of Membrane Science, 2015, 476, 340-347.	8.2	18
29	Study of the formation of the apatite-type phases $\text{La}_{9.33+x}(\text{SiO}_4)_6\text{O}_2+3x/2$ synthesized from a lanthanum oxycarbonate $\text{La}_2\text{O}_2\text{CO}_3$. Solid State Sciences, 2014, 38, 150-155.	3.2	13
30	Extended Duration of Rubidium Vapor in Aluminosilicate Ceramic Coated Hypocycloidal Core Kagome HC-PCF. Journal of Lightwave Technology, 2014, 32, 2486-2491.	4.6	5
31	Progress towards atomic vapor photonic microcells: Coherence and polarization relaxation measurements in coated and uncoated HC-PCF. Proceedings of SPIE, 2013, , .	0.8	1
32	Atomic polarization relaxation time measurement of Rb filled hypocycloidal core shape Kagome HC-PCF. , 2013, , .		0
33	Long rubidium vapor lifetime in aluminosilicate sol-gel coated hypocycloidal core shape kagome HC-PCF. , 2013, , .		0
34	Phase transition sequence in ferroelectric Aurivillius compounds investigated by single crystal X-ray diffraction. Solid State Sciences, 2012, 14, 1367-1371.	3.2	16
35	Phase formation and crystal structure determination in the $\text{Y}_2\text{O}_3\text{-TeO}_2$ system prepared in an oxygen atmosphere. Journal of the European Ceramic Society, 2012, 32, 4263-4269.	5.7	8
36	Structure and the Electrical Properties of $\text{Pb}(\text{Zr,Ti})\text{O}_3$ Zirconia Composites. Journal of the American Ceramic Society, 2012, 95, 651-657.	3.8	29

#	ARTICLE	IF	CITATIONS
37	Lead-Free Ferroelectric Potassium Sodium Niobate Thin Films from Solution: Composition and Structure. <i>Journal of the American Ceramic Society</i> , 2012, 95, 515-523.	3.8	52
38	Structural and electrical properties of 0.57PSN $\hat{=}$ 0.43PT ceramics prepared by mechanochemical synthesis and sintered at low temperature. <i>Journal of the European Ceramic Society</i> , 2012, 32, 449-456.	5.7	23
39	Ink-Jet Printing of In ₂ O ₃ /ZnO Two-Dimensional Structures from Solution. <i>Journal of the American Ceramic Society</i> , 2011, 94, 2834-2840.	3.8	11
40	The Effect of Poling on the Properties of 0.65Pb(Mg _{1/3} Nb _{2/3})O ₃ $\hat{=}$ 0.35PbTiO ₃ Ceramics. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 035801.	1.5	15
41	The influence of thermal stresses on the phase composition of 0.65Pb(Mg _{1/3} Nb _{2/3})O ₃ $\hat{=}$ 0.35PbTiO ₃ thick films. <i>Journal of Applied Physics</i> , 2011, 109, 014101.	2.5	12
42	Influence of the substrate on the phase composition and electrical properties of 0.65PMN $\hat{=}$ 0.35PT thick films. <i>Journal of the European Ceramic Society</i> , 2010, 30, 2081-2092.	5.7	31
43	Transparent, amorphous and organics-free ZnO thin films produced by chemical solution deposition at 150 $\hat{=}$ C. <i>Thin Solid Films</i> , 2010, 518, 5134-5139.	1.8	22
44	ALKALINE NIOBATE-BASED PIEZOCERAMICS: CRYSTAL STRUCTURE, SYNTHESIS, SINTERING AND MICROSTRUCTURE. <i>Functional Materials Letters</i> , 2010, 03, 15-18.	1.2	18
45	Phase transitions of sodium niobate powder and ceramics, prepared by solid state synthesis. <i>Journal of Applied Physics</i> , 2010, 108, .	2.5	70
46	Extended x-ray absorption fine structure study of phase transitions in the piezoelectric perovskite K _{0.5} Na _{0.5} NbO ₃ . <i>Journal of Applied Physics</i> , 2009, 105, .	2.5	22
47	Crystal structure and phase transitions of sodium potassium niobate perovskites. <i>Solid State Sciences</i> , 2009, 11, 320-324.	3.2	187
48	The Influence of Alkaline Germanate Based Liquid Phase Sintering Aid on Microstructure and Phase Composition of K _{0.5} Na _{0.5} NbO ₃ Ceramics. <i>Microscopy and Microanalysis</i> , 2009, 15, 786-787.	0.4	1
49	Structural evolution in three and four-layer Aurivillius solid solutions: A comparative study versus relaxor properties. <i>Solid State Sciences</i> , 2008, 10, 177-185.	3.2	17
50	Crystal structure of the Aurivillius phases in the system Bi ₄ Ti ₃ O ₁₂ $\hat{=}$ PbTiO ₃ . <i>Zeitschrift f$\hat{=}$r Kristallographie</i> , 2007, 222, 234-243.	1.1	13
51	Structure versus relaxor properties in Aurivillius type compounds. <i>Journal of the European Ceramic Society</i> , 2007, 27, 3687-3690.	5.7	27
52	The crystal structure of the mixed-layer Aurivillius phase Bi ₅ Ti _{1.5} W _{1.5} O ₁₅ . <i>Solid State Sciences</i> , 2005, 7, 1025-1034.	3.2	11
53	A comparative study of the Aurivillius phase ferroelectrics CaBi ₄ Ti ₄ O ₁₅ and BaBi ₄ Ti ₄ O ₁₅ . <i>Journal of Solid State Chemistry</i> , 2004, 177, 1829-1837.	2.9	110