

Dongbo Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2464050/publications.pdf>

Version: 2024-02-01

210
papers

13,806
citations

13068

68
h-index

26548

107
g-index

212
all docs

212
docs citations

212
times ranked

8359
citing authors

#	ARTICLE	IF	CITATIONS
1	2D/2D FeNi-layered double hydroxide/bimetal-MOFs nanosheets for enhanced photo-Fenton degradation of antibiotics: Performance and synergetic degradation mechanism. <i>Chemosphere</i> , 2022, 287, 132061.	4.2	35
2	Revealing the mechanisms of rhamnolipid enhanced hydrogen production from dark fermentation of waste activated sludge. <i>Science of the Total Environment</i> , 2022, 806, 150347.	3.9	9
3	Response of soil protozoa to acid mine drainage in a contaminated terrace. <i>Journal of Hazardous Materials</i> , 2022, 421, 126790.	6.5	33
4	Peroxymonosulfate (PMS) activation by mackinawite for the degradation of organic pollutants: Underappreciated role of dissolved sulfur derivatives. <i>Science of the Total Environment</i> , 2022, 811, 151421.	3.9	22
5	The degradation of allyl isothiocyanate and its impact on methane production from anaerobic co-digestion of kitchen waste and waste activated sludge. <i>Bioresource Technology</i> , 2022, 347, 126366.	4.8	6
6	One-pot synthesis of oxygen-vacancy-rich Cu-doped UiO-66 for collaborative adsorption and photocatalytic degradation of ciprofloxacin. <i>Science of the Total Environment</i> , 2022, 815, 151962.	3.9	31
7	Insights into the synergy between functional microbes and dissolved oxygen partition in the single-stage partial nitrification-anammox granules system. <i>Bioresource Technology</i> , 2022, 347, 126364.	4.8	39
8	Insights into how poly aluminum chloride and poly ferric sulfate affect methane production from anaerobic digestion of waste activated sludge. <i>Science of the Total Environment</i> , 2022, 811, 151413.	3.9	20
9	Revealing the intrinsic drawbacks of waste activated sludge for efficient anaerobic digestion and the potential mitigation strategies. <i>Bioresource Technology</i> , 2022, 345, 126482.	4.8	25
10	Facile synthesis of Mn, Ce co-doped g-C ₃ N ₄ composite for peroxymonosulfate activation towards organic contaminant degradation. <i>Chemosphere</i> , 2022, 293, 133472.	4.2	41
11	Constructing crystalline needle-mushroom-like/ amorphous nanosheet carbon nitride homojunction by molten salt method for photocatalytic degradation of tetracycline hydrochloride. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 6043-6058.	1.1	4
12	Effect of lignin on short-chain fatty acids production from anaerobic fermentation of waste activated sludge. <i>Water Research</i> , 2022, 212, 118082.	5.3	48
13	High-performance photocatalytic decomposition of PFOA by BiOX/TiO ₂ heterojunctions: Self-induced inner electric fields and band alignment. <i>Journal of Hazardous Materials</i> , 2022, 430, 128195.	6.5	43
14	Evaluating the effect of diclofenac on hydrogen production by anaerobic fermentation of waste activated sludge. <i>Journal of Environmental Management</i> , 2022, 308, 114641.	3.8	11
15	New insights into different surfactants' impacts on sludge fermentation: Focusing on the particular metabolic processes and microbial genetic traits. <i>Frontiers of Environmental Science and Engineering</i> , 2022, 16, 1.	3.3	39
16	Enhanced the Synergistic Effect of Tetracycline Adsorption and Photocatalytic Degradation on a Mesoporous Carbon Nitride. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2022, 32, 1567-1581.	1.9	0
17	Co-doped Fe-MIL-100 as an adsorbent for tetracycline removal from aqueous solution. <i>Environmental Science and Pollution Research</i> , 2022, 29, 55026-55038.	2.7	6
18	Enhancing Methane Production from Anaerobic Digestion of Waste Activated Sludge through a Novel Sodium Percarbonate (SPC) Pretreatment: Reaction Kinetics and Mechanisms. <i>ACS ES&T Engineering</i> , 2022, 2, 1326-1340.	3.7	35

#	ARTICLE	IF	CITATIONS
19	ZIF-8-derived photocatalyst membrane for water decontamination: From static adsorption-degradation to dynamic flow removal. <i>Science of the Total Environment</i> , 2022, 824, 153865.	3.9	10
20	Long-term effects of Cu(II) on denitrification in hydrogen-based membrane biofilm reactor: Performance, extracellular polymeric substances and microbial communities. <i>Science of the Total Environment</i> , 2022, 830, 154526.	3.9	17
21	Sulfite-based pretreatment promotes volatile fatty acids production from microalgae: Performance, mechanism, and implication. <i>Bioresource Technology</i> , 2022, 354, 127179.	4.8	8
22	Ferric chloride aiding nitrite pretreatment for the enhancement of the quantity and quality of short-chain fatty acids production in waste activated sludge. <i>Water Research</i> , 2022, 219, 118569.	5.3	12
23	Mechanism and Origin of Stereoselectivity of Ni-Catalyzed Cyclization/Carboxylation of Bromoalkynes with CO ₂ . <i>Journal of Organic Chemistry</i> , 2022, 87, 8342-8350.	1.7	4
24	Synthesis of porous pinecone-like structure via facile carbon quantum dots modulation: A promising approach for improving the photocatalytic capability of carbon nitride. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107757.	3.3	9
25	Understanding the interaction between triclocarban and denitrifiers. <i>Journal of Hazardous Materials</i> , 2021, 401, 123343.	6.5	16
26	Efficient degradation of bisphenol A via peroxydisulfate activation using in-situ N-doped carbon nanoparticles: Structure-function relationship and reaction mechanism. <i>Journal of Colloid and Interface Science</i> , 2021, 586, 551-562.	5.0	52
27	Biohythane production and microbial characteristics of two alternating mesophilic and thermophilic two-stage anaerobic co-digesters fed with rice straw and pig manure. <i>Bioresource Technology</i> , 2021, 320, 124303.	4.8	45
28	Denitrifying biofilm processes for wastewater treatment: developments and perspectives. <i>Environmental Science: Water Research and Technology</i> , 2021, 7, 40-67.	1.2	12
29	Electro-assisted autohydrogenotrophic reduction of perchlorate and microbial community in a dual-chamber biofilm-electrode reactor. <i>Chemosphere</i> , 2021, 264, 128548.	4.2	8
30	Triclosan facilitates the recovery of volatile fatty acids from waste activated sludge. <i>Science of the Total Environment</i> , 2021, 754, 142336.	3.9	12
31	Mechanistic insights into the effect of poly ferric sulfate on anaerobic digestion of waste activated sludge. <i>Water Research</i> , 2021, 189, 116645.	5.3	95
32	In-situ growth of Bi ₂ O ₃ nanosheets on g-C ₃ N ₄ to construct direct Z-scheme heterojunction with enhanced photocatalytic activities. <i>Journal of Alloys and Compounds</i> , 2021, 859, 157795.	2.8	54
33	Template-free synthesis of high specific surface area gauze-like porous graphitic carbon nitride for efficient photocatalytic degradation of tetracycline hydrochloride. <i>Journal of Materials Science</i> , 2021, 56, 4641-4653.	1.7	6
34	Understanding the fate and impact of capsaicin in anaerobic co-digestion of food waste and waste activated sludge. <i>Water Research</i> , 2021, 188, 116539.	5.3	99
35	Self-assembly synthesis of petal-like Cl-doped g-C ₃ N ₄ nanosheets with tunable band structure for enhanced photocatalytic activity. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 611, 125780.	2.3	26
36	In situ chemical oxidation: peroxide or persulfate coupled with membrane technology for wastewater treatment. <i>Journal of Materials Chemistry A</i> , 2021, 9, 11944-11960.	5.2	69

#	ARTICLE	IF	CITATIONS
37	The fate and impact of coagulants/flocculants in sludge treatment systems. <i>Environmental Science: Water Research and Technology</i> , 2021, 7, 1387-1401.	1.2	6
38	Improving Medium-Chain Fatty Acid Production from Anaerobic Fermentation of Waste Activated Sludge Using Free Ammonia. <i>ACS ES&T Engineering</i> , 2021, 1, 478-489.	3.7	33
39	Synthesis of mesoporous carbon nitride by molten salt-assisted silica aerogel for Rhodamine B adsorption and photocatalytic degradation. <i>Journal of Materials Science</i> , 2021, 56, 11248-11265.	1.7	18
40	Facile synthesis of Bi_2O_3 hetero-phase junction by a solvothermal method for enhanced photocatalytic activities. <i>Molecular Catalysis</i> , 2021, 503, 111431.	1.0	11
41	Highly selective electrochemical nitrate reduction using copper phosphide self-supported copper foam electrode: Performance, mechanism, and application. <i>Water Research</i> , 2021, 193, 116881.	5.3	121
42	The impact and fate of clarithromycin in anaerobic digestion of waste activated sludge for biogas production. <i>Environmental Research</i> , 2021, 195, 110792.	3.7	27
43	Different activation methods in sulfate radical-based oxidation for organic pollutants degradation: Catalytic mechanism and toxicity assessment of degradation intermediates. <i>Science of the Total Environment</i> , 2021, 772, 145522.	3.9	123
44	Unveiling the different faces of chlortetracycline in fermentative volatile fatty acid production from waste activated sludge. <i>Bioresource Technology</i> , 2021, 329, 124875.	4.8	9
45	TGF- β 1 Facilitates TAp63 Protein Lysosomal Degradation to Promote Pancreatic Cancer Cell Migration. <i>Biology</i> , 2021, 10, 597.	1.3	5
46	Tonalide facilitates methane production from anaerobic digestion of waste activated sludge. <i>Science of the Total Environment</i> , 2021, 779, 146195.	3.9	11
47	Digestion liquid based alkaline pretreatment of waste activated sludge promotes methane production from anaerobic digestion. <i>Water Research</i> , 2021, 199, 117198.	5.3	63
48	Improving nutrients removal and energy recovery from wastes using hydrochar. <i>Science of the Total Environment</i> , 2021, 783, 146980.	3.9	22
49	Enhancing methane production from anaerobic digestion of waste activated sludge with addition of sodium lauroyl sarcosinate. <i>Bioresource Technology</i> , 2021, 336, 125321.	4.8	11
50	Recent advances in partial denitrification-anaerobic ammonium oxidation process for mainstream municipal wastewater treatment. <i>Chemosphere</i> , 2021, 278, 130436.	4.2	88
51	Crystal phase transition of Bi_2O_3 and its enhanced photocatalytic activities for tetracycline hydrochloride. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 626, 127068.	2.3	17
52	In-depth research on percarbonate expediting zero-valent iron corrosion for conditioning anaerobically digested sludge. <i>Journal of Hazardous Materials</i> , 2021, 419, 126389.	6.5	23
53	A critical review on the application of biochar in environmental pollution remediation: Role of persistent free radicals (PFRs). <i>Journal of Environmental Sciences</i> , 2021, 108, 201-216.	3.2	76
54	Enhancing autotrophic nitrogen removal with a novel dissolved oxygen-differentiated airlift internal circulation reactor: Long-term operational performance and microbial characteristics. <i>Journal of Environmental Management</i> , 2021, 296, 113271.	3.8	46

#	ARTICLE	IF	CITATIONS
55	Photocatalytic degradation of tetracycline by metal-organic frameworks modified with Bi ₂ WO ₆ nanosheet under direct sunlight. <i>Chemosphere</i> , 2021, 284, 131386.	4.2	64
56	Effect of sodium dodecylbenzene sulfonate on hydrogen production from dark fermentation of waste activated sludge. <i>Science of the Total Environment</i> , 2021, 799, 149383.	3.9	30
57	How Does Chitosan Affect Methane Production in Anaerobic Digestion?. <i>Environmental Science & Technology</i> , 2021, 55, 15843-15852.	4.6	76
58	The effects of thiosulfates on methane production from anaerobic co-digestion of waste activated sludge and food waste and mitigate method. <i>Journal of Hazardous Materials</i> , 2020, 384, 121363.	6.5	27
59	Potential influences of exogenous pollutants occurred in waste activated sludge on anaerobic digestion: A review. <i>Journal of Hazardous Materials</i> , 2020, 383, 121176.	6.5	182
60	Synergistic adsorption and electrocatalytic reduction of bromate by Pd/N-doped loofah sponge-derived biochar electrode. <i>Journal of Hazardous Materials</i> , 2020, 386, 121651.	6.5	49
61	Impact of coexistence of sludge flocs on nitrous oxide production in a granule-based nitrification system: A model-based evaluation. <i>Water Research</i> , 2020, 170, 115312.	5.3	14
62	Insights into the toxicity of troclocarban to anaerobic digestion: Sludge characteristics and methane production. <i>Journal of Hazardous Materials</i> , 2020, 385, 121615.	6.5	27
63	A "bottle-around-ship"-like method synthesized yolk-shell Ag ₃ PO ₄ @MIL-53(Fe) Z-scheme photocatalysts for enhanced tetracycline removal. <i>Journal of Colloid and Interface Science</i> , 2020, 561, 501-511.	5.0	67
64	Enhanced dewaterability of anaerobically digested sludge by in-situ free nitrous acid treatment. <i>Water Research</i> , 2020, 169, 115264.	5.3	73
65	Interaction between perfluorooctanoic acid and aerobic granular sludge. <i>Water Research</i> , 2020, 169, 115249.	5.3	75
66	New insight into modification of extracellular polymeric substances extracted from waste activated sludge by homogeneous Fe(II)/persulfate process. <i>Chemosphere</i> , 2020, 247, 125804.	4.2	24
67	How does synthetic musks affect methane production from the anaerobic digestion of waste activated sludge?. <i>Science of the Total Environment</i> , 2020, 713, 136594.	3.9	8
68	Enhanced dark fermentative hydrogen production from waste activated sludge by combining potassium ferrate with alkaline pretreatment. <i>Science of the Total Environment</i> , 2020, 707, 136105.	3.9	39
69	The inhibitory effect of thiosulfate on volatile fatty acid and hydrogen production from anaerobic co-fermentation of food waste and waste activated sludge. <i>Bioresource Technology</i> , 2020, 297, 122428.	4.8	15
70	Nitrous oxide production from wastewater treatment: The potential as energy resource rather than potent greenhouse gas. <i>Journal of Hazardous Materials</i> , 2020, 387, 121694.	6.5	26
71	Heterogeneous activation of persulfate by Ag doped BiFeO ₃ composites for tetracycline degradation. <i>Journal of Colloid and Interface Science</i> , 2020, 566, 33-45.	5.0	66
72	Influence of low voltage electric field stimulation on hydrogen generation from anaerobic digestion of waste activated sludge. <i>Science of the Total Environment</i> , 2020, 704, 135849.	3.9	15

#	ARTICLE	IF	CITATIONS
73	New perspectives on microbial communities and biological nitrogen removal processes in wastewater treatment systems. <i>Bioresource Technology</i> , 2020, 297, 122491.	4.8	78
74	Enhancement of short-chain fatty acids production from microalgae by potassium ferrate addition: Feasibility, mechanisms and implications. <i>Bioresource Technology</i> , 2020, 318, 124266.	4.8	44
75	Photochemical decomposition of perfluorochemicals in contaminated water. <i>Water Research</i> , 2020, 186, 116311.	5.3	37
76	A Critical Review on Nitrous Oxide Production by Ammonia-Oxidizing Archaea. <i>Environmental Science & Technology</i> , 2020, 54, 9175-9190.	4.6	47
77	The fate of triclocarban in activated sludge and its influence on biological wastewater treatment system. <i>Journal of Environmental Management</i> , 2020, 276, 111237.	3.8	9
78	Recent advances in nitrous oxide production and mitigation in wastewater treatment. <i>Water Research</i> , 2020, 184, 116168.	5.3	61
79	Calcium peroxide eliminates grease inhibition and promotes short-chain fatty acids production during anaerobic fermentation of food waste. <i>Bioresource Technology</i> , 2020, 316, 123947.	4.8	15
80	Enhanced anaerobic co-digestion of waste activated sludge and food waste by sulfidated microscale zerovalent iron: Insights in direct interspecies electron transfer mechanism. <i>Bioresource Technology</i> , 2020, 316, 123901.	4.8	67
81	Octylphenol facilitates fermentative volatile fatty acids recovery from waste activated sludge. <i>Science of the Total Environment</i> , 2020, 729, 139035.	3.9	15
82	The fate and impact of TCC in nitrifying cultures. <i>Water Research</i> , 2020, 178, 115851.	5.3	28
83	Performance and Mechanism of Potassium Ferrate(VI) Enhancing Dark Fermentative Hydrogen Accumulation from Waste Activated Sludge. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8681-8691.	3.2	25
84	Peroxide/Zero-valent iron (Fe ⁰) pretreatment for promoting dewaterability of anaerobically digested sludge: A mechanistic study. <i>Journal of Hazardous Materials</i> , 2020, 400, 123112.	6.5	49
85	Influence of chlortetracycline as an antibiotic residue on nitrous oxide emissions from wastewater treatment. <i>Bioresource Technology</i> , 2020, 313, 123696.	4.8	12
86	Recent advances in conjugated microporous polymers for photocatalysis: designs, applications, and prospects. <i>Journal of Materials Chemistry A</i> , 2020, 8, 6434-6470.	5.2	140
87	Enhanced high-quality biomethane production from anaerobic digestion of primary sludge by corn stover biochar. <i>Bioresource Technology</i> , 2020, 306, 123159.	4.8	83
88	Electrochemical Cr(VI) removal from aqueous media using titanium as anode: Simultaneous indirect electrochemical reduction of Cr(VI) and in-situ precipitation of Cr(III). <i>Chemosphere</i> , 2020, 260, 127537.	4.2	71
89	Exploring the linkage between free nitrous acid accumulation and nitrous oxide emissions in a novel static/oxic/anoxic process. <i>Bioresource Technology</i> , 2020, 304, 123011.	4.8	19
90	Fe(II) catalyzing sodium percarbonate facilitates the dewaterability of waste activated sludge: Performance, mechanism, and implication. <i>Water Research</i> , 2020, 174, 115626.	5.3	150

#	ARTICLE	IF	CITATIONS
91	Norfloxacin-induced effect on enhanced biological phosphorus removal from wastewater after long-term exposure. <i>Journal of Hazardous Materials</i> , 2020, 392, 122336.	6.5	21
92	Sludge Incineration Bottom Ash Enhances Anaerobic Digestion of Primary Sludge toward Highly Efficient Sludge Anaerobic Codigestion. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 3005-3012.	3.2	15
93	Enhanced volatile fatty acids production from waste activated sludge with synchronous phosphorus fixation and pathogens inactivation by calcium hypochlorite stimulation. <i>Science of the Total Environment</i> , 2020, 712, 136500.	3.9	47
94	Effect of citric acid on extracellular polymeric substances disruption and cell lysis in the waste activated sludge by pH regulation. <i>Bioresource Technology</i> , 2020, 302, 122859.	4.8	31
95	Influence of roxithromycin as antibiotic residue on volatile fatty acids recovery in anaerobic fermentation of waste activated sludge. <i>Journal of Hazardous Materials</i> , 2020, 394, 122570.	6.5	50
96	Modified MIL-100(Fe) for enhanced photocatalytic degradation of tetracycline under visible-light irradiation. <i>Journal of Colloid and Interface Science</i> , 2020, 574, 364-376.	5.0	100
97	Revealing the mechanisms of Triclosan affecting of methane production from waste activated sludge. <i>Bioresource Technology</i> , 2020, 312, 123505.	4.8	18
98	Advances in enhanced volatile fatty acid production from anaerobic fermentation of waste activated sludge. <i>Science of the Total Environment</i> , 2019, 694, 133741.	3.9	149
99	The underlying mechanism of calcium peroxide pretreatment enhancing methane production from anaerobic digestion of waste activated sludge. <i>Water Research</i> , 2019, 164, 114934.	5.3	184
100	Land reclamation threatens sandpipers. <i>Science</i> , 2019, 365, 454-454.	6.0	0
101	Reducing nitrous oxide emission in a sequencing batch reactor operated as static/aerobic/anoxic (SOA) process. <i>Science of the Total Environment</i> , 2019, 693, 133619.	3.9	6
102	Microwave pretreatment of polyacrylamide flocculated waste activated sludge: Effect on anaerobic digestion and polyacrylamide degradation. <i>Bioresource Technology</i> , 2019, 290, 121776.	4.8	31
103	How does zero valent iron activating peroxydisulfate improve the dewatering of anaerobically digested sludge?. <i>Water Research</i> , 2019, 163, 114912.	5.3	124
104	China's highways threaten wild camels. <i>Science</i> , 2019, 364, 1242-1242.	6.0	3
105	Evaluating the effect of biochar on mesophilic anaerobic digestion of waste activated sludge and microbial diversity. <i>Bioresource Technology</i> , 2019, 294, 122235.	4.8	48
106	Biogas production from anaerobic co-digestion of waste activated sludge: co-substrates and influencing parameters. <i>Reviews in Environmental Science and Biotechnology</i> , 2019, 18, 771-793.	3.9	59
107	Modeling effects of H ₂ S on electron competition among nitrogen oxide reduction and N ₂ O accumulation during denitrification. <i>Environmental Science: Water Research and Technology</i> , 2019, 5, 533-542.	1.2	2
108	Effect of poly aluminum chloride on dark fermentative hydrogen accumulation from waste activated sludge. <i>Water Research</i> , 2019, 153, 217-228.	5.3	93

#	ARTICLE	IF	CITATIONS
109	Enhanced methane production from waste activated sludge by combining calcium peroxide with ultrasonic: Performance, mechanism, and implication. <i>Bioresource Technology</i> , 2019, 279, 108-116.	4.8	52
110	Heterogeneous activation of peroxymonosulfate using Mn-Fe layered double hydroxide: Performance and mechanism for organic pollutant degradation. <i>Science of the Total Environment</i> , 2019, 663, 453-464.	3.9	151
111	Nitrate addition improves hydrogen production from acidic fermentation of waste activated sludge. <i>Chemosphere</i> , 2019, 235, 814-824.	4.2	18
112	Effect of clarithromycin on the production of volatile fatty acids from waste activated sludge anaerobic fermentation. <i>Bioresource Technology</i> , 2019, 288, 121598.	4.8	54
113	Persulfate and zero valent iron combined conditioning as a sustainable technique for enhancing dewaterability of aerobically digested sludge. <i>Chemosphere</i> , 2019, 232, 45-53.	4.2	39
114	Enhanced ciprofloxacin removal by sludge-derived biochar: Effect of humic acid. <i>Chemosphere</i> , 2019, 231, 495-501.	4.2	53
115	Heterotrophic denitrifiers growing on soluble microbial products contribute to nitrous oxide production in anammox biofilm: Model evaluation. <i>Journal of Environmental Management</i> , 2019, 242, 309-314.	3.8	14
116	Biological perchlorate reduction: which electron donor we can choose?. <i>Environmental Science and Pollution Research</i> , 2019, 26, 16906-16922.	2.7	18
117	Enhanced hydrogen accumulation from waste activated sludge by combining ultrasonic and free nitrous acid pretreatment: Performance, mechanism, and implication. <i>Bioresource Technology</i> , 2019, 285, 121363.	4.8	28
118	Sulfate radical-mediated degradation of phenol and methylene blue by manganese oxide octahedral molecular sieve (OMS-2) activation of peroxymonosulfate. <i>Environmental Science and Pollution Research</i> , 2019, 26, 12963-12974.	2.7	8
119	A critical review of volatile fatty acids produced from waste activated sludge: enhanced strategies and its applications. <i>Environmental Science and Pollution Research</i> , 2019, 26, 13984-13998.	2.7	89
120	Heat pretreatment assists free ammonia to enhance hydrogen production from waste activated sludge. <i>Bioresource Technology</i> , 2019, 283, 316-325.	4.8	65
121	Effects of free nitrous acid and freezing co-pretreatment on sludge short-chain fatty acids production and dewaterability. <i>Science of the Total Environment</i> , 2019, 669, 600-607.	3.9	21
122	Influence of surfactants on anaerobic digestion of waste activated sludge: acid and methane production and pollution removal. <i>Critical Reviews in Biotechnology</i> , 2019, 39, 746-757.	5.1	47
123	Metal-Organic Framework Supported Palladium Nanoparticles: Applications and Mechanisms. <i>Particle and Particle Systems Characterization</i> , 2019, 36, 1800557.	1.2	22
124	Indirect electrochemical reduction of nitrate in water using zero-valent titanium anode: Factors, kinetics, and mechanism. <i>Water Research</i> , 2019, 157, 191-200.	5.3	95
125	Free nitrous acid-based nitrifying sludge treatment in a two-sludge system obtains high polyhydroxyalkanoates accumulation and satisfied biological nutrients removal. <i>Bioresource Technology</i> , 2019, 284, 16-24.	4.8	20
126	Enhanced short-chain fatty acids production from waste activated sludge by sophorolipid: Performance, mechanism, and implication. <i>Bioresource Technology</i> , 2019, 284, 456-465.	4.8	91

#	ARTICLE	IF	CITATIONS
127	Thermal-alkaline pretreatment of polyacrylamide flocculated waste activated sludge: Process optimization and effects on anaerobic digestion and polyacrylamide degradation. <i>Bioresource Technology</i> , 2019, 281, 158-167.	4.8	68
128	Effect of triclocarban on hydrogen production from dark fermentation of waste activated sludge. <i>Bioresource Technology</i> , 2019, 279, 307-316.	4.8	60
129	Unveiling the mechanisms of how cationic polyacrylamide affects short-chain fatty acids accumulation during long-term anaerobic fermentation of waste activated sludge. <i>Water Research</i> , 2019, 155, 142-151.	5.3	159
130	Free ammonia aids ultrasound pretreatment to enhance short-chain fatty acids production from waste activated sludge. <i>Bioresource Technology</i> , 2019, 275, 163-171.	4.8	88
131	The roles of free ammonia (FA) in biological wastewater treatment processes: A review. <i>Environment International</i> , 2019, 123, 10-19.	4.8	294
132	Various cell architectures of capacitive deionization: Recent advances and future trends. <i>Water Research</i> , 2019, 150, 225-251.	5.3	298
133	Enhanced Short-Chain Fatty Acids from Waste Activated Sludge by Heat ² CaO ₂ Advanced Thermal Hydrolysis Pretreatment: Parameter Optimization, Mechanisms, and Implications. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 3544-3555.	3.2	71
134	Mechanisms of peroxymonosulfate pretreatment enhancing production of short-chain fatty acids from waste activated sludge. <i>Water Research</i> , 2019, 148, 239-249.	5.3	188
135	Pretreatment of landfill leachate in near-neutral pH condition by persulfate activated Fe-C micro-electrolysis system. <i>Chemosphere</i> , 2019, 216, 749-756.	4.2	47
136	Hydrated lanthanum oxide-modified diatomite as highly efficient adsorbent for low-concentration phosphate removal from secondary effluents. <i>Journal of Environmental Management</i> , 2019, 231, 370-379.	3.8	140
137	Enhanced volatile fatty acids production from waste activated sludge anaerobic fermentation by adding tofu residue. <i>Bioresource Technology</i> , 2019, 274, 430-438.	4.8	55
138	Substrate Diffusion within Biofilms Significantly Influencing the Electron Competition during Denitrification. <i>Environmental Science & Technology</i> , 2019, 53, 261-269.	4.6	31
139	Free Ammonia Pretreatment To Improve Bio-hydrogen Production from Anaerobic Dark Fermentation of Microalgae. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 1642-1647.	3.2	34
140	Facile synthesis of In ₂ S ₃ /UiO-66 composite with enhanced adsorption performance and photocatalytic activity for the removal of tetracycline under visible light irradiation. <i>Journal of Colloid and Interface Science</i> , 2019, 535, 444-457.	5.0	120
141	Simultaneously efficient adsorption and photocatalytic degradation of tetracycline by Fe-based MOFs. <i>Journal of Colloid and Interface Science</i> , 2018, 519, 273-284.	5.0	552
142	Enhanced short-chain fatty acids production from waste activated sludge by combining calcium peroxide with free ammonia pretreatment. <i>Bioresource Technology</i> , 2018, 262, 114-123.	4.8	85
143	Mechanisms of Persistence of the Ammonia-Oxidizing Bacteria <i>Nitrosomonas</i> to the Biocide Free Nitrous Acid. <i>Environmental Science & Technology</i> , 2018, 52, 5386-5397.	4.6	52
144	Kinetic assessment of simultaneous removal of arsenite, chlorate and nitrate under autotrophic and mixotrophic conditions. <i>Science of the Total Environment</i> , 2018, 628-629, 85-93.	3.9	7

#	ARTICLE	IF	CITATIONS
145	Free ammonia enhances dark fermentative hydrogen production from waste activated sludge. <i>Water Research</i> , 2018, 133, 272-281.	5.3	163
146	Understanding the impact of cationic polyacrylamide on anaerobic digestion of waste activated sludge. <i>Water Research</i> , 2018, 130, 281-290.	5.3	156
147	Effect of acetate to glycerol ratio on enhanced biological phosphorus removal. <i>Chemosphere</i> , 2018, 196, 78-86.	4.2	47
148	Effect of diclofenac on the production of volatile fatty acids from anaerobic fermentation of waste activated sludge. <i>Bioresource Technology</i> , 2018, 254, 7-15.	4.8	80
149	Free ammonia-based sludge treatment reduces sludge production in the wastewater treatment process. <i>Chemosphere</i> , 2018, 205, 484-492.	4.2	44
150	Recyclable zero-valent iron activating peroxymonosulfate synchronously combined with thermal treatment enhances sludge dewaterability by altering physicochemical and biological properties. <i>Bioresource Technology</i> , 2018, 262, 294-301.	4.8	115
151	Supramolecular self-assembled carbon nitride for the degradation of tetracycline hydrochloride. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 9380-9386.	1.1	28
152	Densities of FAMEs or FAEEs with ethanol at temperatures from 283.15 to 318.15 K. <i>Physics and Chemistry of Liquids</i> , 2018, 56, 33-42.	0.4	11
153	Novel stepwise pH control strategy to improve short chain fatty acid production from sludge anaerobic fermentation. <i>Bioresource Technology</i> , 2018, 249, 431-438.	4.8	67
154	Effectiveness and mechanisms of phosphate adsorption on iron-modified biochars derived from waste activated sludge. <i>Bioresource Technology</i> , 2018, 247, 537-544.	4.8	297
155	Modeling electron competition among nitrogen oxides reduction and N_2O accumulation in hydrogenotrophic denitrification. <i>Biotechnology and Bioengineering</i> , 2018, 115, 978-988.	1.7	12
156	Clarifying the Role of Free Ammonia in the Production of Short-Chain Fatty Acids from Waste Activated Sludge Anaerobic Fermentation. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 14104-14113.	3.2	73
157	Sulfate radical induced degradation of Methyl Violet azo dye with CuFe layered double hydroxide as heterogeneous photoactivator of persulfate. <i>Journal of Environmental Management</i> , 2018, 227, 406-414.	3.8	77
158	Free ammonia-based pretreatment enhances phosphorus release and recovery from waste activated sludge. <i>Chemosphere</i> , 2018, 213, 276-284.	4.2	70
159	Free Ammonia-Based Pretreatment Promotes Short-Chain Fatty Acid Production from Waste Activated Sludge. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 9120-9129.	3.2	79
160	Feasibility of enhancing short-chain fatty acids production from sludge anaerobic fermentation at free nitrous acid pretreatment: Role and significance of Tea saponin. <i>Bioresource Technology</i> , 2018, 254, 194-202.	4.8	79
161	How does free ammonia-based sludge pretreatment improve methane production from anaerobic digestion of waste activated sludge. <i>Chemosphere</i> , 2018, 206, 491-501.	4.2	50
162	Synergistic effect of free nitrite acid integrated with biosurfactant alkyl polyglucose on sludge anaerobic fermentation. <i>Waste Management</i> , 2018, 78, 310-317.	3.7	17

#	ARTICLE	IF	CITATIONS
163	Free Ammonia Pretreatment to Enhance Biodegradation of Anaerobically Digested Sludge in Post Aerobic Digestion. ACS Sustainable Chemistry and Engineering, 2018, 6, 11836-11842.	3.2	6
164	Enhanced dewaterability of waste activated sludge with Fe(II)-activated hypochlorite treatment. Environmental Science and Pollution Research, 2018, 25, 27628-27638.	2.7	32
165	Improved methane production from waste activated sludge by combining free ammonia with heat pretreatment: Performance, mechanisms and applications. Bioresource Technology, 2018, 268, 230-236.	4.8	77
166	Sulfamethazine (SMZ) affects fermentative short-chain fatty acids production from waste activated sludge. Science of the Total Environment, 2018, 639, 1471-1479.	3.9	51
167	Feasibility of enhancing short-chain fatty acids production from waste activated sludge after free ammonia pretreatment: Role and significance of rhamnolipid. Bioresource Technology, 2018, 267, 141-148.	4.8	70
168	Free nitrous acid promotes hydrogen production from dark fermentation of waste activated sludge. Water Research, 2018, 145, 113-124.	5.3	137
169	Perchlorate bioreduction linked to methane oxidation in a membrane biofilm reactor: Performance and microbial community structure. Journal of Hazardous Materials, 2018, 357, 244-252.	6.5	36
170	The fate of cyanuric acid in biological wastewater treatment system and its impact on biological nutrient removal. Journal of Environmental Management, 2018, 206, 901-909.	3.8	24
171	Adsorption of phosphate from aqueous solution using iron-zirconium modified activated carbon nanofiber: Performance and mechanism. Journal of Colloid and Interface Science, 2017, 493, 17-23.	5.0	267
172	Is denitrifying anaerobic methane oxidation-centered technologies a solution for the sustainable operation of wastewater treatment Plants?. Bioresource Technology, 2017, 234, 456-465.	4.8	117
173	Wastewater Opportunities for Denitrifying Anaerobic Methane Oxidation. Trends in Biotechnology, 2017, 35, 799-802.	4.9	85
174	Modeling aerobic biotransformation of vinyl chloride by vinyl chloride-assimilating bacteria, methanotrophs and ethenotrophs. Journal of Hazardous Materials, 2017, 332, 97-103.	6.5	3
175	Approach of describing dynamic production of volatile fatty acids from sludge alkaline fermentation. Bioresource Technology, 2017, 238, 343-351.	4.8	73
176	Phase Equilibria of <i>trans</i> -1,3,3,3-Tetrafluoropropene with Three Imidazolium Ionic Liquids. Journal of Chemical & Engineering Data, 2017, 62, 1825-1831.	1.0	22
177	Potential impact of salinity on methane production from food waste anaerobic digestion. Waste Management, 2017, 67, 308-314.	3.7	123
178	Improved degradation of anaerobically digested sludge during post aerobic digestion using ultrasonic pretreatment. Environmental Science: Water Research and Technology, 2017, 3, 857-864.	1.2	8
179	Effects of different ratios of glucose to acetate on phosphorus removal and microbial community of enhanced biological phosphorus removal (EBPR) system. Environmental Science and Pollution Research, 2017, 24, 4494-4505.	2.7	18
180	Volumetric Properties of 1-Butyl-3-methylimidazolium Chloride with Organic Solvents. Journal of Chemical & Engineering Data, 2017, 62, 3958-3966.	1.0	10

#	ARTICLE	IF	CITATIONS
181	Triclocarban enhances short-chain fatty acids production from anaerobic fermentation of waste activated sludge. <i>Water Research</i> , 2017, 127, 150-161.	5.3	150
182	Aged refuse enhances anaerobic digestion of waste activated sludge. <i>Water Research</i> , 2017, 123, 724-733.	5.3	136
183	Evaluating the potential impact of hydrochar on the production of short-chain fatty acid from sludge anaerobic digestion. <i>Bioresource Technology</i> , 2017, 246, 234-241.	4.8	52
184	Understanding and mitigating the toxicity of cadmium to the anaerobic fermentation of waste activated sludge. <i>Water Research</i> , 2017, 124, 269-279.	5.3	157
185	Free nitrous acid-based nitrifying sludge treatment in a two-sludge system enhances nutrient removal from low-carbon wastewater. <i>Bioresource Technology</i> , 2017, 244, 920-928.	4.8	83
186	Effect of ciprofloxacin on biological nitrogen and phosphorus removal from wastewater. <i>Science of the Total Environment</i> , 2017, 605-606, 368-375.	3.9	127
187	The behavior of melamine in biological wastewater treatment system. <i>Journal of Hazardous Materials</i> , 2017, 322, 445-453.	6.5	41
188	Effective adsorption/electrocatalytic degradation of perchlorate using Pd/Pt supported on N-doped activated carbon fiber cathode. <i>Journal of Hazardous Materials</i> , 2017, 323, 602-610.	6.5	50
189	Hierarchical assembly of graphene-bridged Ag ₃ PO ₄ /Ag/BiVO ₄ (040) Z-scheme photocatalyst: An efficient, sustainable and heterogeneous catalyst with enhanced visible-light photoactivity towards tetracycline degradation under visible light irradiation. <i>Applied Catalysis B: Environmental</i> , 2017, 200, 330-342.	10.8	752
190	Effect of nickel on the flocculability, settleability, and dewaterability of activated sludge. <i>Bioresource Technology</i> , 2017, 224, 188-196.	4.8	55
191	Assessment of Heterotrophic Growth Supported by Soluble Microbial Products in Anammox Biofilm using Multidimensional Modeling. <i>Scientific Reports</i> , 2016, 6, 27576.	1.6	24
192	Improved biological phosphorus removal induced by an oxic/extended-idle process using glycerol and acetate at equal fractions. <i>RSC Advances</i> , 2016, 6, 86165-86173.	1.7	12
193	Evaluation of Nitrous Oxide Emission from Sulfide- and Sulfur-Based Autotrophic Denitrification Processes. <i>Environmental Science & Technology</i> , 2016, 50, 9407-9415.	4.6	85
194	Advanced landfill leachate treatment using iron-carbon microelectrolysis- Fenton process: Process optimization and column experiments. <i>Journal of Hazardous Materials</i> , 2016, 318, 460-467.	6.5	83
195	Revealing the Underlying Mechanisms of How Sodium Chloride Affects Short-Chain Fatty Acid Production from the Cofermentation of Waste Activated Sludge and Food Waste. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 4675-4684.	3.2	92
196	Combined Effect of Free Nitrous Acid Pretreatment and Sodium Dodecylbenzene Sulfonate on Short-Chain Fatty Acid Production from Waste Activated Sludge. <i>Scientific Reports</i> , 2016, 6, 21622.	1.6	31
197	Enhanced Photocatalytic Degradation of Tetracycline by AgI/BiVO ₄ Heterojunction under Visible-Light Irradiation: Mineralization Efficiency and Mechanism. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 32887-32900.	4.0	407
198	Self-assembly Z-scheme heterostructured photocatalyst of Ag ₂ O@Ag-modified bismuth vanadate for efficient photocatalytic degradation of single and dual organic pollutants under visible light irradiation. <i>RSC Advances</i> , 2016, 6, 60291-60307.	1.7	39

#	ARTICLE	IF	CITATIONS
199	Photo-reduction of bromate in drinking water by metallic Ag and reduced graphene oxide (RGO) jointly modified BiVO ₄ under visible light irradiation. <i>Water Research</i> , 2016, 101, 555-563.	5.3	170
200	An efficient and green pretreatment to stimulate short-chain fatty acids production from waste activated sludge anaerobic fermentation using free nitrous acid. <i>Chemosphere</i> , 2016, 144, 160-167.	4.2	137
201	Complete bromate and nitrate reduction using hydrogen as the sole electron donor in a rotating biofilm-electrode reactor. <i>Journal of Hazardous Materials</i> , 2016, 307, 82-90.	6.5	25
202	Enhanced dewaterability of waste activated sludge by Fe(II)-activated peroxymonosulfate oxidation. <i>Bioresource Technology</i> , 2016, 206, 134-140.	4.8	179
203	An efficient process for wastewater treatment to mitigate free nitrous acid generation and its inhibition on biological phosphorus removal. <i>Scientific Reports</i> , 2015, 5, 8602.	1.6	28
204	Enhanced production of short-chain fatty acid from food waste stimulated by alkyl polyglycosides and its mechanism. <i>Waste Management</i> , 2015, 46, 133-139.	3.7	51
205	Effect of polyhydroxyalkanoates on dark fermentative hydrogen production from waste activated sludge. <i>Water Research</i> , 2015, 73, 311-322.	5.3	88
206	Free nitrous acid serving as a pretreatment method for alkaline fermentation to enhance short-chain fatty acid production from waste activated sludge. <i>Water Research</i> , 2015, 78, 111-120.	5.3	189
207	How Does Poly(hydroxyalkanoate) Affect Methane Production from the Anaerobic Digestion of Waste-Activated Sludge?. <i>Environmental Science & Technology</i> , 2015, 49, 12253-12262.	4.6	125
208	Inducing mechanism of biological phosphorus removal driven by the aerobic/extendedâ€ˆidle regime. <i>Biotechnology and Bioengineering</i> , 2012, 109, 2798-2807.	1.7	47
209	Effect and mechanism of carbon sources on phosphorus uptake by microorganisms in sequencing batch reactors with the single-stage oxic process. <i>Science in China Series B: Chemistry</i> , 2009, 52, 2358-2365.	0.8	5
210	Effect of wet surface treated nano-SiO ₂ on mechanical properties of polypropylene composite. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008, 23, 354-357.	0.4	5