

Gunnar Bergström

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2471738/publications.pdf>

Version: 2024-02-01

61
papers

1,694
citations

394421

19
h-index

315739

38
g-index

61
all docs

61
docs citations

61
times ranked

1695
citing authors

#	ARTICLE	IF	CITATIONS
1	Sickness Presenteeism Today, Sickness Absenteeism Tomorrow? A Prospective Study on Sickness Presenteeism and Future Sickness Absenteeism. <i>Journal of Occupational and Environmental Medicine</i> , 2009, 51, 629-638.	1.7	275
2	Does sickness presenteeism have an impact on future general health?. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 1179-1190.	2.3	190
3	Reliability and factor structure of the Multidimensional Pain Inventory – Swedish Language Version (MPI-S). <i>Pain</i> , 1998, 75, 101-110.	4.2	155
4	Estimating the Effect and Economic Impact of Absenteeism, Presenteeism, and Work Environment-Related Problems on Reductions in Productivity from a Managerial Perspective. <i>Value in Health</i> , 2017, 20, 1058-1064.	0.3	89
5	Working from home during the COVID-19 outbreak in Sweden: effects on 24-h time-use in office workers. <i>BMC Public Health</i> , 2021, 21, 528.	2.9	63
6	Validation of the Copenhagen Psychosocial Questionnaire Version III and Establishment of Benchmarks for Psychosocial Risk Management in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3179.	2.6	53
7	High Job Demands, Job Strain, and Iso-Strain Are Risk Factors for Sick Leave due to Mental Disorders. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 858-865.	1.7	51
8	The impact of psychologically different patient groups on outcome after a vocational rehabilitation program for long-term spinal pain patients. <i>Pain</i> , 2001, 93, 229-237.	4.2	43
9	Prediction of Sickness Absenteeism, Disability Pension and Sickness Presenteeism Among Employees with Back Pain. <i>Journal of Occupational Rehabilitation</i> , 2014, 24, 278-286.	2.2	41
10	A comprehensive workplace intervention and its outcome with regard to lifestyle, health and sick leave: the AHA study. <i>Work</i> , 2008, 31, 167-80.	1.1	34
11	An outsourced health-enhancing physical activity programme for people with rheumatoid arthritis: exploration of adherence and response. <i>Rheumatology</i> , 2015, 54, 1065-1073.	1.9	32
12	Does survey feedback enhance the psychosocial work environment and decrease sick leave?. <i>European Journal of Work and Organizational Psychology</i> , 2007, 16, 76-93.	3.7	31
13	A 7-year follow-up of multidisciplinary rehabilitation among chronic neck and back pain patients. Is sick leave outcome dependent on psychologically derived patient groups?. <i>European Journal of Pain</i> , 2010, 14, 426-433.	2.8	30
14	Interventions for common mental disorders in the occupational health service: a systematic review with a narrative synthesis. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 823-838.	2.3	29
15	Effects of yoga, strength training and advice on back pain: a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 132.	1.9	27
16	Measuring Production Loss due to Health and Work Environment Problems. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 1475-1483.	1.7	24
17	Work-Home Interference, Perceived Total Workload, and the Risk of Future Sickness Absence Due to Stress-Related Mental Diagnoses Among Women and Men: a Prospective Twin Study. <i>International Journal of Behavioral Medicine</i> , 2018, 25, 103-111.	1.7	24
18	Preventing sickness absence among employees with common mental disorders or stress-related symptoms at work: a cluster randomised controlled trial of a problem-solving-based intervention conducted by the Occupational Health Services. <i>Occupational and Environmental Medicine</i> , 2020, 77, 454-461.	2.8	23

#	ARTICLE	IF	CITATIONS
19	Health and Work Environment among Female and Male Swedish Elementary School Teachers – A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 227.	2.6	22
20	Using few and scattered time points for analysis of a variable course of pain can be misleading: an example using weekly text message data. <i>Spine Journal</i> , 2014, 14, 1454-1459.	1.3	21
21	Health and motivation as mediators of the effects of job demands, job control, job support, and role conflicts at work and home on sickness presenteeism and absenteeism. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 409-418.	2.3	21
22	Preliminary testing of the Swedish version of the Assessment of Interprofessional Team Collaboration Scale (AITCS-S). <i>Journal of Interprofessional Care</i> , 2016, 30, 499-504.	1.7	20
23	An Underlying Common Factor, Influenced by Genetics and Unique Environment, Explains the Covariation Between Major Depressive Disorder, Generalized Anxiety Disorder, and Burnout: A Swedish Twin Study. <i>Twin Research and Human Genetics</i> , 2016, 19, 619-627.	0.6	20
24	What incentives influence employers to engage in workplace health interventions?. <i>BMC Public Health</i> , 2016, 16, 854.	2.9	19
25	Increasing return-to-work among people on sick leave due to common mental disorders: design of a cluster-randomized controlled trial of a problem-solving intervention versus care-as-usual conducted in the Swedish primary health care system (PROSA). <i>BMC Public Health</i> , 2018, 18, 889.	2.9	18
26	Exhaustion and Impaired Work Performance in the Workplace. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, e438-e444.	1.7	18
27	Benchmarks for Evidence-Based Risk Assessment with the Swedish Version of the 4-Item Psychosocial Safety Climate Scale. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8675.	2.6	18
28	Preventing sickness absenteeism among employees with common mental disorders or stress-related symptoms at work: Design of a cluster randomized controlled trial of a problem-solving based intervention versus care-as-usual conducted at the Occupational Health Services. <i>BMC Public Health</i> , 2017, 17, 436.	2.9	17
29	Presenteeism as a predictor of disability pension: A prospective study among nursing professionals and care assistants in Sweden. <i>Journal of Occupational Health</i> , 2019, 61, 453-463.	2.1	17
30	Implementation of evidence-based rehabilitation for non-specific back pain and common mental health problems: a process evaluation of a nationwide initiative. <i>BMC Health Services Research</i> , 2015, 15, 79.	2.2	16
31	Presenteeism, Psychosocial Working Conditions and Work Ability among Care Workers – A Cross-Sectional Swedish Population-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2419.	2.6	16
32	Validity and test-retest reliability of an at-work production loss instrument. <i>Occupational Medicine</i> , 2016, 66, 377-382.	1.4	15
33	Investigating the association between publication performance and the work environment of university research academics: a systematic review. <i>Scientometrics</i> , 2021, 126, 3283-3301.	3.0	15
34	Adverse outcomes of sick leave due to mental disorders: A prospective study of discordant twin pairs. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 127-136.	2.3	14
35	Responsiveness of EQ-5D in Patients With a Distal Radius Fracture. <i>Hand</i> , 2018, 13, 572-580.	1.2	13
36	Do work- and home-related demands and resources differ between women and men during return-to-work? A focus group study among employees with common mental disorders. <i>BMC Public Health</i> , 2020, 20, 1914.	2.9	13

#	ARTICLE	IF	CITATIONS
37	The Covariation Between Burnout and Sick Leave Due to Mental Disorders Is Explained by a Shared Genetic Liability: A Prospective Swedish Twin Study With a Five-Year Follow-up. <i>Twin Research and Human Genetics</i> , 2014, 17, 535-544.	0.6	12
38	Association between Psychosocial Working Conditions and Perceived Physical Exertion among Eldercare Workers: A Cross-Sectional Multilevel Analysis of Nursing Homes, Wards and Workers. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3610.	2.6	12
39	Essential features influencing collaboration in team-based non-specific back pain rehabilitation: Findings from a mixed methods study. <i>Journal of Interprofessional Care</i> , 2016, 30, 309-315.	1.7	11
40	An Outsourced Health-enhancing Physical Activity Program for People with Rheumatoid Arthritis: Study of the Maintenance Phase. <i>Journal of Rheumatology</i> , 2018, 45, 1093-1100.	2.0	11
41	Adverse outcomes of chronic widespread pain and common mental disorders in individuals with sickness absence – a prospective study of Swedish twins. <i>BMC Public Health</i> , 2020, 20, 1301.	2.9	11
42	What makes teachers stay? A cross-sectional exploration of the individual and contextual factors associated with teacher retention in Sweden.. <i>Teaching and Teacher Education</i> , 2022, 113, 103664.	3.2	10
43	Time pressure and sleep problems due to thoughts about work as risk factors for future sickness absence. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 1051-1059.	2.3	9
44	The association between part-time and temporary employment and sickness absence: a prospective Swedish twin study. <i>European Journal of Public Health</i> , 2019, 29, 147-153.	0.3	9
45	A Resourceful Work Environment Moderates the Relationship between Presenteeism and Health. A Study Using Repeated Measures in the Swedish Working Population. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4711.	2.6	9
46	Do psychological and behavioral factors classified by the West Haven-Yale Multidimensional Pain Inventory (Swedish version) predict the early clinical course of low back pain in patients receiving chiropractic care?. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 75.	1.9	8
47	Development of evidence-based practice in occupational health services in Sweden: a 3-year follow-up of attitudes, barriers and facilitators. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 335-348.	2.3	8
48	Sick leave due to mental disorders, morbidity and mortality: a prospective study of discordant twin pairs. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 25-32.	3.1	8
49	Psychological and behavioral differences between low back pain populations: a comparative analysis of chiropractic, primary and secondary care patients. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 306.	1.9	7
50	Cultural adaptation and validation of the Swedish VEINES-QOL/Sym in patients with venous insufficiency. <i>Phlebology</i> , 2018, 33, 540-546.	1.2	7
51	Cost-Effectiveness of a Problem-Solving Intervention Aimed to Prevent Sickness Absence among Employees with Common Mental Disorders or Occupational Stress. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5234.	2.6	7
52	Reasons for presenteeism in different occupational branches in Sweden: a population based cross-sectional study. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1385-1395.	2.3	6
53	Experiences of interventions and rehabilitation activities in connection with return-to-work from a gender perspective. A focus group study among employees on sick leave for common mental disorders. <i>PLoS ONE</i> , 2021, 16, e0253049.	2.5	5
54	Effectiveness of a multifaceted implementation strategy for improving adherence to the guideline for prevention of mental ill-health among school personnel in Sweden: a cluster randomized trial. <i>Implementation Science</i> , 2022, 17, 23.	6.9	5

#	ARTICLE	IF	CITATIONS
55	Genetic and Environmental Influences on Performance-based Self-esteem in a Population-based Cohort of Swedish Twins. <i>Self and Identity</i> , 2014, 13, 243-256.	1.6	3
56	Prevention of sick leave at the workplace: design of a cluster-randomized controlled trial of a problem-solving intervention among employees with common mental disorders. <i>BMC Public Health</i> , 2021, 21, 1756.	2.9	3
57	Translation and Validation of a Wound-specific, Quality-of-life Instrument (The Wound-QoL) in a Swedish Population. <i>Ostomy - Wound Management</i> , 2018, 64, 40-46.	0.8	3
58	Flexible Work: Opportunity and Challenge (FLOC) for individual, social and economic sustainability. Protocol for a prospective cohort study of non-standard employment and flexible work arrangements in Sweden. <i>BMJ Open</i> , 2022, 12, e057409.	1.9	3
59	A twin study of work-home interference and the risk of future sickness absence with mental diagnoses. <i>European Journal of Public Health</i> , 2016, 26, .	0.3	0
60	Adverse outcomes of sick leave due to mental disorders: prospective studies of discordant twin pairs. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0
61	Role of social benefits for future long-term sickness absence, disability pension and unemployment among individuals on sickness absence due to mental diagnoses: a competing risk approach. <i>International Archives of Occupational and Environmental Health</i> , 2021, , 1.	2.3	0