

Francesca Grassi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2475999/publications.pdf>

Version: 2024-02-01

83
papers

2,098
citations

236925

25
h-index

254184

43
g-index

83
all docs

83
docs citations

83
times ranked

2040
citing authors

#	ARTICLE	IF	CITATIONS
1	Muscle Damage in Dystrophic mdx Mice Is Influenced by the Activity of Ca ²⁺ -Activated KCa _{3.1} Channels. <i>Life</i> , 2022, 12, 538.	2.4	2
2	Machine Learning Use for Prognostic Purposes in Multiple Sclerosis. <i>Life</i> , 2021, 11, 122.	2.4	21
3	Report and Abstracts of the 18th Meeting of the Interuniversity Institute of Myology: Virtual meeting, October 21-24, 2021. <i>European Journal of Translational Myology</i> , 2021, 31, .	1.7	0
4	A single-agent extension of the SIR model describes the impact of mobility restrictions on the COVID-19 epidemic. <i>Scientific Reports</i> , 2021, 11, 24467.	3.3	7
5	Calcium influx through muscle nAChR-channels: One route, multiple roles. <i>Neuroscience</i> , 2020, 439, 117-124.	2.3	12
6	Considering patient clinical history impacts performance of machine learning models in predicting course of multiple sclerosis. <i>PLoS ONE</i> , 2020, 15, e0230219.	2.5	30
7	Title is missing!. , 2020, 15, e0230219.		0
8	Title is missing!. , 2020, 15, e0230219.		0
9	Title is missing!. , 2020, 15, e0230219.		0
10	Title is missing!. , 2020, 15, e0230219.		0
11	Kv1.3 activity perturbs the homeostatic properties of astrocytes in glioma. <i>Scientific Reports</i> , 2018, 8, 7654.	3.3	19
12	Ca ²⁺ -activated K ⁺ channels modulate microglia affecting motor neuron survival in hSOD1G93A mice. <i>Brain, Behavior, and Immunity</i> , 2018, 73, 584-595.	4.1	18
13	Collaboration between a human group and artificial intelligence can improve prediction of multiple sclerosis course: a proof-of-principle study. <i>F1000Research</i> , 2017, 6, 2172.	1.6	26
14	Collaboration between a human group and artificial intelligence can improve prediction of multiple sclerosis course: a proof-of-principle study. <i>F1000Research</i> , 2017, 6, 2172.	1.6	21
15	Noise Enhances Action Potential Generation in Mouse Sensory Neurons via Stochastic Resonance. <i>PLoS ONE</i> , 2016, 11, e0160950.	2.5	19
16	Partial Block by Riluzole of Muscle Sodium Channels in Myotubes from Amyotrophic Lateral Sclerosis Patients. <i>Neurology Research International</i> , 2014, 2014, 1-7.	1.3	9
17	Noise in multiple sclerosis: unwanted and necessary. <i>Annals of Clinical and Translational Neurology</i> , 2014, 1, 502-511.	3.7	10
18	Fluoxetine prevents acetylcholine-induced excitotoxicity blocking human endplate acetylcholine receptor. <i>Muscle and Nerve</i> , 2014, 49, 90-97.	2.2	8

#	ARTICLE	IF	CITATIONS
19	Nicotinic AChR in Congenital Myasthenic Syndromes. , 2014, , 695-711.		0
20	A Mechanistic, Stochastic Model Helps Understand Multiple Sclerosis Course and Pathogenesis. International Journal of Genomics, 2013, 2013, 1-10.	1.6	19
21	Contribution of Genome-Wide Association Studies to Scientific Research: A Pragmatic Approach to Evaluate Their Impact. PLoS ONE, 2013, 8, e71198.	2.5	7
22	Riluzole blocks human muscle acetylcholine receptors. Journal of Physiology, 2012, 590, 2519-2528.	2.9	16
23	Adenosine A2A receptor induces protein kinase A-dependent functional modulation of human $\alpha 3 \beta 2$ nicotinic receptor. Journal of Physiology, 2011, 589, 2755-2766.	2.9	18
24	Modulation of the Ca ²⁺ permeability of human endplate acetylcholine receptor-channel. Cell Calcium, 2011, 49, 272-278.	2.4	10
25	Mutant human $\beta 2$ subunit identified in amyotrophic lateral sclerosis patients impairs nicotinic receptor function. Pflugers Archiv European Journal of Physiology, 2011, 461, 225-233.	2.8	8
26	Physiological characterization of human muscle acetylcholine receptors from ALS patients. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 20184-20188.	7.1	40
27	Fabrizio Eusebi (1945-2009). Journal of Neuroimmunology, 2010, 224, 114-115.	2.3	0
28	Mechanism of verapamil action on wild-type and slow-channel mutant human muscle acetylcholine receptor. Journal of Neurochemistry, 2010, 114, 1231-1240.	3.9	9
29	Rare missense variants of neuronal nicotinic acetylcholine receptor altering receptor function are associated with sporadic amyotrophic lateral sclerosis. Human Molecular Genetics, 2009, 18, 3997-4006.	2.9	42
30	About a new method to measure fractional Ca ²⁺ currents through ligand-gated ion channels. Journal of General Physiology, 2009, 134, 259-261.	1.9	0
31	Green fluorescent protein incorporation by mouse myoblasts may yield false evidence of myogenic differentiation of human haematopoietic stem cells. Acta Physiologica, 2008, 193, 249-256.	3.8	2
32	Insulin-like growth factor-1 inhibits STS-induced cell death and increases functional recovery of in vitro differentiated neurons. Cell Cycle, 2008, 7, 3869-3877.	2.6	4
33	Functional properties of cells obtained from human cord blood CD34 ⁺ stem cells and mouse cardiac myocytes in coculture. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H1541-H1549.	3.2	12
34	Denervation-related changes in acetylcholine receptor density and distribution in the rat flexor digitorum sublimis muscle. Italian Journal of Anatomy and Embryology, 2008, 113, 209-16.	0.1	7
35	Pathogenic point mutations in a transmembrane domain of the $\beta 1$ subunit increase the Ca ²⁺ permeability of the human endplate ACh receptor. Journal of Physiology, 2007, 579, 671-677.	2.9	23
36	The human adult subtype ACh receptor channel has high Ca ²⁺ permeability and predisposes to endplate Ca ²⁺ overloading. Journal of Physiology, 2006, 573, 35-43.	2.9	48

#	ARTICLE	IF	CITATIONS
37	Functional properties of neurons derived from fetal mouse neurospheres are compatible with those of neuronal precursors in vivo. <i>Journal of Neuroscience Research</i> , 2006, 83, 1494-1501.	2.9	24
38	Electrophysiological properties of mouse bone marrow c-kit cells co-cultured onto neonatal cardiac myocytes. <i>Cardiovascular Research</i> , 2005, 66, 482-492.	3.8	41
39	An $\alpha 7$ Nicotinic Acetylcholine Receptor Gain-of-Function Mutant That Retains Pharmacological Fidelity. <i>Molecular Pharmacology</i> , 2005, 68, 1863-1876.	2.3	27
40	A Single Point Mutation Confers Properties of the Muscle-Type Nicotinic Acetylcholine Receptor to Homomeric $\alpha 7$ Receptors. <i>Molecular Pharmacology</i> , 2004, 66, 169-177.	2.3	25
41	Fusion-independent expression of functional ACh receptors in mouse mesoangioblast stem cells contacting muscle cells. <i>Journal of Physiology</i> , 2004, 560, 479-489.	2.9	14
42	Erythropoietin: a new tool for muscle disorders?. <i>Medical Hypotheses</i> , 2004, 63, 73-75.	1.5	10
43	Amyloid $\beta 1-42$ peptide alters the gating of human and mouse α -bungarotoxin-sensitive nicotinic receptors. <i>Journal of Physiology</i> , 2003, 547, 147-157.	2.9	81
44	Neuromuscular Junction Disassembly and Muscle Fatigue in Mice Lacking Neurotrophin-4. <i>Molecular and Cellular Neurosciences</i> , 2001, 18, 56-67.	2.2	92
45	Zinc permeates mouse muscle ACh receptor channels expressed in BOSC 23 cells and affects channel function. <i>Journal of Physiology</i> , 2000, 529, 83-91.	2.9	21
46	Modulation of fetal and adult acetylcholine receptors by Ca^{2+} and Mg^{2+} at developing mouse end-plates. <i>Pflügers Archiv European Journal of Physiology</i> , 2000, 440, 704-709.	2.8	11
47	5-Hydroxytryptamine blocks the fetal more potently than the adult mouse muscle acetylcholine receptor. <i>Pflügers Archiv European Journal of Physiology</i> , 1999, 437, 903-909.	2.8	8
48	The open duration of fetal ACh receptor-channel changes during mouse muscle development. <i>Journal of Physiology</i> , 1998, 508, 393-400.	2.9	8
49	The neuronal $\alpha 6$ subunit forms functional heteromeric acetylcholine receptors in human transfected cells. <i>European Journal of Neuroscience</i> , 1998, 10, 172-178.	2.6	65
50	Functional Changes Of Fetal Muscle Acetylcholine Receptor During Mouse Development. <i>Physiology</i> , 1998, 13, 247-251.	3.1	0
51	$\alpha 5$ Subunit forms functional $\alpha 3\beta 4\alpha 5$ nAChRs in transfected human cells. <i>NeuroReport</i> , 1997, 8, 2433-2436.	1.2	52
52	Functional Properties of Neuronal Nicotinic Acetylcholine Receptor Channels Expressed in Transfected Human Cells. <i>European Journal of Neuroscience</i> , 1997, 9, 480-488.	2.6	35
53	Identification of a Determinant of Acetylcholine Receptor Gating Kinetics in the Extracellular Portion of the $\beta 3$ Subunit. <i>European Journal of Neuroscience</i> , 1996, 8, 2564-2570.	2.6	20
54	Protein kinase C modulates exogenous acetylcholine current in <i>Xenopus</i> oocytes. <i>Journal of Neuroscience Research</i> , 1995, 41, 443-451.	2.9	8

#	ARTICLE	IF	CITATIONS
55	The desensitization of the embryonic mouse muscle acetylcholine receptor depends on the cellular environment. <i>Pflügers Archiv European Journal of Physiology</i> , 1995, 430, 787-794.	2.8	14
56	Acetylcholine-activated inward current induces cytosolic Ca ²⁺ mobilization in mouse C2C12 myotubes. <i>Cell Calcium</i> , 1995, 18, 41-50.	2.4	13
57	Two forms of acetylcholine receptor gamma subunit in mouse muscle.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 2686-2690.	7.1	26
58	Ca ²⁺ signalling pathways activated by acetylcholine in mouse C2C12 myotubes. <i>Pflügers Archiv European Journal of Physiology</i> , 1994, 428, 340-345.	2.8	12
59	TNF- α increases the frequency of spontaneous miniature synaptic currents in cultured rat hippocampal neurons. <i>Brain Research</i> , 1994, 659, 226-230.	2.2	60
60	Blockage of nicotinic acetylcholine receptors by 5-hydroxytryptamine. <i>Journal of Neuroscience Research</i> , 1993, 34, 562-570.	2.9	37
61	Activation of the nicotinic acetylcholine receptor mobilizes calcium from caffeine-insensitive stores in C2C12 mouse myotubes. <i>Pflügers Archiv European Journal of Physiology</i> , 1993, 422, 591-598.	2.8	34
62	Cholinergic responses in cloned human TE671/RD tumour cells. <i>Pflügers Archiv European Journal of Physiology</i> , 1993, 425, 117-125.	2.8	11
63	Tumor necrosis factor alters synaptic transmission in rat hippocampal slices. <i>Neuroscience Letters</i> , 1992, 146, 176-178.	2.1	282
64	Cl ⁻ -mediated interaction between GABA and glycine currents in cultured rat hippocampal neurons. <i>Brain Research</i> , 1992, 594, 115-123.	2.2	22
65	Interferon inhibits synaptic potentiation in rat hippocampus. <i>Brain Research</i> , 1991, 564, 245-248.	2.2	53
66	Acetylcholine induces voltage-independent increase of cytosolic calcium in mouse myotubes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 10069-10073.	7.1	31
67	Tunicamycin increases desensitization of acetylcholine receptors in cultured mouse muscle cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 1808-1811.	7.1	15
68	Acetylcholine-activated currents in quail myotubes expressing viral oncogenes. <i>Cellular Signalling</i> , 1990, 2, 557-562.	3.6	2
69	Regulation of muscle acetylcholine receptor-channel function by interferon. <i>Pflügers Archiv European Journal of Physiology</i> , 1989, 415, 150-155.	2.8	5
70	Voltage-dependent GABA-induced modulation of calcium currents in chick sensory neurons. <i>Neuroscience Letters</i> , 1989, 105, 113-119.	2.1	164
71	Microwave effects on acetylcholine-induced channels in cultured chick myotubes. <i>Bioelectromagnetics</i> , 1988, 9, 363-372.	1.6	47
72	Spontaneous channel activity induced by tumor promoter TPA in chick myotubes. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1988, 338, 121-4.	3.0	1

#	ARTICLE	IF	CITATIONS
73	Reduced acetylcholine-induced channel activity in dystrophic mouse myotubes. <i>Journal of the Neurological Sciences</i> , 1988, 84, 77-86.	0.6	8
74	Effects of calcitonin gene-related peptide on synaptic acetylcholine receptor-channels in rat muscle fibres. <i>Proceedings of the Royal Society of London Series B, Containing Papers of A Biological Character</i> , 1988, 234, 333-342.	1.8	27
75	Acetylcholine regulation of nicotinic receptor channels through a putative G protein in chick myotubes.. <i>Journal of Physiology</i> , 1987, 393, 635-645.	2.9	27
76	Acetylcholine may regulate its own nicotinic receptor-channel through the C-kinase system. <i>Proceedings of the Royal Society of London Series B, Containing Papers of A Biological Character</i> , 1987, 230, 355-365.	1.8	52
77	Acetylcholine receptor channels are present in undifferentiated satellite cells but not in embryonic myoblasts in culture. <i>Developmental Biology</i> , 1987, 123, 43-50.	2.0	48
78	Single acetylcholine-activated channels in cultured rhabdomyoblasts. <i>Experimental Cell Research</i> , 1987, 171, 498-502.	2.6	3
79	Acetylcholine receptor channel properties in rat myotubes exposed to forskolin. <i>Biochemical and Biophysical Research Communications</i> , 1987, 147, 1000-1007.	2.1	23
80	Cyclic AMP regulates the life time of acetylcholine-activated channels in cultured myotubes. <i>Biochemical and Biophysical Research Communications</i> , 1986, 140, 243-249.	2.1	15
81	Putative second messengers affect cell coupling in the seminiferous tubules. <i>Cell Biology International Reports</i> , 1986, 10, 631-639.	0.6	27
82	Postsynaptic effects of the phorbol ester TPA on frog end-plates. <i>Pflugers Archiv European Journal of Physiology</i> , 1986, 407, 409-413.	2.8	20
83	Cell-to-cell communication in cultured Sertoli cells. <i>Pflugers Archiv European Journal of Physiology</i> , 1985, 404, 382-384.	2.8	10