

Phil J Cowen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/248016/publications.pdf>

Version: 2024-02-01

497
papers

31,545
citations

5126

86
h-index

8627

151
g-index

511
all docs

511
docs citations

511
times ranked

24292
citing authors

#	ARTICLE	IF	CITATIONS
1	The influence of comorbid depression and overweight status on peripheral inflammation and cortisol levels. <i>Psychological Medicine</i> , 2022, 52, 3289-3296.	2.7	15
2	A translational perspective on the anti-anhedonic effect of ketamine and its neural underpinnings. <i>Molecular Psychiatry</i> , 2022, 27, 81-87.	4.1	16
3	Neurochemical abnormalities in chronic fatigue syndrome: a pilot magnetic resonance spectroscopy study at 7 Tesla. <i>Psychopharmacology</i> , 2022, 239, 163-171.	1.5	5
4	PAX-D: study protocol for a randomised placebo-controlled trial evaluating the efficacy and mechanism of pramipexole as add-on treatment for people with treatment resistant depression. <i>Evidence-Based Mental Health</i> , 2022, 25, 77-83.	2.2	4
5	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials. <i>Molecular Psychiatry</i> , 2022, 27, 1286-1299.	4.1	68
6	The Effect of the 5-HT ₄ Agonist, Prucalopride, on a Functional Magnetic Resonance Imaging Faces Task in the Healthy Human Brain. <i>Frontiers in Psychiatry</i> , 2022, 13, 859123.	1.3	2
7	The Potential Use of Ebselen in Treatment-Resistant Depression. <i>Pharmaceuticals</i> , 2022, 15, 485.	1.7	6
8	Enhanced Taste Recognition Following Subacute Treatment With The Dopamine D ₂ /D ₃ Receptor Agonist Pramipexole in Healthy Volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 720-726.	1.0	2
9	An experimental medicine study of the effects of simvastatin on emotional processing, reward learning, verbal memory, and inflammation in healthy volunteers. <i>Psychopharmacology</i> , 2022, 239, 2635-2645.	1.5	5
10	The effects of statin monotherapy on depressive symptoms: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 311, 336-343.	2.0	8
11	Translating the promise of 5HT ₄ receptor agonists for the treatment of depression. <i>Psychological Medicine</i> , 2021, 51, 1111-1120.	2.7	26
12	Lithium modulates striatal reward anticipation and prediction error coding in healthy volunteers. <i>Neuropsychopharmacology</i> , 2021, 46, 386-393.	2.8	10
13	Brain Imaging and the Mechanisms of Antidepressant Action. , 2021, , 248-260.		0
14	Revisiting monoamine oxidase inhibitors for the treatment of depressive disorders: A systematic review and network meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 282, 1153-1160.	2.0	33
15	Statins for major depressive disorder: A systematic review and meta-analysis of randomized controlled trials. <i>PLoS ONE</i> , 2021, 16, e0249409.	1.1	27
16	Trends and variation in antidepressant prescribing in English primary care: a retrospective longitudinal study. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0020.	0.9	24
17	Brain glutamate concentration in men with early psychosis: a magnetic resonance spectroscopy case-control study at 7T. <i>Translational Psychiatry</i> , 2021, 11, 367.	2.4	16
18	Statins in Depression: An Evidence-Based Overview of Mechanisms and Clinical Studies. <i>Frontiers in Psychiatry</i> , 2021, 12, 702617.	1.3	26

#	ARTICLE	IF	CITATIONS
19	No evidence for differential gene expression in major depressive disorder PBMCs, but robust evidence of elevated biological ageing. <i>Translational Psychiatry</i> , 2021, 11, 404.	2.4	14
20	A Modest Increase in 11C-PK11195-Positron Emission Tomography TSPO Binding in Depression Is Not Associated With Serum C-Reactive Protein or Body Mass Index. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 716-724.	1.1	10
21	An Experimental Medicine Investigation of the Effects of Subacute Pramipexole Treatment on Emotional Information Processing in Healthy Volunteers. <i>Pharmaceuticals</i> , 2021, 14, 800.	1.7	6
22	Peripheral inflammation is associated with micro-structural and functional connectivity changes in depression-related brain networks. <i>Molecular Psychiatry</i> , 2021, 26, 7346-7354.	4.1	32
23	The knowns and unknowns of SSRI treatment in young people with depression and anxiety: efficacy, predictors, and mechanisms of action. <i>Lancet Psychiatry</i> , 2021, 8, 824-835.	3.7	38
24	Ketamine and other glutamate receptor modulators for depression in adults with unipolar major depressive disorder. <i>The Cochrane Library</i> , 2021, 2021, CD011612.	1.5	20
25	Dysconnectivity of a brain functional network was associated with blood inflammatory markers in depression. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 299-309.	2.0	43
26	Effects of various statins on depressive symptoms: is there enough evidence?. <i>Journal of Affective Disorders</i> , 2021, 295, 1093-1094.	2.0	4
27	Ketamine and other glutamate receptor modulators for depression in adults with bipolar disorder. <i>The Cochrane Library</i> , 2021, 2021, CD011611.	1.5	15
28	DÅ©jÃ-vu? Neural and behavioural effects of the 5-HT ₄ receptor agonist, prucalopride, in a hippocampal-dependent memory task. <i>Translational Psychiatry</i> , 2021, 11, 497.	2.4	15
29	When Helping Is Risky: The Behavioral and Neurobiological Trade-off of Social and Risk Preferences. <i>Psychological Science</i> , 2021, 32, 1842-1855.	1.8	5
30	No antidepressant-like acute effects of bright light on emotional information processing in healthy volunteers. <i>Psychopharmacology</i> , 2021, , 1.	1.5	0
31	The effects of atorvastatin on emotional processing, reward learning, verbal memory and inflammation in healthy volunteers: An experimental medicine study. <i>Journal of Psychopharmacology</i> , 2021, 35, 1479-1487.	2.0	9
32	A role for 5-HT ₄ receptors in human learning and memory. <i>Psychological Medicine</i> , 2020, 50, 2722-2730.	2.7	36
33	Childhood trauma, HPA axis activity and antidepressant response in patients with depression. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 229-237.	2.0	70
34	Peripheral Blood Cell-Stratified Subgroups of Inflamed Depression. <i>Biological Psychiatry</i> , 2020, 88, 185-196.	0.7	89
35	Whole-blood expression of inflammasome- and glucocorticoid-related mRNAs correctly separates treatment-resistant depressed patients from drug-free and responsive patients in the BIODEP study. <i>Translational Psychiatry</i> , 2020, 10, 232.	2.4	62
36	A phase 2a randomised, double-blind, placebo-controlled, parallel-group, add-on clinical trial of ebselen (SPI-1005) as a novel treatment for mania or hypomania. <i>Psychopharmacology</i> , 2020, 237, 3773-3782.	1.5	41

#	ARTICLE	IF	CITATIONS
37	Neural effects of a single dose of fluoxetine on resting-state functional connectivity in adolescent depression. <i>Journal of Psychopharmacology</i> , 2020, 34, 1461-1465.	2.0	1
38	Effect of the NMDA receptor partial agonist, d-cycloserine, on emotional processing and autobiographical memory. <i>Psychological Medicine</i> , 2020, 51, 1-9.	2.7	7
39	A single administration of the antibiotic, minocycline, reduces fear processing and improves implicit learning in healthy volunteers: analysis of the serum metabolome. <i>Translational Psychiatry</i> , 2020, 10, 148.	2.4	14
40	Risk of Depression in the Adolescent and Adult Offspring of Mothers With Perinatal Depression. <i>JAMA Network Open</i> , 2020, 3, e208783.	2.8	57
41	Prescribing for moderate or severe unipolar depression in patients under the long-term care of UK adult mental health services. <i>Therapeutic Advances in Psychopharmacology</i> , 2020, 10, 204512532093049.	1.2	6
42	Stress, inflammation and hippocampal subfields in depression: A 7 Tesla MRI Study. <i>Translational Psychiatry</i> , 2020, 10, 78.	2.4	21
43	Treatment-resistant depression and peripheral C-reactive protein. <i>British Journal of Psychiatry</i> , 2019, 214, 11-19.	1.7	241
44	Depression, violence and cortisol awakening response: a 3-year longitudinal study in adolescents. <i>Psychological Medicine</i> , 2019, 49, 997-1004.	2.7	5
45	Electrochemical Detection and Quantification of Lithium Ions in Authentic Human Saliva Using LiMn ₂ O ₄ -Modified Electrodes. <i>ACS Sensors</i> , 2019, 4, 2497-2506.	4.0	32
46	A perspective: from the serotonin hypothesis to cognitive neuropsychological approaches. , 2019, , 95-104.		2
47	Mechanism of Action of ECT. , 2019, , 13-23.		3
48	CSF1R inhibitor JNJ-40346527 attenuates microglial proliferation and neurodegeneration in P301S mice. <i>Brain</i> , 2019, 142, 3243-3264.	3.7	156
49	Tapering of SSRI treatment to mitigate withdrawal symptoms. <i>Lancet Psychiatry</i> , the, 2019, 6, 560-561.	3.7	3
50	Optimal dosing of antidepressant drugs – Authors' reply. <i>Lancet Psychiatry</i> , the, 2019, 6, 806-807.	3.7	1
51	A single dose of fluoxetine reduces neural limbic responses to anger in depressed adolescents. <i>Translational Psychiatry</i> , 2019, 9, 30.	2.4	13
52	S120. Neural Effects of Acute Fluoxetine on Emotional Regulation in Depressed Adolescents. <i>Biological Psychiatry</i> , 2019, 85, S343.	0.7	0
53	Optimal dose of selective serotonin reuptake inhibitors, venlafaxine, and mirtazapine in major depression: a systematic review and dose-response meta-analysis. <i>Lancet Psychiatry</i> , the, 2019, 6, 601-609.	3.7	184
54	Antidepressants, withdrawal, and addiction; where are we now?. <i>Journal of Psychopharmacology</i> , 2019, 33, 655-659.	2.0	17

#	ARTICLE	IF	CITATIONS
55	Overnight transdermal scopolamine patch administration has no clear effect on cognition and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2019, 33, 255-257.	2.0	6
56	Changes in brain Glx in depressed bipolar patients treated with lamotrigine: A proton MRS study. <i>Journal of Affective Disorders</i> , 2019, 246, 418-421.	2.0	6
57	Subchronic treatment with St John's wort produces a positive shift in emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2019, 33, 194-201.	2.0	9
58	The effects of serotonin modulation on medial prefrontal connectivity strength and stability: A pharmacological fMRI study with citalopram. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 84, 152-159.	2.5	28
59	Comparative efficacy and acceptability of pharmacological treatments for post-traumatic stress disorder in adults: a network meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 1975-1984.	2.7	99
60	Brain glutamate in medication-free depressed patients: a proton MRS study at 7 Tesla. <i>Psychological Medicine</i> , 2018, 48, 1731-1737.	2.7	39
61	3,4-methylenedioxymethamphetamine (MDMA)-assisted psychotherapy for post-traumatic stress disorder in service personnel. <i>Lancet Psychiatry</i> , 2018, 5, 453-455.	3.7	2
62	How do drugs for psychiatric disorders work?. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 141-142.	1.8	2
63	Effect of Citalopram on Emotion Processing in Humans: A Combined 5-HT1A [11C]CUMI-101 PET and Functional MRI Study. <i>Neuropsychopharmacology</i> , 2018, 43, 655-664.	2.8	49
64	Michael Graham Gelder MA, DM Oxon, FRCP, FRCPsych (Hon), FMedSci, DPM. <i>BJPsych Bulletin</i> , 2018, 42, 221-222.	0.7	0
65	A Dissociation of the Acute Effects of Bupropion on Positive Emotional Processing and Reward Processing in Healthy Volunteers. <i>Frontiers in Psychiatry</i> , 2018, 9, 482.	1.3	19
66	The putative lithium-mimetic ebselen reduces impulsivity in rodent models. <i>Journal of Psychopharmacology</i> , 2018, 32, 1018-1026.	2.0	23
67	Predicting Treatment Response in Depression: The Role of Anterior Cingulate Cortex. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 988-996.	1.0	70
68	Salivary glutathione in bipolar disorder: A pilot study. <i>Journal of Affective Disorders</i> , 2018, 238, 277-280.	2.0	12
69	Vulnerability to depression is associated with a failure to acquire implicit social appraisals. <i>Cognition and Emotion</i> , 2017, 31, 825-833.	1.2	13
70	How do antidepressants work? New perspectives for refining future treatment approaches. <i>Lancet Psychiatry</i> , 2017, 4, 409-418.	3.7	392
71	Subcortical brain structure and suicidal behaviour in major depressive disorder: a meta-analysis from the ENIGMA-MDD working group. <i>Translational Psychiatry</i> , 2017, 7, e1116-e1116.	2.4	98
72	Melatonin as a treatment for mood disorders: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 549-558.	2.2	44

#	ARTICLE	IF	CITATIONS
73	Brain glutamate in anorexia nervosa: a magnetic resonance spectroscopy case control study at 7 Tesla. <i>Psychopharmacology</i> , 2017, 234, 421-426.	1.5	23
74	Backing into the future: pharmacological approaches to the management of resistant depression. <i>Psychological Medicine</i> , 2017, 47, 2569-2577.	2.7	29
75	Ultra-High-Field Magnetic Resonance Spectroscopy in Psychiatry. <i>Frontiers in Psychiatry</i> , 2017, 8, 123.	1.3	33
76	Antiepileptic drugs prescribed in pregnancy and prevalence of major congenital malformations: comparative prevalence studies. <i>Clinical Epidemiology</i> , 2017, Volume 9, 95-103.	1.5	30
77	Neuroendocrine and Neurochemical Processes in Depression. <i>Psychopathology Review</i> , 2016, a3, 3-15.	0.9	10
78	Altered states: psilocybin for treatment-resistant depression. <i>Lancet Psychiatry</i> , 2016, 3, 592-593.	3.7	12
79	Noradrenaline effects on social behaviour, intergroup relations, and moral decisions. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 66, 54-60.	2.9	50
80	Cognitive mechanisms of diazepam administration: a healthy volunteer model of emotional processing. <i>Psychopharmacology</i> , 2016, 233, 2221-2228.	1.5	14
81	Risks associated with antipsychotic treatment in pregnancy: Comparative cohort studies based on electronic health records. <i>Schizophrenia Research</i> , 2016, 176, 349-356.	1.1	36
82	Effects of typhoid vaccine on inflammation and sleep in healthy participants: a double-blind, placebo-controlled, crossover study. <i>Psychopharmacology</i> , 2016, 233, 3429-3435.	1.5	28
83	Early changes in emotional processing as a marker of clinical response to SSRI treatment in depression. <i>Translational Psychiatry</i> , 2016, 6, e957-e957.	2.4	143
84	Fronto-limbic effective connectivity as possible predictor of antidepressant response to SSRI administration. <i>European Neuropsychopharmacology</i> , 2016, 26, 2000-2010.	0.3	59
85	Effects of the potential lithium-mimetic, ebselen, on impulsivity and emotional processing. <i>Psychopharmacology</i> , 2016, 233, 2655-2661.	1.5	67
86	Can saliva testing replace blood measurements for health monitoring? Insights from a correlation study of salivary and whole blood glutathione in humans. <i>Analyst</i> , 2016, 141, 4707-4712.	1.7	19
87	Effect of short-term escitalopram treatment on neural activation during emotional processing. <i>Journal of Psychopharmacology</i> , 2016, 30, 33-39.	2.0	14
88	Effects of the potential lithium-mimetic, ebselen, on brain neurochemistry: a magnetic resonance spectroscopy study at 7 tesla. <i>Psychopharmacology</i> , 2016, 233, 1097-1104.	1.5	49
89	Effect of the Putative Lithium Mimetic Ebselen on Brain Myo-Inositol, Sleep, and Emotional Processing in Humans. <i>Neuropsychopharmacology</i> , 2016, 41, 1768-1778.	2.8	85
90	Subcortical brain alterations in major depressive disorder: findings from the ENIGMA Major Depressive Disorder working group. <i>Molecular Psychiatry</i> , 2016, 21, 806-812.	4.1	850

#	ARTICLE	IF	CITATIONS
91	Frontal Cortex Stimulation Reduces Vigilance to Threat: Implications for the Treatment of Depression and Anxiety. <i>Biological Psychiatry</i> , 2016, 79, 823-830.	0.7	109
92	Acute fluoxetine modulates emotional processing in young adult volunteers. <i>Psychological Medicine</i> , 2015, 45, 2295-2308.	2.7	21
93	What has serotonin to do with depression?. <i>World Psychiatry</i> , 2015, 14, 158-160.	4.8	226
94	Nuevos enfoques para tratar la depresi3n resistente [translation of "New approaches to treating resistant depression" by Rodolfo Zaratiegui]. <i>BJ Psych Advances</i> , 2015, 21, .	0.5	0
95	Lithium Prescribing during Pregnancy: A UK Primary Care Database Study. <i>PLoS ONE</i> , 2015, 10, e0121024.	1.1	19
96	Neurochemistry of major depression: a study using magnetic resonance spectroscopy. <i>Psychopharmacology</i> , 2015, 232, 501-507.	1.5	80
97	Î²-Adrenoceptor blockade modulates fusiform gyrus activity to black versus white faces. <i>Psychopharmacology</i> , 2015, 232, 2951-2958.	1.5	10
98	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015, 29, 459-525.	2.0	528
99	Biological psychiatry"100 words. <i>British Journal of Psychiatry</i> , 2015, 206, 31-31.	1.7	0
100	Prebiotic intake reduces the waking cortisol response and alters emotional bias in healthy volunteers. <i>Psychopharmacology</i> , 2015, 232, 1793-1801.	1.5	366
101	How Cannabis Causes Paranoia: Using the Intravenous Administration of Δ ⁹ -Tetrahydrocannabinol (THC) to Identify Key Cognitive Mechanisms Leading to Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 391-399.	2.3	101
102	A "fact of the matter" may not exist in scientific narratives such as serotonin and depression. <i>BMJ</i> , The, 2015, 350, h2501-h2501.	3.0	1
103	Effects of seven-day diazepam administration on resting-state functional connectivity in healthy volunteers: a randomized, double-blind study. <i>Psychopharmacology</i> , 2015, 232, 2139-2147.	1.5	16
104	Decision making in young people at familial risk of depression. <i>Psychological Medicine</i> , 2015, 45, 375-380.	2.7	22
105	Tianeptine in an experimental medicine model of antidepressant action. <i>Journal of Psychopharmacology</i> , 2015, 29, 582-590.	2.0	6
106	New approaches to treating resistant depression. <i>BJ Psych Advances</i> , 2015, 21, 315-323.	0.5	9
107	Does melatonin treatment change emotional processing? Implications for understanding the antidepressant mechanism of agomelatine. <i>Journal of Psychopharmacology</i> , 2015, 29, 1129-1132.	2.0	4
108	Neural Effects of Cannabinoid CB1 Neutral Antagonist Tetrahydrocannabivarin on Food Reward and Aversion in Healthy Volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, .	1.0	42

#	ARTICLE	IF	CITATIONS
109	Presynaptic Serotonergic Regulation of Emotional Processing: A Multimodal Brain Imaging Study. <i>Biological Psychiatry</i> , 2015, 78, 563-571.	0.7	19
110	Short-term escitalopram treatment and hippocampal volume. <i>Psychopharmacology</i> , 2014, 231, 4579-4581.	1.5	7
111	Structural and functional imaging of the hippocampus in young people at familial risk of depression. <i>Psychological Medicine</i> , 2014, 44, 2939-2948.	2.7	33
112	I want to help you, but I am not sure why: Gaze-cuing induces altruistic giving.. <i>Journal of Experimental Psychology: General</i> , 2014, 143, 763-777.	1.5	29
113	Are You Morally Modified?: The Moral Effects of Widely Used Pharmaceuticals. <i>Philosophy, Psychiatry and Psychology</i> , 2014, 21, 111-125.	0.2	34
114	Discontinuation of antipsychotic medication in pregnancy: A cohort study. <i>Schizophrenia Research</i> , 2014, 159, 218-225.	1.1	51
115	Preliminary evidence that sub-chronic citalopram triggers the re-evaluation of value in intimate partnerships. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1419-1425.	1.5	10
116	Allowing for non-adherence to treatment in a randomized controlled trial of two antidepressants (citalopram versus reboxetine): an example from the GENPOD trial. <i>Psychological Medicine</i> , 2014, 44, 2855-2866.	2.7	13
117	Tyrosine-free amino acid mixtures reduce physiologically-evoked release of dopamine in a selective and activity-dependent manner. <i>Journal of Psychopharmacology</i> , 2014, 28, 561-569.	2.0	15
118	Disease, Normality, and Current Pharmacological Moral Modification. <i>Philosophy, Psychiatry and Psychology</i> , 2014, 21, 135-137.	0.2	4
119	When less is more: a functional magnetic resonance imaging study of verbal working memory in remitted depressed patients. <i>Psychological Medicine</i> , 2014, 44, 1197-1203.	2.7	21
120	Effects of short-term varenicline administration on cortisol in healthy, non-smoking adults: a randomized, double-blind, study. <i>Psychopharmacology</i> , 2014, 231, 143-148.	1.5	2
121	Adverse effects from antidepressant treatment: randomised controlled trial of 601 depressed individuals. <i>Psychopharmacology</i> , 2014, 231, 2921-2931.	1.5	55
122	Ketamine infusions for treatment resistant depression: a series of 28 patients treated weekly or twice weekly in an ECT clinic. <i>Journal of Psychopharmacology</i> , 2014, 28, 536-544.	2.0	148
123	Cortical glutathione levels in young people with bipolar disorder: a pilot study using magnetic resonance spectroscopy. <i>Psychopharmacology</i> , 2014, 231, 327-332.	1.5	65
124	Folic acid supplementation for prevention of mood disorders in young people at familial risk: A randomised, double blind, placebo controlled trial. <i>Journal of Affective Disorders</i> , 2014, 167, 306-311.	2.0	18
125	Opposing neural effects of naltrexone on food reward and aversion: implications for the treatment of obesity. <i>Psychopharmacology</i> , 2014, 231, 4323-4335.	1.5	44
126	Effect of interferon- β on cortical glutamate in patients with hepatitis C: a proton magnetic resonance spectroscopy study. <i>Psychological Medicine</i> , 2014, 44, 789-795.	2.7	23

#	ARTICLE	IF	CITATIONS
127	Authors' response. <i>Psychiatric Bulletin</i> (2014), 2014, 38, 88-88.	0.4	0
128	Amine Depletors. , 2014, , 1-4.		0
129	Early markers of cognitive enhancement: developing an implicit measure of cognitive performance. <i>Psychopharmacology</i> , 2013, 230, 631-638.	1.5	14
130	Effects of pramipexole on the processing of rewarding and aversive taste stimuli. <i>Psychopharmacology</i> , 2013, 228, 283-290.	1.5	19
131	The effect of the serotonin transporter polymorphism (5-HTTLPR) on amygdala function: a meta-analysis. <i>Molecular Psychiatry</i> , 2013, 18, 512-520.	4.1	199
132	The role of serotonin in cognitive function: evidence from recent studies and implications for understanding depression. <i>Journal of Psychopharmacology</i> , 2013, 27, 575-583.	2.0	90
133	Unedited <i>in vivo</i> detection and quantification of ^3H -aminobutyric acid in the occipital cortex using short-TE MRS at 3T. <i>NMR in Biomedicine</i> , 2013, 26, 1353-1362.	1.6	75
134	Psychobiotics Highlight the Pathways to Happiness. <i>Biological Psychiatry</i> , 2013, 74, 708-709.	0.7	33
135	Beta adrenergic blockade reduces utilitarian judgement. <i>Biological Psychology</i> , 2013, 92, 323-328.	1.1	32
136	"It's the way that you look at it" a cognitive neuropsychological account of SSRI action in depression. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120407.	1.8	140
137	Cardiovascular and metabolic risk profile in young people at familial risk of depression. <i>British Journal of Psychiatry</i> , 2013, 203, 18-23.	1.7	37
138	Effects of Short-Term Varenicline Administration on Emotional and Cognitive Processing in Healthy, Non-Smoking Adults: A Randomized, Double-Blind, Study. <i>Neuropsychopharmacology</i> , 2013, 38, 476-484.	2.8	34
139	Antidepressant treatment and emotional processing: can we dissociate the roles of serotonin and noradrenaline?. <i>Journal of Psychopharmacology</i> , 2013, 27, 719-731.	2.0	30
140	Drug information update: agomelatine. <i>The Psychiatrist</i> , 2013, 37, 356-358.	0.3	5
141	Amine Depletors. , 2013, , 1-4.		0
142	Serotonin " 100 words. <i>British Journal of Psychiatry</i> , 2013, 203, 23-23.	1.7	0
143	Using an experimental medicine model to understand the antidepressant potential of the N-Methyl-D-aspartic acid (NMDA) receptor antagonist memantine. <i>Journal of Psychopharmacology</i> , 2012, 26, 1417-1423.	2.0	18
144	Lack of effect of ketamine on cortical glutamate and glutamine in healthy volunteers: a proton magnetic resonance spectroscopy study. <i>Journal of Psychopharmacology</i> , 2012, 26, 733-737.	2.0	66

#	ARTICLE	IF	CITATIONS
145	Severity of depression and response to antidepressants: GENPOD randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012, 200, 130-136.	1.7	23
146	Short-term SSRI treatment normalises amygdala hyperactivity in depressed patients. <i>Psychological Medicine</i> , 2012, 42, 2609-2617.	2.7	202
147	Does baseline fatigue influence treatment response to reboxetine or citalopram in depression? An open label randomized controlled trial. <i>Journal of Psychopharmacology</i> , 2012, 26, 663-669.	2.0	6
148	Effects of 7 days of treatment with the cannabinoid type 1 receptor antagonist, rimonabant, on emotional processing. <i>Journal of Psychopharmacology</i> , 2012, 26, 125-132.	2.0	44
149	Negative ion treatment increases positive emotional processing in seasonal affective disorder. <i>Psychological Medicine</i> , 2012, 42, 1605-1612.	2.7	24
150	Early increase in marker of neuronal integrity with antidepressant treatment of major depression: 1H-magnetic resonance spectroscopy of N-acetyl-aspartate. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1541-1546.	1.0	30
151	Using Attentional Bias Modification as a Cognitive Vaccine Against Depression. <i>Biological Psychiatry</i> , 2012, 72, 572-579.	0.7	162
152	Neural Processing of Reward and Punishment in Young People at Increased Familial Risk of Depression. <i>Biological Psychiatry</i> , 2012, 72, 588-594.	0.7	140
153	Measuring endogenous changes in serotonergic neurotransmission in humans: a [11C]CUMI-101 PET challenge study. <i>Molecular Psychiatry</i> , 2012, 17, 1254-1260.	4.1	63
154	Propranolol reduces implicit negative racial bias. <i>Psychopharmacology</i> , 2012, 222, 419-424.	1.5	87
155	In response to "The effect of agomelatine on 5HT2C receptors in humans: a clinically relevant mechanism?" by Trevor Norman. <i>Psychopharmacology</i> , 2012, 221, 179-179.	1.5	0
156	Reply to Burchett, T.S. and Glenn, L.L. "Measurement validity of tests for implicit negative bias". <i>Psychopharmacology</i> , 2012, 222, 723-724.	1.5	2
157	Serotonergic Activity Influences the Cognitive Appraisal of Close Intimate Relationships in Healthy Adults. <i>Biological Psychiatry</i> , 2011, 69, 720-725.	0.7	28
158	Serotonin and Dopamine Play Complementary Roles in Gambling to Recover Losses. <i>Neuropsychopharmacology</i> , 2011, 36, 402-410.	2.8	70
159	5-HT and depression: is the glass half-full?. <i>Current Opinion in Pharmacology</i> , 2011, 11, 45-51.	1.7	87
160	A cognitive neuropsychological model of antidepressant drug action. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1586-1592.	2.5	107
161	Constructionism. <i>BMJ: British Medical Journal</i> , 2011, 342, d3195-d3195.	2.4	0
162	Has psychopharmacology got a future?. <i>British Journal of Psychiatry</i> , 2011, 198, 333-335.	1.7	13

#	ARTICLE	IF	CITATIONS
163	Polymorphism of the 5-HT transporter and response to antidepressants: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2011, 198, 464-471.	1.7	55
164	SSRI administration reduces resting state functional connectivity in dorso-medial prefrontal cortex. <i>Molecular Psychiatry</i> , 2011, 16, 592-594.	4.1	100
165	Carriage of the Sâ€² allele serotonin transporter polymorphisms (SLC6A4 insertion/deletion and rs25531) may influence brain morphology. <i>Molecular Psychiatry</i> , 2011, 16, 471-471.	4.1	8
166	Imaging vulnerability for depression. <i>Molecular Psychiatry</i> , 2011, 16, 1067-1068.	4.1	12
167	Frontolimbic responses to emotional faces in young people at familial risk of depression. <i>Journal of Affective Disorders</i> , 2011, 130, 127-132.	2.0	56
168	Diminished brain 5-HT transporter binding in major depression: a positron emission tomography study with [¹¹ C]DASB. <i>Psychopharmacology</i> , 2011, 213, 555-562.	1.5	65
169	Does agomelatine block 5-HT _{2C} receptors in humans?. <i>Psychopharmacology</i> , 2011, 213, 653-655.	1.5	14
170	Short-term NK1 receptor antagonism and emotional processing in healthy volunteers. <i>Psychopharmacology</i> , 2011, 215, 239-246.	1.5	18
171	Serotonin revisited. <i>Psychopharmacology</i> , 2011, 213, 167-169.	1.5	3
172	The D2 antagonist sulpiride modulates the neural processing of both rewarding and aversive stimuli in healthy volunteers. <i>Psychopharmacology</i> , 2011, 217, 271-278.	1.5	39
173	Efficient Î³-aminobutyric acid editing at 3T without macromolecule contamination: MEGAâ€²SPECIAL. <i>NMR in Biomedicine</i> , 2011, 24, 1277-1285.	1.6	68
174	Efficacy markers in depression. <i>Journal of Psychopharmacology</i> , 2011, 25, 1148-1158.	2.0	103
175	Neural response to angry and disgusted facial expressions in bulimia nervosa. <i>Psychological Medicine</i> , 2011, 41, 2375-2384.	2.7	26
176	Elevated cortical glutamate in young people at increased familial risk of depression. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 255-259.	1.0	29
177	Agomelatine facilitates positive versus negative affective processing in healthy volunteer models. <i>Journal of Psychopharmacology</i> , 2011, 25, 1159-1167.	2.0	61
178	Reduced neural response to reward following 7 days treatment with the cannabinoid CB1 antagonist rimonabant in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 1103-1113.	1.0	74
179	Erythropoietin modulates neural and cognitive processing of emotional information in biomarker models of antidepressant drug action in depressed patients. <i>Psychopharmacology</i> , 2010, 210, 419-428.	1.5	30
180	A single dose of mirtazapine modulates neural responses to emotional faces in healthy people. <i>Psychopharmacology</i> , 2010, 212, 625-634.	1.5	58

#	ARTICLE	IF	CITATIONS
181	5-HT1A receptor binding in euthymic bipolar patients using positron emission tomography with [carbonyl-11C]WAY-100635. <i>Journal of Affective Disorders</i> , 2010, 123, 77-80.	2.0	32
182	Pindolol augmentation of serotonin reuptake inhibitors for the treatment of depressive disorder: a systematic review. <i>Journal of Psychopharmacology</i> , 2010, 24, 513-520.	2.0	61
183	Not fade away: the HPA axis and depression. <i>Psychological Medicine</i> , 2010, 40, 1-4.	2.7	167
184	Increased neural response to fear in patients recovered from depression: a 3T functional magnetic resonance imaging study. <i>Psychological Medicine</i> , 2010, 40, 425-432.	2.7	62
185	Lack of effect of citalopram on magnetic resonance spectroscopy measures of glutamate and glutamine in frontal cortex of healthy volunteers. <i>Journal of Psychopharmacology</i> , 2010, 24, 1217-1221.	2.0	18
186	Drs. Harmer, Goodwin, and Cowen Reply. <i>American Journal of Psychiatry</i> , 2010, 167, 599-600.	4.0	0
187	A Functional Magnetic Resonance Imaging Study of Verbal Working Memory in Young People at Increased Familial Risk of Depression. <i>Biological Psychiatry</i> , 2010, 67, 471-477.	0.7	40
188	Diminished Neural Processing of Aversive and Rewarding Stimuli During Selective Serotonin Reuptake Inhibitor Treatment. <i>Biological Psychiatry</i> , 2010, 67, 439-445.	0.7	282
189	Serotonin transporter polymorphisms (SLC6A4 insertion/deletion and rs25531) do not affect the availability of 5-HTT to [11C] DASB binding in the living human brain. <i>NeuroImage</i> , 2010, 52, 50-54.	2.1	83
190	Antipsychotic-Induced Movement Disorders. , 2010, , 115-115.		0
191	Simplified quantification of 5-HT2A receptors in the human brain with [11C]MDL 100,907 PET and non-invasive kinetic analyses. <i>NeuroImage</i> , 2010, 50, 984-993.	2.1	21
192	Area Under the Curve. , 2010, , 151-151.		1
193	NK ₁ receptor antagonism and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2010, 24, 481-487.	2.0	26
194	Memory impairment in young women at increased risk of depression: influence of cortisol and 5-HTT genotype. <i>Psychological Medicine</i> , 2009, 39, 757-762.	2.7	35
195	Research Letter: High-density negative ion treatment increases positive affective memory. <i>Psychological Medicine</i> , 2009, 39, 1930-1932.	2.7	14
196	NK1 receptor antagonism and the neural processing of emotional information in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 1261.	1.0	27
197	Brain serotonin transporter binding in former users of MDMA (â€˜ecstasyâ€™). <i>British Journal of Psychiatry</i> , 2009, 194, 355-359.	1.7	45
198	Negative Self-Beliefs in Relation to Eating Disorder and Depressive Symptoms: Different Themes Are Characteristic of the Two Sets of Symptoms in Those With Eating Disorders and/or Depression. <i>Journal of Cognitive Psychotherapy</i> , 2009, 23, 147-159.	0.2	17

#	ARTICLE	IF	CITATIONS
199	Effect of Acute Antidepressant Administration on Negative Affective Bias in Depressed Patients. <i>American Journal of Psychiatry</i> , 2009, 166, 1178-1184.	4.0	408
200	Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. <i>British Journal of Psychiatry</i> , 2009, 195, 102-108.	1.7	451
201	Commentary on STAR*D: a summary and UK perspective. <i>Journal of Psychopharmacology</i> , 2009, 23, 618-619.	2.0	1
202	Normal glutamate but elevated myo-inositol in anterior cingulate cortex in recovered depressed patients. <i>Journal of Affective Disorders</i> , 2009, 119, 186-189.	2.0	37
203	Early effects of mirtazapine on emotional processing. <i>Psychopharmacology</i> , 2009, 203, 685-691.	1.5	67
204	Acute administration of the cannabinoid CB1 antagonist rimonabant impairs positive affective memory in healthy volunteers. <i>Psychopharmacology</i> , 2009, 205, 85-91.	1.5	61
205	Neural representation of reward in recovered depressed patients. <i>Psychopharmacology</i> , 2009, 205, 667-677.	1.5	226
206	Short-term antidepressant treatment modulates amygdala response to happy faces. <i>Psychopharmacology</i> , 2009, 206, 197-204.	1.5	96
207	Effects of erythropoietin on emotional processing biases in patients with major depression: an exploratory fMRI study. <i>Psychopharmacology</i> , 2009, 207, 133-142.	1.5	47
208	Effect of a single dose of citalopram on amygdala response to emotional faces. <i>British Journal of Psychiatry</i> , 2009, 194, 535-540.	1.7	218
209	The Role of Serotonin in Nonnormative Risky Choice: The Effects of Tryptophan Supplements on the "Reflection Effect" in Healthy Adult Volunteers. <i>Journal of Cognitive Neuroscience</i> , 2009, 21, 1709-1719.	1.1	58
210	Oxytocin enhances processing of positive versus negative emotional information in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2009, 23, 241-248.	2.0	200
211	Short-term serotonergic but not noradrenergic antidepressant administration reduces attentional vigilance to threat in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 169.	1.0	75
212	A big tent?. <i>Psychiatric Bulletin</i> , 2009, 33, 395-395.	0.3	1
213	Dissociable effects of acute antidepressant drug administration on subjective and emotional processing measures in healthy volunteers. <i>Psychopharmacology</i> , 2008, 199, 495-502.	1.5	61
214	Direct effects of diazepam on emotional processing in healthy volunteers. <i>Psychopharmacology</i> , 2008, 199, 503-513.	1.5	84
215	GENetic and clinical Predictors Of treatment response in Depression: the GenPod randomised trial protocol. <i>Trials</i> , 2008, 9, 29.	0.7	23
216	Effects of Citalopram Infusion on the Serotonin Transporter Binding of [¹¹ C]DASB in Healthy Controls. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 1478-1490.	2.4	89

#	ARTICLE	IF	CITATIONS
217	The effects of reboxetine on emotional processing in healthy volunteers: an fMRI study. <i>Molecular Psychiatry</i> , 2008, 13, 1011-1020.	4.1	62
218	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2000 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2008, 22, 343-396.	2.0	437
219	Serotonin and depression: pathophysiological mechanism or marketing myth?. <i>Trends in Pharmacological Sciences</i> , 2008, 29, 433-436.	4.0	167
220	Emotional face processing in women with high and low levels of eating disorder related symptoms. <i>Eating Behaviors</i> , 2008, 9, 389-397.	1.1	31
221	Differential effects of citalopram and reboxetine on cortical Glx measured with proton MR spectroscopy. <i>Journal of Psychopharmacology</i> , 2008, 22, 473-476.	2.0	46
222	It's not over when it's over™: persistent neurobiological abnormalities in recovered depressed patients. <i>Psychological Medicine</i> , 2008, 38, 307-313.	2.7	117
223	Low GABA concentrations in occipital cortex and anterior cingulate cortex in medication-free, recovered depressed patients. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 255-60.	1.0	140
224	Wake-up call for British psychiatry. <i>British Journal of Psychiatry</i> , 2008, 193, 6-9.	1.7	183
225	Affective modulation of anterior cingulate cortex in young people at increased familial risk of depression. <i>British Journal of Psychiatry</i> , 2008, 192, 356-361.	1.7	48
226	Human 5-HT Transporter Availability Predicts Amygdala Reactivity <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 2007, 27, 9233-9237.	1.7	86
227	5-HTT Binding in Recovered Depressed Patients and Healthy Volunteers: A Positron Emission Tomography Study With [¹¹ C]DASB. <i>American Journal of Psychiatry</i> , 2007, 164, 1858-1865.	4.0	66
228	Increased Waking Salivary Cortisol Levels in Young People at Familial Risk of Depression. <i>American Journal of Psychiatry</i> , 2007, 164, 617-621.	4.0	169
229	Effects of acute tyrosine depletion on subjective craving and selective processing of smoking-related cues in abstinent cigarette smokers. <i>Journal of Psychopharmacology</i> , 2007, 21, 805-814.	2.0	22
230	Effects of Î±-lactalbumin on emotional processing in healthy women. <i>Journal of Psychopharmacology</i> , 2007, 21, 519-524.	2.0	27
231	Short-term antidepressant treatment and facial processing. <i>British Journal of Psychiatry</i> , 2007, 190, 531-532.	1.7	99
232	Neurokinin-1 receptor antagonists as novel antidepressants: trials and tribulations. <i>British Journal of Psychiatry</i> , 2007, 191, 282-284.	1.7	24
233	Emotional bias and waking salivary cortisol in relatives of patients with major depression. <i>Psychological Medicine</i> , 2007, 37, 403.	2.7	45
234	Single dose antidepressant administration modulates the neural processing of self-referent personality trait words. <i>NeuroImage</i> , 2007, 37, 904-911.	2.1	45

#	ARTICLE	IF	CITATIONS
235	A single dose of citalopram increases fear recognition in healthy subjects. <i>Journal of Psychopharmacology</i> , 2007, 21, 684-690.	2.0	214
236	Reduction in Occipital Cortex $\hat{1}^3$ -Aminobutyric Acid Concentrations in Medication-Free Recovered Unipolar Depressed and Bipolar Subjects. <i>Biological Psychiatry</i> , 2007, 61, 806-812.	0.7	274
237	Reply to Low-Dose Tryptophan Depletion. <i>Biological Psychiatry</i> , 2007, 62, 543-544.	0.7	0
238	Validation of a Tracer Kinetic Model for the Quantification of 5-HT _{2A} Receptors in Human Brain with [¹¹ C]MDL 100,907. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 161-172.	2.4	46
239	Impaired emotional categorisation in young people at increased familial risk of depression. <i>Neuropsychologia</i> , 2007, 45, 2975-2980.	0.7	43
240	Antidepressant Drug Treatment Modifies the Neural Processing of Nonconscious Threat Cues. <i>Biological Psychiatry</i> , 2006, 59, 816-820.	0.7	411
241	Lack of Effect of Chromium Supplementation on Mental State and Body Weight in People With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 544-545.	0.7	4
242	5HT ₃ antagonism abolishes the emotion potentiated startle effect in humans. <i>Psychopharmacology</i> , 2006, 186, 18-24.	1.5	51
243	Tryptophan supplementation induces a positive bias in the processing of emotional material in healthy female volunteers. <i>Psychopharmacology</i> , 2006, 187, 121-130.	1.5	76
244	Tryptophan depletion does not lower brain GABA levels in healthy volunteers. <i>Psychopharmacology</i> , 2006, 187, 131-132.	1.5	3
245	Pharmacology of drugs used in the treatment of mood disorders. <i>Psychiatry (Abingdon, England)</i> , 2006, 5, 162-166.	0.2	4
246	Increased 5-HT _{2A} Receptor Binding in Euthymic, Medication-Free Patients Recovered From Depression: A Positron Emission Study With [¹¹ C]MDL 100,907. <i>American Journal of Psychiatry</i> , 2006, 163, 1580-1587.	4.0	170
247	Effect of Acute Tyrosine Depletion in Using a Branched Chain Amino-Acid Mixture on Dopamine Neurotransmission in the Rat Brain. <i>Neuropsychopharmacology</i> , 2006, 31, 310-317.	2.8	17
248	Neurobiology of Depression. , 2005, , 189-210.		0
249	The effects of a branched chain amino acid mixture supplemented with tryptophan on biochemical indices of neurotransmitter function and decision-making. <i>Psychopharmacology</i> , 2005, 179, 761-768.	1.5	41
250	Increased salivary cortisol after waking in depression. <i>Psychopharmacology</i> , 2005, 182, 54-57.	1.5	249
251	New drugs, old problems: Revisiting the Pharmacological management of treatment-resistant depression. <i>Advances in Psychiatric Treatment</i> , 2005, 11, 19-27.	0.6	21
252	Lack of Effect of Tyrosine Depletion on Mood in Recovered Depressed Women. <i>Neuropsychopharmacology</i> , 2005, 30, 786-791.	2.8	24

#	ARTICLE	IF	CITATIONS
253	Fluoxetine improves minor depressive disorders. Evidence-Based Mental Health, 2005, 8, 36-36.	2.2	0
254	Enhanced Early Morning Salivary Cortisol in Neuroticism. American Journal of Psychiatry, 2005, 162, 807-809.	4.0	134
255	Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. Biological Psychiatry, 2005, 57, 517-524.	0.7	149
256	Olanzapine Increases Slow Wave Sleep and Sleep Continuity in SSRI-Resistant Depressed Patients. Journal of Clinical Psychiatry, 2005, 66, 450-454.	1.1	63
257	5-HT1A receptor density and defensive personality - interaction of neurochemistry, personality and depression explored with [11C]WAY 100635 PET. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S376-S376.	2.4	0
258	The Creation of Psychopharmacology. By D. Healy. (Pp. 416; £27.50.) Harvard University Press: London. 2003.. Psychological Medicine, 2004, 34, 173-175.	2.7	0
259	Increased Positive Versus Negative Affective Perception and Memory in Healthy Volunteers Following Selective Serotonin and Norepinephrine Reuptake Inhibition. American Journal of Psychiatry, 2004, 161, 1256-1263.	4.0	501
260	Preferential 5-HT1A Autoreceptor Occupancy by Pindolol is Attenuated in Depressed Patients: Effect of Treatment or an Endophenotype of Depression?. Neuropsychopharmacology, 2004, 29, 1688-1698.	2.8	33
261	Increased Brain GABA Concentrations Following Acute Administration of a Selective Serotonin Reuptake Inhibitor. American Journal of Psychiatry, 2004, 161, 368-370.	4.0	194
262	Methamphetamine Activates Reward Circuitry in Drug Naïve Human Subjects. Neuropsychopharmacology, 2004, 29, 1715-1722.	2.8	140
263	Comparison of the Effects of Citalopram and Escitalopram on 5-Ht-Mediated Neuroendocrine Responses. Neuropsychopharmacology, 2004, 29, 1699-1703.	2.8	40
264	Persistent reduction in brain serotonin1A receptor binding in recovered depressed men measured by positron emission tomography with [11C]WAY-100635. Molecular Psychiatry, 2004, 9, 386-392.	4.1	231
265	Fos immunocytochemical studies on the neuroanatomical sites of action of acute tyrosine depletion in the rat brain. Psychopharmacology, 2004, 171, 435-440.	1.5	15
266	Tyrosine depletion does not cause depressive relapse in antidepressant-treated patients. Psychopharmacology, 2004, 175, 124-6.	1.5	10
267	Tyrosine-free amino acid mixture attenuates amphetamine-induced displacement of [11C]raclopride in striatum in vivo: A rat PET study. Synapse, 2004, 51, 151-157.	0.6	15
268	Normalization of Enhanced Fear Recognition by Acute SSRI Treatment in Subjects With a Previous History of Depression. American Journal of Psychiatry, 2004, 161, 166-168.	4.0	168
269	Tryptophan depletion decreases the recognition of fear in female volunteers. Psychopharmacology, 2003, 167, 411-417.	1.5	148
270	Contrasting effects of citalopram and reboxetine on waking salivary cortisol. Psychopharmacology, 2003, 167, 112-114.	1.5	27

#	ARTICLE	IF	CITATIONS
271	Acute administration of nutritionally sourced tryptophan increases fear recognition. <i>Psychopharmacology</i> , 2003, 169, 104-107.	1.5	103
272	Efficacy and safety of electroconvulsive therapy in depressive disorders: a systematic review and meta-analysis. <i>Lancet, The</i> , 2003, 361, 799-808.	6.3	1,408
273	Lack of effect of a single dose of hydrocortisone on serotonin1A receptors in recovered depressed patients measured by positron emission tomography with [11C]WAY-100635. <i>Biological Psychiatry</i> , 2003, 54, 890-895.	0.7	20
274	Impairments in working memory associated with naturalistic dieting in women: no relationship between task performance and urinary 5-HIAA levels. <i>Appetite</i> , 2003, 40, 145-153.	1.8	38
275	Acute Reboxetine Administration Increases Plasma and Salivary Cortisol. <i>Journal of Psychopharmacology</i> , 2003, 17, 273-275.	2.0	15
276	Antidepressants and Emotional Processing. <i>Neuropsychopharmacology</i> , 2003, 28, 1384-1385.	2.8	5
277	Acute SSRI Administration Affects the Processing of Social Cues in Healthy Volunteers. <i>Neuropsychopharmacology</i> , 2003, 28, 148-152.	2.8	381
278	Reduction of Brain Dopamine Concentration With Dietary Tyrosine Plus Phenylalanine Depletion: An [11C]Raclopride PET Study. <i>American Journal of Psychiatry</i> , 2003, 160, 1887-1889.	4.0	104
279	GABA and mood disorders. <i>Psychological Medicine</i> , 2003, 33, 387-393.	2.7	36
280	The effect of a nutritional source of tryptophan on dieting-induced changes in brain 5-HT function. <i>Psychological Medicine</i> , 2003, 33, 1381-1386.	2.7	22
281	Increase in Concentration of Waking Salivary Cortisol in Recovered Patients With Depression. <i>American Journal of Psychiatry</i> , 2003, 160, 1890-1891.	4.0	140
282	Effects of a branched-chain amino acid drink in mania. <i>British Journal of Psychiatry</i> , 2003, 182, 210-213.	1.7	73
283	Toward a Neuropsychological Theory of Antidepressant Drug Action: Increase in Positive Emotional Bias After Potentiation of Norepinephrine Activity. <i>American Journal of Psychiatry</i> , 2003, 160, 990-992.	4.0	241
284	Risperidone Augmentation Decreases Rapid Eye Movement Sleep and Decreases Wake in Treatment-Resistant Depressed Patients. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 192-196.	1.1	45
285	State and trait abnormalities in serotonin function in major depression. <i>British Journal of Psychiatry</i> , 2002, 180, 24-28.	1.7	106
286	Cortisol, serotonin and depression: All stressed out?. <i>British Journal of Psychiatry</i> , 2002, 180, 99-100.	1.7	117
287	Cerebellar responses during anticipation of noxious stimuli in subjects recovered from depression. <i>British Journal of Psychiatry</i> , 2002, 181, 411-415.	1.7	57
288	Mood, eating behaviour and attention. <i>Psychological Medicine</i> , 2002, 32, 469-481.	2.7	19

#	ARTICLE	IF	CITATIONS
289	Antidepressant drugs. Side Effects of Drugs Annual, 2002, 25, 13-20.	0.6	0
290	A Database of [11C]WAY-100635 Binding to 5-HT _{1A} Receptors in Normal Male Volunteers: Normative Data and Relationship to Methodological, Demographic, Physiological, and Behavioral Variables. Neurolmage, 2002, 15, 620-632.	2.1	133
291	Cortisol modulation of 5-HT-mediated growth hormone release in recovered depressed patients. Journal of Affective Disorders, 2002, 72, 249-255.	2.0	17
292	Predictors of Mood Response to Acute Tryptophan Depletion A Reanalysis. Neuropsychopharmacology, 2002, 27, 852-861.	2.8	161
293	Chromium treatment decreases the sensitivity of 5-HT _{2A} receptors. Psychopharmacology, 2002, 159, 432-436.	1.5	57
294	Effect of branch chain amino acids supplemented with tryptophan on tyrosine availability and plasma prolactin. Psychopharmacology, 2002, 159, 222-223.	1.5	8
295	A dose-finding study on the effects of branch chain amino acids on surrogate markers of brain dopamine function. Psychopharmacology, 2002, 160, 192-197.	1.5	63
296	The effects of tryptophan depletion on cognitive and affective processing in healthy volunteers. Psychopharmacology, 2002, 163, 42-53.	1.5	219
297	Acute citalopram administration produces correlated increases in plasma and salivary cortisol. Psychopharmacology, 2002, 163, 118-120.	1.5	45
298	Acute administration of citalopram facilitates memory consolidation in healthy volunteers. Psychopharmacology, 2002, 163, 106-110.	1.5	96
299	Decreased sensitivity of 5-HT _{1D} receptors in melancholic depression. British Journal of Psychiatry, 2001, 178, 454-457.	1.7	27
300	Decreased tryptophan availability but normal post-synaptic 5-HT _{2c} receptor sensitivity in chronic fatigue syndrome. Psychological Medicine, 2001, 31, 585-591.	2.7	21
301	Pindolol Augmentation of Selective Serotonin Reuptake Inhibitors: PET Evidence That the Dose Used in Clinical Trials Is Too Low. American Journal of Psychiatry, 2001, 158, 2080-2082.	4.0	80
302	Antidopaminergic effects of dietary tyrosine depletion in healthy subjects and patients with manic illness. British Journal of Psychiatry, 2001, 179, 356-360.	1.7	133
303	Allelic variation in the 5-HT _{2C} receptor (HT _{2RC}) and the increase in slow wave sleep produced by olanzapine. Psychopharmacology, 2001, 153, 271-272.	1.5	19
304	Tyrosine depletion attenuates dopamine function in healthy volunteers. Psychopharmacology, 2001, 154, 105-111.	1.5	147
305	Administration of the beta-adrenoceptor blocker propranolol impairs the processing of facial expressions of sadness. Psychopharmacology, 2001, 154, 383-389.	1.5	62
306	Low-dose citalopram as a 5-HT neuroendocrine probe. Psychopharmacology, 2001, 155, 323-326.	1.5	77

#	ARTICLE	IF	CITATIONS
307	Tyrosine depletion attenuates the behavioural stimulant effects of amphetamine and cocaine in rats. <i>European Journal of Pharmacology</i> , 2001, 424, 115-119.	1.7	22
308	Effect of a Low Tryptophan Diet on the Prolactin Responses to the 5-HT _{2A} Agonist DOI in the Rat. <i>Pharmacopsychiatry</i> , 2001, 34, 147-149.	1.7	6
309	The Effect of Li 1370, Extract of Ginkgo biloba, on REM Sleep in Humans. <i>Pharmacopsychiatry</i> , 2001, 34, 155-157.	1.7	3
310	Neuroendocrine markers of depression and antidepressant drug action. , 2001, , 95-107.		2
311	Modelling a loss event: effect of imagined bereavement on the hypothalamic-pituitary-adrenal axis. <i>Psychological Medicine</i> , 2000, 30, 219-223.	2.7	17
312	β-blocker Binding to Human 5-HT _{1A} Receptors in vivo and in vitro Implications for Antidepressant Therapy. <i>Neuropsychopharmacology</i> , 2000, 23, 285-293.	2.8	70
313	Serotonin transporter (5-HTT) promoter genotype may influence the prolactin response to clomipramine. <i>Psychopharmacology</i> , 2000, 150, 120-122.	1.5	80
314	Repetitive transcranial magnetic stimulation to right prefrontal cortex does not modulate the psychostimulant effects of amphetamine. <i>International Journal of Neuropsychopharmacology</i> , 2000, 3, 297-302.	1.0	6
315	Brain Serotonin _{1A} Receptor Binding Measured by Positron Emission Tomography With [¹¹ C]WAY-100635. <i>Archives of General Psychiatry</i> , 2000, 57, 174.	13.8	597
316	Olanzapine increases slow-wave sleep: evidence for blockade of central 5-HT _{2C} receptors in vivo. <i>Biological Psychiatry</i> , 2000, 47, 468-470.	0.7	129
317	Psychopharmacology of 5-HT _{1A} receptors. <i>Nuclear Medicine and Biology</i> , 2000, 27, 437-439.	0.3	45
318	Drug action at the 5-HT _{1A} receptor in vivo: autoreceptor and postsynaptic receptor occupancy examined with PET and [carbonyl- ¹¹ C]WAY-100635. <i>Nuclear Medicine and Biology</i> , 2000, 27, 509-513.	0.3	63
319	Acute effects of LI 160 (extract of <i>Hypericum perforatum</i> , St John's wort) and two of its constituents on neuroendocrine responses in the rat. <i>Journal of Psychopharmacology</i> , 2000, 14, 360-363.	2.0	16
320	Impaired regulation of brain serotonin function during dieting in women recovered from depression. <i>British Journal of Psychiatry</i> , 2000, 176, 72-75.	1.7	20
321	Effect of a long-term low tryptophan diet on the prolactin responses to the 5-HT _{1A} and 5-HT _{2C} agonists, 8-OH-DPAT and mCPP in the male rat. <i>Journal of Psychopharmacology</i> , 1999, 13, 58-63.	2.0	24
322	Attenuation of some subjective effects of amphetamine following tyrosine depletion. <i>Journal of Psychopharmacology</i> , 1999, 13, 144-147.	2.0	52
323	Effects of (±)-tertatolol, (±)-penbutolol and (±)-pindolol in combination with paroxetine on presynaptic 5-HT function: an in vivo microdialysis and electrophysiological study. <i>British Journal of Pharmacology</i> , 1999, 127, 145-152.	2.7	48
324	Effect of a tyrosine-free amino acid mixture on regional brain catecholamine synthesis and release. <i>Psychopharmacology</i> , 1999, 141, 182-188.	1.5	142

#	ARTICLE	IF	CITATIONS
325	Allelic variation in the 5-HT 2C receptor (HTR2C) and functional responses to the 5-HT 2C receptor agonist, m -chlorophenylpiperazine. <i>Psychopharmacology</i> , 1999, 144, 306-307.	1.5	15
326	Zolmitriptan-induced growth hormone release in humans: mediation by 5-HT 1D receptors?. <i>Psychopharmacology</i> , 1999, 145, 223-226.	1.5	18
327	The effects of chronic administration of hydrocortisone on cognitive function in normal male volunteers. <i>Psychopharmacology</i> , 1999, 145, 260-266.	1.5	218
328	Covariation of Activity in Habenula and Dorsal Raphé Nuclei Following Tryptophan Depletion. <i>NeuroImage</i> , 1999, 10, 163-172.	2.1	239
329	Neuroendocrine evidence for dopaminergic actions of hypericum extract (LI 160) in healthy volunteers. <i>Biological Psychiatry</i> , 1999, 46, 581-584.	0.7	74
330	Symptomatic Relapse in Bulimia Nervosa Following Acute Tryptophan Depletion. <i>Archives of General Psychiatry</i> , 1999, 56, 171.	13.8	83
331	Brain mechanisms associated with depressive relapse and associated cognitive impairment following acute tryptophan depletion. <i>British Journal of Psychiatry</i> , 1999, 174, 525-529.	1.7	124
332	Electrophysiological and neurochemical evidence that pindolol has agonist properties at the 5-HT1A autoreceptor in vivo. <i>British Journal of Pharmacology</i> , 1998, 124, 206-212.	2.7	71
333	Lack of effect of hydrocortisone treatment on d -fenfluramine-mediated prolactin release. <i>Psychopharmacology</i> , 1998, 136, 198-200.	1.5	11
334	Antidepressant-like effect of <i>Hypericum perforatum</i> (St John's wort) on the sleep polysomnogram. <i>Psychopharmacology</i> , 1998, 139, 286-287.	1.5	34
335	Clomipramine enhances the cortisol response to 5-HTP: implications for the therapeutic role of 5-HT 2 receptors. <i>Psychopharmacology</i> , 1998, 140, 120-122.	1.5	15
336	Basal activity of the hypothalamic-pituitary-adrenal axis in patients with the chronic fatigue syndrome (neurasthenia). <i>Biological Psychiatry</i> , 1998, 43, 236-237.	0.7	54
337	Effect of venlafaxine on pineal melatonin and noradrenaline in the male rat. <i>Journal of Psychopharmacology</i> , 1998, 12, 371-374.	2.0	12
338	Reduced latent inhibition in people with schizophrenia: an effect of psychosis or of its treatment. <i>British Journal of Psychiatry</i> , 1998, 172, 243-249.	1.7	126
339	Probing the Function of 5-HT1B/1D Receptors in Psychiatric Patients. <i>CNS Spectrums</i> , 1998, 3, 40-45.	0.7	3
340	Assessment and treatment of insomnia (including a case control study of patients with Primary) <i>Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 1</i>	1.2	4
341	Intravenous administration of haloperidol to healthy volunteers: lack of subjective effects but clear objective effects. <i>Journal of Psychopharmacology</i> , 1997, 11, 247-252.	2.0	14
342	Changes in plasma prolactin during SSRI treatment: evidence for a delayed increase in 5-HT neurotransmission. <i>Journal of Psychopharmacology</i> , 1997, 11, 345-348.	2.0	69

#	ARTICLE	IF	CITATIONS
343	Relapse of depression after rapid depletion of tryptophan. <i>Lancet, The</i> , 1997, 349, 915-919.	6.3	374
344	Sumatriptan decreases food intake and increases plasma growth hormone in healthy women. <i>Psychopharmacology</i> , 1997, 129, 179-182.	1.5	47
345	Effect of paroxetine and nefazodone on 5-HT 1A receptor sensitivity. <i>Psychopharmacology</i> , 1997, 132, 296-302.	1.5	54
346	Haloperidol enhances latent inhibition in visual tasks in healthy people. <i>Psychopharmacology</i> , 1997, 133, 262-268.	1.5	72
347	SSRI treatment decreases prolactin and hyperthermic responses to mCPP. <i>Psychopharmacology</i> , 1997, 133, 305-308.	1.5	40
348	5-HT 2C receptor activation decreases appetite and body weight in obese subjects. <i>Psychopharmacology</i> , 1997, 133, 309-312.	1.5	149
349	Brain serotonin (5-HT) neuroendocrine function in patients taking cholesterol-lowering drugs. <i>Biological Psychiatry</i> , 1996, 39, 100-106.	0.7	25
350	Schizotypy and height: reduced height in high-schizotypal healthy men. <i>Personality and Individual Differences</i> , 1996, 21, 823-825.	1.6	2
351	Antipsychotic drug effects in a model of schizophrenic attentional disorder: A randomized controlled trial of the effects of haloperidol on latent inhibition in healthy people. <i>Biological Psychiatry</i> , 1996, 40, 1135-1143.	0.7	63
352	Increased prolactin response to buspirone in chronic fatigue syndrome. <i>Journal of Affective Disorders</i> , 1996, 41, 71-76.	2.0	51
353	Low dose melatonin improves sleep in healthy middle-aged subjects. <i>Psychopharmacology</i> , 1996, 126, 179-181.	1.5	85
354	The effects of paroxetine and nefazodone on sleep: a placebo controlled trial. <i>Psychopharmacology</i> , 1996, 126, 50-54.	1.5	192
355	Paroxetine treatment and the prolactin response to sumatriptan. <i>Psychopharmacology</i> , 1996, 124, 377-379.	1.5	22
356	Effect of castration and castration with hormone replacement on the plasma prolactin responses to neuroendocrine challenge with i.v. mCPP in the male rat following a low tryptophan diet. <i>Journal of Psychopharmacology</i> , 1996, 10, 250-253.	2.0	6
357	Use of a dietary manipulation to deplete plasma tyrosine and phenylalanine in healthy subjects. <i>Journal of Psychopharmacology</i> , 1996, 10, 231-234.	2.0	54
358	Biochemical and behavioural effects of acute tryptophan depletion in abstinent bulimic subjects: a pilot study. <i>Psychological Medicine</i> , 1995, 25, 995-1001.	2.7	34
359	Hypophagic, endocrine and subjective responses to m-chlorophenylpiperazine in healthy men and women. <i>Human Psychopharmacology</i> , 1995, 10, 385-391.	0.7	34
360	Differential effects of clonidine, haloperidol, diazepam and tryptophan depletion on focused attention and attentional search. <i>Psychopharmacology</i> , 1995, 121, 222-230.	1.5	87

#	ARTICLE	IF	CITATIONS
361	Effect of pindolol on the prolactin response to d-fenfluramine. <i>Psychopharmacology</i> , 1995, 118, 471-474.	1.5	39
362	Melatonin phase advances circadian rhythm. <i>Psychopharmacology</i> , 1995, 121, 503-505.	1.5	20
363	The effects of a low tryptophan diet on brain 5-HT metabolism and 5-HT-mediated neuroendocrine responses in the male rat. <i>Journal of Psychopharmacology</i> , 1995, 9, 336-341.	2.0	19
364	Menstrual cycle effects on the action of buspirone on food intake in healthy female volunteers. <i>Journal of Psychopharmacology</i> , 1995, 9, 307-312.	2.0	1
365	Effect of pharmacologic treatments on the sleep of depressed patients. <i>Biological Psychiatry</i> , 1995, 37, 85-98.	0.7	266
366	Dieting decreases plasma tryptophan and increases the prolactin response to d-fenfluramine in women but not men. <i>Journal of Affective Disorders</i> , 1995, 33, 89-97.	2.0	58
367	5-HT _{2C} receptor sensitivity during treatment with selective serotonin re-uptake inhibitors. <i>Journal of Psychopharmacology</i> , 1994, 8, 168-170.	2.0	2
368	Effect of acute tryptophan depletion on mood and appetite in healthy female volunteers. <i>Journal of Psychopharmacology</i> , 1994, 8, 8-13.	2.0	46
369	Depression in the elderly. <i>Journal of Psychopharmacology</i> , 1994, 8, 68-69.	2.0	0
370	m-Chlorophenylpiperazine decreases food intake in a test meal. <i>Psychopharmacology</i> , 1994, 116, 120-122.	1.5	80
371	Neuroendocrine effects of sumatriptan. <i>Psychopharmacology</i> , 1994, 113, 561-564.	1.5	26
372	p-Chloroamphetamine (PCA), 3,4-methylenedioxyamphetamine (MDMA) and d-fenfluramine pretreatment attenuates d-fenfluramine-evoked release of 5-HT in vivo. <i>Psychopharmacology</i> , 1994, 116, 508-514.	1.5	57
373	The effect of tryptophan on brain 5-HT function: A review. <i>Human Psychopharmacology</i> , 1994, 9, 371-376.	0.7	13
374	The 5-HT ₃ antagonist, BRL 46470 does not attenuate m-chlorophenylpiperazine (mCPP)-induced changes in human volunteers. <i>Biological Psychiatry</i> , 1994, 36, 309-316.	0.7	30
375	Slow wave sleep in humans: Role of 5-HT _{2A} and 5-HT _{2C} receptors. <i>Neuropharmacology</i> , 1994, 33, 467-471.	2.0	106
376	Tryptophan depletion in normal volunteers produces selective impairments in learning and memory. <i>Neuropharmacology</i> , 1994, 33, 575-588.	2.0	291
377	Neuroendocrine responses to intravenous L-tryptophan in obsessive compulsive disorder. <i>Journal of Affective Disorders</i> , 1994, 32, 97-104.	2.0	13
378	Effects of hydrocortisone on brain 5-HT function and sleep. <i>Journal of Affective Disorders</i> , 1994, 32, 139-146.	2.0	45

#	ARTICLE	IF	CITATIONS
379	Antidepressant drugs. Side Effects of Drugs Annual, 1994, 18, 14-24.	0.6	0
380	5HT-3 receptor blockade in nicotine withdrawal: Study with BRL 46470A. Human Psychopharmacology, 1993, 8, 345-349.	0.7	1
381	Alcohol-induced reinforcement: Dopamine and 5-HT3 receptor interactions in animals and humans. Drug Development Research, 1993, 30, 153-169.	1.4	25
382	Ritanserin attenuates anorectic, endocrine and thermic responses to fenfluramine in human volunteers. Psychopharmacology, 1993, 112, 461-466.	1.5	145
383	Attenuation of some alcohol-induced mood changes and the desire to drink by 5-HT3 receptor blockade: a preliminary study in healthy male volunteers. Psychopharmacology, 1993, 112, 142-144.	1.5	94
384	Effect of lofepramine on 5-HT function and sleep. Journal of Affective Disorders, 1993, 29, 63-72.	2.0	8
385	Neuroendocrine probes for 5-HT receptor subtypes. European Neuropsychopharmacology, 1993, 3, 306-308.	0.3	1
386	Effect of lithium on the prolactin response to d-fenfluramine in healthy subjects. Biological Psychiatry, 1993, 33, 801-805.	0.7	11
387	meta-Chlorophenylpiperazine decreases slow-wave sleep in humans. Biological Psychiatry, 1993, 33, 49-51.	0.7	27
388	Neuroendocrine and temperature effects of nefazodone in healthy volunteers. Biological Psychiatry, 1993, 33, 115-119.	0.7	15
389	Low Serum Cholesterol and Suicide. British Journal of Psychiatry, 1993, 162, 818-825.	1.7	67
390	Antidepressant drugs. Side Effects of Drugs Annual, 1993, 17, 16-25.	0.6	0
391	The effect of the dopamine agonist, apomorphine, on regional cerebral blood flow in normal volunteers. Psychological Medicine, 1993, 23, 605-613.	2.7	52
392	Make-Believe in Psychiatry or the Perils of Progress. By Herman M. van Praag. New York: Brunner/Mazel Publishers. 1992. 320 pp. US \$39.95.. British Journal of Psychiatry, 1993, 163, 420-421.	1.7	0
393	Commentary on 'The management of treatment-resistant affective disorder: clinical perspectives'. Journal of Psychopharmacology, 1992, 6, 158-159.	2.0	0
394	Effect of oestradiol treatment on 5-HT and dopamine-mediated neuroendocrine responses. Journal of Psychopharmacology, 1992, 6, 483-488.	2.0	9
395	Neuroendocrine challenge tests: Assessment of 5-HT function in anxiety and depression. Molecular Aspects of Medicine, 1992, 13, 205-220.	2.7	56
396	Sleep and 5-HT2 receptor sensitivity in recovered depressed patients. Journal of Affective Disorders, 1992, 24, 177-181.	2.0	7

#	ARTICLE	IF	CITATIONS
397	Measuring the neuromodulatory effects of drugs in man with positron emission tomography. <i>Neuroscience Letters</i> , 1992, 141, 106-110.	1.0	84
398	Effect of 5-hydroxy-l-tryptophan on the release of 5-HT in rat hypothalamus in vivo as measured by microdialysis. <i>Neuropharmacology</i> , 1992, 31, 9-14.	2.0	72
399	Nefazodone "A novel antidepressant" May increase REM sleep. <i>Biological Psychiatry</i> , 1992, 31, 1070-1073.	0.7	64
400	Single photon emission tomography assessment of cerebral dopamine D2 receptor blockade in schizophrenia. <i>Biological Psychiatry</i> , 1992, 32, 293-295.	0.7	18
401	Alpha-2-adrenoceptor control of cortisol and ACTH in normal volunteers: Preliminary open trial of the effects of acute and chronic idazoxan. <i>Psychoneuroendocrinology</i> , 1992, 17, 261-266.	1.3	7
402	Effect of estradiol implant on noradrenergic function and mood in menopausal subjects. <i>Psychoneuroendocrinology</i> , 1992, 17, 87-93.	1.3	86
403	Fatal myocardial infarction and use of psychotropic drugs in young women. <i>Lancet, The</i> , 1992, 340, 1067-1068.	6.3	77
404	Selective 5-HT1A and 5-HT2 receptor-mediated adrenocorticotropin release in the rat: effect of repeated antidepressant treatments. <i>European Journal of Pharmacology</i> , 1992, 221, 27-33.	1.7	30
405	The Effect of Apomorphine and Buspirone on Regional Cerebral Blood Flow During the Performance of a Cognitive Task-Measuring Neuromodulatory Effects of Psychotropic Drugs in Man. <i>European Journal of Neuroscience</i> , 1992, 4, 1203-1212.	1.2	46
406	Does ondansetron attenuate amphetamine-induced behaviour in human volunteers?. <i>Psychopharmacology</i> , 1992, 107, 140-141.	1.5	21
407	Effect of the 5-HT1A partial agonist buspirone on regional cerebral blood flow in man. <i>Psychopharmacology</i> , 1992, 108, 380-386.	1.5	27
408	Slow wave sleep and 5-HT2 receptor sensitivity in generalised anxiety disorder: a pilot study with ritanserin. <i>Psychopharmacology</i> , 1992, 108, 387-389.	1.5	29
409	Effect of pindolol on endocrine and temperature responses to buspirone in healthy volunteers. <i>Psychopharmacology</i> , 1992, 106, 428-432.	1.5	68
410	Evidence that the large neutral amino acid-l-valine decreases electrically-evoked release of 5-HT in rat hippocampus in vivo. <i>Psychopharmacology</i> , 1992, 109, 251-253.	1.5	51
411	Altered in vitro adaptive responses of lymphocyte Na ⁺ ,K ⁺ -ATPase in patients with manic depressive psychosis. <i>Journal of Affective Disorders</i> , 1991, 21, 199-206.	2.0	44
412	Blunted growth hormone and prolactin responses to L-tryptophan in depression; a state-dependent abnormality. <i>Journal of Affective Disorders</i> , 1991, 21, 213-218.	2.0	39
413	Prolactin response to the dopamine antagonist, metoclopramide, in depression. <i>Biological Psychiatry</i> , 1991, 30, 313-316.	0.7	8
414	Intravenous l-tryptophan and regional cerebral blood flow. <i>Biological Psychiatry</i> , 1991, 29, 508-509.	0.7	9

#	ARTICLE	IF	CITATIONS
415	Biological markers of depression. <i>Psychological Medicine</i> , 1991, 21, 831-836.	2.7	37
416	Calcium channel blockade and resistant bipolar depression. <i>Irish Journal of Psychological Medicine</i> , 1991, 8, 50-51.	0.7	6
417	Does metergoline selectively attenuate 5-HT mediated prolactin release?. <i>Psychopharmacology</i> , 1991, 105, 129-131.	1.5	11
418	Pindolol decreases prolactin and growth hormone responses to intravenous L-tryptophan. <i>Psychopharmacology</i> , 1991, 103, 140-142.	1.5	56
419	Lithium and 5-HT _{1A} receptor sensitivity: a neuroendocrine study in healthy volunteers. <i>Psychopharmacology</i> , 1991, 105, 568-572.	1.5	16
420	Neuroendocrine and clinical responses in obsessive-compulsive disorder. <i>Journal of Psychopharmacology</i> , 1991, 5, 438-439.	2.0	1
421	Acute and chronic idazoxan in normal volunteers: biochemical, physiological and psychological effects. <i>Journal of Psychopharmacology</i> , 1991, 5, 396-403.	2.0	17
422	Neuroendocrine Effects of Azapirones. <i>Journal of Clinical Psychopharmacology</i> , 1990, 10, 21S-25S.	0.7	80
423	5-HT neuroendocrine responses during psychotropic drug treatment: an investigation of the effects of lithium. <i>Journal of Neuroscience Methods</i> , 1990, 34, 201-205.	1.3	9
424	The effects of gepirone on neuroendocrine function and temperature in humans. <i>Psychopharmacology</i> , 1990, 100, 498-503.	1.5	60
425	Dose-related effects of selective 5-HT ₂ receptor antagonists on slow wave sleep in humans. <i>Psychopharmacology</i> , 1990, 101, 568-569.	1.5	64
426	Metergoline abolishes the prolactin response to buspirone. <i>Psychopharmacology</i> , 1990, 100, 283-284.	1.5	18
427	Peripubertal human breast development. <i>The Anatomical Record</i> , 1990, 226, 501-508.	2.3	39
428	Sleep Stability with Home Sleep Recording and Automatic Sleep Stage Analysis. <i>Sleep</i> , 1990, 13, 538-540.	0.6	21
429	Drug Treatment of Tricyclic Resistant Depression. <i>International Review of Psychiatry</i> , 1990, 2, 239-248.	1.4	6
430	Dieting reduces plasma tryptophan and alters brain 5-HT function in women. <i>Psychological Medicine</i> , 1990, 20, 785-791.	2.7	156
431	Effect of central cholinergic stimulation on regional cerebral blood flow in Alzheimer disease. <i>Lancet</i> , 1990, 335, 1484-1487.	6.3	118
432	Effect of amitriptyline on endocrine responses to intravenous L-tryptophan. <i>Psychiatry Research</i> , 1990, 31, 201-208.	1.7	15

#	ARTICLE	IF	CITATIONS
433	Effects of MDL 73005EF on central pre- and postsynaptic 5-HT _{1A} receptor function in the rat in vivo. <i>European Journal of Pharmacology</i> , 1990, 191, 391-400.	1.7	48
434	Mediation of ACTH and prolactin responses to 5-HTP by 5-HT ₂ receptors. <i>European Journal of Pharmacology</i> , 1990, 179, 103-109.	1.7	52
435	Slow wave sleep and 5-HT ₂ receptor sensitivity during maintenance tricyclic antidepressant treatment. <i>Journal of Affective Disorders</i> , 1990, 19, 273-277.	2.0	22
436	Decreased plasma tryptophan concentration in major depression: relationship to melancholia and weight loss. <i>Journal of Affective Disorders</i> , 1990, 20, 185-191.	2.0	42
437	L-tryptophan and the eosinophilia-myalgia syndrome. <i>Psychiatric Bulletin</i> , 1990, 14, 738-739.	0.3	0
438	Increased slow wave sleep with 5-HT ₂ receptor antagonists: detection by ambulatory EEG recording and automatic sleep stage analysis. <i>Journal of Psychopharmacology</i> , 1989, 3, 125-129.	2.0	23
439	Lithium increases slow wave sleep: possible mediation by brain 5-HT ₂ receptors?. <i>Psychopharmacology</i> , 1989, 98, 139-140.	1.5	58
440	Lithium increases 5-HT-mediated neuroendocrine responses in tricyclic resistant depression. <i>Psychopharmacology</i> , 1989, 99, 230-232.	1.5	37
441	Lithium increases 5-HT-mediated prolactin release. <i>Psychopharmacology</i> , 1989, 99, 276-281.	1.5	23
442	Effect of moderate weight loss on prolactin secretion in normal female volunteers. <i>Psychiatry Research</i> , 1989, 29, 161-167.	1.7	11
443	Decreased plasma tryptophan levels in major depression. <i>Journal of Affective Disorders</i> , 1989, 16, 27-31.	2.0	133
444	The effect of moderate weight loss on overnight growth hormone and cortisol secretion in healthy female volunteers. <i>Journal of Affective Disorders</i> , 1989, 16, 197-202.	2.0	11
445	Effects of carbamazepine on sleep in healthy volunteers. <i>Biological Psychiatry</i> , 1989, 26, 324-328.	0.7	65
446	Effect of idazoxan on evening melatonin plasma concentrations in healthy volunteers. <i>Biological Psychiatry</i> , 1989, 26, 412-416.	0.7	8
447	The effect of clonidine and bright light on plasma melatonin. <i>Human Psychopharmacology</i> , 1988, 3, 43-46.	0.7	5
448	The effects of dieting and weight loss upon the stimulation of thyrotropin (TSH) by thyrotropin-releasing hormone (TRH) and suppression of cortisol secretion by dexamethasone in men and women. <i>Journal of Affective Disorders</i> , 1988, 14, 137-144.	2.0	16
449	Recent views on the role of 5-hydroxytryptamine in depression. <i>Current Opinion in Psychiatry</i> , 1988, 1, 56-59.	3.1	12
450	Binding of tritiated yohimbine to platelets in women with maternity blues. <i>Psychological Medicine</i> , 1988, 18, 837-842.	2.7	15

#	ARTICLE	IF	CITATIONS
451	Evaluation of First Night Effect using Ambulatory Monitoring and Automatic Sleep Stage Analysis. <i>Sleep</i> , 1988, 11, 273-276.	0.6	107
452	Low tolerability of carbamazepine in psychiatric patients may restrict its clinical usefulness. <i>Journal of Psychopharmacology</i> , 1988, 2, 1-4.	2.0	23
453	The effect of metergoline on endocrine responses to L-tryptophan. <i>Journal of Psychopharmacology</i> , 1987, 1, 90-94.	2.0	22
454	The pineal and psychiatry: still fumbling in the dark?. <i>Psychological Medicine</i> , 1987, 17, 817-820.	2.7	6
455	Neuroendocrine Responses to Intravenous Tryptophan in Major Depression. <i>Archives of General Psychiatry</i> , 1987, 44, 958.	13.8	127
456	Psychotropic drugs and human 5-HT neuroendocrinology. <i>Trends in Pharmacological Sciences</i> , 1987, 8, 105-108.	4.0	32
457	Dieting and weight loss in volunteers increases the number of α_2 -adrenoceptors and 5-HT receptors on blood platelets without effect on [3H]imipramine binding. <i>Journal of Affective Disorders</i> , 1987, 12, 267-274.	2.0	25
458	Platelet 5-HT receptor binding during depressive illness and tricyclic antidepressant treatment. <i>Journal of Affective Disorders</i> , 1987, 13, 45-50.	2.0	72
459	Endocrine responses to tryptophan infusion in schizophrenic patients treated with neuroleptics. <i>Psychoneuroendocrinology</i> , 1987, 12, 193-202.	1.3	9
460	The effects of chronic ritanserin treatment on sleep and the neuroendocrine response to L-tryptophan. <i>Psychopharmacology</i> , 1987, 93, 416-20.	1.5	72
461	Selective effect of lithium on cognitive performance in man. <i>Psychopharmacology</i> , 1987, 91, 109-111.	1.5	18
462	Anecdotal treatment in resistant depression. <i>Human Psychopharmacology</i> , 1987, 2, 135-136.	0.7	0
463	Monoamine function in anxiety and depression: Information from neuroendocrine challenge tests. <i>Human Psychopharmacology</i> , 1987, 2, 211-220.	0.7	16
464	Neuroendocrine Responses as a Probe into the Mechanisms of Action of Electroconvulsive Therapy. <i>Annals of the New York Academy of Sciences</i> , 1986, 462, 163-171.	1.8	4
465	Desipramine Treatment in Normal Subjects. <i>Archives of General Psychiatry</i> , 1986, 43, 61.	13.8	77
466	Personality and psychosis: use of the Standardized Assessment of Personality. <i>Acta Psychiatrica Scandinavica</i> , 1986, 73, 87-92.	2.2	39
467	Binding of yohimbine and imipramine to platelets in depressive illness. <i>Psychological Medicine</i> , 1986, 16, 765-773.	2.7	43
468	L-Tryptophan and prolactin release: Evidence for interaction between 5-HT ₁ and 5-HT ₂ receptors. <i>Human Psychopharmacology</i> , 1986, 1, 93-97.	0.7	78

#	ARTICLE	IF	CITATIONS
469	Clomipramine enhances prolactin and growth hormone responses to l-tryptophan. <i>Psychopharmacology</i> , 1986, 89, 131-3.	1.5	61
470	The effect of lithium on 5-HT-mediated neuroendocrine responses and platelet 5-HT receptors. <i>Psychopharmacology</i> , 1986, 90, 398-402.	1.5	71
471	The effect of diazepam on indices of 5-HT function in man. <i>Pharmacology Biochemistry and Behavior</i> , 1986, 24, 1491-1495.	1.3	14
472	Effects of the contraceptive pill on sedative responses to clonidine and apomorphine in normal women. <i>Psychological Medicine</i> , 1985, 15, 363-367.	2.7	14
473	Responses of prolactin and growth hormone to L-tryptophan infusion: Effects in normal subjects and schizophrenic patients receiving neuroleptics. <i>Psychopharmacology</i> , 1985, 86, 164-169.	1.5	76
474	Treatment with beta-adrenoceptor blockers reduces plasma melatonin concentration.. <i>British Journal of Clinical Pharmacology</i> , 1985, 19, 258-260.	1.1	59
475	Increased platelet membrane [3H]-LSD binding in patients on chronic neuroleptic treatment.. <i>British Journal of Clinical Pharmacology</i> , 1985, 19, 453-457.	1.1	19
476	Plasma melatonin during desmethylimipramine treatment: evidence for changes in noradrenergic transmission.. <i>British Journal of Clinical Pharmacology</i> , 1985, 19, 799-805.	1.1	51
477	The pharmacokinetics of L-tryptophan following its intravenous and oral administration.. <i>British Journal of Clinical Pharmacology</i> , 1985, 20, 317-321.	1.1	10
478	The benzodiazepine antagonist, Ro 15-1788 does not decrease ethanol withdrawal convulsions in rats. <i>European Journal of Pharmacology</i> , 1985, 107, 375-377.	1.7	18
479	The effect of amitriptyline treatment on the growth hormone response to apomorphine. <i>Psychopharmacology</i> , 1984, 83, 378-379.	1.5	6
480	Studies on the mechanisms by which clenbuterol, a β_2 -adrenoceptor agonist, enhances 5-HT-mediated behaviour and increases metabolism of 5-HT in the brain of the rat. <i>Neuropharmacology</i> , 1983, 22, 739-749.	2.0	40
481	Comparison of the effects of chronic desmethylimipramine administration on β_1 - and β_2 -adrenoceptors in different regions of rat brain. <i>Neuroscience</i> , 1983, 8, 161-164.	1.1	47
482	Atenolol reduces plasma melatonin concentration in man.. <i>British Journal of Clinical Pharmacology</i> , 1983, 15, 579-581.	1.1	80
483	The effect of chronic antidepressant administration on β_2 -adrenoceptor function of the rat pineal. <i>British Journal of Pharmacology</i> , 1983, 78, 89-96.	2.7	37
484	Further evidence for a relationship between changes in GABA concentration in rat brain and enhanced monoamine-mediated behavioural responses following repeated electroconvulsive shock. <i>Neuropharmacology</i> , 1982, 21, 981-984.	2.0	20
485	β_2 -ADRENOCEPTOR AGONISTS ENHANCE 5-HYDROXYTRYPTAMINE-MEDIATED BEHAVIOURAL RESPONSES. <i>British Journal of Pharmacology</i> , 1982, 76, 265-270.	2.7	57
486	ECT and the Growth Hormone Response to Apomorphine. <i>British Journal of Psychiatry</i> , 1982, 141, 213-213.	1.7	1

#	ARTICLE	IF	CITATIONS
487	Using Ro 15-1788 to investigate the benzodiazepine receptor in vivo: Studies on the anticonvulsant and sedative effect of melatonin and the convulsant effect of the benzodiazepine Ro 05-3663. <i>Psychopharmacology</i> , 1982, 78, 293-295.	1.5	37
488	Repeated administration of subconvulsant doses of GABA antagonist drugs. <i>Psychopharmacology</i> , 1982, 76, 84-87.	1.5	53
489	Repeated administration of subconvulsant doses of GABA antagonist drugs. <i>Psychopharmacology</i> , 1982, 76, 88-91.	1.5	6
490	Unusual interactions of benzodiazepine receptor antagonists. <i>Nature</i> , 1982, 295, 436-438.	13.7	292
491	Studies on the post-ictal rise in seizure threshold. <i>European Journal of Pharmacology</i> , 1981, 71, 287-295.	1.7	70
492	Ethyl β -carboline carboxylate lowers seizure threshold and antagonizes flurazepam-induced sedation in rats. <i>Nature</i> , 1981, 290, 54-55.	13.7	232
493	On the measurement in rats of the convulsant effect of drugs and the changes which follow electroconvulsive shock. <i>Neuropharmacology</i> , 1980, 19, 1017-1023.	2.0	77
494	Repeated electroconvulsive shock does not increase the susceptibility of rats to a cage convulsant (isopropylbicyclophosphate). <i>Neuropharmacology</i> , 1980, 19, 1025-1026.	2.0	3
495	Enhanced 5-hydroxytryptamine and dopamine-mediated behavioural responses following convulsions—II the effects of anaesthesia and current conditions on the appearance of enhanced responses following electroconvulsive shock. <i>Neuropharmacology</i> , 1980, 19, 901-906.	2.0	20
496	Pharmacotherapy of Suicidal Ideation and Behaviour. , 0, , 487-502.		11
497	Combination Antidepressant Therapy vs Monotherapy—Further Considerations. <i>JAMA Psychiatry</i> , 0, , .	6.0	1