
Haoming Tian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2481102/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prevalence of Diabetes among Men and Women in China. New England Journal of Medicine, 2010, 362, 1090-1101.	27.0	2,685
2	Mobile App-Based Interventions to Support Diabetes Self-Management: A Systematic Review of Randomized Controlled Trials to Identify Functions Associated with Glycemic Efficacy. JMIR MHealth and UHealth, 2017, 5, e35.	3.7	220
3	Pharmacotherapy for adults with overweight and obesity: a systematic review and network meta-analysis of randomised controlled trials. Lancet, The, 2022, 399, 259-269.	13.7	156
4	Body Iron Stores and Heme-Iron Intake in Relation to Risk of Type 2 Diabetes: A Systematic Review and Meta-Analysis. PLoS ONE, 2012, 7, e41641.	2.5	135
5	Acarbose compared with metformin as initial therapy in patients with newly diagnosed type 2 diabetes: an open-label, non-inferiority randomised trial. Lancet Diabetes and Endocrinology,the, 2014, 2, 46-55.	11.4	134
6	Cell-Derived Microparticles in Patients with Type 2 Diabetes Mellitus: a Systematic Review and Meta-Analysis. Cellular Physiology and Biochemistry, 2016, 39, 2439-2450.	1.6	107
7	Diagnosis and treatment for hyperuricemia and gout: a systematic review of clinical practice guidelines and consensus statements. BMJ Open, 2019, 9, e026677.	1.9	90
8	Berberine Modulates Gut Microbiota and Reduces Insulin Resistance via the TLR4 Signaling Pathway. Experimental and Clinical Endocrinology and Diabetes, 2018, 126, 513-520.	1.2	83
9	Chloroquine and hydroxychloroquine are associated with reduced cardiovascular risk: a systematic review and meta-analysis. Drug Design, Development and Therapy, 2018, Volume 12, 1685-1695.	4.3	80
10	The Metabolic Effects of Oats Intake in Patients with Type 2 Diabetes: A Systematic Review and Meta-Analysis. Nutrients, 2015, 7, 10369-10387.	4.1	77
11	Glucose fluctuations in subjects with normal glucose tolerance, impaired glucose regulation and newly diagnosed type 2 diabetes mellitus. Clinical Endocrinology, 2012, 76, 810-815.	2.4	71
12	Medical Care and Payment for Diabetes in China: Enormous Threat and Great Opportunity. PLoS ONE, 2012, 7, e39513.	2.5	65
13	New onset diabetes mellitus after liver transplantation and hepatitis C virus infection: meta-analysis of clinical studies. Transplant International, 2009, 22, 408-415.	1.6	62
14	Dorzagliatin monotherapy in Chinese patients with type 2 diabetes: a dose-ranging, randomised, double-blind, placebo-controlled, phase 2 study. Lancet Diabetes and Endocrinology,the, 2018, 6, 627-636.	11.4	61
15	Association Between SLCO1B1 Gene T521C Polymorphism and Statin-Related Myopathy Risk. Medicine (United States), 2015, 94, e1268.	1.0	57
16	Bariatric Surgery for Type 2 Diabetes Mellitus in Patients with BMI <30 kg/m2: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0132335.	2.5	55
17	Increased Plasma DPP4 Activity Is Predictive of Prediabetes and Type 2 Diabetes Onset in Chinese Over a Four-Year Period: Result From the China National Diabetes and Metabolic Disorders Study. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E2330-E2334.	3.6	49
18	BMI and waist circumference are associated with impaired glucose metabolism and type 2 diabetes in normal weight Chinese adults. Journal of Diabetes and Its Complications, 2014, 28, 470-476.	2.3	43

#	Article	IF	CITATIONS
19	Glycemic Control Rate of T2DM Outpatients in China: A Multi-Center Survey. Medical Science Monitor, 2015, 21, 1440-1446.	1.1	41
20	Effects of acetyl‣â€carnitine and methylcobalamin for diabetic peripheral neuropathy: A multicenter, randomized, doubleâ€blind, controlled trial. Journal of Diabetes Investigation, 2016, 7, 777-785.	2.4	37
21	Vitamin D and Incidence of Prediabetes or Type 2 Diabetes: A Four-Year Follow-Up Community-Based Study. Disease Markers, 2018, 2018, 1-8.	1.3	37
22	MicroRNA-17-92 cluster regulates pancreatic beta-cell proliferation and adaptation. Molecular and Cellular Endocrinology, 2016, 437, 213-223.	3.2	35
23	The characteristics of newly diagnosed adult early-onset diabetes: a population-based cross-sectional study. Scientific Reports, 2017, 7, 46534.	3.3	34
24	<p>Effects of acarbose and metformin on the inflammatory state in newly diagnosed type 2 diabetes patients: a one-year randomized clinical study</p> . Drug Design, Development and Therapy, 2019, Volume 13, 2769-2776.	4.3	34
25	Acetyl-L-Carnitine in the Treatment of Peripheral Neuropathic Pain: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. PLoS ONE, 2015, 10, e0119479.	2.5	31
26	Circulating Betatrophin in Patients with Type 2 Diabetes: A Meta-Analysis. Journal of Diabetes Research, 2016, 2016, 1-9.	2.3	31
27	Association between Family History Risk Categories and Prevalence of Diabetes in Chinese Population. PLoS ONE, 2015, 10, e0117044.	2.5	31
28	Albuminuria: Prevalence, associated risk factors and relationship with cardiovascular disease. Journal of Diabetes Investigation, 2014, 5, 464-471.	2.4	28
29	Relations of lipid parameters, other variables with carotid intima-media thickness and plaque in the general Chinese adults: an observational study. Lipids in Health and Disease, 2018, 17, 107.	3.0	28
30	Increased Plasma DPP4 Activity Is an Independent Predictor of the Onset of Metabolic Syndrome in Chinese over 4 Years: Result from the China National Diabetes and Metabolic Disorders Study. PLoS ONE, 2014, 9, e92222.	2.5	27
31	Glucagon-like peptide 1 receptor agonist ameliorates the insulin resistance function of islet Î ² cells via the activation of PDX-1/JAK signaling transduction in C57/BL6 mice with high-fat diet-induced diabetes. International Journal of Molecular Medicine, 2017, 39, 1029-1036.	4.0	26
32	Obesity-Related Genomic Loci Are Associated with Type 2 Diabetes in a Han Chinese Population. PLoS ONE, 2014, 9, e104486.	2.5	25
33	Efficacy of Aloe Vera Supplementation on Prediabetes and Early Non-Treated Diabetic Patients: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Nutrients, 2016, 8, 388.	4.1	25
34	Cardiovascular risk in primary aldosteronism. Medicine (United States), 2019, 98, e15985.	1.0	24
35	Identification of autoimmune type 1 diabetes and multiple organâ€specific autoantibodies in adultâ€onset nonâ€insulinâ€requiring diabetes in China: A populationâ€based multicentre nationwide survey. Diabetes, Obesity and Metabolism, 2019, 21, 893-902.	4.4	24
36	Effects of Different Proportion of Carbohydrate in Breakfast on Postprandial Glucose Excursion in Normal Glucose Tolerance and Impaired Glucose Regulation Subjects. Diabetes Technology and Therapeutics, 2013, 15, 569-574.	4.4	23

#	Article	IF	CITATIONS
37	Increased plasma DPP4 activities predict new-onset hyperglycemia in Chinese over a four-year period: Possible associations with inflammation. Metabolism: Clinical and Experimental, 2015, 64, 498-505.	3.4	23
38	Distinctive Gut Microbiota in Patients with Overweight and Obesity with Dyslipidemia and its Responses to Long-term Orlistat and Ezetimibe Intervention: A Randomized Controlled Open-label Trial. Frontiers in Pharmacology, 2021, 12, 732541.	3.5	23
39	Sodium–Glucose Cotransporter-2 Inhibitors in Patients With Heart Failure. Annals of Internal Medicine, 2022, 175, 851-861.	3.9	23
40	Elevated Serum Ferritin Concentrations in a Glucose-Impaired Population and in Normal Glucose Tolerant First-Degree Relatives in Familial Type 2 Diabetic Pedigrees. Diabetes Care, 2004, 27, 622-623.	8.6	22
41	Diagnosis and treatment for hyperuricaemia and gout: a protocol for a systematic review of clinical practice guidelines and consensus statements. BMJ Open, 2017, 7, e014928.	1.9	20
42	Study design and baseline characteristics of inpatients with diabetes mellitus in a tertiary hospital in China: A database study based on electronic medical records. Journal of Evidence-Based Medicine, 2018, 11, 152-157.	2.4	20
43	Proprotein convertase subtilisin/kexin 9 inhibitors in reducing cardiovascular outcomes: a systematic review and meta-analysis. Heart, 2019, 105, heartjnl-2019-314763.	2.9	20
44	A Comparison of Functional Features in Chinese and US Mobile Apps for Diabetes Self-Management: A Systematic Search in App Stores and Content Analysis. JMIR MHealth and UHealth, 2019, 7, e13971.	3.7	20
45	The risk factors of glycemic control, blood pressure control, lipid control in Chinese patients with newly diagnosed type 2 diabetes _ A nationwide prospective cohort study. Scientific Reports, 2019, 9, 7709.	3.3	19
46	Clinical Features of 50 Patients With Primary Adrenal Lymphoma. Frontiers in Endocrinology, 2020, 11, 595.	3.5	18
47	Association of Serum Gamma-Glutamyl Transferase and Ferritin with the Metabolic Syndrome. Journal of Diabetes Research, 2015, 2015, 1-10.	2.3	17
48	Exenatide in obese or overweight patients without diabetes: A systematic review and meta-analyses of randomized controlled trials. International Journal of Cardiology, 2016, 219, 293-300.	1.7	17
49	Primary Aldosteronism and Bone Metabolism: A Systematic Review and Meta-Analysis. Frontiers in Endocrinology, 2020, 11, 574151.	3.5	17
50	Increased plasma dipeptidyl peptidase 4 activities predict new-onset microalbuminuria in association with its proinflammatory effects in Chinese without diabetes: a four-year prospective study. Nephrology Dialysis Transplantation, 2015, 30, 460-466.	0.7	16
51	Incidental thyroid carcinoma in surgery-treated hyperthyroid patients with Graves' disease: a systematic review and meta-analysis of cohort studies. Cancer Management and Research, 2018, Volume 10, 1201-1207.	1.9	16
52	The relationships between PON1 activity as well as oxLDL levels and coronary artery lesions in CHD patients with diabetes mellitus or impaired fasting glucose. Coronary Artery Disease, 2008, 19, 565-573.	0.7	15
53	Cigarette Smoking Is Associated with a Lower Prevalence of Newly Diagnosed Diabetes Screened by OGTT than Non-Smoking in Chinese Men with Normal Weight. PLoS ONE, 2016, 11, e0149234.	2.5	15
54	Treatment Patterns and Glycemic Control in Older Adults with Type 2 Diabetes Mellitus Receiving Only Oral Antidiabetes Drugs in China. Diabetes Technology and Therapeutics, 2015, 17, 816-824.	4.4	14

#	Article	IF	CITATIONS
55	<p>Cost-Effectiveness Analysis of Ezetimibe as the Add-on Treatment to Moderate-Dose Rosuvastatin versus High-Dose Rosuvastatin in the Secondary Prevention of Cardiovascular Diseases in China: A Markov Model Analysis</p> . Drug Design, Development and Therapy, 2020, Volume 14, 157-165.	4.3	14
56	Serum gamma-glutamyl transferase, ferritin and the risk of type 2 diabetes in women from a Chinese minority. Diabetes Research and Clinical Practice, 2010, 90, 352-357.	2.8	13
57	Safety of proprotein convertase subtilisin/kexin 9 inhibitors: a systematic review and meta-analysis. Heart, 2022, 108, 1296-1302.	2.9	13
58	A prospective study to optimize insulin treatment by switching to insulin glargine in type 2 diabetic patients previously uncontrolled on premixed insulin: the optimization study. Current Medical Research and Opinion, 2012, 28, 533-541.	1.9	12
59	Contributions of Basal Glucose and Postprandial Glucose Concentrations to Hemoglobin A1c in the Newly Diagnosed Patients with Type 2 Diabetes—The Preliminary Study. Diabetes Technology and Therapeutics, 2015, 17, 445-448.	4.4	12
60	Glargine insulin/gliclazide MR combination therapy is more effective than premixed insulin monotherapy in Chinese patients with type 2 diabetes inadequately controlled on oral antidiabetic drugs. Diabetes/Metabolism Research and Reviews, 2015, 31, 725-733.	4.0	12
61	Episodes of Paralysis in Chinese Men with Thyrotoxic Periodic Paralysis Are Associated with Elevated Serum Testosterone. Thyroid, 2013, 23, 420-427.	4.5	11
62	Changes of blood glucose and gastrointestinal hormones 4Âmonths after <scp>R</scp> ouxâ€enâ€ <scp>Y</scp> gastric bypass surgery in <scp>C</scp> hinese obese typeÂ2 diabetes patients with lower body mass index. Journal of Diabetes Investigation, 2013, 4, 214-221.	2.4	11
63	Liver-Specific Overexpression of Gamma-Glutamyltransferase Ameliorates Insulin Sensitivity of Male C57BL/6 Mice. Journal of Diabetes Research, 2017, 2017, 1-9.	2.3	10
64	The association between subclinical hypothyroidism and erectile dysfunction. Pakistan Journal of Medical Sciences, 2018, 34, 621-625.	0.6	10
65	LDL-C/HDL-C ratio associated with carotid intima-media thickness and carotid plaques in male but not female patients with type 2 diabetes. Clinica Chimica Acta, 2020, 511, 215-220.	1.1	10
66	Gender-differential effects on blood glucose levels between acarbose and metformin in Chinese patients with newly diagnosed type 2 diabetes: a sub-analysis of the MARCH trial. Endocrine Journal, 2021, 68, 69-79.	1.6	10
67	Increased circulating full-length betatrophin levels in drug-naÃ ⁻ ve metabolic syndrome. Oncotarget, 2017, 8, 17510-17517.	1.8	10
68	Lipoprotein(a) level and lipids in type 2 diabetic patients and their normoglycemic first-degree relatives in type 2 diabetic pedigrees. Diabetes Research and Clinical Practice, 2003, 59, 63-69.	2.8	9
69	SIRT6 abrogation promotes adrenocortical carcinoma through activation of NF-κB signaling. Molecular and Cellular Biochemistry, 2019, 458, 1-10.	3.1	9
70	Characteristics of lipid profiles and lipid control in patients with diabetes in a tertiary hospital in Southwest China: an observational study based on electronic medical records. Lipids in Health and Disease, 2019, 18, 13.	3.0	9
71	Evaluation of effectiveness of treatment paradigm for newly diagnosed typeÂ2 diabetes patients in Chin: A nationwide prospective cohort study. Journal of Diabetes Investigation, 2020, 11, 151-161.	2.4	9
72	Association of serum ferritin concentrations with prevalence of prediabetes, type 2 diabetes mellitus, and metabolic syndrome in a Chinese population from Sichuan. International Journal of Diabetes in Developing Countries, 2015, 35, 522-528.	0.8	8

#	Article	IF	CITATIONS
73	Serum Gamma-Glutamyl Transferase and Ferritin Synergistically Associated with the Rate of Chronic Kidney Disease. Disease Markers, 2017, 2017, 1-7.	1.3	8
74	Left-versus-right-adrenal-volume ratio as a screening index before adrenal venous sampling to identify unilateral primary aldosteronism patients. Journal of Hypertension, 2020, 38, 347-353.	0.5	7
75	Decreased Sclerostin Secretion in Humans and Mice With Nonalcoholic Fatty Liver Disease. Frontiers in Endocrinology, 2021, 12, 707505.	3.5	7
76	Serum Gamma-Glutamyltransferase and Ferritin are Related to Insulin Resistance: A Population-Based Study. Clinical Laboratory, 2015, 61, 1157-61.	0.5	7
77	Autologous bone marrow stem cell transplantation for the treatment of postoperative hand infection with a skin defect in diabetes mellitus: A case report. Oncology Letters, 2014, 7, 1857-1862.	1.8	6
78	Obesity Might Persistently Increase Adrenal Gland Volume: a Preliminary Study. Obesity Surgery, 2020, 30, 3503-3507.	2.1	6
79	Diabetes in Patients With Heart Failure With Reduced Ejection Fraction During Hospitalization: A Retrospective Observational Study. Frontiers in Endocrinology, 2021, 12, 727188.	3.5	6
80	Increased Metabolic Disorders and Impaired Insulin Secretory Function in the First-Degree Relatives of Type 2 Diabetic Patients with Normal Glucose Tolerance. Metabolic Syndrome and Related Disorders, 2016, 14, 431-436.	1.3	5
81	Association of Serum Ferritin Level with Risk of Incident Abnormal Glucose Metabolism in Southwestern China: a Prospective Cohort Study. Biological Trace Element Research, 2016, 169, 27-33.	3.5	5
82	LRG ameliorates steatohepatitis by activating the AMPK/mTOR/SREBP1 signaling pathway in C57BL/6J mice fed a high‑fat diet. Molecular Medicine Reports, 2019, 20, 701-708.	2.4	5
83	Different Lipid Parameters in Predicting Clinical Outcomes in Chinese Statin-NaÃ ⁻ ve Patients After Coronary Stent Implantation. Frontiers in Cardiovascular Medicine, 2021, 8, 638663.	2.4	5
84	CMR-Verified Myocardial Fibrosis Is Associated With Subclinical Diastolic Dysfunction in Primary Aldosteronism Patients. Frontiers in Endocrinology, 2021, 12, 672557.	3.5	5
85	I27L Polymorphism in hepatocyte nuclear factor-1α gene and type 2 diabetes mellitus: A meta-analysis of studies about orient population (Chinese and Japanese). International Journal of Diabetes Mellitus, 2010, 2, 28-31.	0.6	4
86	Comparison of Short- and Mid-term Efficacy and the Mechanisms of Gastric Bypass Surgeries on Managing Obese and Nonobese Type 2 Diabetes Mellitus: A Prospective Study. Archives of Medical Research, 2015, 46, 303-309.	3.3	4
87	Alternative Statistical Analysis Shows Exercise Training-Induced Improvements in Peak VO2 are Clinically Significant. Sports Medicine, 2015, 45, 763-765.	6.5	4
88	Higher Baseline BMI is Associated with Greater Reduction of Apnea-Hypopnea Index After Bariatric Surgery. Obesity Surgery, 2015, 25, 1491-1493.	2.1	4
89	Increased cardio-ankle vascular index is independently associated with chronic kidney disease: A cross-sectional study in Chinese patients with type 2 diabetes mellitus. Journal of Diabetes and Its Complications, 2019, 33, 623-627.	2.3	4
90	Circulating Tissue Factor-Positive Procoagulant Microparticles in Patients with Type 1 Diabetes. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 12, 2819-2828.	2.4	4

#	Article	IF	CITATIONS
91	The Expression of Snail, Galectin-3, and IGF1R in the Differential Diagnosis of Benign and Malignant Pheochromocytoma and Paraganglioma. BioMed Research International, 2020, 2020, 1-10.	1.9	4
92	Letter: The Risk of Bladder Cancer in Korean Diabetic Subjects Treated with Pioglitazone (<i>Diabetes) Tj ETC</i>	Qq0 0 0 rgBT	/Ovgrlock 10 T

93	The value of the post-captopril aldosterone/renin ratio for the diagnosis of primary aldosteronism and the influential factors: A meta-analysis. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2020, 21, 147032032097203.	1.7	3
94	A paternally inherited nonâ€sense variant c.424G>T (p.G142*) in the first exon of <i>XLαs</i> in an adult patient with hypophosphatemia and osteopetrosis. Clinical Genetics, 2020, 97, 712-722.	2.0	3
95	Exploration Of The Seated Saline Suppression Test For The Diagnosis Of Primary Aldosteronism In The Chinese Population. Endocrine Practice, 2020, 26, 891-899.	2.1	3
96	A Novel Diagnostic Model for Primary Adrenal Lymphoma. Frontiers in Endocrinology, 2021, 12, 636658.	3.5	3
97	Comparison of the efficacy of fenofibrate and acipimox on plasma lipoprotein subclasses distribution in the Chinese population with Type 2 diabetes mellitus and hypertriglyceridemia. Clinical Lipidology, 2014, 9, 171-177.	0.4	2
98	Association of lipoprotein subclasses and carotid intima-media thickness in the Chinese population. Clinical Lipidology, 2014, 9, 407-415.	0.4	2
99	Hypertension Accompanied by Hyperaldosteronism, Hyperkalemia, and Hyperchloremic Acidosis: A Case Report and Literature Review. Case Reports in Endocrinology, 2020, 2020, 1-6.	0.4	2
100	The Distinct Role of the Extra-Large G Protein ɑ-Subunit XLɑs. Calcified Tissue International, 2020, 107, 212-219.	3.1	2
101	Developing a research database of primary aldosteronism: rationale and baseline characteristics. BMC		
101	Endocrine Disorders, 2021, 21, 137.	2.2	2
101	Endocrine Disorders, 2021, 21, 137. The Value of Different Single or Combined Indexes of the Captopril Challenge Test in the Diagnosis of Primary Aldosteronism. Frontiers in Endocrinology, 2021, 12, 689618.	2.2 3.5	2
	Endocrine Disorders, 2021, 21, 137. The Value of Different Single or Combined Indexes of the Captopril Challenge Test in the Diagnosis of		
102	Endocrine Disorders, 2021, 21, 137. The Value of Different Single or Combined Indexes of the Captopril Challenge Test in the Diagnosis of Primary Aldosteronism. Frontiers in Endocrinology, 2021, 12, 689618. Guideline Adherence of Î ² -blocker Initiating Dose and its Consequence in Hospitalized Patients With	3.5	2
102 103	Endocrine Disorders, 2021, 21, 137. The Value of Different Single or Combined Indexes of the Captopril Challenge Test in the Diagnosis of Primary Aldosteronism. Frontiers in Endocrinology, 2021, 12, 689618. Guideline Adherence of Î ² -blocker Initiating Dose and its Consequence in Hospitalized Patients With Heart Failure With Reduced Ejection Fraction. Frontiers in Pharmacology, 2021, 12, 770239. False-negative aldosterone-to-renin ratio in a primary aldosteronism patient complicated with primary	3.5 3.5	2
102 103 104	 Endocrine Disorders, 2021, 21, 137. The Value of Different Single or Combined Indexes of the Captopril Challenge Test in the Diagnosis of Primary Aldosteronism. Frontiers in Endocrinology, 2021, 12, 689618. Guideline Adherence of Î²-blocker Initiating Dose and its Consequence in Hospitalized Patients With Heart Failure With Reduced Ejection Fraction. Frontiers in Pharmacology, 2021, 12, 770239. False-negative aldosterone-to-renin ratio in a primary aldosteronism patient complicated with primary polydipsia: case report. Gland Surgery, 2022, 11, 279-284. siL-2R: A Novel Diagnostic Biomarker for Primary Adrenal Lymphoma. Journal of Clinical 	3.5 3.5 1.1	2 1 1
102 103 104 105	 Endocrine Disorders, 2021, 21, 137. The Value of Different Single or Combined Indexes of the Captopril Challenge Test in the Diagnosis of Primary Aldosteronism. Frontiers in Endocrinology, 2021, 12, 689618. Guideline Adherence of Î²-blocker Initiating Dose and its Consequence in Hospitalized Patients With Heart Failure With Reduced Ejection Fraction. Frontiers in Pharmacology, 2021, 12, 770239. False-negative aldosterone-to-renin ratio in a primary aldosteronism patient complicated with primary polydipsia: case report. Gland Surgery, 2022, 11, 279-284. slL-2R: A Novel Diagnostic Biomarker for Primary Adrenal Lymphoma. Journal of Clinical Endocrinology and Metabolism, 2022, . Promoting Compliance to Practice Guidelines May Improve Primary Care for Thyroid Diseases. JAMA 	3.5 3.5 1.1 3.6	2 1 1 1

#	Article	IF	CITATIONS
109	MON-217 New Methods for Primary Aldosteronism Screening by Exploring the Values of Different Indicators and in Combination with Predictive Model. Journal of the Endocrine Society, 2020, 4, .	0.2	0
110	MicroRNAs in Diabetic β Cell Dysfunction and their Role as Biomarkers. Current Signal Transduction Therapy, 2015, 9, 64-69.	0.5	0
111	MON-192 Comparison of the Seated and Recumbent Saline Infusion Test for the Diagnosis of Primary Aldosteronism in Chinese Population. Journal of the Endocrine Society, 2020, 4, .	0.2	Ο