
Robert A Kingsley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2487965/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ecological niche adaptation of Salmonella Typhimurium U288 is associated with altered pathogenicity and reduced zoonotic potential. Communications Biology, 2021, 4, 498.	4.4	17
2	Functional analysis of colonization factor antigen I positive enterotoxigenic Escherichia coli identifies genes implicated in survival in water and host colonization. Microbial Genomics, 2021, 7, .	2.0	2
3	Large-scale sequencing of SARS-CoV-2 genomes from one region allows detailed epidemiology and enables local outbreak management. Microbial Genomics, 2021, 7, .	2.0	31
4	Salmonella pathogenesis and host-adaptation in farmed animals. Current Opinion in Microbiology, 2021, 63, 52-58.	5.1	28
5	Genomic epidemiology and the role of international and regional travel in the SARS-CoV-2 epidemic in Zimbabwe: a retrospective study of routinely collected surveillance data. The Lancet Global Health, 2021, 9, e1658-e1666.	6.3	19
6	Salmonella intracellular adaptation is key to understand cephalosporin treatment relapse. EBioMedicine, 2020, 56, 102802.	6.1	2
7	Mutation of hilD in a Salmonella Derby lineage linked to swine adaptation and reduced risk to human health. Scientific Reports, 2020, 10, 21539.	3.3	7
8	Evolution of Salmonella enterica serotype Typhimurium driven by anthropogenic selection and niche adaptation. PLoS Genetics, 2020, 16, e1008850.	3.5	48
9	Whole-genome epidemiology links phage-mediated acquisition of a virulence gene to the clonal expansion of a pandemic Salmonella enterica serovar Typhimurium clone. Microbial Genomics, 2020, 6, .	2.0	15
10	Microevolution of antimicrobial resistance and biofilm formation of Salmonella Typhimurium during persistence on pig farms. Scientific Reports, 2019, 9, 8832.	3.3	37
11	SGI-4 in Monophasic Salmonella Typhimurium ST34 Is a Novel ICE That Enhances Resistance to Copper. Frontiers in Microbiology, 2019, 10, 1118.	3.5	53
12	Adding function to the genome of African Salmonella Typhimurium ST313 strain D23580. PLoS Biology, 2019, 17, e3000059.	5.6	62
13	Functional analysis of <i>Salmonella</i> Typhi adaptation to survival in water. Environmental Microbiology, 2018, 20, 4079-4090.	3.8	17
14	Genome Variation and Molecular Epidemiology of Salmonella enterica Serovar Typhimurium Pathovariants. Infection and Immunity, 2018, 86, .	2.2	93
15	Evolution of Salmonella within Hosts. Trends in Microbiology, 2018, 26, 986-998.	7.7	74
16	Microevolution of Monophasic <i>Salmonella</i> Typhimurium during Epidemic, United Kingdom, 2005–2010. Emerging Infectious Diseases, 2016, 22, 617-624.	4.3	158
17	Using a Human Challenge Model of Infection to Measure Vaccine Efficacy: A Randomised, Controlled Trial Comparing the Typhoid Vaccines M01ZH09 with Placebo and Ty21a. PLoS Neglected Tropical Diseases, 2016, 10, e0004926.	3.0	67
18	Differential Killing of Salmonella enterica Serovar Typhi by Antibodies Targeting Vi and Lipopolysaccharide O:9 Antigen. PLoS ONE, 2016, 11, e0145945.	2.5	44

ROBERT A KINGSLEY

#	Article	IF	CITATIONS
19	A profile-based method for identifying functional divergence of orthologous genes in bacterial genomes. Bioinformatics, 2016, 32, 3566-3574.	4.1	25
20	Loss of Multicellular Behavior in Epidemic African Nontyphoidal Salmonella enterica Serovar Typhimurium ST313 Strain D23580. MBio, 2016, 7, e02265.	4.1	67
21	Distinct Salmonella Enteritidis lineages associated with enterocolitis in high-income settings and invasive disease in low-income settings. Nature Genetics, 2016, 48, 1211-1217.	21.4	191
22	Emergence of host-adapted Salmonella Enteritidis through rapid evolution in an immunocompromised host. Nature Microbiology, 2016, 1, .	13.3	86
23	Signatures of Adaptation in Human Invasive Salmonella Typhimurium ST313 Populations from Sub-Saharan Africa. PLoS Neglected Tropical Diseases, 2015, 9, e0003611.	3.0	116
24	Phylogeographical analysis of the dominant multidrug-resistant H58 clade of Salmonella Typhi identifies inter- and intracontinental transmission events. Nature Genetics, 2015, 47, 632-639.	21.4	403
25	Drug Resistance in <i>Salmonella enterica</i> ser. Typhimurium Bloodstream Infection, Malawi. Emerging Infectious Diseases, 2014, 20, 1957-1959.	4.3	56
26	<scp>ChIP</scp> â€seq and transcriptome analysis of the <scp><scp>OmpR</scp></scp> regulon of <i><scp>S</scp>almonella enterica</i> serovars <scp>T</scp> yphi and <scp>T</scp> yphimurium reveals accessory genes implicated in host colonization. Molecular Microbiology, 2013, 87, 526-538.	2.5	60
27	Genome and Transcriptome Adaptation Accompanying Emergence of the Definitive Type 2 Host-Restricted Salmonella enterica Serovar Typhimurium Pathovar. MBio, 2013, 4, e00565-13.	4.1	57
28	High-Resolution Single Nucleotide Polymorphism Analysis Distinguishes Recrudescence and Reinfection in Recurrent Invasive Nontyphoidal Salmonella Typhimurium Disease. Clinical Infectious Diseases, 2012, 54, 955-963.	5.8	98
29	Invasive non-typhoidal salmonella disease: an emerging and neglected tropical disease in Africa. Lancet, The, 2012, 379, 2489-2499.	13.7	787
30	Intracontinental spread of human invasive Salmonella Typhimurium pathovariants in sub-Saharan Africa. Nature Genetics, 2012, 44, 1215-1221.	21.4	370
31	Genotypic Homogeneity of Multidrug Resistant S. Typhimurium Infecting Distinct Adult and Childhood Susceptibility Groups in Blantyre, Malawi. PLoS ONE, 2012, 7, e42085.	2.5	30
32	<i>In Vivo</i> Regulation of the Vi Antigen in Salmonella and Induction of Immune Responses with an <i>In Vivo</i> -Inducible Promoter. Infection and Immunity, 2011, 79, 2481-2488.	2.2	27
33	A Salmonella Typhimurium-Typhi Genomic Chimera: A Model to Study Vi Polysaccharide Capsule Function In Vivo. PLoS Pathogens, 2011, 7, e1002131.	4.7	41
34	Dysregulated Humoral Immunity to Nontyphoidal <i>Salmonella</i> in HIV-Infected African Adults. Science, 2010, 328, 508-512.	12.6	149
35	Epidemic multiple drug resistant <i>Salmonella</i> Typhimurium causing invasive disease in sub-Saharan Africa have a distinct genotype. Genome Research, 2009, 19, 2279-2287.	5.5	504
36	Comparative genome analysis of <i>Salmonella</i> Enteritidis PT4 and <i>Salmonella</i> Gallinarum 287/91 provides insights into evolutionary and host adaptation pathways. Genome Research, 2008, 18, 1624-1637.	5.5	394

ROBERT A KINGSLEY

#	Article	IF	CITATIONS
37	Candidate Live, Attenuated Salmonella enterica Serotype Typhimurium Vaccines with Reduced Fecal Shedding Are Immunogenic and Effective Oral Vaccines. Infection and Immunity, 2007, 75, 1835-1842.	2.2	47
38	The ShdA adhesin binds to the cationic cradle of the fibronectin 13FnIII repeat module: evidence for molecular mimicry of heparin binding. Molecular Microbiology, 2004, 52, 345-355.	2.5	46
39	Molecular and Phenotypic Analysis of the CS54 Island of Salmonella enterica Serotype Typhimurium: Identification of Intestinal Colonization and Persistence Determinants. Infection and Immunity, 2003, 71, 629-640.	2.2	167
40	Population Heterogeneity of Salmonella enterica Serotype Typhimurium Resulting from Phase Variation of the lpf Operon In Vitro and In Vivo. Journal of Bacteriology, 2002, 184, 2352-2359.	2.2	28
41	Salmonella enterica Serotype Typhimurium and Its Host-Adapted Variants. Infection and Immunity, 2002, 70, 2249-2255.	2.2	255
42	Salmonella enterica serotype Typhimurium ShdA is an outer membrane fibronectin-binding protein that is expressed in the intestine. Molecular Microbiology, 2002, 43, 895-905.	2.5	105
43	Animal models of infections: enteritis versus typhoid fever. Microbes and Infection, 2001, 3, 1335-1344.	1.9	371
44	Role of fimbriae as antigens and intestinal colonization factors of Salmonella serovars. FEMS Microbiology Letters, 2001, 201, 121-125.	1.8	85
45	Host adaptation and the emergence of infectious disease: the Salmonella paradigm. Molecular Microbiology, 2000, 36, 1006-1014.	2.5	199
46	The shdA Gene Is Restricted to Serotypes of Salmonella enterica Subspecies I and Contributes to Efficient and Prolonged Fecal Shedding. Infection and Immunity, 2000, 68, 2720-2727.	2.2	110
47	Salmonella typhimurium leucine-rich repeat proteins are targeted to the SPI1 and SPI2 type III secretion systems. Molecular Microbiology, 1999, 34, 850-864.	2.5	253
48	Expression and transcriptional control of theSalmonella typhimurium lpffimbrial operon by phase variation. Molecular Microbiology, 1998, 29, 311-320.	2.5	34
49	Iron supplying systems ofSalmonellain diagnostics, epidemiology and infection. FEMS Immunology and Medical Microbiology, 1995, 11, 257-264.	2.7	21
50	Mechanisms of Salmonella enterica Serotype Typhimurium Intestinal Colonization. , 0, , 301-312.		1