

Giancarlo Colombo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2488044/publications.pdf>

Version: 2024-02-01

218
papers

8,750
citations

34105

52
h-index

58581

82
g-index

221
all docs

221
docs citations

221
times ranked

4508
citing authors

#	ARTICLE	IF	CITATIONS
1	Reducing Effect of Cannabidiol on Alcohol Self-Administration in Sardinian Alcohol-Preferring Rats. Cannabis and Cannabinoid Research, 2022, 7, 161-169.	2.9	8
2	Suppressing effect of a saikosaponin-enriched extract of <i>Bupleurum falcatum</i> on alcohol and chocolate self-administration in rats. Natural Product Research, 2022, 36, 4496-4499.	1.8	3
3	Blockade of the GABAB receptor suppressed alcohol self-administration in rats: an effect similar to that produced by GABAB receptor activation. Behavioural Pharmacology, 2022, 33, 51-60.	1.7	0
4	Exposure to an enriched environment reduces alcohol self-administration in Sardinian alcohol-preferring rats. Physiology and Behavior, 2022, 249, 113771.	2.1	4
5	OUP accepted manuscript. Alcohol and Alcoholism, 2022, , .	1.6	2
6	Analgesic properties of a food grade lecithin delivery system of <i>Zingiber officinale</i> and <i>Acmella oleracea</i> standardized extracts in rats. Natural Product Research, 2021, 35, 3078-3082.	1.8	7
7	Suppressing effect of the novel positive allosteric modulator of the GABAB receptor, COR659, on locomotor hyperactivity induced by different drugs of abuse. Behavioural Brain Research, 2021, 400, 113045.	2.2	4
8	Role of inflammation in alcohol-related brain abnormalities: a translational study. Brain Communications, 2021, 3, fcab154.	3.3	9
9	The effect of telmisartan, an angiotensin receptor blocker, on alcohol consumption and alcohol-induced dopamine release in the nucleus accumbens. Alcohol, 2021, 96, 73-81.	1.7	2
10	The Novel Positive Allosteric Modulator of the GABAB Receptor, KK-92A, Suppresses Alcohol Self-Administration and Cue-Induced Reinstatement of Alcohol Seeking in Rats. Frontiers in Cell and Developmental Biology, 2021, 9, 727576.	3.7	5
11	Reducing effect of the novel positive allosteric modulator of the GABAB receptor, COR659, on binge-like alcohol drinking in male mice and rats. Psychopharmacology, 2021, 239, 201.	3.1	6
12	The GABAB receptor positive allosteric modulator COR659: In vitro metabolism, in vivo pharmacokinetics in rats, synthesis and pharmacological characterization of metabolically protected derivatives. European Journal of Pharmaceutical Sciences, 2020, 155, 105544.	4.0	9
13	Differential Effects of Saikosaponins A, B2, B4, C and D on Alcohol and Chocolate Self-Administration in Rats. Alcohol and Alcoholism, 2020, 55, 367-373.	1.6	4
14	Design, Synthesis, and Physicochemical and Pharmacological Profiling of 7-Hydroxy-5-oxopyrazolo[4,3- <i>b</i>]pyridine-6-carboxamide Derivatives with Antiosteoarthritic Activity In Vivo. Journal of Medicinal Chemistry, 2020, 63, 7369-7391.	6.4	18
15	Suppressing effect of CMPPE, a new positive allosteric modulator of the GABAB receptor, on alcohol self-administration and reinstatement of alcohol seeking in rats. Alcohol, 2019, 75, 79-87.	1.7	17
16	Anti-addictive properties of COR659 – Additional pharmacological evidence and comparison with a series of novel analogues. Alcohol, 2019, 75, 55-66.	1.7	12
17	Predisposition to Alcohol Drinking and Alcohol Consumption Alter Expression of Calcitonin Gene-Related Peptide, Neuropeptide Y, and Microglia in Bed Nucleus of Stria Terminalis in a Subnucleus-Specific Manner. Frontiers in Cellular Neuroscience, 2019, 13, 158.	3.7	7
18	An amylin analogue attenuates alcohol-related behaviours in various animal models of alcohol use disorder. Neuropsychopharmacology, 2019, 44, 1093-1102.	5.4	21

#	ARTICLE	IF	CITATIONS
19	Operant, oral alcohol self-administration: Sex differences in Sardinian alcohol-preferring rats. <i>Alcohol</i> , 2019, 79, 147-162.	1.7	24
20	Potential of GABAB Receptor Positive Allosteric Modulators in the Treatment of Alcohol Use Disorder. <i>CNS Drugs</i> , 2019, 33, 107-123.	5.9	32
21	Administration of the metabotropic glutamate receptor subtype 5 allosteric modulator GET 73 with alcohol: A translational study in rats and humans. <i>Journal of Psychopharmacology</i> , 2018, 32, 163-173.	4.0	10
22	Comparison between male and female rats in a model of self-administration of a chocolate-flavored beverage: Behavioral and neurochemical studies. <i>Behavioural Brain Research</i> , 2018, 344, 28-41.	2.2	15
23	Anxiolytic effect of an extract of <i>Salvia miltiorrhiza</i> roots in rats. <i>Journal of the Chinese Medical Association</i> , 2018, 81, 390-397.	1.4	7
24	Microinjection of baclofen and CGP7930 into the ventral tegmental area suppresses alcohol self-administration in alcohol-preferring rats. <i>Neuropharmacology</i> , 2018, 136, 146-158.	4.1	19
25	Marked Differences in the Submandibular Salivary Proteome between Sardinian Alcohol-Preferring and Sardinian Alcohol-Non Preferring Rats Revealed by an Integrated Top-Down“Bottom-Up Proteomic Platform. <i>Journal of Proteome Research</i> , 2018, 17, 455-469.	3.7	0
26	Suppressing Effect of Baclofen on Multiple Alcohol-Related Behaviors in Laboratory Animals. <i>Frontiers in Psychiatry</i> , 2018, 9, 475.	2.6	27
27	Liver Injury, Endotoxemia, and Their Relationship to Intestinal Microbiota Composition in Alcohol-Preferring Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 2313-2325.	2.4	29
28	Reducing Effect of Saikosaponin A, an Active Ingredient of <i>Bupleurum falcatum</i> , on Intake of Highly Palatable Food in a Rat Model of Overeating. <i>Frontiers in Psychiatry</i> , 2018, 9, 369.	2.6	5
29	Prevalence and influence of cys407* Grm2 mutation in Hannover-derived Wistar rats: mGlu2 receptor loss links to alcohol intake, risk taking and emotional behaviour. <i>Neuropharmacology</i> , 2017, 115, 128-138.	4.1	42
30	Suppressing effect of saikosaponin A, an active ingredient of <i>Bupleurum falcatum</i> , on chocolate self-administration and reinstatement of chocolate seeking in rats. <i>Neuroscience Letters</i> , 2017, 638, 211-217.	2.1	11
31	Suppressing effect of COR659 on alcohol, sucrose, and chocolate self-administration in rats: involvement of the GABAB and cannabinoid CB1 receptors. <i>Psychopharmacology</i> , 2017, 234, 2525-2543.	3.1	18
32	Binge drinking and anxiety at the end of the nocturnal period in alcohol-preferring sP rats. <i>Alcohol</i> , 2017, 63, 27-32.	1.7	5
33	Operant Self-Administration of Chocolate in Rats: An Addiction-Like Behavior. <i>Neuromethods</i> , 2017, , 107-139.	0.3	3
34	A <i>Phaseolus vulgaris</i> Extract Reduces Cue-Induced Reinstatement of Chocolate Seeking in Rats. <i>Frontiers in Pharmacology</i> , 2016, 7, 109.	3.5	3
35	R(+)-Baclofen, but Not S(−)-Baclofen, Alters Alcohol Self-Administration in Alcohol-Preferring Rats. <i>Frontiers in Psychiatry</i> , 2016, 7, 68.	2.6	19
36	Disulfiram inhibits chocolate self-administration and reinstatement to chocolate seeking in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 148, 119-127.	2.9	2

#	ARTICLE	IF	CITATIONS
37	Reducing effect of saikosaponin A, an active ingredient of <i>Bupleurum falcatum</i> , on alcohol self-administration in rats: Possible involvement of the GABAB receptor. <i>Neuroscience Letters</i> , 2016, 621, 62-67.	2.1	11
38	The glucagon-like peptide 1 receptor agonist liraglutide attenuates the reinforcing properties of alcohol in rodents. <i>Addiction Biology</i> , 2016, 21, 422-437.	2.6	73
39	Targeting the GABAB Receptor for the Treatment of Alcohol Use Disorder. , 2016, , 287-307.		6
40	The sequenced rat brain transcriptome – its use in identifying networks predisposing alcohol consumption. <i>FEBS Journal</i> , 2015, 282, 3556-3578.	4.7	52
41	Inhibition of alcohol self-administration by positive allosteric modulators of the GABAB receptor in rats: lack of tolerance and potentiation of baclofen. <i>Psychopharmacology</i> , 2015, 232, 1831-1841.	3.1	30
42	Elevated reinforcing and motivational properties of alcohol at the end of the nocturnal period in sP rats. <i>Psychopharmacology</i> , 2015, 232, 3585-3595.	3.1	7
43	Anxiety-like behaviors at the end of the nocturnal period in sP rats with a “history” of unpredictable, limited access to alcohol. <i>Alcohol</i> , 2015, 49, 707-712.	1.7	17
44	Low copulatory activity in selectively bred Sardinian alcohol-nonpreferring (sNP) relative to alcohol-preferring (sP) rats. <i>Upsala Journal of Medical Sciences</i> , 2015, 120, 181-189.	0.9	1
45	Cannabinoid-Alcohol Interactions. , 2015, , 363-391.		3
46	Hypoglycemic effects of a standardized extract of <i>salvia miltiorrhiza</i> roots in rats. <i>Pharmacognosy Magazine</i> , 2015, 11, 545.	0.6	7
47	GABAB receptor ligands for the treatment of alcohol use disorder: preclinical and clinical evidence. <i>Frontiers in Neuroscience</i> , 2014, 8, 140.	2.8	82
48	Protective effect of <i>Panax ginseng</i> in cisplatin-induced cachexia in rats. <i>Future Oncology</i> , 2014, 10, 1203-1214.	2.4	14
49	Enhanced Endocannabinoid-Mediated Modulation of Rostromedial Tegmental Nucleus Drive onto Dopamine Neurons in Sardinian Alcohol-Preferring Rats. <i>Journal of Neuroscience</i> , 2014, 34, 12716-12724.	3.6	47
50	The Dopamine α -Hydroxylase Inhibitor, Nopicastat, Reduces Different Alcohol-Related Behaviors in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 2345-2353.	2.4	12
51	Binge drinking in alcohol-preferring sP rats at the end of the nocturnal period. <i>Alcohol</i> , 2014, 48, 301-311.	1.7	20
52	High alcohol intake in female Sardinian alcohol-preferring rats. <i>Alcohol</i> , 2014, 48, 345-351.	1.7	23
53	Differential sensitivity of ethanol-elicited ERK phosphorylation in nucleus accumbens of Sardinian alcohol-preferring and -non preferring rats. <i>Alcohol</i> , 2014, 48, 471-476.	1.7	8
54	Reducing effect of the Chinese medicinal herb, <i>Salvia miltiorrhiza</i> , on alcohol self-administration in Sardinian alcohol-preferring rats. <i>Alcohol</i> , 2014, 48, 587-593.	1.7	12

#	ARTICLE	IF	CITATIONS
55	Reducing Effect of a Combination of <i>Phaseolus vulgaris</i> and <i>Cynara scolymus</i> Extracts on Food Intake and Glycemia in Rats. <i>Phytotherapy Research</i> , 2013, 27, 258-263.	5.8	10
56	Reduction of alcohol intake by the positive allosteric modulator of the GABAB receptor, rac-BHFF, in alcohol-preferring rats. <i>Alcohol</i> , 2013, 47, 69-73.	1.7	31
57	Effects of voluntary alcohol drinking on corticotropin-releasing factor and preprodynorphin mRNA levels in the central amygdala of Sardinian alcohol-preferring rats. <i>Neuroscience Letters</i> , 2013, 554, 110-114.	2.1	31
58	Reducing effect of an extract of <i>Phaseolus vulgaris</i> on food intake in mice – Focus on highly palatable foods. <i>F&A-toterap</i> , 2013, 85, 14-19.	2.2	12
59	Voluntary Alcohol Drinking Enhances Proopiomelanocortin Gene Expression in Nucleus Accumbens Shell and Hypothalamus of Sardinian Alcohol-Preferring Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, E131-40.	2.4	21
60	The dopamine β -hydroxylase inhibitor, nepicastat, suppresses chocolate self-administration and reinstatement of chocolate seeking in rats. <i>British Journal of Nutrition</i> , 2013, 110, 1524-1533.	2.3	7
61	Synthesis and Pharmacological Characterization of 2-(Acylamino)thiophene Derivatives as Metabolically Stable, Orally Effective, Positive Allosteric Modulators of the GABA _B Receptor. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 3620-3635.	6.4	33
62	Gene expression within the extended amygdala of 5 pairs of rat lines selectively bred for high or low ethanol consumption. <i>Alcohol</i> , 2013, 47, 517-529.	1.7	38
63	Reducing Effect of a Combination of <i>Phaseolus vulgaris</i> and <i>Cynara scolymus</i> Extracts on Operant Self-Administration of a Chocolate-Flavoured Beverage in Rats. <i>Phytotherapy Research</i> , 2013, 27, 944-947.	5.8	10
64	Characterization of COR627 and COR628, Two Novel Positive Allosteric Modulators of the GABA _B Receptor. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 340, 529-538.	2.5	38
65	The Development of Medications for Alcohol-Use Disorders Targeting the GABAB Receptor System. <i>Recent Patents on CNS Drug Discovery</i> , 2012, 7, 113-128.	0.9	19
66	Comparison of the Effect of the GABA _B Receptor Agonist, Baclofen, and the Positive Allosteric Modulator of the GABA _B Receptor, GS39783, on Alcohol Self-Administration in 3 Different Lines of Alcohol-Preferring Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 1748-1766.	2.4	67
67	Animal models for medications development targeting alcohol abuse using selectively bred rat lines: Neurobiological and pharmacological validity. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 103, 119-155.	2.9	105
68	Anti-Alcohol and Anxiolytic Properties of a New Chemical Entity, GET73. <i>Frontiers in Psychiatry</i> , 2012, 3, 8.	2.6	25
69	Suppression by γ -Hydroxybutyric Acid of Alcohol Deprivation Effect in Rats: Preclinical Evidence of its anti-Relapse Properties. <i>Frontiers in Psychiatry</i> , 2012, 3, 95.	2.6	8
70	Innate difference in the endocannabinoid signaling and its modulation by alcohol consumption in alcohol-preferring sP rats. <i>Addiction Biology</i> , 2012, 17, 62-75.	2.6	36
71	Behavioral profiling of multiple pairs of rats selectively bred for high and low alcohol intake using the MCSF test. <i>Addiction Biology</i> , 2012, 17, 33-46.	2.6	67
72	Gene expression in the ventral tegmental area of 5 pairs of rat lines selectively bred for high or low ethanol consumption. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 102, 275-285.	2.9	41

#	ARTICLE	IF	CITATIONS
73	Evidence of glycemia-lowering effect by a <i>Cynara scolymus</i> L. extract in normal and obese rats. <i>Phytotherapy Research</i> , 2011, 25, 463-466.	5.8	41
74	Multiple cycles of repeated treatments with a <i>Phaseolus vulgaris</i> dry extract reduce food intake and body weight in obese rats. <i>British Journal of Nutrition</i> , 2011, 106, 762-768.	2.3	22
75	Activation of the GABAB Receptor Prevents Nicotine-Induced Locomotor Stimulation in Mice. <i>Frontiers in Psychiatry</i> , 2011, 2, 76.	2.6	16
76	Involvement of Arginine Vasopressin and V1b Receptor in Alcohol Drinking in Sardinian Alcohol-Preferring Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 1876-1883.	2.4	51
77	1-Aryl-5-(1H-pyrrol-1-yl)-1H-pyrazole-3-carboxamide: An effective scaffold for the design of either CB1 or CB2 receptor ligands. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 5641-5653.	5.5	15
78	Reducing effect of a <i>Phaseolus vulgaris</i> dry extract on operant self-administration of a chocolate-flavoured beverage in rats. <i>British Journal of Nutrition</i> , 2010, 104, 624-628.	2.3	19
79	Synthesis and biological evaluation of new N-alkyl 1-aryl-5-(1H-pyrrol-1-yl)-1H-pyrazole-3-carboxamides as cannabinoid receptor ligands. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 5878-5886.	5.5	7
80	Increase in Alcohol Intake, Reduced Flexibility of Alcohol Drinking, and Evidence of Signs of Alcohol Intoxication in Sardinian Alcohol-Preferring Rats Exposed to Intermittent Access to 20% Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 2147-2154.	2.4	53
81	Reduction by the positive allosteric modulator of the GABAB receptor, GS39783, of alcohol self-administration in Sardinian alcohol-preferring rats exposed to the "sipper" procedure. <i>Frontiers in Psychiatry</i> , 2010, 1, 20.	2.6	16
82	Blockade of the Cannabinoid CB1 Receptor and Alcohol Dependence: Preclinical Evidence and Preliminary Clinical Data. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010, 9, 55-59.	1.4	43
83	The positive allosteric modulator of the GABAB receptor, rac-BHFF, suppresses alcohol self-administration. <i>Drug and Alcohol Dependence</i> , 2010, 109, 96-103.	3.2	43
84	Electrophysiological properties of dopamine neurons in the ventral tegmental area of Sardinian alcohol-preferring rats. <i>Psychopharmacology</i> , 2009, 201, 471-481.	3.1	34
85	Reduction of Alcohol's Reinforcing and Motivational Properties by the Positive Allosteric Modulator of the GABA _B Receptor, BHF177, in Alcohol-Preferring Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1749-1756.	2.4	62
86	Synthesis, cannabinoid receptor affinity, molecular modeling studies and in vivo pharmacological evaluation of new substituted 1-aryl-5-(1H-pyrrol-1-yl)-1H-pyrazole-3-carboxamides. 2. Effect of the 3-carboxamide substituent on the affinity and selectivity profile. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 5549-5564.	3.0	15
87	Role of the GABAB receptor in alcohol-seeking and drinking behavior. <i>Alcohol</i> , 2009, 43, 555-558.	1.7	76
88	Reducing Effect of a <i>Phaseolus vulgaris</i> Dry Extract on Food Intake, Body Weight, and Glycemia in Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 9316-9323.	5.2	58
89	Lower risk taking and exploratory behavior in alcohol-preferring sP rats than in alcohol non-preferring sNP rats in the multivariate concentric square field _{4,4} (MCSF) test. <i>Behavioural Brain Research</i> , 2009, 205, 249-258.	2.2	60
90	Potential efficacy of preparations derived from <i>Phaseolus vulgaris</i> in the control of appetite, energy intake, and carbohydrate metabolism. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2009, 2, 145.	2.4	24

#	ARTICLE	IF	CITATIONS
91	Suppressing Effect of the Cannabinoid CB1 Receptor Antagonist, Rimonabant, on Alcohol Self-Administration in Alcohol-Preferring Rats. <i>The Open Neuropsychopharmacology Journal</i> , 2009, 2, 40-44.	0.3	9
92	Î ³ -Hydroxybutyric acid (GHB) suppresses alcohol's motivational properties in alcohol-preferring rats. <i>Alcohol</i> , 2008, 42, 107-113.	1.7	15
93	Specific Reduction of Alcohol's Motivational Properties by the Positive Allosteric Modulator of the GABA _B Receptor, GS39783: Comparison With the Effect of the GABA _B Receptor Direct Agonist, Baclofen. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1558-1564.	2.4	65
94	Baclofen attenuates cue-induced reinstatement of alcohol-seeking behavior in Sardinian alcohol-preferring (sP) rats. <i>Drug and Alcohol Dependence</i> , 2008, 95, 284-287.	3.2	63
95	Î ³ -Aminobutyric AcidB (GABAB)-Receptor Mediation of Different In Vivo Effects of Î ³ -Butyrolactone. <i>Journal of Pharmacological Sciences</i> , 2008, 106, 199-207.	2.5	34
96	Pharmaceutical and Biomedical Analysis of Terpene Constituents in <i>Salvia miltiorrhiza</i> . <i>Current Pharmaceutical Analysis</i> , 2008, 4, 249-257.	0.6	10
97	Suppression by the cannabinoid CB1 receptor antagonist, rimonabant, of the reinforcing and motivational properties of a chocolate-flavoured beverage in rats. <i>Behavioural Pharmacology</i> , 2008, 19, 197-209.	1.7	63
98	Repeated exposure to alcoholic beer does not induce long-lasting changes in alcohol self-administration and intake in sardinian alcohol-preferring and sardinian non-preferring rats. <i>Alcohol and Alcoholism</i> , 2007, 42, 513-524.	1.6	7
99	Cue-induced reinstatement of ethanol seeking in Sardinian alcohol-preferring rats. <i>Alcohol</i> , 2007, 41, 31-39.	1.7	16
100	Reducing effect of the positive allosteric modulator of the GABAB receptor, GS39783, on alcohol self-administration in alcohol-preferring rats. <i>Psychopharmacology</i> , 2007, 193, 171-178.	3.1	52
101	The Cannabinoid CB1 Receptor Antagonist, Rimonabant, as a Promising Pharmacotherapy for Alcohol Dependence: Preclinical Evidence. <i>Molecular Neurobiology</i> , 2007, 36, 102-112.	4.0	59
102	Baclofen in the Treatment of Alcohol Withdrawal Syndrome: A Comparative Study vs Diazepam. <i>American Journal of Medicine</i> , 2006, 119, 276.e13-276.e18.	1.5	173
103	Phenotypic characterization of genetically selected Sardinian alcohol-preferring (sP) and -non-preferring (sNP) rats. <i>Addiction Biology</i> , 2006, 11, 324-338.	2.6	159
104	Efficacy of Rimonabant and Other Cannabinoid CB ₁ Receptor Antagonists in Reducing Food Intake and Body Weight: Preclinical and Clinical Data. <i>CNS Neuroscience & Therapeutics</i> , 2006, 12, 91-99.	4.0	44
105	Identification of Miltirone as Active Ingredient of <i>Salvia miltiorrhiza</i> Responsible for the Reducing Effect of Root Extracts on Alcohol Intake in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 754-762.	2.4	29
106	Investigation on the relationship between cannabinoid CB1 and opioid receptors in gastrointestinal motility in mice. <i>British Journal of Pharmacology</i> , 2006, 148, 1043-1050.	5.4	35
107	Resuscitative Treatments on 1,4-Butanediol Mortality in Mice. <i>Annals of Emergency Medicine</i> , 2006, 47, 184-189.	0.6	9
108	Evaluation for the Withdrawal Syndrome from Î ³ -Hydroxybutyric Acid (GHB), Î ³ -Butyrolactone (GBL), and 1,4-Butanediol (1,4-BD) in Different Rat Lines. <i>Annals of the New York Academy of Sciences</i> , 2006, 1074, 545-558.	3.8	7

#	ARTICLE	IF	CITATIONS
109	Lack of tolerance to the suppressing effect of rimonabant on chocolate intake in rats. Psychopharmacology, 2006, 185, 248-254.	3.1	35
110	Baclofen-induced suppression of alcohol deprivation effect in Sardinian alcohol-preferring (sP) rats exposed to different alcohol concentrations. European Journal of Pharmacology, 2006, 550, 123-126.	3.5	43
111	Baclofen: preclinical data. , 2005, , 163-170.		2
112	Suppression of acquisition of alcohol-drinking behavior by the concurrent availability of saccharin in Sardinian alcohol-preferring (sP) rats. Alcohol, 2005, 35, 27-33.	1.7	5
113	Suppression of maintenance of alcohol-drinking behavior by the concurrent availability of saccharin in Sardinian alcohol-preferring (sP) rats. Alcohol, 2005, 35, 35-41.	1.7	6
114	Baclofen-induced reduction of alcohol reinforcement in alcohol-preferring rats. Alcohol, 2005, 36, 161-168.	1.7	77
115	Resuscitative Effect of a $\hat{1}^3$ -Aminobutyric Acid B Receptor Antagonist on $\hat{1}^3$ -Hydroxybutyric Acid Mortality in Mice. Annals of Emergency Medicine, 2005, 45, 614-619.	0.6	26
116	Differential G-protein coupling to GABAB receptor in limbic areas of alcohol-preferring and -nonpreferring rats. European Journal of Pharmacology, 2005, 523, 67-70.	3.5	10
117	Reducing effect of the positive allosteric modulators of the GABAB receptor, CGP7930 and GS39783, on alcohol intake in alcohol-preferring rats. European Journal of Pharmacology, 2005, 525, 105-111.	3.5	60
118	Different sensitivity to the motor incoordinating effects of $\hat{1}^3$ -hydroxybutyric acid (GHB) and baclofen in GHB-sensitive and GHB-resistant rats. Brain Research, 2005, 1033, 109-112.	2.2	10
119	Endocannabinoid system and alcohol addiction: Pharmacological studies. Pharmacology Biochemistry and Behavior, 2005, 81, 369-380.	2.9	107
120	Cannabinoid receptor antagonists: a perspective. , 2005, , 181-187.		2
121	SUPPRESSING EFFECT OF THE CANNABINOID CB1 RECEPTOR ANTAGONIST, SR147778, ON ALCOHOL INTAKE AND MOTIVATIONAL PROPERTIES OF ALCOHOL IN ALCOHOL-PREFERRING sP RATS. Alcohol and Alcoholism, 2005, 40, 46-53.	1.6	108
122	PREFACE TO THE SPECIAL ISSUE ARTICLES ON ALCOHOL AND CANNABIS. Alcohol and Alcoholism, 2005, 40, 1-1.	1.6	0
123	Rimonabant: The first therapeutically relevant cannabinoid antagonist. Life Sciences, 2005, 77, 2339-2350.	4.3	78
124	Effect of the combination of naltrexone and baclofen, on acquisition of alcohol drinking behavior in alcohol-preferring rats. Drug and Alcohol Dependence, 2005, 77, 87-91.	3.2	17
125	GHB-C rats: The control line of GHB-sensitive (GHB-S) and GHB-resistant (GHB-R) rats. Brain Research Protocols, 2005, 15, 1-5.	1.6	1
126	Withdrawal syndrome from $\hat{1}^3$ -hydroxybutyric acid (GHB) and 1,4-butanediol (1,4-BD) in Sardinian alcohol-preferring rats. Brain Research Protocols, 2005, 15, 75-78.	1.6	7

#	ARTICLE	IF	CITATIONS
127	Endogenous $\hat{1}^3$ -aminobutyric acid (GABA)A receptor active neurosteroids and the sedative/hypnotic action of $\hat{1}^3$ -hydroxybutyric acid (GHB): A study in GHB-S (sensitive) and GHB-R (resistant) rat lines. <i>Neuropharmacology</i> , 2005, 49, 48-58.	4.1	19
128	Suppression by baclofen of the stimulation of alcohol intake induced by morphine and WIN 55,212-2 in alcohol-preferring rats. <i>European Journal of Pharmacology</i> , 2004, 492, 189-193.	3.5	30
129	Rapid tolerance to the intestinal prokinetic effect of cannabinoid CB1 receptor antagonist, SR 141716 (Rimonabant). <i>European Journal of Pharmacology</i> , 2004, 494, 221-224.	3.5	28
130	Suppressing effect of the cannabinoid CB1 receptor antagonist, SR 141716, on alcohol's motivational properties in alcohol-preferring rats. <i>European Journal of Pharmacology</i> , 2004, 498, 119-123.	3.5	52
131	Protection by the GABAB receptor antagonist, SCH 50911, of $\hat{1}^3$ -hydroxybutyric acid-induced mortality in mice. <i>European Journal of Pharmacology</i> , 2004, 503, 77-80.	3.5	9
132	In vivo effectiveness of CGP7930, a positive allosteric modulator of the GABAB receptor. <i>European Journal of Pharmacology</i> , 2004, 504, 213-216.	3.5	42
133	Role of GABAB receptor in alcohol dependence: Reducing effect of baclofen on alcohol intake and alcohol motivational properties in rats and amelioration of alcohol withdrawal syndrome and alcohol craving in human alcoholics. <i>Neurotoxicity Research</i> , 2004, 6, 403-414.	2.7	122
134	Suppression of GABAB receptor function in vivo by disulfide reducing agent, dl-dithiothreitol (DTT). <i>Psychopharmacology</i> , 2004, 174, 283-90.	3.1	12
135	Completion by the 10th generation of the bidirectional selective breeding of GHB-sensitive and GHB-resistant rats. <i>Brain Research Protocols</i> , 2004, 13, 53-56.	1.6	7
136	Baclofen suppresses motivation to consume alcohol in rats. <i>Psychopharmacology</i> , 2003, 167, 221-224.	3.1	117
137	Sardinian alcohol-preferring and non-preferring rats show different reactivity to aversive stimuli and a similar response to a natural reward. <i>Brain Research</i> , 2003, 973, 275-284.	2.2	27
138	Stable preference for high ethanol concentrations after ethanol deprivation in Sardinian alcohol-preferring (sP) rats. <i>Alcohol</i> , 2003, 29, 101-108.	1.7	33
139	Long-term exposure to a sweetened alcoholic solution does not alter genetic aversion to ethanol in Sardinian alcohol-nonpreferring (sNP) rats. <i>Alcohol</i> , 2003, 30, 29-34.	1.7	5
140	Reducing effect of <i>Salvia miltiorrhiza</i> extracts on alcohol intake: influence of vehicle. <i>Phytotherapy Research</i> , 2003, 17, 537-541.	5.8	17
141	New Neuronal Networks Involved in Ethanol Reinforcement. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 209-219.	2.4	21
142	Endogenous $\hat{1}^3$ -hydroxybutyric acid is in the rat, mouse and human gastrointestinal tract. <i>Life Sciences</i> , 2003, 72, 2481-2488.	4.3	19
143	Suppression by baclofen of alcohol deprivation effect in Sardinian alcohol-preferring (sP) rats. <i>Drug and Alcohol Dependence</i> , 2003, 70, 105-108.	3.2	101
144	IDN 5082, a standardized extract of <i>Salvia miltiorrhiza</i> , delays acquisition of alcohol drinking behavior in rats. <i>Journal of Ethnopharmacology</i> , 2003, 85, 93-97.	4.1	27

#	ARTICLE	IF	CITATIONS
145	Anti-relapse properties of IDN 5082, a standardized extract of <i>Salvia miltiorrhiza</i> , in alcohol-preferring rats. <i>Journal of Ethnopharmacology</i> , 2003, 88, 249-252.	4.1	21
146	BACLOFEN EFFICACY IN REDUCING ALCOHOL CRAVING AND INTAKE: A PRELIMINARY DOUBLE-BLIND RANDOMIZED CONTROLLED STUDY. <i>Alcohol and Alcoholism</i> , 2002, 37, 504-508.	1.6	434
147	GAMMA-HYDROXYBUTYRIC ACID VERSUS ALCOHOL PREFERENCE IN SARDINIAN ALCOHOL-PREFERRING RATS. <i>Alcohol and Alcoholism</i> , 2002, 37, 128-131.	1.6	2
148	THE GABAB RECEPTOR AGONISTS BACLOFEN AND CGP 44532 PREVENT ACQUISITION OF ALCOHOL DRINKING BEHAVIOUR IN ALCOHOL-PREFERRING RATS. <i>Alcohol and Alcoholism</i> , 2002, 37, 499-503.	1.6	98
149	Rapid suppression of alcohol withdrawal syndrome by baclofen. <i>American Journal of Medicine</i> , 2002, 112, 226-229.	1.5	131
150	GABAB-receptor mediation of the inhibitory effect of γ -hydroxybutyric acid on intestinal motility in mice. <i>Life Sciences</i> , 2002, 70, 3059-3067.	4.3	23
151	Central effects of 1,4-butanediol are mediated by GABAB receptors via its conversion into γ -hydroxybutyric acid. <i>European Journal of Pharmacology</i> , 2002, 441, 157-163.	3.5	56
152	Blockade by the cannabinoid CB1 receptor antagonist, SR 141716, of alcohol deprivation effect in alcohol-preferring rats. <i>European Journal of Pharmacology</i> , 2002, 443, 95-97.	3.5	77
153	Boosting effect of morphine on alcohol drinking is suppressed not only by naloxone but also by the cannabinoid CB1 receptor antagonist, SR 141716. <i>European Journal of Pharmacology</i> , 2002, 445, 55-59.	3.5	31
154	Proconvulsive effect of the GABAB receptor antagonist, SCH 50911, in rats undergoing ethanol withdrawal syndrome. <i>European Journal of Pharmacology</i> , 2002, 445, 195-199.	3.5	15
155	Reduced TH-immunoreactive fibers in the limbic system of Sardinian alcohol-preferring rats. <i>Brain Research</i> , 2002, 924, 242-251.	2.2	23
156	Reduced DAT- and DBH-immunostaining in the limbic system of Sardinian alcohol-preferring rats. <i>Brain Research</i> , 2002, 948, 192-202.	2.2	16
157	Stimulation of voluntary ethanol intake by cannabinoid receptor agonists in ethanol-preferring sP rats. <i>Psychopharmacology</i> , 2002, 159, 181-187.	3.1	156
158	Differences in ethanol-induced conditioned taste aversion in Sardinian alcohol-preferring and Sardinian alcohol-nonpreferring rats. <i>Alcohol</i> , 2002, 26, 167-172.	1.7	27
159	Operant Self-Administration of Ethanol in Sardinian Alcohol-Preferring Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1678-1685.	2.4	43
160	Ethanol, Endocannabinoids, and the Cannabinoidergic Signaling System. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 565-574.	2.4	80
161	Operant self-administration of ethanol in Sardinian alcohol-preferring rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1678-85.	2.4	18
162	Procedure of bidirectional selective outbreeding for production of two rat lines differing in sensitivity to the sedative/hypnotic effect of γ -hydroxybutyric acid. <i>Brain Research Protocols</i> , 2001, 8, 74-81.	1.6	10

#	ARTICLE	IF	CITATIONS
163	Alcohol stimulates motor activity in selectively bred Sardinian alcohol-preferring (sP), but not in Sardinian alcohol-nonpreferring (sNP), rats. <i>Alcohol</i> , 2001, 23, 123-126.	1.7	58
164	Alcohol Reinforcement and Voluntary Ethanol Consumption. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 117S-126S.	2.4	24
165	Selective breeding of two rat lines differing in sensitivity to GHB and baclofen. <i>Brain Research</i> , 2001, 902, 127-130.	2.2	11
166	Role of GABAB receptors in the sedative/hypnotic effect of $\hat{1}^3$ -hydroxybutyric acid. <i>European Journal of Pharmacology</i> , 2001, 428, 315-321.	3.5	132
167	The cannabinoid receptor antagonist SR 141716 prevents acquisition of drinking behavior in alcohol-preferring rats. <i>European Journal of Pharmacology</i> , 2001, 430, 369-371.	3.5	71
168	GABAB receptor inhibition causes locomotor stimulation in mice. <i>European Journal of Pharmacology</i> , 2001, 433, 101-104.	3.5	21
169	Novel pharmacotherapies and patents for alcohol abuse and alcoholism 1998-2001. <i>Expert Opinion on Therapeutic Patents</i> , 2001, 11, 1497-1521.	5.0	3
170	Alcohol Reinforcement and Voluntary Ethanol Consumption. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 117S-126S.	2.4	13
171	Development of short-lasting alcohol deprivation effect in Sardinian alcohol-preferring rats. <i>Alcohol</i> , 2000, 21, 59-62.	1.7	59
172	Characterization of the discriminative stimulus effects of gamma-hydroxybutyric acid as a means for unraveling the neurochemical basis of gamma-hydroxybutyric acid actions and its similarities to those of ethanol. <i>Alcohol</i> , 2000, 20, 237-245.	1.7	4
173	Mechanism of the antialcohol effect of gamma-hydroxybutyric acid. <i>Alcohol</i> , 2000, 20, 271-276.	1.7	102
174	Different Sensitivity to Ethanol in Alcohol-Preferring sP and -Nonpreferring sNP Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 1603-1608.	2.4	27
175	Dissociation of Ethanol and Saccharin Preference in sP and sNP rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 24-29.	2.4	34
176	Ability of Baclofen in Reducing Alcohol Intake and Withdrawal Severity: I-Preclinical Evidence. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 58-66.	2.4	175
177	Potential use of medicinal plants in the treatment of alcoholism. <i>FÄ-toterapÄ-tÄ</i> , 2000, 71, S38-S42.	2.2	53
178	Gamma-hydroxybutyric acid in alcohol preference, dependence and withdrawal. <i>Addiction Biology</i> , 2000, 5, 389-403.	2.6	19
179	Taurine and ethanol preference: a microdialysis study using Sardinian alcohol-preferring and non-preferring rats. <i>European Neuropsychopharmacology</i> , 2000, 10, 377-383.	0.7	24
180	Dissociation of Ethanol and Saccharin Preference in sP and sNP rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 24-29.	2.4	6

#	ARTICLE	IF	CITATIONS
181	Ability of Baclofen in Reducing Alcohol Intake and Withdrawal Severity: I???Preclinical Evidence. Alcoholism: Clinical and Experimental Research, 2000, 24, 58-66.	2.4	16
182	Ability of Baclofen in Reducing Alcohol Craving and Intake: II???Preliminary Clinical Evidence. Alcoholism: Clinical and Experimental Research, 2000, 24, 67-71.	2.4	15
183	Different Sensitivity to Ethanol in Alcohol-Preferring sP and -Nonpreferring sNP Rats. Alcoholism: Clinical and Experimental Research, 2000, 24, 1603-1608.	2.4	2
184	Ability of baclofen in reducing alcohol intake and withdrawal severity: I--Preclinical evidence. Alcoholism: Clinical and Experimental Research, 2000, 24, 58-66.	2.4	74
185	Different sensitivity to ethanol in alcohol-preferring sP and -nonpreferring sNP rats. Alcoholism: Clinical and Experimental Research, 2000, 24, 1603-8.	2.4	11
186	Reduction of Blood Ethanol Levels by the Gamma-Hydroxybutyric Acid Receptor Antagonist, NCS-382. Alcohol, 1999, 17, 93-95.	1.7	2
187	Salvia miltiorrhiza Extract Inhibits Alcohol Absorption, Preference, and Discrimination in sP Rats. Alcohol, 1999, 18, 65-70.	1.7	31
188	Antidepressant-like effect of ethanol revealed in the forced swimming test in Sardinian alcohol-preferring rats. Psychopharmacology, 1999, 144, 151-157.	3.1	80
189	Autoradiographic analysis of 5-HT _{2A} binding sites in the brain of Sardinian alcohol-preferring and nonpreferring rats. European Journal of Pharmacology, 1999, 373, 13-19.	3.5	24
190	Ethanol markedly increases α -GABAergic neurosteroids in alcohol-preferring rats. European Journal of Pharmacology, 1999, 384, R1-R2.	3.5	158
191	Contribution of GABAA and GABAB Receptors to the Discriminative Stimulus Produced by Gamma-Hydroxybutyric Acid. Pharmacology Biochemistry and Behavior, 1999, 64, 363-365.	2.9	27
192	Rapid increase in basal acetylcholine release in the hippocampus of freely moving rats induced by withdrawal from long-term ethanol intoxication. Brain Research, 1998, 784, 347-350.	2.2	26
193	Stimulation of locomotor activity by voluntarily consumed ethanol in Sardinian alcohol-preferring rats. European Journal of Pharmacology, 1998, 357, 109-113.	3.5	63
194	Appetite suppression and weight loss after the cannabinoid antagonist SR 141716. Life Sciences, 1998, 63, PL113-PL117.	4.3	436
195	γ -Hydroxybutyric Acid Intake in Ethanol-preferring sP and -nonpreferring sNP Rats. Physiology and Behavior, 1998, 64, 197-202.	2.1	35
196	Involvement of GABAA and GABAB receptors in the mediation of discriminative stimulus effects of γ -hydroxybutyric acid. Physiology and Behavior, 1998, 64, 293-302.	2.1	47
197	Cannabinoid modulation of intestinal propulsion in mice. European Journal of Pharmacology, 1998, 344, 67-69.	3.5	72
198	γ -HYDROXYBUTYRIC ACID REDUCING EFFECT ON ETHANOL INTAKE: EVIDENCE IN FAVOUR OF A SUBSTITUTION MECHANISM. Alcohol and Alcoholism, 1998, 33, 465-474.	1.6	83

#	ARTICLE	IF	CITATIONS
199	HIGH SENSITIVITY TO γ -HYDROXYBUTYRIC ACID IN ETHANOL-PREFERRING sP RATS. Alcohol and Alcoholism, 1998, 33, 121-125.	1.6	17
200	ESBRA-NORDMANN 1996 AWARD LECTURE: ETHANOL DRINKING BEHAVIOUR IN SARDINIAN ALCOHOL-PREFERRING RATS. Alcohol and Alcoholism, 1997, 32, 443-453.	1.6	122
201	Sardinian alcohol-preferring rats prefer chocolate and sucrose over ethanol. Alcohol, 1997, 14, 611-615.	1.7	36
202	Dizocilpine-like Discriminative Stimulus Effects of Low-affinity Uncompetitive NMDA Antagonists. Neuropharmacology, 1996, 35, 1709-1719.	4.1	55
203	T-maze and food reinforcement: an inexpensive drug discrimination procedure. Journal of Neuroscience Methods, 1996, 67, 83-87.	2.5	10
204	Symmetrical generalization between the discriminative stimulus effects of gamma-hydroxybutyric acid and ethanol: Occurrence within narrow dose ranges. Physiology and Behavior, 1995, 57, 105-111.	2.1	67
205	Sardinian alcohol-preferring rats: A genetic animal model of anxiety. Physiology and Behavior, 1995, 57, 1181-1185.	2.1	190
206	Blockade of the discriminative stimulus effects of γ -hydroxybutyric acid (GHB) by the GHB receptor antagonist NCS-382. Physiology and Behavior, 1995, 58, 587-590.	2.1	39
207	Cross-tolerance to ethanol and γ -hydroxybutyric acid. European Journal of Pharmacology, 1995, 273, 235-238.	3.5	52
208	Oral self-administration of γ -hydroxybutyric acid in the rat. European Journal of Pharmacology, 1995, 285, 103-107.	3.5	42
209	Naloxone antagonizes ethanol- but not γ -hydroxybutyrate-induced sleep in mice. European Journal of Pharmacology, 1994, 252, 321-324.	3.5	24
210	Substitution of the 5-HT ₁ agonist trifluoromethylphenylpiperazine (TFMPP) for the discriminative stimulus effects of ethanol: effect of training dose. Psychopharmacology, 1993, 113, 26-30.	3.1	54
211	Gamma-hydroxybutyric acid (GHB) for treatment of ethanol dependence. European Neuropsychopharmacology, 1993, 3, 224-225.	0.7	5
212	Chronic Ethanol Intoxication Induces Differential Effects on GABAA and NMDA Receptor Function in the Rat Brain. Alcoholism: Clinical and Experimental Research, 1993, 17, 115-123.	2.4	182
213	NMDA Receptor Complex Antagonists Have Ethanol-like Discriminative Stimulus Effects. Annals of the New York Academy of Sciences, 1992, 654, 421-423.	3.8	30
214	Decreased performance in a delayed alternation task by rats genetically deficient in vasopressin. Physiology and Behavior, 1992, 52, 827-830.	2.1	15
215	MDL 72222, A SELECTIVE 5-HT ₃ RECEPTOR ANTAGONIST, SUPPRESSES VOLUNTARY ETHANOL CONSUMPTION IN ALCOHOL-PREFERRING RATS. Alcohol and Alcoholism, 1991, 26, 107-110.	1.6	156
216	Suppression of ethanol intake in ethanol-preferring rats by 1,4-butanediol. Alcohol, 1990, 7, 503-505.	1.7	5

#	ARTICLE	IF	CITATIONS
217	Alcohol-preferring rats: Genetic sensitivity to alcohol-induced stimulation of dopamine metabolism. Physiology and Behavior, 1990, 47, 727-729.	2.1	76
218	Ethanol prevents stress-induced increase in cortical DOPAC: Reversal by RO 15-4513. Physiology and Behavior, 1987, 40, 383-385.	2.1	29