

# Jun Lou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2490727/publications.pdf>

Version: 2024-02-01

357  
papers

46,069  
citations

2544

96  
h-index

1934

207  
g-index

365  
all docs

365  
docs citations

365  
times ranked

45062  
citing authors

#	ARTICLE	IF	CITATIONS
1	High-efficiency two-dimensional Ruddlesden-Popper perovskite solar cells. <i>Nature</i> , 2016, 536, 312-316.	27.8	2,767
2	Large Scale Growth and Characterization of Atomic Hexagonal Boron Nitride Layers. <i>Nano Letters</i> , 2010, 10, 3209-3215.	9.1	2,317
3	Vertical and in-plane heterostructures from WS <sub>2</sub> /MoS <sub>2</sub> monolayers. <i>Nature Materials</i> , 2014, 13, 1135-1142.	27.5	1,918
4	Intrinsic Structural Defects in Monolayer Molybdenum Disulfide. <i>Nano Letters</i> , 2013, 13, 2615-2622.	9.1	1,766
5	Vapour phase growth and grain boundary structure of molybdenum disulphide atomic layers. <i>Nature Materials</i> , 2013, 12, 754-759.	27.5	1,590
6	Large Area Vapor Phase Growth and Characterization of MoS <sub>2</sub> Atomic Layers on a SiO <sub>2</sub> Substrate. <i>Small</i> , 2012, 8, 966-971.	10.0	1,556
7	Black Phosphorus Monolayer MoS <sub>2</sub> van der Waals Heterojunction p-n Diode. <i>ACS Nano</i> , 2014, 8, 8292-8299.	14.6	1,125
8	Janus Monolayer Transition-Metal Dichalcogenides. <i>ACS Nano</i> , 2017, 11, 8192-8198.	14.6	1,001
9	In-plane heterostructures of graphene and hexagonal boron nitride with controlled domain sizes. <i>Nature Nanotechnology</i> , 2013, 8, 119-124.	31.5	796
10	Chemical Vapor Deposition Growth of Crystalline Monolayer MoSe <sub>2</sub> . <i>ACS Nano</i> , 2014, 8, 5125-5131.	14.6	694
11	High Efficiency Photocatalytic Water Splitting Using 2D Fe <sub>2</sub> O <sub>3</sub> /g-C <sub>3</sub> N <sub>4</sub> Z-scheme Catalysts. <i>Advanced Energy Materials</i> , 2017, 7, 1700025.	19.5	664
12	Composites with carbon nanotubes and graphene: An outlook. <i>Science</i> , 2018, 362, 547-553.	12.6	662
13	Large In-Plane and Vertical Piezoelectricity in Janus Transition Metal Dichalcogenides. <i>ACS Nano</i> , 2017, 11, 8242-8248.	14.6	599
14	Fracture toughness of graphene. <i>Nature Communications</i> , 2014, 5, 3782.	12.8	567
15	Achieving Highly Efficient, Selective, and Stable CO <sub>2</sub> Reduction on Nitrogen-Doped Carbon Nanotubes. <i>ACS Nano</i> , 2015, 9, 5364-5371.	14.6	546
16	Second harmonic microscopy of monolayer MoS <sub>2</sub> . $\text{arXiv:1308.4001v1 [cond-mat.str-el]}$ . <i>Physical Review B</i> , 2013, 87, .	3.2	539
17	Ultrathin high-temperature oxidation-resistant coatings of hexagonal boron nitride. <i>Nature Communications</i> , 2013, 4, 2541.	12.8	536
18	Evolution of the Electronic Band Structure and Efficient Photo-Detection in Atomic Layers of InSe. <i>ACS Nano</i> , 2014, 8, 1263-1272.	14.6	534

#	ARTICLE	IF	CITATIONS
19	Plasmonic Hot Electron Induced Structural Phase Transition in a MoS <sub>2</sub> Monolayer. <i>Advanced Materials</i> , 2014, 26, 6467-6471.	21.0	516
20	A metal-free electrocatalyst for carbon dioxide reduction to multi-carbon hydrocarbons and oxygenates. <i>Nature Communications</i> , 2016, 7, 13869.	12.8	505
21	Two-Step Growth of Two-Dimensional WSe <sub>2</sub> /MoSe <sub>2</sub> Heterostructures. <i>Nano Letters</i> , 2015, 15, 6135-6141.	9.1	479
22	Direct Growth of Graphene/Hexagonal Boron Nitride Stacked Layers. <i>Nano Letters</i> , 2011, 11, 2032-2037.	9.1	466
23	Band Gap Engineering and Layer-by-Layer Mapping of Selenium-Doped Molybdenum Disulfide. <i>Nano Letters</i> , 2014, 14, 442-449.	9.1	463
24	Strain and structure heterogeneity in MoS <sub>2</sub> atomic layers grown by chemical vapour deposition. <i>Nature Communications</i> , 2014, 5, 5246.	12.8	453
25	Liquid Phase Exfoliation of Two-Dimensional Materials by Directly Probing and Matching Surface Tension Components. <i>Nano Letters</i> , 2015, 15, 5449-5454.	9.1	436
26	Incorporation of Nitrogen Defects for Efficient Reduction of CO <sub>2</sub> via Two-Electron Pathway on Three-Dimensional Graphene Foam. <i>Nano Letters</i> , 2016, 16, 466-470.	9.1	435
27	Cold welding of ultrathin gold nanowires. <i>Nature Nanotechnology</i> , 2010, 5, 218-224.	31.5	432
28	Chemical Vapor Deposition of Thin Crystals of Layered Semiconductor SnS <sub>2</sub> for Fast Photodetection Application. <i>Nano Letters</i> , 2015, 15, 506-513.	9.1	430
29	Facile Fabrication of Nitrogen-Doped Porous Carbon as Superior Anode Material for Potassium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1802386.	19.5	393
30	Porous Spinel Zn <sub>3</sub> Co <sub>3</sub> O <sub>4</sub> Hollow Polyhedra Templated for High-Rate Lithium-Ion Batteries. <i>ACS Nano</i> , 2014, 8, 6297-6303.	14.6	392
31	Nitrogen-Doped Carbon Nanotube Arrays for High-Efficiency Electrochemical Reduction of CO <sub>2</sub> : On the Understanding of Defects, Defect Density, and Selectivity. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13701-13705.	13.8	382
32	Synthesis and Photoresponse of Large GaSe Atomic Layers. <i>Nano Letters</i> , 2013, 13, 2777-2781.	9.1	381
33	Oxygenated monolayer carbon nitride for excellent photocatalytic hydrogen evolution and external quantum efficiency. <i>Nano Energy</i> , 2016, 27, 138-146.	16.0	379
34	Self-optimizing, highly surface-active layered-metal dichalcogenide catalysts for hydrogen evolution. <i>Nature Energy</i> , 2017, 2, .	39.5	336
35	Dynamic mechanical behavior of multilayer graphene via supersonic projectile penetration. <i>Science</i> , 2014, 346, 1092-1096.	12.6	329
36	Ultrafast formation of interlayer hot excitons in atomically thin MoS <sub>2</sub> /WS <sub>2</sub> heterostructures. <i>Nature Communications</i> , 2016, 7, 12512.	12.8	313

#	ARTICLE	IF	CITATIONS
37	Controlled Propulsion and Cargo Transport of Rotating Nickel Nanowires near a Patterned Solid Surface. ACS Nano, 2010, 4, 6228-6234.	14.6	269
38	Prediction of Enhanced Catalytic Activity for Hydrogen Evolution Reaction in Janus Transition Metal Dichalcogenides. Nano Letters, 2018, 18, 3943-3949.	9.1	267
39	Long-lived nanosecond spin relaxation and spin coherence of electrons in monolayer MoS <sub>2</sub> and WS <sub>2</sub> . Nature Physics, 2015, 11, 830-834.	16.7	253
40	An Atomically Layered InSe Avalanche Photodetector. Nano Letters, 2015, 15, 3048-3055.	9.1	253
41	High performance agar/graphene oxide composite aerogel for methylene blue removal. Carbohydrate Polymers, 2017, 155, 345-353.	10.2	251
42	Unveiling Active Sites for the Hydrogen Evolution Reaction on Monolayer MoS <sub>2</sub> . Advanced Materials, 2017, 29, 1701955.	21.0	249
43	Nitrogen-Doped Graphene with Pyridinic Dominance as a Highly Active and Stable Electrocatalyst for Oxygen Reduction. ACS Applied Materials & Interfaces, 2015, 7, 14763-14769.	8.0	248
44	Facile Synthesis of Single Crystal Vanadium Disulfide Nanosheets by Chemical Vapor Deposition for Efficient Hydrogen Evolution Reaction. Advanced Materials, 2015, 27, 5605-5609.	21.0	241
45	2D heterostructure comprised of metallic 1T-MoS <sub>2</sub> /Monolayer O-g-C <sub>3</sub> N <sub>4</sub> towards efficient photocatalytic hydrogen evolution. Applied Catalysis B: Environmental, 2018, 220, 379-385.	20.2	231
46	Switching Mechanism in Single-Layer Molybdenum Disulfide Transistors: An Insight into Current Flow across Schottky Barriers. ACS Nano, 2014, 8, 1031-1038.	14.6	224
47	Thermal effects on the characteristic Raman spectrum of molybdenum disulfide (MoS <sub>2</sub> ) of varying thicknesses. Applied Physics Letters, 2012, 100, .	3.3	220
48	Binary and Ternary Atomic Layers Built from Carbon, Boron, and Nitrogen. Advanced Materials, 2012, 24, 4878-4895.	21.0	219
49	Boron- and Nitrogen-Substituted Graphene Nanoribbons as Efficient Catalysts for Oxygen Reduction Reaction. Chemistry of Materials, 2015, 27, 1181-1186.	6.7	219
50	Enhancing the photocurrent and photoluminescence of single crystal monolayer MoS <sub>2</sub> with resonant plasmonic nanoshells. Applied Physics Letters, 2014, 104, 031112.	3.3	208
51	Three-Dimensional Metal-Graphene-Nanotube Multifunctional Hybrid Materials. ACS Nano, 2013, 7, 58-64.	14.6	202
52	Electrical performance of monolayer MoS <sub>2</sub> field-effect transistors prepared by chemical vapor deposition. Applied Physics Letters, 2013, 102, .	3.3	201
53	Temperature-dependent phonon shifts in monolayer MoS <sub>2</sub> . Applied Physics Letters, 2013, 103, .	3.3	199
54	Plasmonic Pumping of Excitonic Photoluminescence in Hybrid MoS <sub>2</sub> -Au Nanostructures. ACS Nano, 2014, 8, 12682-12689.	14.6	198

#	ARTICLE	IF	CITATIONS
55	Direct chemical conversion of graphene to boron- and nitrogen- and carbon-containing atomic layers. <i>Nature Communications</i> , 2014, 5, 3193.	12.8	198
56	Statistical Study of Deep Submicron Dual-Gated Field-Effect Transistors on Monolayer Chemical Vapor Deposition Molybdenum Disulfide Films. <i>Nano Letters</i> , 2013, 13, 2640-2646.	9.1	197
57	Surface functionalization of two-dimensional metal chalcogenides by Lewis acid–base chemistry. <i>Nature Nanotechnology</i> , 2016, 11, 465-471.	31.5	197
58	CVD-grown monolayered MoS <sub>2</sub> as an effective photosensor operating at low-voltage. <i>2D Materials</i> , 2014, 1, 011004.	4.4	195
59	Cobalt-Modulated Molybdenum–Dinitrogen Interaction in MoS <sub>2</sub> for Catalyzing Ammonia Synthesis. <i>Journal of the American Chemical Society</i> , 2019, 141, 19269-19275.	13.7	189
60	Photoluminescence Quenching and Charge Transfer in Artificial Heterostacks of Monolayer Transition Metal Dichalcogenides and Few-Layer Black Phosphorus. <i>ACS Nano</i> , 2015, 9, 555-563.	14.6	183
61	Efficient hydrogen evolution in transition metal dichalcogenides via a simple one-step hydrazine reaction. <i>Nature Communications</i> , 2016, 7, 11857.	12.8	179
62	Three-Dimensional Printed Graphene Foams. <i>ACS Nano</i> , 2017, 11, 6860-6867.	14.6	172
63	Laminated Object Manufacturing of 3D-Printed Laser-Induced Graphene Foams. <i>Advanced Materials</i> , 2018, 30, e1707416.	21.0	172
64	Optoelectronic Memory Using Two-Dimensional Materials. <i>Nano Letters</i> , 2015, 15, 259-265.	9.1	163
65	Metallic 1T phase source/drain electrodes for field effect transistors from chemical vapor deposited MoS <sub>2</sub> . <i>APL Materials</i> , 2014, 2, .	5.1	155
66	High Strain Tolerant EMI Shielding Using Carbon Nanotube Network Stabilized Rubber Composite. <i>Advanced Materials Technologies</i> , 2017, 2, 1700078.	5.8	153
67	MOFs-derived copper sulfides embedded within porous carbon octahedra for electrochemical capacitor applications. <i>Chemical Communications</i> , 2015, 51, 3109-3112.	4.1	145
68	Conversion of non-van der Waals solids to 2D transition-metal chalcogenides. <i>Nature</i> , 2020, 577, 492-496.	27.8	145
69	Nanomechanical cleavage of molybdenum disulphide atomic layers. <i>Nature Communications</i> , 2014, 5, 3631.	12.8	144
70	High performance graphene oxide nanofiltration membrane prepared by electrospinning for wastewater purification. <i>Carbon</i> , 2018, 130, 487-494.	10.3	144
71	Graphene oxide based membrane intercalated by nanoparticles for high performance nanofiltration application. <i>Chemical Engineering Journal</i> , 2018, 347, 12-18.	12.7	143
72	Defect-Engineering-Enabled High-Efficiency All-Inorganic Perovskite Solar Cells. <i>Advanced Materials</i> , 2019, 31, e1903448.	21.0	143

#	ARTICLE	IF	CITATIONS
73	Synthesis and Defect Investigation of Two-Dimensional Molybdenum Disulfide Atomic Layers. <i>Accounts of Chemical Research</i> , 2015, 48, 31-40.	15.6	140
74	Brittle Fracture of 2D MoSe <sub>2</sub> . <i>Advanced Materials</i> , 2017, 29, 1604201.	21.0	138
75	Exfoliated 2D Transition Metal Disulfides for Enhanced Electrocatalysis of Oxygen Evolution Reaction in Acidic Medium. <i>Advanced Materials Interfaces</i> , 2016, 3, 1500669.	3.7	136
76	A large-area free-standing graphene oxide multilayer membrane with high stability for nanofiltration applications. <i>Chemical Engineering Journal</i> , 2018, 345, 536-544.	12.7	136
77	Recent advances in alternative cathode materials for iodine-free dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2013, 6, 2003.	30.8	135
78	Tailoring the Physical Properties of Molybdenum Disulfide Monolayers by Control of Interfacial Chemistry. <i>Nano Letters</i> , 2014, 14, 1354-1361.	9.1	129
79	Three-dimensional mesostructures as high-temperature growth templates, electronic cellular scaffolds, and self-propelled microrobots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9455-E9464.	7.1	129
80	Gold Nanoparticles and g-C <sub>3</sub> N <sub>4</sub> -Intercalated Graphene Oxide Membrane for Recyclable Surface Enhanced Raman Scattering. <i>Advanced Functional Materials</i> , 2017, 27, 1701714.	14.9	129
81	Surface Tension Components Based Selection of Cosolvents for Efficient Liquid Phase Exfoliation of 2D Materials. <i>Small</i> , 2016, 12, 2741-2749.	10.0	128
82	Nanostructure on Taro Leaves Resists Fouling by Colloids and Bacteria under Submerged Conditions. <i>Langmuir</i> , 2011, 27, 10035-10040.	3.5	124
83	Synthesis of large-scale atomic-layer SnS <sub>2</sub> through chemical vapor deposition. <i>Nano Research</i> , 2017, 10, 2386-2394.	10.4	124
84	Strain-Induced Electronic Structure Changes in Stacked van der Waals Heterostructures. <i>Nano Letters</i> , 2016, 16, 3314-3320.	9.1	122
85	Electrical Transport Properties of Polycrystalline Monolayer Molybdenum Disulfide. <i>ACS Nano</i> , 2014, 8, 7930-7937.	14.6	121
86	Boron Nitride-Graphene Nanocapacitor and the Origins of Anomalous Size-Dependent Increase of Capacitance. <i>Nano Letters</i> , 2014, 14, 1739-1744.	9.1	120
87	Carbon Nitrogen Nanotubes as Efficient Bifunctional Electrocatalysts for Oxygen Reduction and Evolution Reactions. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 11991-12000.	8.0	120
88	Bio-derived ultrathin membrane for solar driven water purification. <i>Nano Energy</i> , 2019, 60, 567-575.	16.0	116
89	Nanoantenna-Enhanced Light-Matter Interaction in Atomically Thin WS <sub>2</sub> . <i>ACS Photonics</i> , 2015, 2, 1260-1265.	6.6	114
90	Flexible all-solid-state supercapacitors based on freestanding, binder-free carbon nanofibers@polypyrrole@graphene film. <i>Chemical Engineering Journal</i> , 2018, 334, 184-190.	12.7	113

#	ARTICLE	IF	CITATIONS
91	Enhanced performance of in-plane transition metal dichalcogenides monolayers by configuring local atomic structures. <i>Nature Communications</i> , 2020, 11, 2253.	12.8	112
92	Fracture of Sub-20nm Ultrathin Gold Nanowires. <i>Advanced Functional Materials</i> , 2011, 21, 3982-3989.	14.9	111
93	Core-shell structured carbon nanofibers yarn@polypyrrole@graphene for high performance all-solid-state fiber supercapacitors. <i>Carbon</i> , 2018, 138, 264-270.	10.3	110
94	Selective membranes in water and wastewater treatment: Role of advanced materials. <i>Materials Today</i> , 2021, 50, 516-532.	14.2	106
95	Intrinsic toughening and stable crack propagation in hexagonal boron nitride. <i>Nature</i> , 2021, 594, 57-61.	27.8	105
96	On the measurement of the plasticity length scale parameter in LIGA nickel foils. <i>Mechanics of Materials</i> , 2003, 35, 233-243.	3.2	103
97	Metal diselenide nanoparticles as highly active and stable electrocatalysts for the hydrogen evolution reaction. <i>Nanoscale</i> , 2015, 7, 14813-14816.	5.6	103
98	Hierarchical layer-by-layer porous FeCo <sub>2</sub> S <sub>4</sub> @Ni(OH) <sub>2</sub> arrays for all-solid-state asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20480-20490.	10.3	102
99	Enhancing graphene reinforcing potential in composites by hydrogen passivation induced dispersion. <i>Scientific Reports</i> , 2013, 3, 2086.	3.3	96
100	Growth-substrate induced performance degradation in chemically synthesized monolayer MoS <sub>2</sub> field effect transistors. <i>Applied Physics Letters</i> , 2014, 104, .	3.3	96
101	Band Engineering for Novel Two-Dimensional Atomic Layers. <i>Small</i> , 2015, 11, 1868-1884.	10.0	96
102	Lithium-conducting covalent-organic-frameworks as artificial solid-electrolyte-interphase on silicon anode for high performance lithium ion batteries. <i>Nano Energy</i> , 2020, 72, 104657.	16.0	93
103	3D-printed silica with nanoscale resolution. <i>Nature Materials</i> , 2021, 20, 1506-1511.	27.5	93
104	Indentation size effects in the nano- and micro-hardness of fcc single crystal metals. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 434, 178-187.	5.6	92
105	A flexible solar cell/supercapacitor integrated energy device. <i>Nano Energy</i> , 2017, 42, 181-186.	16.0	92
106	Interface Toughness of Carbon Nanotube Reinforced Epoxy Composites. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 129-134.	8.0	91
107	Toward a Mechanistic Understanding of Vertical Growth of van der Waals Stacked 2D Materials: A Multiscale Model and Experiments. <i>ACS Nano</i> , 2017, 11, 12780-12788.	14.6	89
108	Vertically Aligned Single-Walled Carbon Nanotubes as Low-cost and High Electrocatalytic Counter Electrode for Dye-Sensitized Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 3157-3161.	8.0	88

#	ARTICLE	IF	CITATIONS
109	Multifunctional nanocoated membranes for high-rate electrothermal desalination of hypersaline waters. <i>Nature Nanotechnology</i> , 2020, 15, 1025-1032.	31.5	88
110	TaC Nanowire/Activated Carbon Microfiber Hybrid Structures from Bamboo Fibers. <i>Advanced Energy Materials</i> , 2011, 1, 534-539.	19.5	87
111	Synthesis of reduced graphene oxide-Fe <sub>3</sub> O <sub>4</sub> multifunctional freestanding membranes and their temperature dependent electronic transport properties. <i>Carbon</i> , 2012, 50, 1338-1345.	10.3	87
112	Potassium gluconate-derived N/S Co-doped carbon nanosheets as superior electrode materials for supercapacitors and sodium-ion batteries. <i>Journal of Power Sources</i> , 2019, 414, 308-316.	7.8	87
113	High Electrocatalytic Activity of Vertically Aligned Single-Walled Carbon Nanotubes towards Sulfide Redox Shuttles. <i>Scientific Reports</i> , 2012, 2, 368.	3.3	83
114	A printed, recyclable, ultra-strong, and ultra-tough graphite structural material. <i>Materials Today</i> , 2019, 30, 17-25.	14.2	83
115	Enhanced nucleate boiling on horizontal hydrophobic-hydrophilic carbon nanotube coatings. <i>Applied Physics Letters</i> , 2013, 102, .	3.3	81
116	A fast and zero-biased photodetector based on GaTe-InSe vertical 2D $\text{p-n}$ heterojunction. <i>2D Materials</i> , 2018, 5, 025008.	4.4	81
117	Quantitative analysis of the temperature dependency in Raman active vibrational modes of molybdenum disulfide atomic layers. <i>Nanoscale</i> , 2013, 5, 9758.	5.6	80
118	Surface dislocation nucleation mediated deformation and ultrahigh strength in sub-10-nm gold nanowires. <i>Nano Research</i> , 2011, 4, 1261-1267.	10.4	79
119	Towards controlled synthesis of 2D crystals by chemical vapor deposition (CVD). <i>Materials Today</i> , 2020, 40, 132-139.	14.2	79
120	MoS <sub>2</sub> atomic layers with artificial active edge sites as transparent counter electrodes for improved performance of dye-sensitized solar cells. <i>Nanoscale</i> , 2014, 6, 5279-5283.	5.6	78
121	A Hybrid Metal-Organic Framework-Reduced Graphene Oxide Nanomaterial for Selective Removal of Chromate from Water in an Electrochemical Process. <i>Environmental Science &amp; Technology</i> , 2020, 54, 13322-13332.	10.0	78
122	An investigation of fatigue in LIGA Ni MEMS thin films. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 371, 256-266.	5.6	76
123	A generic bamboo-based carbothermal method for preparing carbide (SiC, B <sub>4</sub> C, TiC, TaC, NbC, Ti <sub>x</sub> Nb <sub>1-x</sub> C,) $T_j$ ETQg <sub>1.1</sub> 0.784314 rgB <sub>1.1</sub>	8.7	76
124	Synthesis of High-Quality Graphene and Hexagonal Boron Nitride Monolayer In-Plane Heterostructure on Cu-Ni Alloy. <i>Advanced Science</i> , 2017, 4, 1700076.	11.2	76
125	Multiscale Geometric Design Principles Applied to 3D Printed Schwarzites. <i>Advanced Materials</i> , 2018, 30, 1704820.	21.0	76
126	TiC Nanorods Derived from Cotton Fibers: Chloride-Assisted VLS Growth, Structure, and Mechanical Properties. <i>Crystal Growth and Design</i> , 2011, 11, 4422-4426.	3.0	74



#	ARTICLE	IF	CITATIONS
127	Self-supported multidimensional Ni-Fe phosphide networks with holey nanosheets for high-performance all-solid-state supercapacitors. <i>Journal of Materials Chemistry A</i> , 2019, 7, 17386-17399.	10.3	72
128	Nitrogen and sulfur co-doped porous carbon fibers film for flexible symmetric all-solid-state supercapacitors. <i>Carbon</i> , 2020, 158, 456-464.	10.3	72
129	Elastic modulus of biopolymer matrix in nacre measured using coupled atomic force microscopy bending and inverse finite element techniques. <i>Materials Science and Engineering C</i> , 2011, 31, 1852-1856.	7.3	71
130	Taming Active Material-Solid Electrolyte Interfaces with Organic Cathode for All-Solid-State Batteries. <i>Joule</i> , 2019, 3, 1349-1359.	24.0	70
131	Low Contact Barrier in 2H/1T MoTe <sub>2</sub> In-Plane Heterostructure Synthesized by Chemical Vapor Deposition. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 12777-12785.	8.0	70
132	Doping Nanoscale Graphene Domains Improves Magnetism in Hexagonal Boron Nitride. <i>Advanced Materials</i> , 2019, 31, e1805778.	21.0	69
133	A Critical Review on Enhancement of Photocatalytic Hydrogen Production by Molybdenum Disulfide: From Growth to Interfacial Activities. <i>Small</i> , 2019, 15, e1900578.	10.0	69
134	Size-Dependent Fracture Mode Transition in Copper Nanowires. <i>Small</i> , 2012, 8, 1889-1894.	10.0	67
135	Effect of Nitrogen Doping on the Mechanical Properties of Carbon Nanotubes. <i>ACS Nano</i> , 2010, 4, 7637-7643.	14.6	65
136	High-performance red phosphorus/carbon nanofibers/graphene free-standing paper anode for sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 1574-1581.	10.3	65
137	Monolayer MoS <sub>2</sub> Nanoribbon Transistors Fabricated by Scanning Probe Lithography. <i>Nano Letters</i> , 2019, 19, 2092-2098.	9.1	64
138	Aligned carbon nanotube-reinforced silicon carbide composites produced by chemical vapor infiltration. <i>Carbon</i> , 2011, 49, 2475-2482.	10.3	63
139	Layer Engineering of 2D Semiconductor Junctions. <i>Advanced Materials</i> , 2016, 28, 5126-5132.	21.0	63
140	In Situ Synthesis of Lead-Free Halide Perovskite-COF Nanocomposites as Photocatalysts for Photoinduced Polymerization in Both Organic and Aqueous Phases. , 2022, 4, 464-471.		63
141	Development and Application of a Novel Microfabricated Device for the <i>In Situ</i> Tensile Testing of 1-D Nanomaterials. <i>Journal of Microelectromechanical Systems</i> , 2010, 19, 675-682.	2.5	62
142	An electrochemically stable homogeneous glassy electrolyte formed at room temperature for all-solid-state sodium batteries. <i>Nature Communications</i> , 2022, 13, .	12.8	62
143	<i>In situ</i> electro-mechanical experiments and mechanics modeling of tensile cracking in indium tin oxide thin films on polyimide substrates. <i>Journal of Applied Physics</i> , 2011, 109, .	2.5	61
144	Quantitative <i>in situ</i> TEM tensile testing of an individual nickel nanowire. <i>Nanotechnology</i> , 2011, 22, 355702.	2.6	61

#	ARTICLE	IF	CITATIONS
145	Mechanisms of fatigue in LIGA Ni MEMS thin films. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 444, 39-50.	5.6	60
146	Spatially Resolved Photoexcited Charge-Carrier Dynamics in Phase-Engineered Monolayer MoS <sub>2</sub> . <i>ACS Nano</i> , 2015, 9, 840-849.	14.6	58
147	Discovering superior basal plane active two-dimensional catalysts for hydrogen evolution. <i>Materials Today</i> , 2019, 25, 28-34.	14.2	58
148	A Multi-step Method for In Situ Mechanical Characterization of 1-D Nanostructures Using a Novel Micromechanical Device. <i>Experimental Mechanics</i> , 2010, 50, 47-54.	2.0	56
149	Lightweight Hexagonal Boron Nitride Foam for CO <sub>2</sub> Absorption. <i>ACS Nano</i> , 2017, 11, 8944-8952.	14.6	56
150	Lead-Free Double Perovskite Cs <sub>2</sub> SnX <sub>6</sub> : Facile Solution Synthesis and Excellent Stability. <i>Small</i> , 2019, 15, e1901650.	10.0	56
151	Spiral Growth of SnSe <sub>2</sub> Crystals by Chemical Vapor Deposition. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600383.	3.7	55
152	Opto-valleytronic imaging of atomically thin semiconductors. <i>Nature Nanotechnology</i> , 2017, 12, 329-334.	31.5	55
153	Artificial Solid Electrolyte Interphase Coating to Reduce Lithium Trapping in Silicon Anode for High Performance Lithium-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2019, 6, 1901187.	3.7	54
154	Hierarchical Graphene-Based Films with Dynamic Self-Stiffening for Biomimetic Artificial Muscle. <i>Advanced Functional Materials</i> , 2016, 26, 7003-7010.	14.9	53
155	Sandwich-Like FeCl <sub>3</sub> @C as High-Performance Anode Materials for Potassium-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800606.	3.7	53
156	Toughening Graphene by Integrating Carbon Nanotubes. <i>ACS Nano</i> , 2018, 12, 7901-7910.	14.6	52
157	Temperature-Dependent Plasmon-Exciton Interactions in Hybrid Au/MoSe <sub>2</sub> Nanostructures. <i>ACS Photonics</i> , 2017, 4, 1653-1660.	6.6	51
158	Lateral Monolayer MoSe <sub>2</sub> /WSe <sub>2</sub> Heterojunctions with Giant Built-In Potentials. <i>Small</i> , 2020, 16, e2002263.	10.0	50
159	Spin Coherence and Dephasing of Localized Electrons in Monolayer MoS <sub>2</sub> . <i>Nano Letters</i> , 2015, 15, 8250-8254.	9.1	49
160	Nanoindentation study of plasticity length scale effects in LIGA Ni microelectromechanical systems structures. <i>Journal of Materials Research</i> , 2003, 18, 719-728.	2.6	48
161	Vertically Aligned Carbon Nanotubes/Graphene Hybrid Electrode as a TCO- and Pt-Free Flexible Cathode for Application in Solar Cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20902-20907.	10.3	47
162	A multiscale experiment on the tribological behavior of aligned carbon nanotube/ceramic composites. <i>Scripta Materialia</i> , 2008, 58, 223-226.	5.2	46

#	ARTICLE	IF	CITATIONS
163	Three-Dimensional Rebar Graphene. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 7376-7384.	8.0	46
164	Quantitative in-situ nanomechanical characterization of metallic nanowires. <i>Jom</i> , 2011, 63, 35-42.	1.9	45
165	Anomalous high capacitance in a coaxial single nanowire capacitor. <i>Nature Communications</i> , 2012, 3, 879.	12.8	45
166	Role of Biochar in Improving Sandy Soil Water Retention and Resilience to Drought. <i>Water (Switzerland)</i> , 2021, 13, 407.	2.7	44
167	Ternary $\text{Cu}_{1-x}\text{Se}_x$ : Towards Ultra-Thin Layered Photodetectors and Photovoltaic Devices. <i>Advanced Materials</i> , 2014, 26, 7666-7672.	21.0	43
168	Electrical transport and low-frequency noise in chemical vapor deposited single-layer $\text{MoS}_2$ devices. <i>Nanotechnology</i> , 2014, 25, 155702.	2.6	43
169	Water Molecule-Induced Stiffening in ZnO Nanobelts. <i>Nano Letters</i> , 2011, 11, 2845-2848.	9.1	42
170	Strain rate dependent mechanical properties in single crystal nickel nanowires. <i>Applied Physics Letters</i> , 2013, 102, .	3.3	42
171	Investigation of hexagonal boron nitride as an atomically thin corrosion passivation coating in aqueous solution. <i>Nanotechnology</i> , 2016, 27, 364004.	2.6	42
172	Microstructure engineering of solid-state composite cathode via solvent-assisted processing. <i>Joule</i> , 2021, 5, 1845-1859.	24.0	42
173	In situ mechanical investigation of carbon nanotube-graphene junction in three-dimensional carbon nanostructures. <i>Nanoscale</i> , 2017, 9, 2916-2924.	5.6	41
174	Highly Enhanced Photoluminescence of Monolayer $\text{MoS}_2$ with Self-Assembled Au Nanoparticle Arrays. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700739.	3.7	41
175	Resonant surface plasmon-exciton interaction in hybrid $\text{MoSe}_2$ @Au nanostructures. <i>Nanoscale</i> , 2016, 8, 8151-8159.	5.6	40
176	Room-Temperature Magnetic Order in Air-Stable Ultrathin Iron Oxide. <i>Nano Letters</i> , 2019, 19, 3777-3781.	9.1	40
177	Interphase Induced Dynamic Self-Stiffening in Graphene-Based Polydimethylsiloxane Nanocomposites. <i>Small</i> , 2016, 12, 3723-3731.	10.0	39
178	Direct growth of $\text{MoS}_2$ single crystals on polyimide substrates. <i>2D Materials</i> , 2017, 4, 021028.	4.4	39
179	Quantum plasmonic control of trions in a picocavity with monolayer $\text{WS}_2$ . <i>Science Advances</i> , 2019, 5, eaau8763.	10.3	39
180	Size dependent mechanical properties of single crystalline nickel nanowires. <i>Journal of Applied Physics</i> , 2012, 111, .	2.5	38

#	ARTICLE	IF	CITATIONS
181	Graphene on Metal Grids as the Transparent Conductive Material for Dye Sensitized Solar Cell. Journal of Physical Chemistry C, 2014, 118, 25863-25868.	3.1	38
182	Scalable Transfer of Suspended Two-Dimensional Single Crystals. Nano Letters, 2015, 15, 5089-5097.	9.1	38
183	Integrated nanocomposite of LiMn2O4/graphene/carbon nanotubes with pseudocapacitive properties as superior cathode for aqueous hybrid capacitors. Journal of Electroanalytical Chemistry, 2019, 842, 74-81.	3.8	38
184	Blueshift of the $A$ -exciton peak in folded monolayer $H_1$ -MoS <sub>2</sub> .	3.2	37
185	Ultra-Stiff Graphene Foams as Three-Dimensional Conductive Fillers for Epoxy Resin. ACS Nano, 2018, 12, 11219-11228.	14.6	37
186	Directional sensing based on flexible aligned carbon nanotube film nanocomposites. Nanoscale, 2018, 10, 14938-14946.	5.6	37
187	High-Energy All-Solid-State Organic Lithium Batteries Based on Ceramic Electrolytes. ACS Energy Letters, 2021, 6, 201-207.	17.4	37
188	In Situ Electro-Mechanical Experiments and Mechanics Modeling of Fracture in Indium Tin Oxide-Based Multilayer Electrodes. Advanced Engineering Materials, 2013, 15, 250-256.	3.5	36
189	Impact of carbon nanotube defects on fracture mechanisms in ceramic nanocomposites. Carbon, 2017, 115, 402-408.	10.3	36
190	Electrospinning fabrication and in situ mechanical investigation of individual graphene nanoribbon reinforced carbon nanofiber. Carbon, 2017, 114, 717-723.	10.3	36
191	A Low-Cost and High-Efficiency Integrated Device toward Solar-Driven Water Splitting. ACS Nano, 2020, 14, 5426-5434.	14.6	36
192	Ultrafast Optical Microscopy of Single Monolayer Molybdenum Disulfide Flakes. Scientific Reports, 2016, 6, 21601.	3.3	35
193	Near Degeneracy of Magnetic Phases in Two-Dimensional Chromium Telluride with Enhanced Perpendicular Magnetic Anisotropy. ACS Nano, 2020, 14, 15256-15266.	14.6	35
194	The Effect of VMoS <sub>3</sub> Point Defect on the Elastic Properties of Monolayer MoS <sub>2</sub> with REBO Potentials. Nanoscale Research Letters, 2016, 11, 155.	5.7	34
195	3D Band Diagram and Photoexcitation of 2D-3D Semiconductor Heterojunctions. Nano Letters, 2015, 15, 5919-5925.	9.1	33
196	Thickness-Dependent and Magnetic-Field-Driven Suppression of Antiferromagnetic Order in Thin $V_5S_8$ Single Crystals. ACS Nano, 2016, 10, 5941-5946.	14.6	33
197	Strain gradient plasticity length scale parameters for LIGA Ni MEMs thin films. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 441, 299-307.	5.6	32
198	Title is missing!. Journal of Materials Science, 2003, 38, 4129-4135.	3.7	31

#	ARTICLE	IF	CITATIONS
199	Hydrogen Passivation Induced Dispersion of Multi-Walled Carbon Nanotubes. <i>Advanced Materials</i> , 2012, 24, 881-885.	21.0	31
200	Highly ordered hierarchical TiO <sub>2</sub> nanotube arrays for flexible fiber-type dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19841-19847.	10.3	31
201	Memristor goes two-dimensional. <i>Nature Nanotechnology</i> , 2015, 10, 389-390.	31.5	31
202	Multifunctional Polymer-Based Graphene Foams with Buckled Structure and Negative Poisson's Ratio. <i>Scientific Reports</i> , 2016, 6, 32989.	3.3	31
203	Quantum plasmonic hot-electron injection in lateral WSe <sub>2</sub> /MoSe <sub>2</sub> heterostructures. <i>Physical Review B</i> , 2018, 98, .	3.2	31
204	A map of competing buckling-driven failure modes of substrate-supported thin brittle films. <i>Thin Solid Films</i> , 2012, 520, 6576-6580.	1.8	30
205	Effect of surface energy on size-dependent deformation twinning of defect-free Au nanowires. <i>Nanoscale</i> , 2015, 7, 15657-15664.	5.6	30
206	Nature Inspired Strategy to Enhance Mechanical Properties via Liquid Reinforcement. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700240.	3.7	30
207	Atomic Layered Titanium Sulfide Quantum Dots as Electrocatalysts for Enhanced Hydrogen Evolution Reaction. <i>Advanced Materials Interfaces</i> , 2018, 5, 1700895.	3.7	30
208	Ultrafast probes of electron-hole transitions between two atomic layers. <i>Nature Communications</i> , 2018, 9, 1859.	12.8	30
209	Thermally Induced 2D Alloy-Heterostructure Transformation in Quaternary Alloys. <i>Advanced Materials</i> , 2018, 30, e1804218.	21.0	29
210	Mesoporous Mn <sub>2</sub> O <sub>3</sub> rods as a highly efficient catalyst for Li-O <sub>2</sub> battery. <i>Journal of Power Sources</i> , 2019, 435, 226833.	7.8	29
211	Universal ac conduction in large area atomic layers of CVD-grown MoS <sub>2</sub> . <i>Physical Review B</i> , 2014, 89, .	3.2	27
212	Solid-Vapor Reaction Growth of Transition-Metal Dichalcogenide Monolayers. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 10656-10661.	13.8	27
213	Large-scale synthesis of few-layer graphene from magnesium and different carbon sources and its application in dye-sensitized solar cells. <i>Materials and Design</i> , 2016, 92, 462-470.	7.0	27
214	High stiffness polymer composite with tunable transparency. <i>Materials Today</i> , 2018, 21, 475-482.	14.2	27
215	Ag doped urchin-like $\gamma$ -MnO <sub>2</sub> toward efficient and bifunctional electrocatalysts for Li-O <sub>2</sub> batteries. <i>Nano Research</i> , 2020, 13, 2356-2364.	10.4	27
216	Biomolecular sensing by surface-enhanced Raman scattering of monolayer Janus transition metal dichalcogenide. <i>Nanoscale</i> , 2020, 12, 10723-10729.	5.6	27

#	ARTICLE	IF	CITATIONS
217	An investigation of fatigue crack growth in a cast lamellar Ti-48Al-2Cr-2Nb alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000, 284, 235-245.	5.6	26
218	Highly catalytic cross-stacked superaligned carbon nanotube sheets for iodine-free dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 22756.	6.7	26
219	Defect-mediated transport and electronic irradiation effect in individual domains of CVD-grown monolayer MoS <sub>2</sub> . <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2015, 33, .	1.2	26
220	High-performing and stable electricity generation by ceramic fuel cells operating in dry methane over 1000 hours. <i>Journal of Power Sources</i> , 2018, 401, 322-328.	7.8	25
221	Enhanced heterogeneous activation of peroxydisulfate by S, N co-doped graphene via controlling S, N functionalization for the catalytic decolorization of dyes in water. <i>Chemosphere</i> , 2018, 210, 120-128.	8.2	25
222	Underwater adhesive using solid-liquid polymer mixes. <i>Materials Today Chemistry</i> , 2018, 9, 149-157.	3.5	25
223	“Ductile” Fracture of Metallic Glass Nanolaminates. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700510.	3.7	24
224	Synthesis of the hybrid CdS/Au flower-like nanomaterials and their SERS application. <i>Sensors and Actuators B: Chemical</i> , 2020, 304, 127218.	7.8	24
225	Uncovering topographically hidden features in 2D MoSe <sub>2</sub> with correlated potential and optical nanoprobe. <i>Npj 2D Materials and Applications</i> , 2020, 4, .	7.9	24
226	Synthesis and tailored properties of covalent organic framework thin films and heterostructures. <i>Materials Today</i> , 2021, 51, 427-448.	14.2	24
227	Spatially-Resolved Photoluminescence of Monolayer MoS <sub>2</sub> under Controlled Environment for Ambient Optoelectronic Applications. <i>ACS Applied Nano Materials</i> , 2018, 1, 6226-6235.	5.0	23
228	High performance hierarchically nanostructured graphene oxide/covalent organic framework hybrid membranes for stable organic solvent nanofiltration. <i>Applied Materials Today</i> , 2020, 20, 100791.	4.3	23
229	Strong and flaw-insensitive two-dimensional covalent organic frameworks. <i>Matter</i> , 2021, 4, 1017-1028.	10.0	23
230	Indentation Size Effects in the Nano and Microhardness of FCC Single Crystal Metals. <i>Materials and Manufacturing Processes</i> , 2007, 22, 228-237.	4.7	22
231	Quantitative In Situ Mechanical Characterization of the Effects of Chemical Functionalization on Individual Carbon Nanofibers. <i>Advanced Functional Materials</i> , 2012, 22, 4070-4077.	14.9	22
232	Mechano-chemical stabilization of three-dimensional carbon nanotube aggregates. <i>Carbon</i> , 2016, 110, 27-33.	10.3	22
233	Aligned-SWCNT film laminated nanocomposites: Role of the film on mechanical and electrical properties. <i>Carbon</i> , 2018, 139, 680-687.	10.3	22
234	Enhanced plant antioxidant capacity and biodegradation of phenol by immobilizing peroxidase on amphoteric nitrogen-doped carbon dots. <i>Catalysis Communications</i> , 2020, 134, 105847.	3.3	22

#	ARTICLE	IF	CITATIONS
235	Quantification and promotion of interfacial interactions between carbon nanotubes and polymer derived ceramics. <i>Carbon</i> , 2015, 95, 964-971.	10.3	21
236	Excitonic Resonant Emissionâ€“Absorption of Surface Plasmons in Transition Metal Dichalcogenides for Chip-Level Electronicsâ€“Photonic Integrated Circuits. <i>ACS Photonics</i> , 2016, 3, 869-874.	6.6	21
237	Direct Assessment of the Toxicity of Molybdenum Disulfide Atomically Thin Film and Microparticles via Cytotoxicity and Patch Testing. <i>Small</i> , 2018, 14, e1702600.	10.0	21
238	High Current Enabled Stable Lithium Anode for Ultralong Cycling Life of Lithiumâ€“Oxygen Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 30793-30800.	8.0	21
239	Enhanced bioaccumulation efficiency and tolerance for Cd (â€¦) in <i>Arabidopsis thaliana</i> by amphoteric nitrogen-doped carbon dots. <i>Ecotoxicology and Environmental Safety</i> , 2020, 190, 110108.	6.0	21
240	A nano-indentation study on the plasticity length scale effects in LIGA Ni MEMS structures. <i>Journal of Materials Science</i> , 2003, 38, 4137-4143.	3.7	20
241	On-chip lithium cells for electrical and structural characterization of single nanowire electrodes. <i>Nanotechnology</i> , 2014, 25, 265402.	2.6	20
242	Carbon Nanotube Pullout, Interfacial Properties, and Toughening in Ceramic Nanocomposites: Mechanistic Insights from Single Fiber Pullout Analysis. <i>Advanced Materials Interfaces</i> , 2015, 2, 1400110.	3.7	20
243	Unveil the Sizeâ€“Dependent Mechanical Behaviors of Individual CNT/SiC Composite Nanofibers by In Situ Tensile Tests in SEM. <i>Small</i> , 2016, 12, 4486-4491.	10.0	20
244	High Toughness in Ultralow Density Graphene Oxide Foam. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700030.	3.7	20
245	Chemically interconnected light-weight 3D-carbon nanotube solid network. <i>Carbon</i> , 2017, 119, 142-149.	10.3	20
246	Enhanced Cycling Performance of Liâ€“O <sub>2</sub> Battery by Using a Li <sub>3</sub> PO <sub>4</sub> -Protected Lithium Anode in DMSO-Based Electrolyte. <i>ACS Applied Energy Materials</i> , 2018, 1, 5511-5517.	5.1	20
247	Mechanical testing of two-dimensional materials: a brief review. <i>International Journal of Smart and Nano Materials</i> , 2020, 11, 207-246.	4.2	20
248	Surface enhanced resonant Raman scattering in hybrid MoSe <sub>2</sub> @Au nanostructures. <i>Optics Express</i> , 2018, 26, 29411.	3.4	20
249	Friction and adhesion properties of vertically aligned multi-walled carbon nanotube arrays and fluoro-nanodiamond films. <i>Carbon</i> , 2008, 46, 1294-1301.	10.3	19
250	The <i>Drosophila</i> Transcription Factor Ultrabithorax Self-Assembles into Protein-Based Biomaterials with Multiple Morphologies. <i>Biomacromolecules</i> , 2009, 10, 829-837.	5.4	19
251	Mechanically Assisted Selfâ€“Healing of Ultrathin Gold Nanowires. <i>Small</i> , 2018, 14, 1704085.	10.0	19
252	Near-Field Coupled Integrable Two-Dimensional InSe Photosensor on Optical Fiber. <i>ACS Nano</i> , 2018, 12, 12571-12577.	14.6	19

#	ARTICLE	IF	CITATIONS
253	Perovskiteâ€Derivative Valleytronics. <i>Advanced Materials</i> , 2020, 32, e2004111.	21.0	19
254	Phosphorous-doped bimetallic sulfides embedded in heteroatom-doped carbon nanoarrays for flexible all-solid-state supercapacitors. <i>Science China Materials</i> , 2021, 64, 2439-2453.	6.3	19
255	Nanoscale Friction Dynamic Modeling. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2009, 131, .	1.6	18
256	Solvothermal synthesis and mechanical characterization of single crystalline copper nanorings. <i>Journal of Crystal Growth</i> , 2011, 325, 76-80.	1.5	18
257	Li7P3S11 solid electrolyte coating silicon for high-performance lithium-ion batteries. <i>Electrochimica Acta</i> , 2018, 276, 325-332.	5.2	18
258	An investigation of the effects of loading rate on resistance-curve behavior and toughening in cast lamellar gamma-based titanium aluminides. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2001, 32, 325-337.	2.2	17
259	Fracture toughness of the sidewall fluorinated carbon nanotube-epoxy interface. <i>Journal of Applied Physics</i> , 2014, 115, .	2.5	17
260	Solidâ€Vapor Reaction Growth of Transitionâ€Metal Dichalcogenide Monolayers. <i>Angewandte Chemie</i> , 2016, 128, 10814-10819.	2.0	17
261	Quantitative in situ fracture testing of tin oxide nanowires for lithium ion battery applications. <i>Nano Energy</i> , 2018, 53, 277-285.	16.0	17
262	Remote Lightening and Ultrafast Transition: Intrinsic Modulation of Exciton Spatiotemporal Dynamics in Monolayer MoS <sub>2</sub> . <i>ACS Nano</i> , 2020, 14, 6897-6905.	14.6	17
263	Approaching Carbon Nanotube Reinforcing Limit in B <sub>4</sub> C Matrix Composites Produced by Chemical Vapor Infiltration. <i>Advanced Engineering Materials</i> , 2014, 16, 161-166.	3.5	16
264	Size Dictates Mechanical Properties for Protein Fibers Self-Assembled by the <i>Drosophila</i> Hox Transcription Factor Ultrabithorax. <i>Biomacromolecules</i> , 2010, 11, 3644-3651.	5.4	15
265	A cohesive law for interfaces in graphene/hexagonal boron nitride heterostructure. <i>Journal of Applied Physics</i> , 2014, 115, .	2.5	15
266	Nanoscale frictional characteristics of graphene nanoribbons. <i>Applied Physics Letters</i> , 2012, 101, 123104.	3.3	14
267	Modulating Particle Adhesion with Micro-patterned Surfaces. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 8199-8207.	8.0	14
268	Growth of Molybdenum Carbideâ€Graphene Hybrids from Molybdenum Disulfide Atomic Layer Template. <i>Advanced Materials Interfaces</i> , 2017, 4, 1600866.	3.7	14
269	Role of Atomic Layer Functionalization in Building Scalable Bottom-Up Assembly of Ultra-Low Density Multifunctional Three-Dimensional Nanostructures. <i>ACS Nano</i> , 2017, 11, 806-813.	14.6	14
270	A Cyclic Microbend Study on LIGA Ni Microelectromechanical Systems Thin Films. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2005, 127, 16-22.	1.4	13



#	ARTICLE	IF	CITATIONS
271	Optimal structuring of nitrogen-doped hybrid-dimensional nanocarbons for high-performance flexible solid-state supercapacitors. <i>Journal of Materials Chemistry A</i> , 2019, 7, 7501-7515.	10.3	13
272	High-K dielectric sulfur-selenium alloys. <i>Science Advances</i> , 2019, 5, eaau9785.	10.3	13
273	Regular and reverse nanoscale stick-slip behavior: Modeling and experiments. <i>Applied Surface Science</i> , 2010, 256, 2577-2582.	6.1	12
274	Towards methyl orange degradation by direct sunlight using coupled TiO <sub>2</sub> nanoparticles and carbonized cotton T-shirt. <i>Applied Materials Today</i> , 2016, 3, 57-62.	4.3	12
275	Boxception: Impact Resistance Structure Using 3D Printing. <i>Advanced Engineering Materials</i> , 2019, 21, 1900167.	3.5	12
276	Mechanical Anisotropy in Two-Dimensional Selenium Atomic Layers. <i>Nano Letters</i> , 2021, 21, 8043-8050.	9.1	12
277	Effects of temperature on the fatigue crack growth behavior of cast gamma-based titanium aluminides. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2001, 32, 2781-2794.	2.2	11
278	Effects of interfaces on nano-friction of vertically aligned multi-walled carbon nanotube arrays. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 483-484, 664-667.	5.6	11
279	The impact of core-shell nanotube structures on fracture in ceramic nanocomposites. <i>Acta Materialia</i> , 2017, 122, 82-91.	7.9	11
280	Probing the Effect of Chemical Dopant Phase on Photoluminescence of Monolayer MoS <sub>2</sub> Using in Situ Raman Microspectroscopy. <i>Journal of Physical Chemistry C</i> , 2019, 123, 15738-15743.	3.1	11
281	Plasmon damping and charge transfer pathways in Au@MoSe <sub>2</sub> nanostructures. <i>Materials Today Nano</i> , 2021, 15, 100131.	4.6	11
282	Fatigue of LIGA Ni Micro-Electro-Mechanical System Thin Films. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2007, 38, 2340-2348.	2.2	10
283	Controllable high-throughput fabrication of porous gold nanorods driven by Rayleigh instability. <i>RSC Advances</i> , 2016, 6, 66484-66489.	3.6	10
284	Synergetic photoluminescence enhancement of monolayer MoS <sub>2</sub> via surface plasmon resonance and defect repair. <i>RSC Advances</i> , 2018, 8, 23591-23598.	3.6	10
285	Plasmonic-Induced Luminescence of MoSe <sub>2</sub> Monolayers in a Scanning Tunneling Microscope. <i>ACS Photonics</i> , 2020, 7, 3061-3070.	6.6	10
286	A probabilistic framework for the modeling of fatigue in cast lamellar gamma-based titanium aluminides. <i>Mechanics of Materials</i> , 2004, 36, 177-197.	3.2	9
287	Humidity Effects on Anisotropic Nanofriction Behaviors of Aligned Carbon Nanotube Carpets. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 9501-9507.	8.0	9
288	Interconnecting Bone Nanoparticles by Ovalbumin Molecules to Build a Three-Dimensional Low-Density and Tough Material. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 41757-41762.	8.0	9

#	ARTICLE	IF	CITATIONS
289	CVD growth of high-quality and large-area continuous h-BN thin films directly on stainless-steel as protective coatings. <i>Materials Today Nano</i> , 2021, 16, 100135.	4.6	9
290	An investigation of the effects of temperature on fatigue crack growth in a cast lamellar Ti-45Al-2Mn-2Nb+0.8 vol.% TiB <sub>2</sub> alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 319-321, 618-624.	5.6	8
291	The mechanical characterization of carbon-nanotube-reinforced polymer-matrix nanocomposites: An unfolding story of interface. <i>Jom</i> , 2009, 61, 32-37.	1.9	8
292	The Effect of Protein Fusions on the Production and Mechanical Properties of Protein-Based Materials. <i>Advanced Functional Materials</i> , 2015, 25, 1442-1450.	14.9	8
293	Structural Reinforcement through Liquid Encapsulation. <i>Advanced Materials Interfaces</i> , 2017, 4, 1600781.	3.7	8
294	Self-Stiffening Behavior of Reinforced Carbon Nanotubes Spheres. <i>Advanced Engineering Materials</i> , 2017, 19, 1600756.	3.5	8
295	Characterization of tin(II) sulfide defects/vacancies and correlation with their photocurrent. <i>Nano Research</i> , 2017, 10, 218-228.	10.4	8
296	Unzipping of twin lamella in nanotwinned nickel nanowires under flexural bending. <i>Materials Research Letters</i> , 2018, 6, 13-21.	8.7	8
297	Spontaneous Emission of Plasmon-Exciton Polaritons Revealed by Ultrafast Nonradiative Decays. <i>Laser and Photonics Reviews</i> , 2020, 14, 2000233.	8.7	8
298	A probabilistic framework for the modeling of fatigue in a lamellar XDTM gamma titanium aluminide alloy. <i>International Journal of Fatigue</i> , 2002, 24, 69-81.	5.7	7
299	Direct nanoimprinting of single crystalline gold: Experiments and dislocation dynamics simulations. <i>Applied Surface Science</i> , 2014, 290, 301-307.	6.1	7
300	Enhancing Mechanical Properties of Nanocomposites Using Interconnected Carbon Nanotubes (CNT) as Reinforcement. <i>Advanced Engineering Materials</i> , 2017, 19, 1600499.	3.5	7
301	Poly-albumen: Bio-derived structural polymer from polymerized egg white. <i>Materials Today Chemistry</i> , 2018, 9, 73-79.	3.5	7
302	Strong Edge Stress in Molecularly Thin Organic-Inorganic Hybrid Ruddlesden-Popper Perovskites and Modulations of Their Edge Electronic Properties. <i>ACS Nano</i> , 2022, 16, 261-270.	14.6	7
303	Ductile layer toughening of brittle intermetallic composites. <i>Journal of Materials Science</i> , 2002, 37, 3023-3034.	3.7	6
304	Correlation between Droplet-Induced Strain Actuation and Voltage Generation in Single-Wall Carbon Nanotube Films. <i>Nano Letters</i> , 2011, 11, 5117-5122.	9.1	6
305	Yield strength dependence on strain rate of molybdenum-alloy nanofibers. <i>Applied Physics Letters</i> , 2014, 104, 251909.	3.3	6
306	Solid-Liquid Self-Adaptive Polymeric Composite. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 2142-2147.	8.0	6

#	ARTICLE	IF	CITATIONS
307	Elastic and ~transparent bone™ as an electrochemical separator. <i>Materials Today Chemistry</i> , 2019, 12, 132-138.	3.5	6
308	Mesoscale reverse stick-slip nanofriction behavior of vertically aligned multiwalled carbon nanotube superlattices. <i>Applied Physics Letters</i> , 2008, 92, 203115.	3.3	5
309	Achieving Self~Stiffening and Laser Healing by Interconnecting Graphene Oxide Sheets with Amine~Functionalized Ovalbumin. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800932.	3.7	5
310	Ultrahighly Enhanced Performance of Single Cadmium Selenide Nanobelt by Plasmonic Gold Particles. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1900454.	1.8	5
311	Strengthening the interface between individual aramid fibers and polymer at room and elevated temperatures. <i>Materials Today Communications</i> , 2020, 24, 101254.	1.9	5
312	A Molecular~Level Interface Design Enabled High~Strength and High~Toughness Carbon Nanotube Buckypaper. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2100244.	3.6	5
313	Pathways of Exciton Triggered Hot~Carrier Injection at Plasmonic Metal~Transition Metal Dichalcogenide Interface. <i>Advanced Optical Materials</i> , 2022, 10, 2100070.	7.3	5
314	An investigation of the effects of mix strength on the fracture and fatigue behavior of concrete mortar. <i>Journal of Materials Science</i> , 2006, 41, 6973-6977.	3.7	4
315	Understanding Li-ion battery processes at the atomic- to nano-scale. , 2010, , .		4
316	Mechanically robust Si nanorod arrays on Cu/Ti bilayer film coated Si substrate for high performance lithium-ion battery anodes. <i>Journal of Applied Physics</i> , 2012, 112, .	2.5	4
317	Enabling Ultrasensitive Photo-detection Through Control of Interface Properties in Molybdenum Disulfide Atomic Layers. <i>Scientific Reports</i> , 2016, 6, 39465.	3.3	4
318	Two dimensional heterostructure: perfect platform for exploring interface interaction. <i>Science Bulletin</i> , 2017, 62, 381-382.	9.0	4
319	Quantification of Electron Beam Heating Effect in TEM. <i>Microscopy and Microanalysis</i> , 2017, 23, 1766-1767.	0.4	4
320	Plasticity Length Scale in LIGA Nickel MEMS Structures. <i>Materials Research Society Symposia Proceedings</i> , 2001, 687, 1.	0.1	3
321	Nanomechanics and Nanostructured Multifunctional Materials: Experiments, Theories, and Simulations. <i>Journal of Nanomaterials</i> , 2008, 2008, 1-1.	2.7	3
322	Dislocation Nucleation and Pileup under a Wedge Contact at Nanoscale. <i>Journal of Nanomaterials</i> , 2008, 2008, 1-5.	2.7	3
323	New paradigm in advanced composite and nanocomposite design. <i>Reinforced Plastics</i> , 2018, 62, 263-265.	0.1	3
324	Strain-controlled optical transmittance tuning of three-dimensional carbon nanotube architectures. <i>Journal of Materials Chemistry C</i> , 2019, 7, 1927-1933.	5.5	3

#	ARTICLE	IF	CITATIONS
325	Tunable friction of monolayer MoS <sub>2</sub> by control of interfacial chemistry. <i>Extreme Mechanics Letters</i> , 2020, 41, 100996.	4.1	3
326	Hydrogen bonding sewing interface. <i>RSC Advances</i> , 2020, 10, 17438-17443.	3.6	3
327	Ultrafast Pump-Probe Microscopy on 2D Transition Metal Dichalcogenides. <i>Advanced Photonics Research</i> , 2022, 3, .	3.6	3
328	An investigation of fracture initiation and resistance-curve behavior in concrete. <i>Cement and Concrete Composites</i> , 2003, 25, 599-605.	10.7	2
329	In situ electrical property characterization of individual nanostructures using a sliding probe inside a transmission electron microscope. , 2010, , .		2
330	Dual-gate MOSFETs on monolayer CVD MoS <sub>2</sub> films. , 2013, , .		2
331	Integration of contact size dependence and thermal activation in atomic friction. <i>Extreme Mechanics Letters</i> , 2015, 2, 60-64.	4.1	2
332	Mechanical Properties of Ultralow Density Graphene Oxide/Polydimethylsiloxane Foams. <i>MRS Advances</i> , 2018, 3, 61-66.	0.9	2
333	Quaternary Alloys: Thermally Induced 2D Alloy-Heterostructure Transformation in Quaternary Alloys ( <i>Adv. Mater.</i> 45/2018). <i>Advanced Materials</i> , 2018, 30, 1870344.	21.0	2
334	Thermoelectric measurements of high-resistance Janus monolayer transition-metal dichalcogenide. <i>Review of Scientific Instruments</i> , 2019, 90, 105110.	1.3	2
335	Lead-Free Perovskites: Lead-Free Double Perovskite Cs <sub>2</sub> SnX <sub>6</sub> : Facile Solution Synthesis and Excellent Stability ( <i>Small</i> 39/2019). <i>Small</i> , 2019, 15, 1970211.	10.0	2
336	Quantitative in-situ study of strength-governed interfacial failure between h-BN and polymer-derived ceramic. <i>Acta Materialia</i> , 2021, 210, 116832.	7.9	2
337	Minimizing the Water Effect in Synthesis of High-Quality Monolayer MoS <sub>2</sub> Nanosheets: Implications for Electronic and Optoelectronic Devices. <i>ACS Applied Nano Materials</i> , 2021, 4, 8094-8100.	5.0	2
338	Gold Nanorods. , 2015, , 1-9.		2
339	Size and Crystal Orientation-Dependent Thermal Behaviors of ZnO Nanobelts. <i>Journal of Physical Chemistry C</i> , 2020, 124, 27222-27229.	3.1	2
340	An Investigation of The Effects of Temperature on Fatigue Crack Growth Behavior of a Cast Nearly Lamellar Ti-47Al-2Cr-2Mn + 0.8 Vol. %TiB <sub>2</sub> Gamma Titanium Alloy. <i>Materials Research Society Symposia Proceedings</i> , 2000, 646, 143.	0.1	2
341	Bilinear Behavior in the Indentation Size Effect: A Consequence of Strain Gradient Plasticity. <i>Materials Research Society Symposia Proceedings</i> , 2002, 750, 1.	0.1	1
342	In Situ Mechanical Characterization of One Dimensional Nanoscale Building Blocks Using Novel Microfabricated Devices. , 2008, , .		1

#	ARTICLE	IF	CITATIONS
343	Effect of Sidewall Fluorination on the Mechanical Properties of Catalytically Grown Multi-Wall Carbon Nanotubes. Materials Research Society Symposia Proceedings, 2011, 1284, 157.	0.1	1
344	Localized Quantitative Characterization of Chemical Functionalization Effects on Adhesion Properties of SWNT. Journal of Nanomaterials, 2011, 2011, 1-5.	2.7	1
345	Carbon Nanotubes: Hydrogen Passivation Induced Dispersion of Multi-Walled Carbon Nanotubes (Adv.) Tj ETQq1 1.0.784314 rgBT /O 21.0 1	21.0	1
346	Probing interface strength in nanocomposites and hybrid nanomaterials. , 2021, , 209-240.		1
347	Unconventional optical properties of 2D janus SMOSe induced by structural asymmetry. 2D Materials, 0, , .	4.4	1
348	Investigation of the Bi-linear Behavior of the Indentation Size Effects in Single and Polycrystalline Ni Thin Films/MEMS Thin Films. Materials Research Society Symposia Proceedings, 2006, 976, 1.	0.1	0
349	Towards NEMS Fluid Sensors Based on Suspended Nanomaterials. Materials Research Society Symposia Proceedings, 2009, 1222, 1.	0.1	0
350	On-chip electrochemistry: A nanofabricated platform for single nanowire battery electrochemistry. , 2010, , .		0
351	Noncontact and contact micromanipulation using a rotating nickel nanowire. , 2010, , .		0
352	Synthesis, characterization and engineering of two-dimensional transition metal dichalcogenides. , 2014, , .		0
353	Quantification of Dopant Distribution and the Local Band Gap in Selenium-Doped Molybdenum Disulfide. Microscopy and Microanalysis, 2014, 20, 1754-1755.	0.4	0
354	Interfaces in Two-Dimensional Heterostructures of Transition Metal Dichalcogenides. Microscopy and Microanalysis, 2015, 21, 105-106.	0.4	0
355	Nanoantenna-enhanced light-matter interaction in atomically thin WS <sub>2</sub> . , 2015, , .		0
356	In-situ Thermal Testing on Nanostructures in TEM. Microscopy and Microanalysis, 2016, 22, 770-771.	0.4	0
357	Photoluminescence quenching in hybrid gold/MoSe <sub>2</sub> nanosheets. , 2016, , .		0