
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2497241/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. Nature Genetics, 2010, 42, 937-948. | 9.4 | 2,634 |
| 2 | Hundreds of variants clustered in genomic loci and biological pathways affect human height. Nature, 2010, 467, 832-838. | 13.7 | 1,789 |
| 3 | A variant associated with nicotine dependence, lung cancer and peripheral arterial disease. Nature, 2008, 452, 638-642. | 13.7 | 1,399 |
| 4 | Genome-wide association yields new sequence variants at seven loci that associate with measures of obesity. Nature Genetics, 2009, 41, 18-24. | 9.4 | 1,247 |
| 5 | Genome-wide association study identifies a second prostate cancer susceptibility variant at 8q24. Nature Genetics, 2007, 39, 631-637. | 9.4 | 818 |
| 6 | Common variants on chromosomes 2q35 and 16q12 confer susceptibility to estrogen receptor–positive breast cancer. Nature Genetics, 2007, 39, 865-869. | 9.4 | 774 |
| 7 | The present and future burden of urinary bladder cancer in the world. World Journal of Urology, 2009, 27, 289-293. | 1.2 | 772 |
| 8 | Two variants on chromosome 17 confer prostate cancer risk, and the one in TCF2 protects against type 2 diabetes. Nature Genetics, 2007, 39, 977-983. | 9.4 | 670 |
| 9 | Genetic determinants of hair, eye and skin pigmentation in Europeans. Nature Genetics, 2007, 39, 1443-1452. | 9.4 | 659 |
| 10 | Sequence variants at CHRNB3–CHRNA6 and CYP2A6 affect smoking behavior. Nature Genetics, 2010, 42, 448-453. | 9.4 | 649 |
| 11 | Many sequence variants affecting diversity of adult human height. Nature Genetics, 2008, 40, 609-615. | 9.4 | 615 |
| 12 | Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. Nature Genetics, 2009, 41, 221-227. | 9.4 | 572 |
| 13 | Rare and low-frequency coding variants alter human adult height. Nature, 2017, 542, 186-190. | 13.7 | 544 |
| 14 | The global burden of urinary bladder cancer: an update. World Journal of Urology, 2020, 38, 1895-1904. | 1.2 | 504 |
| 15 | A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. Nature Genetics, 2010, 42, 978-984. | 9.4 | 493 |
| 16 | Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. Nature Genetics, 2013, 45, 371-384. | 9.4 | 493 |
| 17 | Common variants on chromosome 5p12 confer susceptibility to estrogen receptor–positive breast cancer. Nature Genetics, 2008, 40, 703-706. | 9.4 | 412 |
| 18 | Sequence variant on 8q24 confers susceptibility to urinary bladder cancer. Nature Genetics, 2008, 40, 1307-1312. | 9.4 | 377 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases. JAMA Oncology, 2017, 3, 636. | 3.4 | 376 |
| 20 | Common sequence variants on 2p15 and Xp11.22 confer susceptibility to prostate cancer. Nature Genetics, 2008, 40, 281-283. | 9.4 | 357 |
| 21 | Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. Nature Genetics, 2017, 49, 680-691. | 9.4 | 356 |
| 22 | Mutations in BRIP1 confer high risk of ovarian cancer. Nature Genetics, 2011, 43, 1104-1107. | 9.4 | 338 |
| 23 | Two newly identified genetic determinants of pigmentation in Europeans. Nature Genetics, 2008, 40, 835-837. | 9.4 | 331 |
| 24 | GWAS meta-analysis and replication identifies three new susceptibility loci for ovarian cancer. Nature Genetics, 2013, 45, 362-370. | 9.4 | 326 |
| 25 | Genetic variation in the prostate stem cell antigen gene PSCA confers susceptibility to urinary bladder cancer. Nature Genetics, 2009, 41, 991-995. | 9.4 | 321 |
| 26 | A genome-wide association study identifies susceptibility loci for ovarian cancer at 2q31 and 8q24. Nature Genetics, 2010, 42, 874-879. | 9.4 | 321 |
| 27 | Genome-wide association and replication studies identify four variants associated with prostate cancer susceptibility. Nature Genetics, 2009, 41, 1122-1126. | 9.4 | 313 |
| 28 | New common variants affecting susceptibility to basal cell carcinoma. Nature Genetics, 2009, 41, 909-914. | 9.4 | 303 |
| 29 | Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. Nature Genetics, 2018, 50, 26-41. | 9.4 | 286 |
| 30 | A germline variant in the TP53 polyadenylation signal confers cancer susceptibility. Nature Genetics, 2011, 43, 1098-1103. | 9.4 | 251 |
| 31 | Common variants at 19p13 are associated with susceptibility to ovarian cancer. Nature Genetics, 2010, 42, 880-884. | 9.4 | 235 |
| 32 | Identification of six new susceptibility loci for invasive epithelial ovarian cancer. Nature Genetics, 2015, 47, 164-171. | 9.4 | 221 |
| 33 | Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. Nature Genetics, 2011, 43, 60-65. | 9.4 | 220 |
| 34 | Genome-wide association study identifies sequence variants on 6q21 associated with age at menarche. Nature Genetics, 2009, 41, 734-738. | 9.4 | 199 |
| 35 | Gender differences in stage-adjusted bladder cancer survival. Urology, 2000, 55, 876-880. | 0.5 | 197 |
| 36 | Genome-wide association study identifies a sequence variant within the DAB2IP gene conferring susceptibility to abdominal aortic aneurysm. Nature Genetics, 2010, 42, 692-697. | 9.4 | 181 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A study based on whole-genome sequencing yields a rare variant at 8q24 associated with prostate cancer. Nature Genetics, 2012, 44, 1326-1329. | 9.4 | 178 |
| 38 | <i>PALB2</i> , <i>CHEK2</i> and <i>ATM</i> rare variants and cancer risk: data from COGS. Journal of Medical Genetics, 2016, 53, 800-811. | 1.5 | 174 |
| 39 | A sequence variant at 4p16.3 confers susceptibility to urinary bladder cancer. Nature Genetics, 2010, 42, 415-419. | 9.4 | 169 |
| 40 | Genetic Correction of PSA Values Using Sequence Variants Associated with PSA Levels. Science Translational Medicine, 2010, 2, 62ra92. | 5.8 | 140 |
| 41 | European genome-wide association study identifies SLC14A1 as a new urinary bladder cancer susceptibility gene. Human Molecular Genetics, 2011, 20, 4268-4281. | 1.4 | 134 |
| 42 | Male-pattern baldness susceptibility locus at 20p11. Nature Genetics, 2008, 40, 1282-1284. | 9.4 | 118 |
| 43 | Sequence variants at CYP1A1–CYP1A2 and AHR associate with coffee consumption. Human Molecular Genetics, 2011, 20, 2071-2077. | 1.4 | 114 |
| 44 | A variant in FTO shows association with melanoma risk not due to BMI. Nature Genetics, 2013, 45, 428-432. | 9.4 | 111 |
| 45 | Association of vitamin D levels and risk of ovarian cancer: a Mendelian randomization study. International Journal of Epidemiology, 2016, 45, 1619-1630. | 0.9 | 111 |
| 46 | Familial aggregation of urothelial cell carcinoma. International Journal of Cancer, 2002, 98, 274-278. | 2.3 | 106 |
| 47 | Recurrent urinary tract infection and risk of bladder cancer in the Nijmegen bladder cancer study. British Journal of Cancer, 2015, 112, 594-600. | 2.9 | 87 |
| 48 | No Increased Risk of Cancer after Coal Tar Treatment in Patients with Psoriasis or Eczema. Journal of Investigative Dermatology, 2010, 130, 953-961. | 0.3 | 86 |
| 49 | Ancestry-Shift Refinement Mapping of the C6orf97-ESR1 Breast Cancer Susceptibility Locus. PLoS Genetics, 2010, 6, e1001029. | 1.5 | 82 |
| 50 | Genome-wide significant risk associations for mucinous ovarian carcinoma. Nature Genetics, 2015, 47, 888-897. | 9.4 | 78 |
| 51 | Shared genetics underlying epidemiological association between endometriosis and ovarian cancer. Human Molecular Genetics, 2015, 24, 5955-5964. | 1.4 | 68 |
| 52 | Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. Nature Communications, 2015, 6, 8234. | 5.8 | 63 |
| 53 | More Differences Between HNPCC-related and Sporadic Carcinomas From the Endometrium as Compared to the Colon. American Journal of Surgical Pathology, 2004, 28, 706-711. | 2.1 | 62 |
| 54 | Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2011, 128, 2695-2708. | 2.3 | 58 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Incidence and prognosis of parathyroid gland carcinoma: A population-based study in The Netherlands estimating the preoperative diagnosis. American Journal of Surgery, 2011, 202, 590-597. | 0.9 | 56 |
| 56 | A common variant at 8q24.21 is associated with renal cell cancer. Nature Communications, 2013, 4, 2776. | 5.8 | 56 |
| 57 | Expert review remains important in the histopathological diagnosis of cutaneous melanocytic lesions. Histopathology, 2008, 52, 139-146. | 1.6 | 55 |
| 58 | Combined and Interactive Effects of Environmental and GWAS-Identified Risk Factors in Ovarian Cancer. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 880-890. | 1.1 | 54 |
| 59 | Associated Links Among Smoking, Chronic Obstructive Pulmonary Disease, and Small Cell Lung Cancer: A Pooled Analysis in the International Lung Cancer Consortium. EBioMedicine, 2015, 2, 1677-1685. | 2.7 | 49 |
| 60 | Functional Polymorphisms in the TERT Promoter Are Associated with Risk of Serous Epithelial Ovarian and Breast Cancers. PLoS ONE, 2011, 6, e24987. | 1.1 | 48 |
| 61 | Risk of Ovarian Cancer and the NF-κB Pathway: Genetic Association with <i>IL1A</i> and <i>TNFSF10</i> . Cancer Research, 2014, 74, 852-861. | 0.4 | 48 |
| 62 | Genome-wide association study yields variants at 20p12.2 that associate with urinary bladder cancer. Human Molecular Genetics, 2014, 23, 5545-5557. | 1.4 | 46 |
| 63 | Prevalence of multiple malignancies in the Netherlands in 2007. International Journal of Cancer, 2011, 128, 1659-1667. | 2.3 | 45 |
| 64 | Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. PLoS ONE, 2015, 10, e0128106. | 1.1 | 44 |
| 65 | Perioperative treatment and radical cystectomy for bladder cancer – a population based trend analysis of 10,338 patients in the Netherlands. European Journal of Cancer, 2016, 54, 18-26. | 1.3 | 44 |
| 66 | Trends in incidence and mortality of thyroid carcinoma in The Netherlands between 1989 and 2003: Correlation with thyroid fineâ€needle aspiration cytology and thyroid surgery. International Journal of Cancer, 2008, 123, 1681-1684. | 2.3 | 43 |
| 67 | Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2012, 96, 902-910. | 2.2 | 43 |
| 68 | Melanoma of unknown primary origin: A population-based study in the Netherlands. European Journal of Cancer, 2013, 49, 676-683. | 1.3 | 43 |
| 69 | Incidence, Survival, and Mortality Trends of Cancers Diagnosed in Adolescents and Young Adults (15–39 Years): A Population-Based Study in The Netherlands 1990–2016. Cancers, 2020, 12, 3421. | 1.7 | 43 |
| 70 | Epidemiology of Bladder Cancer. European Urology, 1999, 36, 660-672. | 0.9 | 42 |
| 71 | Pattern of follow-up care and early relapse detection in breast cancer patients. Breast Cancer Research and Treatment, 2012, 136, 859-868. | 1.1 | 40 |
| 72 | Genetic Risk Can Be Decreased: Quitting Smoking Decreases and Delays Lung Cancer for Smokers With High and Low CHRNA5 Risk Genotypes — A Meta-Analysis. EBioMedicine, 2016, 11, 219-226. | 2.7 | 40 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Discrepancy between clinical staging through bimanual palpation and pathological staging after cystectomy. Urologic Oncology: Seminars and Original Investigations, 2012, 30, 247-251. | 0.8 | 39 |
| 74 | Pathological downstaging and survival after induction chemotherapy and radical cystectomy for clinically node-positive bladder cancer—Results of a nationwide population-based study. European Journal of Cancer, 2016, 69, 1-8. | 1.3 | 39 |
| 75 | The effect of the time interval between diagnosis of muscle-invasive bladder cancer and radical cystectomy on staging and survival: A Netherlands Cancer Registry analysis. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 166.e1-166.e6. | 0.8 | 39 |
| 76 | Coal tar in dermatology. Journal of Dermatological Treatment, 2007, 18, 329-334. | 1.1 | 38 |
| 77 | Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. Human Molecular Genetics, 2016, 25, 1203-1214. | 1.4 | 38 |
| 78 | The Epidemiology and Clinicopathological Features of Basal Cell Carcinoma in Patients 80 Years and Older. JAMA Dermatology, 2017, 153, 71. | 2.0 | 38 |
| 79 | Evidence of a genetic link between endometriosis and ovarian cancer. Fertility and Sterility, 2016, 105, 35-43.e10. | 0.5 | 37 |
| 80 | The effect of the ATG16L1 Thr300Ala polymorphism on susceptibility and outcome of patients with epithelial cell-derived thyroid carcinoma. Endocrine-Related Cancer, 2012, 19, L15-L18. | 1.6 | 34 |
| 81 | Personal hair dye use and the risk of bladder cancer: a case–control study from The Netherlands. Cancer Causes and Control, 2012, 23, 1139-1148. | 0.8 | 33 |
| 82 | Segregation analysis of urothelial cell carcinoma. European Journal of Cancer, 2006, 42, 1428-1433. | 1.3 | 30 |
| 83 | Risk factors for second primary melanoma among Dutch patients with melanoma. British Journal of Dermatology, 2017, 176, 971-978. | 1.4 | 30 |
| 84 | Smoking intensity and bladder cancer aggressiveness at diagnosis. PLoS ONE, 2018, 13, e0194039. | 1.1 | 29 |
| 85 | Germline deletions in the tumour suppressor gene <i><scp>FOCAD</scp></i> are associated with polyposis and colorectal cancer development. Journal of Pathology, 2015, 236, 155-164. | 2.1 | 28 |
| 86 | Network-Based Integration of GWAS and Gene Expression Identifies a <i>HOX</i> -Centric Network Associated with Serous Ovarian Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1574-1584. | 1.1 | 28 |
| 87 | Genome-Wide Significant Association Between a Sequence Variant at 15q15.2 and Lung Cancer Risk. Cancer Research, 2011, 71, 1356-1361. | 0.4 | 26 |
| 88 | Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2012, 48, 3267-3277. | 1.3 | 26 |
| 89 | Site-specific familial aggregation of prostate cancer. International Journal of Cancer, 2004, 109, 611-617. | 2.3 | 25 |
| 90 | Real-world outcomes of radium-223 dichloride for metastatic castration resistant prostate cancer. Future Oncology, 2020, 16, 1371-1384. | 1.1 | 25 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). Journal of Genetics and Genome Research, 2015, 2, . | 0.3 | 25 |
| 92 | Common variants at the <i>CHEK2</i> gene locus and risk of epithelial ovarian cancer. Carcinogenesis, 2015, 36, 1341-1353. | 1.3 | 24 |
| 93 | Independent Replication of Published Germline Polymorphisms Associated with Urinary Bladder Cancer Prognosis and Treatment Response. Bladder Cancer, 2016, 2, 77-89. | 0.2 | 24 |
| 94 | Genome-wide association study of subtype-specific epithelial ovarian cancer risk alleles using pooled DNA. Human Genetics, 2014, 133, 481-497. | 1.8 | 23 |
| 95 | Radical prostatectomy versus deferred treatment for localised prostate cancer. The Cochrane Library, 2020, 6, CD006590. | 1.5 | 23 |
| 96 | Rising incidence rates and unaltered survival rates for primary upper urinary tract urothelial carcinoma: a Dutch populationâ€based study from 1993 to 2017. BJU International, 2021, 128, 343-351. | 1.3 | 23 |
| 97 | Polygenic risk modeling for prediction of epithelial ovarian cancer risk. European Journal of Human Genetics, 2022, 30, 349-362. | 1.4 | 23 |
| 98 | Epithelialâ€Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. Genetic Epidemiology, 2015, 39, 689-697. | 0.6 | 22 |
| 99 | Insertion of an SVA-E retrotransposon into the <i>CASP8</i> gene is associated with protection against prostate cancer. Human Molecular Genetics, 2016, 25, 1008-1018. | 1.4 | 22 |
| 100 | Intravesical Radiofrequency-Induced Chemohyperthermia for Carcinoma in Situ of the Urinary Bladder: A Retrospective Multicentre Study. Bladder Cancer, 2018, 4, 365-376. | 0.2 | 22 |
| 101 | Prognostic Relevance of Urinary Bladder Cancer Susceptibility Loci. PLoS ONE, 2014, 9, e89164. | 1.1 | 20 |
| 102 | Assessing the genetic architecture of epithelial ovarian cancer histological subtypes. Human Genetics, 2016, 135, 741-756. | 1.8 | 19 |
| 103 | Guideline of guidelines: primary monotherapies for localised or locally advanced prostate cancer. BJU International, 2018, 122, 535-548. | 1.3 | 19 |
| 104 | Nationwide treatment patterns and survival of older patients with prostate cancer. Journal of Geriatric Oncology, 2019, 10, 252-258. | 0.5 | 19 |
| 105 | Guideline adherence for the surgical treatment of T1 renal tumours correlates with hospital volume: an analysis from the British Association of Urological Surgeons Nephrectomy Audit. BJU International, 2020, 125, 73-81. | 1.3 | 19 |
| 106 | No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. Gynecologic Oncology, 2016, 141, 386-401. | 0.6 | 18 |
| 107 | Successful centralisation of patients with vulvar carcinoma: A population-based study in The Netherlands. European Journal of Cancer, 2012, 48, 1997-2003. | 1.3 | 16 |
| 108 | Consortium analysis of gene and gene–folate interactions in purine and pyrimidine metabolism pathways with ovarian carcinoma risk. Molecular Nutrition and Food Research, 2014, 58, 2023-2035. | 1.5 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Dermatological exposure to coal tar and bladder cancer risk: A case-control study. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 20.e19-20.e22. | 0.8 | 16 |
| 110 | The prognostic value of family history among patients with urinary bladder cancer. International Journal of Cancer, 2015, 136, 1117-1124. | 2.3 | 16 |
| 111 | Analysis of 105.000 patients with cancer: have they been discussed in oncologic multidisciplinary team meetings? A nationwide population-based study in the Netherlands. European Journal of Cancer, 2019, 121, 85-93. | 1.3 | 16 |
| 112 | Evaluating the ovarian cancer gonadotropin hypothesis: A candidate gene study. Gynecologic Oncology, 2015, 136, 542-548. | 0.6 | 15 |
| 113 | Prognostic Factors for Survival in Patients With Recurrence of Muscle Invasive Bladder Cancer After Treatment With Curative Intent. Clinical Genitourinary Cancer, 2011, 9, 14-21. | 0.9 | 14 |
| 114 | DNA adducts in skin biopsies and 1-hydroxypyrene in urine of psoriasis patients and healthy volunteers following treatment with coal tar. Toxicology Letters, 2012, 213, 39-44. | 0.4 | 14 |
| 115 | Bladder cancer survival: Women only fare worse in the first two years after diagnosis. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 853-861. | 0.8 | 14 |
| 116 | Adherence to guideline recommendations for management of clinical T1 renal cancers in the Netherlands: a population-based study. World Journal of Urology, 2016, 34, 1053-1060. | 1.2 | 13 |
| 117 | The UroLife study: protocol for a Dutch prospective cohort on lifestyle habits in relation to non-muscle-invasive bladder cancer prognosis and health-related quality of life. BMJ Open, 2019, 9, e030396. | 0.8 | 13 |
| 118 | Known susceptibility SNPs for sporadic prostate cancer show a similar association with "hereditary― prostate cancer. Prostate, 2015, 75, 474-483. | 1.2 | 12 |
| 119 | Cardiac monitoring during adjuvant trastuzumab therapy: Guideline adherence in clinical practice. Acta Oncológica, 2016, 55, 423-429. | 0.8 | 12 |
| 120 | Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 217-228. | 1.1 | 12 |
| 121 | No clear associations of adult BMI and diabetes mellitus with non-muscle invasive bladder cancer recurrence and progression. PLoS ONE, 2020, 15, e0229384. | 1.1 | 12 |
| 122 | Spouse controls in family case-control studies: a methodological consideration. Familial Cancer, 2003, 2, 101-108. | 0.9 | 11 |
| 123 | Treatment policy for psoriasis and eczema: a survey among dermatologists in the Netherlands and Belgian Flanders. European Journal of Dermatology, 2007, 17, 416-21. | 0.3 | 11 |
| 124 | Skeletal muscle radiodensity and visceral adipose tissue index are associated with survival in renal cell cancer – A multicenter population-based cohort study. Clinical Nutrition, 2022, 41, 131-143. | 2.3 | 11 |
| 125 | Impact of the COVID-19 outbreak on prostate cancer care in the Netherlands. Cancer Treatment and Research Communications, 2022, 31, 100553. | 0.7 | 11 |
| 126 | Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. PLoS ONE, 2018, 13, e0197561. | 1.1 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Predictors of surgical treatment burden, outcomes, and overall survival in older adults with basal cell carcinoma: Results from the prospective, multicenter BATOA cohort. Journal of the American Academy of Dermatology, 2022, 86, 1010-1019. | 0.6 | 9 |
| 128 | A Germline Homozygote Deletion of the Glutathione-S-Transferase Mu1 Gene Predisposes to Bladder Cancer. Urologia Internationalis, 2000, 64, 134-138. | 0.6 | 8 |
| 129 | Modest improvement in 20years of kidney cancer care in the Netherlands. European Journal of Cancer, 2012, 48, 1822-1830. | 1.3 | 8 |
| 130 | New insights into the aetiology of scrotal cancer, a nationwide case ontrol study in the Netherlands. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 65-71. | 1.3 | 8 |
| 131 | Reproducibility of self-reported melanoma risk factors in melanoma patients. Melanoma Research, 2014, 24, 592-601. | 0.6 | 8 |
| 132 | Impact of mitotic activity on the pathological substaging of pT1 cutaneous melanoma. British Journal of Dermatology, 2014, 170, 874-877. | 1.4 | 8 |
| 133 | The clinical phenotype of hereditary versus sporadic prostate cancer: HPC definition revisited. Prostate, 2016, 76, 897-904. | 1.2 | 8 |
| 134 | Imaging and T Category for Prostate Cancer in the 8th Edition of the Union for International Cancer Control TNM Classification. European Urology Oncology, 2020, 3, 563-564. | 2.6 | 7 |
| 135 | Sex differences in treatment patterns for non-advanced muscle-invasive bladder cancer: a descriptive analysis of 3484 patients of the Netherlands Cancer Registry. World Journal of Urology, 2022, 40, 2275-2281. | 1.2 | 7 |
| 136 | One arbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 145, 2349-2359. | 2.3 | 6 |
| 137 | Variation in the Prescription of Androgen Deprivation Therapy in Intermediate- and High-risk Prostate Cancer Patients Treated with Radiotherapy in the Netherlands, and Adherence to European Association of Urology Guidelines: A Population-based Study. European Urology Focus, 2021, 7, 332-339. | 1.6 | 6 |
| 138 | Absence of karyotype abnormalities in patients with familial urothelial cell carcinoma. Urology, 2001, 57, 266-269. | 0.5 | 5 |
| 139 | Validation and reliability of the Dutch version of the EORTC QLQ-NMIBC24 Questionnaire Module for patients with non-muscle-invasive bladder cancer. Journal of Patient-Reported Outcomes, 2021, 5, 96. | 0.9 | 5 |
| 140 | Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. Oncotarget, 2016, 7, 69097-69110. | 0.8 | 5 |
| 141 | Evidence or Prejudice? Critical Re-Analysis of Randomized Controlled Trials Comparing Overall Survival After Cisplatin Versus Carboplatin-Based Regimens in Advanced Urothelial Carcinoma. Clinical Genitourinary Cancer, 2022, 20, e346-e352. | 0.9 | 5 |
| 142 | Hospital volume is associated with postoperative mortality after radical cystectomy for treatment of bladder cancer. BJU International, 2021, 128, 511-518. | 1.3 | 4 |
| 143 | Intermediate-term survival of robot-assisted versus open radical cystectomy for muscle-invasive and high-risk non-muscle invasive bladder cancer in The Netherlands. Urologic Oncology: Seminars and Original Investigations, 2021, 40, 60.e1-60.e1. | 0.8 | 4 |
| 144 | Using Explainable Machine Learning to Explore the Impact of Synoptic Reporting on Prostate Cancer. Algorithms, 2022, 15, 49. | 1.2 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Self-reported acne is not associated with prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 941-945. | 0.8 | 3 |
| 146 | rs495139 in the TYMS-ENOSF1 Region and Risk of Ovarian Carcinoma of Mucinous Histology. International Journal of Molecular Sciences, 2018, 19, 2473. | 1.8 | 3 |
| 147 | Immediate treatment vs. active-surveillance in very-low-risk prostate cancer: the role of patient-, tumour-, and hospital-related factors. Prostate Cancer and Prostatic Diseases, 2019, 22, 337-343. | 2.0 | 3 |
| 148 | Symptomatic Skeletal Events and the Use of Bone Health Agents in a Real-World Treated Metastatic Castration Resistant Prostate Cancer Population: Results From the CAPRI-Study in the Netherlands. Clinical Genitourinary Cancer, 2022, 20, 43-52. | 0.9 | 3 |
| 149 | Nonâ€metastatic muscleâ€invasive bladder cancer: the role of age in receiving treatment with curative intent. BJU International, 2022, 130, 764-775. | 1.3 | 3 |
| 150 | Limited role for histopathological examination of re-excision specimens of completely excised melanomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2014, 465, 225-231. | 1.4 | 2 |
| 151 | The impact of the COVID-19 pandemic on bladder cancer care in the Netherlands. Bladder Cancer, 2022, , 1-17. | 0.2 | 2 |
| 152 | Interlaboratory Gleason grading variation affects treatment: a Dutch historic cohort study in 30 509 patients with prostate cancer. Journal of Clinical Pathology, 2023, 76, 690-697. | 1.0 | 2 |
| 153 | 1719 PROGNOSTIC FACTORS FOR SURVIVAL IN PATIENTS WITH RECURRENCE OF MUSCLE INVASIVE BLADDER CANCER AFTER TREATMENT WITH CURATIVE INTENT. Journal of Urology, 2010, 183, . | 0.2 | 1 |
| 154 | Third-line Life-prolonging Drug Treatment in a Real-world Metastatic Castration-resistant Prostate Cancer Population: Results from the Dutch Castration-resistant Prostate Cancer Registry. European Urology Focus, 2021, 7, 788-796. | 1.6 | 1 |
| 155 | Incidence and survival trends of cancers diagnosed in young adults (20-39 years): A population-based study Journal of Clinical Oncology, 2017, 35, 1567-1567. | 0.8 | 1 |
| 156 | Determination of serum liver tests during therapy with coumarin anticoagulants. Journal of Hepatology, 1999, 31, 778-779. | 1.8 | 0 |
| 157 | MP65-10 DELAYED RADICAL CYSTECTOMY IN PATIENTS WITH MUSCLE-INVASIVE BLADDER CANCER: A NATIONWIDE ANALYSIS. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 158 | PD47-05 ELDERLY PROSTATE CANCER PATIENTS HAVE A WORSE PROGNOSIS THAN YOUNGER PATIENTS: A POPULATION-BASED STUDY IN THE NETHERLANDS Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 159 | Survival of adolescents and young adults (AYAs) with skeletal Ewing sarcoma: A Dutch population-based study Journal of Clinical Oncology, 2014, 32, 10530-10530. | 0.8 | 0 |
| 160 | International comparison of treatment and outcome in older patients with muscle-invasive bladder cancer Journal of Clinical Oncology, 2015, 33, e20517-e20517. | 0.8 | 0 |