

Johan Wens

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2504713/publications.pdf>

Version: 2024-02-01

77
papers

3,585
citations

201674

27
h-index

138484

58
g-index

79
all docs

79
docs citations

79
times ranked

4386
citing authors

#	ARTICLE	IF	CITATIONS
1	Diabetes Attitudes, Wishes and Needs second study (DAWN2 [®]): Cross-national benchmarking of diabetes-related psychosocial outcomes for people with diabetes. <i>Diabetic Medicine</i> , 2013, 30, 767-777.	2.3	540
2	A European Evidence-Based Guideline for the Prevention of Type 2 Diabetes. <i>Hormone and Metabolic Research</i> , 2010, 42, S3-S36.	1.5	385
3	Diabetes Attitudes, Wishes and Needs second study (DAWN2 [®]): Cross-national benchmarking indicators for family members living with people with diabetes. <i>Diabetic Medicine</i> , 2013, 30, 778-788.	2.3	216
4	Take Action to Prevent Diabetes – The IMAGE Toolkit for the Prevention of Type 2 Diabetes in Europe. <i>Hormone and Metabolic Research</i> , 2010, 42, S37-S55.	1.5	197
5	Diabetes Attitudes Wishes and Needs 2 (DAWN2): A multinational, multi-stakeholder study of psychosocial issues in diabetes and person-centred diabetes care. <i>Diabetes Research and Clinical Practice</i> , 2013, 99, 174-184.	2.8	195
6	Interventions for improving adherence to treatment recommendations in people with type 2 diabetes mellitus. <i>The Cochrane Library</i> , 2005, , CD003638.	2.8	175
7	GPs' perspectives of type 2 diabetes patients' adherence to treatment: A qualitative analysis of barriers and solutions. <i>BMC Family Practice</i> , 2005, 6, 20.	2.9	137
8	Diabetes Attitudes, Wishes and Needs second study (DAWN2 [®]): Cross-national comparisons on barriers and resources for optimal care – healthcare professional perspective. <i>Diabetic Medicine</i> , 2013, 30, 789-798.	2.3	137
9	The effect of caregiver support interventions for informal caregivers of community-dwelling frail elderly: a systematic review. <i>International Journal of Integrated Care</i> , 2012, 12, e133.	0.2	111
10	Interventions to improve adherence to medication in people with type 2 diabetes mellitus: a review of the literature on the role of pharmacists. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2006, 31, 409-419.	1.5	104
11	Personal Accounts of the Negative and Adaptive Psychosocial Experiences of People With Diabetes in the Second Diabetes Attitudes, Wishes and Needs (DAWN2) Study. <i>Diabetes Care</i> , 2014, 37, 2466-2474.	8.6	104
12	Factors associated with clinical inertia: an integrative review. <i>Advances in Medical Education and Practice</i> , 2014, 5, 141.	1.5	84
13	Comprehensive and Integrated Palliative Care for People With Advanced Chronic Conditions: An Update From Several European Initiatives and Recommendations for Policy. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 509-517.	1.2	72
14	Obstacles to adherence in living with type-2 diabetes: An international qualitative study using meta-ethnography (EUROBSTACLE). <i>Primary Care Diabetes</i> , 2007, 1, 25-33.	1.8	70
15	Diabetes as a case study of chronic disease management with a personalized approach: The role of a structured feedback loop. <i>Diabetes Research and Clinical Practice</i> , 2012, 98, 5-10.	2.8	67
16	Educational interventions aiming at improving adherence to treatment recommendations in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 377-388.	2.8	66
17	Workplace learning through collaboration in primary healthcare: A BEME realist review of what works, for whom and in what circumstances: BEME Guide No. 46. <i>Medical Teacher</i> , 2018, 40, 117-134.	1.8	46
18	Can red yeast rice and olive extract improve lipid profile and cardiovascular risk in metabolic syndrome?: a double blind, placebo controlled randomized trial. <i>BMC Complementary and Alternative Medicine</i> , 2015, 15, 52.	3.7	45

#	ARTICLE	IF	CITATIONS
19	Effectiveness of chronic care models for the management of type 2 diabetes mellitus in Europe: a systematic review and meta-analysis. <i>BMJ Open</i> , 2017, 7, e013076.	1.9	45
20	Supporting diabetes self-management in primary care: Pilot-study of a group-based programme focusing on diet and exercise. <i>Primary Care Diabetes</i> , 2009, 3, 103-109.	1.8	42
21	Quality Indicators for the Prevention of Type 2 Diabetes in Europe – IMAGE. <i>Hormone and Metabolic Research</i> , 2010, 42, S56-S63.	1.5	40
22	“œl Do My Best To Listen to Patients” Qualitative Insights Into DAWN2 (Diabetes Psychosocial Care From) Tj ETQq0 0 0 rgBT /Overlo	2.5	40
23	Red yeast rice lowers cholesterol in physicians - a double blind, placebo controlled randomized trial. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 178.	3.7	39
24	Implementation of a program for type 2 diabetes based on the Chronic Care Model in a hospital-centered health care system: "the Belgian experience". <i>BMC Health Services Research</i> , 2009, 9, 152.	2.2	36
25	Quality indicators for type-2 diabetes care in practice guidelines: An example from six European countries. <i>Primary Care Diabetes</i> , 2007, 1, 17-23.	1.8	35
26	Caring for a frail older person: the association between informal caregiver burden and being unsatisfied with support from family and friends. <i>Age and Ageing</i> , 2019, 48, 658-664.	1.6	32
27	Walk on the sunny side of life – Epidemiology of hypovitaminosis D and mental health in elderly nursing home residents. <i>Journal of Nutrition, Health and Aging</i> , 2012, 16, 417-420.	3.3	31
28	Factors influencing safe glucose-lowering in older adults with type 2 diabetes: A PeRsOn-centred ApproaCh To IndiVidualisEd (PROACTIVE) Glycemic Goals for older people. <i>Primary Care Diabetes</i> , 2019, 13, 330-352.	1.8	28
29	Healthcare professionals' perceptions toward interprofessional collaboration in palliative home care: A view from Belgium. <i>Journal of Interprofessional Care</i> , 2013, 27, 313-319.	1.7	27
30	Glucose intolerance in early postpartum in women with gestational diabetes: Who is at increased risk?. <i>Primary Care Diabetes</i> , 2015, 9, 244-252.	1.8	24
31	Diversity in diabetes care programmes and views on high quality diabetes care: are we in need of a standardized framework?. <i>International Journal of Integrated Care</i> , 2008, 8, e07.	0.2	23
32	Implementing a Reminder System in the Northern Part of Belgium to Stimulate Postpartum Screening for Glucose Intolerance in Women with Gestational Diabetes: The “œSweet Pregnancy”-Project. <i>International Journal of Endocrinology</i> , 2017, 2017, 1-9.	1.5	22
33	What, how and from whom do health care professionals learn during collaboration in palliative home care: a cross-sectional study in primary palliative care. <i>BMC Health Services Research</i> , 2014, 14, 501.	2.2	21
34	Understanding the experience of adult daughters caring for an ageing parent, a qualitative study. <i>Journal of Clinical Nursing</i> , 2016, 25, 1693-1702.	3.0	21
35	Remote versus on-site proctored exam: comparing student results in a cross-sectional study. <i>BMC Medical Education</i> , 2021, 21, 624.	2.4	19
36	Clinical inertia in general practice, a matter of debate: a qualitative study with 114 general practitioners in Belgium. <i>BMC Family Practice</i> , 2015, 16, 13.	2.9	18

#	ARTICLE	IF	CITATIONS
37	Preparing palliative home care nurses to act as facilitators for physicians's learning: Evaluation of a training programme. <i>Palliative Medicine</i> , 2015, 29, 458-463.	3.1	17
38	Happy pills in nursing homes in Belgium: A cohort study to determine prescribing patterns and relation to fall risk. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2014, 5, 53-57.	0.7	16
39	Health care professionals's perceptions towards lifelong learning in palliative care for general practitioners: a focus group study. <i>BMC Family Practice</i> , 2014, 15, 36.	2.9	16
40	The 2019 Flemish consensus on screening for overt diabetes in early pregnancy and screening for gestational diabetes mellitus. <i>Acta Clinica Belgica</i> , 2020, 75, 340-347.	1.2	16
41	Diagnosis and treatment of type 2 diabetes in three Belgian regions. Registration via a network of sentinel general practices. <i>European Journal of Epidemiology</i> , 2001, 17, 743-750.	5.7	15
42	The landscape of postgraduate education in palliative care for general practitioners: results of a nationwide survey in Flanders, Belgium. <i>Patient Education and Counseling</i> , 2012, 86, 220-225.	2.2	15
43	General Practice Care for Patients with Rare Diseases in Belgium. A Cross-Sectional Survey. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1180.	2.6	14
44	Palliative care in primary care: European Forum for Primary Care position paper. <i>Primary Health Care Research and Development</i> , 2019, 20, e133.	1.2	14
45	Does the Belgian diabetes type 2 care trajectory improve quality of care for diabetes patients?. <i>Archives of Public Health</i> , 2015, 73, 31.	2.4	13
46	The European EUCCLID pilot study on care and complications in an unselected sample of people with type 2 diabetes in primary care. <i>Primary Care Diabetes</i> , 2010, 4, 17-23.	1.8	12
47	"I beg your pardon?" Nurses's experiences in facilitating doctors's learning process " An interview study. <i>Patient Education and Counseling</i> , 2014, 96, 389-394.	2.2	12
48	Living with an adult who has diabetes: Qualitative insights from the second Diabetes Attitudes, Wishes and Needs (DAWN2) study. <i>Diabetes Research and Clinical Practice</i> , 2016, 116, 270-278.	2.8	12
49	Interventions for improving management of chronic non-communicable diseases in Dikgale, a rural area in Limpopo Province, South Africa. <i>BMC Health Services Research</i> , 2018, 18, 331.	2.2	10
50	A Systematic Review of Adherence With Medications for Diabetes: Response to Cramer. <i>Diabetes Care</i> , 2004, 27, 2284-2284.	8.6	9
51	Engaging GPs in insulin therapy initiation: a qualitative study evaluating a support program in the Belgian context. <i>BMC Family Practice</i> , 2014, 15, 144.	2.9	9
52	Implementation of a Care Pathway for Primary Palliative Care in 5 research clusters in Belgium: quasi-experimental study protocol and innovations in data collection (pro-SPINOZA). <i>BMC Palliative Care</i> , 2015, 14, 46.	1.8	9
53	Increased herpes zoster risk associated with poor HLA-A immediate early 62 protein (IE62) affinity. <i>Immunogenetics</i> , 2018, 70, 363-372.	2.4	8
54	The Manage Care Model " Developing an Evidence-Based and Expert-Driven Chronic Care Management Model for Patients with Diabetes. <i>International Journal of Integrated Care</i> , 2020, 20, 2.	0.2	8

#	ARTICLE	IF	CITATIONS
55	Optimizing diabetes care regarding cardiovascular targets at general practice level: Direct@GP. Primary Care Diabetes, 2011, 5, 19-24.	1.8	7
56	The objective structured clinical examination revisited for postgraduate trainees in general practice. International Journal of Medical Education, 2014, 5, 45-50.	1.2	7
57	Household composition and psychological health: Results of the Second Diabetes Attitudes, Wishes and Needs (DAWN2) study. Journal of Diabetes and Its Complications, 2017, 31, 340-346.	2.3	7
58	Evidence based post graduate training. A systematic review of reviews based on the WFME quality framework. BMC Medical Education, 2011, 11, 80.	2.4	5
59	Patients' nursing records revealing opportunities for interprofessional workplace learning in primary care: A chart review study. Education for Health: Change in Learning and Practice, 2014, 27, 89.	0.3	5
60	Proficiency testing for admission to the postgraduate family medicine education. Journal of Family Medicine and Primary Care, 2018, 7, 58.	0.9	5
61	Use of emergency departments by primary care patients. European Journal of General Practice, 2005, 11, 78-80.	2.0	4
62	Implementation of Primary Palliative Care in five Belgian regions: A qualitative study on early identification of palliative care needs by general practitioners. European Journal of General Practice, 2020, 26, 146-153.	2.0	4
63	The EUCCLID study: Proposed European study on care and complications in people with type 2 diabetes in primary care. Primary Care Diabetes, 2007, 1, 167-171.	1.8	3
64	Quality in Continuing Medical Education: Playing Hide and Seek. Education for Primary Care, 2011, 22, 366-368.	0.6	3
65	Healthcare payment reforms across western countries on three continents: Lessons from stakeholder preferences when asked to rate the supportiveness for fulfilling patients' needs. Health Policy, 2013, 111, 14-23.	3.0	3
66	Efficiency, Usability, and Outcomes of Proctored Next-Level Exams for Proficiency Testing in Primary Care Education: Observational Study. JMIR Formative Research, 2021, 5, e23834.	1.4	3
67	Postgraduate education on palliative care for general practitioners in Belgium. Palliative Medicine, 2011, 25, 187-188.	3.1	2
68	Health-related quality of life and associated factors among patients with type II diabetes mellitus: A study in the family medicine center (FMC) of Agricultural General Hospital in Hanoi, Vietnam. Health Psychology Open, 2021, 8, 205510292199617.	1.4	2
69	An online international comparison of palliative care identification in primary care using the Surprise Question. Palliative Medicine, 2022, 36, 142-151.	3.1	2
70	Knowledge assessment of trainees and trainers in general practice in a neighboring country. Making a case for international collaboration. BMC Family Practice, 2012, 13, 103.	2.9	1
71	Study protocol of OncoTolk: an observational study on communication problems in language-mediated consultations with migrant oncology patients in Flanders (Belgium). BMJ Open, 2020, 10, e034426.	1.9	1
72	What Is the Impact of a Context-Specific Training Program for Home-Based Carers? An Evaluation Study. International Journal of Environmental Research and Public Health, 2020, 17, 9263.	2.6	1

#	ARTICLE	IF	CITATIONS
73	Newly Diagnosed Type 2 Diabetic Population in Belgium. Diabetes Care, 2002, 25, 637-638.	8.6	0
74	Comment on: "Evaluation and comparison of guidelines for the management of people with type 2 diabetes from eight European countries" by Stone et al. on behalf of the GUIDANCE study group (Diabetes Res Clin Pract. 2010; 87(2): 252-60). Diabetes Research and Clinical Practice, 2011, 92, 407-408.	2.8	0
75	Informal caregiver involvement in innovative home care projects in Belgium. International Journal of Integrated Care, 2013, 13, .	0.2	0
76	Preliminary outcomes of the development of an Active Ageing with Type 2 Diabetes Chronic Care Management Model in Europe. International Journal of Integrated Care, 2015, 15, .	0.2	0
77	Where do GPs find patients with possible palliative care needs? A cross-sectional descriptive study. BJGP Open, 2021, 5, BJGPO.2020.0100.	1.8	0