Johan Wens

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2504713/publications.pdf

Version: 2024-02-01

77	3,585	27 h-index	58
papers	citations		g-index
79	79	79	4386
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	An online international comparison of palliative care identification in primary care using the Surprise Question. Palliative Medicine, 2022, 36, 142-151.	1.3	2
2	Health-related quality of life and associated factors among patients with type II diabetes mellitus: A study in the family medicine center (FMC) of Agricultural General Hospital in Hanoi, Vietnam. Health Psychology Open, 2021, 8, 205510292199617.	0.7	2
3	Efficiency, Usability, and Outcomes of Proctored Next-Level Exams for Proficiency Testing in Primary Care Education: Observational Study. JMIR Formative Research, 2021, 5, e23834.	0.7	3
4	Where do GPs find patients with possible palliative care needs? A cross-sectional descriptive study. BJGP Open, 2021, 5, BJGPO.2020.0100.	0.9	0
5	Remote versus on-site proctored exam: comparing student results in a cross-sectional study. BMC Medical Education, 2021, 21, 624.	1.0	19
6	The 2019 Flemish consensus on screening for overt diabetes in early pregnancy and screening for gestational diabetes mellitus. Acta Clinica Belgica, 2020, 75, 340-347.	0.5	16
7	Implementation of Primary Palliative Care in five Belgian regions: A qualitative study on early identification of palliative care needs by general practitioners. European Journal of General Practice, 2020, 26, 146-153.	0.9	4
8	Study protocol of OncoTolk: an observational study on communication problems in language-mediated consultations with migrant oncology patients in Flanders (Belgium). BMJ Open, 2020, 10, e034426.	0.8	1
9	What Is the Impact of a Context-Specific Training Program for Home-Based Carers? An Evaluation Study. International Journal of Environmental Research and Public Health, 2020, 17, 9263.	1.2	1
10	The Manage Care Model – Developing an Evidence-Based and Expert-Driven Chronic Care Management Model for Patients with Diabetes. International Journal of Integrated Care, 2020, 20, 2.	0.1	8
11	Palliative care in primary care: European Forum for Primary Care position paper. Primary Health Care Research and Development, 2019, 20, e133.	0.5	14
12	Caring for a frail older person: the association between informal caregiver burden and being unsatisfied with support from family and friends. Age and Ageing, 2019, 48, 658-664.	0.7	32
13	Factors influencing safe glucose-lowering in older adults with type 2 diabetes: A PeRsOn-centred ApproaCh To IndiVidualisEd (PROACTIVE) Glycemic Goals for older people. Primary Care Diabetes, 2019, 13, 330-352.	0.9	28
14	Workplace learning through collaboration in primary healthcare: A BEME realist review of what works, for whom and in what circumstances: BEME Guide No. 46. Medical Teacher, 2018, 40, 117-134.	1.0	46
15	Increased herpes zoster risk associated with poor HLA-A immediate early 62 protein (IE62) affinity. Immunogenetics, 2018, 70, 363-372.	1.2	8
16	Interventions for improving management of chronic non-communicable diseases in Dikgale, a rural area in Limpopo Province, South Africa. BMC Health Services Research, 2018, 18, 331.	0.9	10
17	General Practice Care for Patients with Rare Diseases in Belgium. A Cross-Sectional Survey. International Journal of Environmental Research and Public Health, 2018, 15, 1180.	1.2	14
18	Proficiency testing for admission to the postgraduate family medicine education. Journal of Family Medicine and Primary Care, 2018, 7, 58.	0.3	5

#	Article	IF	CITATIONS
19	Effectiveness of chronic care models for the management of type 2 diabetes mellitus in Europe: a systematic review and meta-analysis. BMJ Open, 2017, 7, e013076.	0.8	45
20	Comprehensive and Integrated Palliative Care for People With Advanced Chronic Conditions: An Update From Several European Initiatives and Recommendations for Policy. Journal of Pain and Symptom Management, 2017, 53, 509-517.	0.6	72
21	Household composition and psychological health: Results of the Second Diabetes Attitudes, Wishes and Needs (DAWN2) study. Journal of Diabetes and Its Complications, 2017, 31, 340-346.	1.2	7
22	Implementing a Reminder System in the Northern Part of Belgium to Stimulate Postpartum Screening for Glucose Intolerance in Women with Gestational Diabetes: The "Sweet Pregnancy―Project. International Journal of Endocrinology, 2017, 2017, 1-9.	0.6	22
23	Understanding the experience of adult daughters caring for an ageing parent, a qualitative study. Journal of Clinical Nursing, 2016, 25, 1693-1702.	1.4	21
24	Living with an adult who has diabetes: Qualitative insights from the second Diabetes Attitudes, Wishes and Needs (DAWN2) study. Diabetes Research and Clinical Practice, 2016, 116, 270-278.	1.1	12
25	Does the Belgian diabetes type 2 care trajectory improve quality of care for diabetes patients?. Archives of Public Health, 2015, 73, 31.	1.0	13
26	Implementation of a Care Pathway for Primary Palliative Care in 5 research clusters in Belgium: quasi-experimental study protocol and innovations in data collection (pro-SPINOZA). BMC Palliative Care, 2015, 14, 46.	0.8	9
27	Glucose intolerance in early postpartum in women with gestational diabetes: Who is at increased risk?. Primary Care Diabetes, 2015, 9, 244-252.	0.9	24
28	Clinical inertia in general practice, a matter of debate: a qualitative study with 114 general practitioners in Belgium. BMC Family Practice, 2015, 16, 13.	2.9	18
29	Can red yeast rice and olive extract improve lipid profile and cardiovascular risk in metabolic syndrome?: a double blind, placebo controlled randomized trial. BMC Complementary and Alternative Medicine, 2015, 15, 52.	3.7	45
30	Preparing palliative home care nurses to act as facilitators for physicians' learning: Evaluation of a training programme. Palliative Medicine, 2015, 29, 458-463.	1.3	17
31	"l Do My Best To Listen to Patients― Qualitative Insights Into DAWN2 (Diabetes Psychosocial Care From) 1	Гј ETQq1 1 1.1	0.784314 rg 40
32	Preliminary outcomes of the development of an Active Ageing with Type 2 Diabetes Chronic Care Management Model in Europe. International Journal of Integrated Care, $2015, 15, \ldots$	0.1	0
33	Factors associated with clinical inertia: an integrative review. Advances in Medical Education and Practice, 2014, 5, 141.	0.7	84
34	The objective structured clinical examination revisited for postgraduate trainees in general practice. International Journal of Medical Education, 2014, 5, 45-50.	0.6	7
35	What, how and from whom do health care professionals learn during collaboration in palliative home care: a cross-sectional study in primary palliative care. BMC Health Services Research, 2014, 14, 501.	0.9	21
36	Personal Accounts of the Negative and Adaptive Psychosocial Experiences of People With Diabetes in the Second Diabetes Attitudes, Wishes and Needs (DAWN2) Study. Diabetes Care, 2014, 37, 2466-2474.	4.3	104

#	Article	IF	CITATIONS
37	Happy pills in nursing homes in Belgium: A cohort study to determine prescribing patterns and relation to fall risk. Journal of Clinical Gerontology and Geriatrics, 2014, 5, 53-57.	0.7	16
38	Health care professionals' perceptions towards lifelong learning in palliative care for general practitioners: a focus group study. BMC Family Practice, 2014, 15, 36.	2.9	16
39	â€I beg your pardon?' Nurses' experiences in facilitating doctors' learning process – An interview s Patient Education and Counseling, 2014, 96, 389-394.	study. 1.0	12
40	Engaging GPs in insulin therapy initiation: a qualitative study evaluating a support program in the Belgian context. BMC Family Practice, 2014, 15, 144.	2.9	9
41	Patients′ nursing records revealing opportunities for interprofessional workplace learning in primary care: A chart review study. Education for Health: Change in Learning and Practice, 2014, 27, 89.	0.1	5
42	Red yeast rice lowers cholesterol in physicians - a double blind, placebo controlled randomized trial. BMC Complementary and Alternative Medicine, 2013, 13, 178.	3.7	39
43	Diabetes Attitudes, Wishes and Needs second study (DAWN2â,,¢): Crossâ€national benchmarking indicators for family members living with people with diabetes. Diabetic Medicine, 2013, 30, 778-788.	1.2	216
44	Diabetes Attitudes, Wishes and Needs second study (DAWN2â,,¢): Crossâ€national comparisons on barriers and resources for optimal careâ€"healthcare professional perspective. Diabetic Medicine, 2013, 30, 789-798.	1.2	137
45	Healthcare payment reforms across western countries on three continents: Lessons from stakeholder preferences when asked to rate the supportiveness for fulfilling patients' needs. Health Policy, 2013, 111, 14-23.	1.4	3
46	Diabetes Attitudes Wishes and Needs 2 (DAWN2): A multinational, multi-stakeholder study of psychosocial issues in diabetes and person-centred diabetes care. Diabetes Research and Clinical Practice, 2013, 99, 174-184.	1.1	195
47	Healthcare professionals' perceptions toward interprofessional collaboration in palliative home care: A view from Belgium. Journal of Interprofessional Care, 2013, 27, 313-319.	0.8	27
48	Diabetes Attitudes, Wishes and Needs second study (DAWN2â,,¢): Crossâ€national benchmarking of diabetesâ€related psychosocial outcomes for people with diabetes. Diabetic Medicine, 2013, 30, 767-777.	1.2	540
49	Informal caregiver involvement in innovative home care projects in Belgium. International Journal of Integrated Care, 2013, 13, .	0.1	0
50	Diabetes as a case study of chronic disease management with a personalized approach: The role of a structured feedback loop. Diabetes Research and Clinical Practice, 2012, 98, 5-10.	1.1	67
51	Knowledge assessment of trainees and trainers in general practice in a neighboring country. Making a case for international collaboration. BMC Family Practice, 2012, 13, 103.	2.9	1
52	Walk on the sunny side of life â€" Epidemiology of hypovitaminosis D and mental health in elderly nursing home residents. Journal of Nutrition, Health and Aging, 2012, 16, 417-420.	1.5	31
53	The landscape of postgraduate education in palliative care for general practitioners: results of a nationwide survey in Flanders, Belgium. Patient Education and Counseling, 2012, 86, 220-225.	1.0	15
54	The effect of caregiver support interventions for informal caregivers of community-dwelling frail elderly: a systematic review. International Journal of Integrated Care, 2012, 12, e133.	0.1	111

#	Article	IF	Citations
55	Optimizing diabetes care regarding cardiovascular targets at general practice level: Direct@GP. Primary Care Diabetes, 2011, 5, 19-24.	0.9	7
56	Comment on: "Evaluation and comparison of guidelines for the management of people with type 2 diabetes from eight European countries―by Stone et al. on behalf of the GUIDANCE study group (Diabetes Res Clin Pract. 2010; 87(2): 252–60). Diabetes Research and Clinical Practice, 2011, 92, 407-408.	1.1	0
57	Quality in Continuing Medical Education: Playing Hide and Seek. Education for Primary Care, 2011, 22, 366-368.	0.2	3
58	Evidence based post graduate training. A systematic review of reviews based on the WFME quality framework. BMC Medical Education, $2011,11,80.$	1.0	5
59	Postgraduate education on palliative care for general practitioners in Belgium. Palliative Medicine, 2011, 25, 187-188.	1.3	2
60	Take Action to Prevent Diabetes – The IMAGE Toolkit for the Prevention of Type 2 Diabetes in Europe. Hormone and Metabolic Research, 2010, 42, S37-S55.	0.7	197
61	A European Evidence-Based Guideline for the Prevention of Type 2 Diabetes. Hormone and Metabolic Research, 2010, 42, S3-S36.	0.7	385
62	Quality Indicators for the Prevention of Type 2 Diabetes in Europe – IMAGE. Hormone and Metabolic Research, 2010, 42, S56-S63.	0.7	40
63	The European EUCCLID pilot study on care and complications in an unselected sample of people with type 2 diabetes in primary care. Primary Care Diabetes, 2010, 4, 17-23.	0.9	12
64	Implementation of a program for type 2 diabetes based on the Chronic Care Model in a hospital-centered health care system: "the Belgian experience". BMC Health Services Research, 2009, 9, 152.	0.9	36
65	Supporting diabetes self-management in primary care: Pilot-study of a group-based programme focusing on diet and exercise. Primary Care Diabetes, 2009, 3, 103-109.	0.9	42
66	Educational interventions aiming at improving adherence to treatment recommendations in type 2 diabetes. Diabetes Research and Clinical Practice, 2008, 79, 377-388.	1.1	66
67	Diversity in diabetes care programmes and views on high quality diabetes care: are we in need of a standardized framework?. International Journal of Integrated Care, 2008, 8, e07.	0.1	23
68	Quality indicators for type-2 diabetes care in practice guidelines: An example from six European countries. Primary Care Diabetes, 2007, 1, 17-23.	0.9	35
69	Obstacles to adherence in living with type-2 diabetes: An international qualitative study using meta-ethnography (EUROBSTACLE). Primary Care Diabetes, 2007, 1, 25-33.	0.9	70
70	The EUCCLID study: Proposed European study on care and complications in people with type 2 diabetes in primary care. Primary Care Diabetes, 2007, 1, 167-171.	0.9	3
71	Interventions to improve adherence to medication in people with type 2 diabetes mellitus: a review of the literature on the role of pharmacists. Journal of Clinical Pharmacy and Therapeutics, 2006, 31, 409-419.	0.7	104
72	GPs' perspectives of type 2 diabetes patients' adherence to treatment: A qualitative analysis of barriers and solutions. BMC Family Practice, 2005, 6, 20.	2.9	137

#	Article	IF	CITATIONS
73	Use of emergency departments by primary care patients. European Journal of General Practice, 2005, 11, 78-80.	0.9	4
74	Interventions for improving adherence to treatment recommendations in people with type 2 diabetes mellitus. The Cochrane Library, 2005, , CD003638.	1.5	175
75	A Systematic Review of Adherence With Medications for Diabetes: Response to Cramer. Diabetes Care, 2004, 27, 2284-2284.	4.3	9
76	Newly Diagnosed Type 2 Diabetic Population in Belgium. Diabetes Care, 2002, 25, 637-638.	4.3	0
77	Diagnosis and treatment of type 2 diabetes in three Belgian regions. Registration via a network of sentinel general practices. European Journal of Epidemiology, 2001, 17, 743-750.	2.5	15