

# Adriano Venditti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2511978/publications.pdf>

Version: 2024-02-01

247  
papers

10,238  
citations

53794

45  
h-index

40979

93  
g-index

251  
all docs

251  
docs citations

251  
times ranked

10454  
citing authors

#	ARTICLE	IF	CITATIONS
1	Retinoic Acid and Arsenic Trioxide for Acute Promyelocytic Leukemia. <i>New England Journal of Medicine</i> , 2013, 369, 111-121.	27.0	1,284
2	Minimal/measurable residual disease in AML: a consensus document from the European LeukemiaNet MRD Working Party. <i>Blood</i> , 2018, 131, 1275-1291.	1.4	796
3	Clinical characteristics and risk factors associated with COVID-19 severity in patients with haematological malignancies in Italy: a retrospective, multicentre, cohort study. <i>Lancet Haematology</i> , 2020, 7, e737-e745.	4.6	430
4	Amount of spontaneous apoptosis detected by Bax/Bcl-2 ratio predicts outcome in acute myeloid leukemia (AML). <i>Blood</i> , 2003, 101, 2125-2131.	1.4	309
5	2021 Update on MRD in acute myeloid leukemia: a consensus document from the European LeukemiaNet MRD Working Party. <i>Blood</i> , 2021, 138, 2753-2767.	1.4	305
6	Gemtuzumab Ozogamicin Versus Best Supportive Care in Older Patients With Newly Diagnosed Acute Myeloid Leukemia Unsuitable for Intensive Chemotherapy: Results of the Randomized Phase III EORTC-GIMEMA AML-19 Trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 972-979.	1.6	296
7	Prognostic and therapeutic implications of minimal residual disease detection in acute myeloid leukemia. <i>Blood</i> , 2012, 119, 332-341.	1.4	246
8	Clinical significance of CD38 expression in chronic lymphocytic leukemia. <i>Blood</i> , 2001, 98, 2633-2639.	1.4	242
9	Idiopathic thrombocytopenic purpura: Current concepts in pathophysiology and management. <i>Thrombosis and Haemostasis</i> , 2008, 99, 4-13.	3.4	239
10	Level of minimal residual disease after consolidation therapy predicts outcome in acute myeloid leukemia. <i>Blood</i> , 2000, 96, 3948-3952.	1.4	225
11	Gemtuzumab ozogamicin (Mylotarg) as a single agent for molecularly relapsed acute promyelocytic leukemia. <i>Blood</i> , 2004, 104, 1995-1999.	1.4	225
12	Clinical significance of ZAP-70 protein expression in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2006, 108, 853-861.	1.4	171
13	Toward Optimization of Postremission Therapy for Residual Disease—Positive Patients With Acute Myeloid Leukemia. <i>Journal of Clinical Oncology</i> , 2008, 26, 4944-4951.	1.6	165
14	GIMEMA AML1310 trial of risk-adapted, MRD-directed therapy for young adults with newly diagnosed acute myeloid leukemia. <i>Blood</i> , 2019, 134, 935-945.	1.4	148
15	High-Dose Cytarabine in Induction Treatment Improves the Outcome of Adult Patients Younger Than Age 46 Years With Acute Myeloid Leukemia: Results of the EORTC-GIMEMA AML-12 Trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 219-228.	1.6	145
16	Cytogenetic and molecular diagnostic characterization combined to postconsolidation minimal residual disease assessment by flow cytometry improves risk stratification in adult acute myeloid leukemia. <i>Blood</i> , 2010, 116, 2295-2303.	1.4	126
17	Sequential Valproic Acid/All-trans Retinoic Acid Treatment Reprograms Differentiation in Refractory and High-Risk Acute Myeloid Leukemia. <i>Cancer Research</i> , 2006, 66, 8903-8911.	0.9	125
18	Revised International Prognostic Scoring System (IPSS) Predicts Survival and Leukemic Evolution of Myelodysplastic Syndromes Significantly Better Than IPSS and WHO Prognostic Scoring System: Validation by the Gruppo Romano Mielodisplasie Italian Regional Database. <i>Journal of Clinical Oncology</i> , 2013, 31, 2671-2677.	1.6	121

#	ARTICLE	IF	CITATIONS
19	The kinetics of reduction of minimal residual disease impacts on duration of response and survival of patients with acute myeloid leukemia. <i>Leukemia</i> , 2006, 20, 1783-1789.	7.2	117
20	Azacitidine for the treatment of patients with acute myeloid leukemia. <i>Cancer</i> , 2012, 118, 1014-1022.	4.1	107
21	Consensus-based definition of unfitnes to intensive and non-intensive chemotherapy in acute myeloid leukemia: a project of SIE, SIES and GITMO group on a new tool for therapy decision making. <i>Leukemia</i> , 2013, 27, 997-999.	7.2	101
22	Azacitidine for the treatment of lower risk myelodysplastic syndromes. <i>Cancer</i> , 2010, 116, 1485-1494.	4.1	98
23	MRD in AML: The Role of New Techniques. <i>Frontiers in Oncology</i> , 2019, 9, 655.	2.8	93
24	Consolidation and maintenance immunotherapy with rituximab improve clinical outcome in patients with Bâ€cell chronic lymphocytic leukemia. <i>Cancer</i> , 2008, 112, 119-128.	4.1	86
25	Acute megakaryoblastic leukemia: experience of GIMEMA trials. <i>Leukemia</i> , 2002, 16, 1622-1626.	7.2	81
26	Sequential Combination of Gemtuzumab Ozogamicin and Standard Chemotherapy in Older Patients With Newly Diagnosed Acute Myeloid Leukemia: Results of a Randomized Phase III Trial by the EORTC and GIMEMA Consortium (AML-17). <i>Journal of Clinical Oncology</i> , 2013, 31, 4424-4430.	1.6	78
27	Incidence of chromosome abnormalities and clinical significance of karyotype in de novo acute myeloid leukemia. <i>Cancer Genetics and Cytogenetics</i> , 1993, 67, 28-34.	1.0	77
28	Monitoring of minimal residual disease in adult acute myeloid leukemia using peripheral blood as an alternative source to bone marrow. <i>Haematologica</i> , 2007, 92, 605-611.	3.5	76
29	Minimally Differentiated Acute Myeloid Leukemia (AML-M0): Comparison of 25 Cases With Other French-American-British Subtypes. <i>Blood</i> , 1997, 89, 621-629.	1.4	75
30	Frontline chemotherapy with bortezomib-containing combinations improves response rate and survival in primary plasma cell leukemia: a retrospective study from GIMEMA Multiple Myeloma Working Party. <i>Annals of Oncology</i> , 2012, 23, 1499-1502.	1.2	68
31	Pretransplant minimal residual disease level predicts clinical outcome in patients with acute myeloid leukemia receiving high-dose chemotherapy and autologous stem cell transplantation. <i>Leukemia</i> , 2003, 17, 2178-2182.	7.2	67
32	Deregulation of the Mitochondrial Apoptotic Machinery and Development of Molecular Targeted Drugs in Acute Myeloid Leukemia. <i>Current Cancer Drug Targets</i> , 2008, 8, 207-222.	1.6	66
33	A Leukemia-Associated CD34/CD123/CD25/CD99+ Immunophenotype Identifies<i>FLT3</i>-Mutated Clones in Acute Myeloid Leukemia. <i>Clinical Cancer Research</i> , 2015, 21, 3977-3985.	7.0	66
34	Primary plasma cell leukemia: a retrospective multicenter study of 73 patients. <i>Annals of Oncology</i> , 2011, 22, 1628-1635.	1.2	65
35	Temsirolimus, an mTOR inhibitor, in combination with lowerâ€dose clofarabine as salvage therapy for older patients with acute myeloid leukaemia: results of a phase II GIMEMA study (AMLâ€1107). <i>British Journal of Haematology</i> , 2012, 156, 205-212.	2.5	65
36	Pre-chemotherapy risk factors for invasive fungal diseases: prospective analysis of 1,192 patients with newly diagnosed acute myeloid leukemia (SEIFEM 2010-a multicenter study). <i>Haematologica</i> , 2015, 100, 284-292.	3.5	64

#	ARTICLE	IF	CITATIONS
37	Level of minimal residual disease after consolidation therapy predicts outcome in acute myeloid leukemia. <i>Blood</i> , 2000, 96, 3948-3952.	1.4	60
38	COVID-19 elicits an impaired antibody response against SARS-CoV-2 in patients with haematological malignancies. <i>British Journal of Haematology</i> , 2021, 195, 371-377.	2.5	56
39	Risk-Adapted, MRD-Refined Therapeutic Approach for the Treatment of Acute Myeloid Leukemia: From a Single Center Experience to the Cooperative Gimema Protocol AML1310. <i>Blood</i> , 2012, 120, 1422-1422.	1.4	54
40	Fulminant B hepatitis in a surface antigen-negative patient with B-cell chronic lymphocytic leukaemia after rituximab therapy. <i>Leukemia</i> , 2005, 19, 1840-1841.	7.2	53
41	BRCA1, PARP1 and $\gamma$ H2AX in acute myeloid leukemia: Role as biomarkers of response to the PARP inhibitor olaparib. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 462-472.	3.8	53
42	Clinical significance of bax/bcl-2 ratio in chronic lymphocytic leukemia. <i>Haematologica</i> , 2016, 101, 77-85.	3.5	53
43	Gemtuzumab ozogamicin in the treatment of acute myeloid leukemia. <i>Cancer Treatment Reviews</i> , 2008, 34, 49-60.	7.7	52
44	Randomized trial of two schedules of low-dose gemtuzumab ozogamicin as induction monotherapy for newly diagnosed acute myeloid leukaemia in older patients not considered candidates for intensive chemotherapy. A phase II study of the EORTC and GIMEMA leukaemia groups (AML-19). <i>British Journal of Haematology</i> , 2010, 149, 376-382.	2.5	52
45	NK Cell Inflammation in the Clinical Outcome of Colorectal Carcinoma. <i>Frontiers in Medicine</i> , 2015, 2, 33.	2.6	51
46	CENTRAL NERVOUS SYSTEM INVOLVEMENT IN ADULT ACUTE LYMPHOBLASTIC LEUKEMIA: DIAGNOSTIC TOOLS, PROPHYLAXIS AND THERAPY. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2014, 6, e2014075.	1.3	50
47	Azacitidine frontline therapy for unfit acute myeloid leukemia patients: Clinical use and outcome prediction. <i>Leukemia Research</i> , 2015, 39, 296-306.	0.8	50
48	Chromosomal Aberration of the 11q23 Locus in Acute Leukemia and Frequency of <i>MLL</i> Gene Translocation. <i>American Journal of Clinical Pathology</i> , 2004, 122, 298-306.	0.7	49
49	Measurable residual disease as a biomarker in acute myeloid leukemia: theoretical and practical considerations. <i>Leukemia</i> , 2021, 35, 1529-1538.	7.2	48
50	Minimally differentiated acute myeloid leukaemia (AML-MO): cytochemical, immunophenotypic and cytogenetic analysis of 19 cases. <i>British Journal of Haematology</i> , 1994, 88, 784-793.	2.5	46
51	The addition of rituximab to fludarabine improves clinical outcome in untreated patients with ZAP-70-negative chronic lymphocytic leukemia. <i>Cancer</i> , 2005, 104, 2743-2752.	4.1	45
52	A cluster of <i>Geotrichum clavatum</i> ( <i>Saprochaete clavata</i> ) infection in haematological patients: a first Italian report and review of literature. <i>Mycoses</i> , 2016, 59, 594-601.	4.0	44
53	CD7 Expression in Acute Myeloid Leukemia. <i>Leukemia and Lymphoma</i> , 1995, 17, 111-119.	1.3	43
54	Clinical implications of cytokine and soluble receptor measurements in patients with newly diagnosed aggressive non-Hodgkin's lymphoma. <i>European Journal of Haematology</i> , 1995, 54, 9-17.	2.2	41

#	ARTICLE	IF	CITATIONS
55	Infections increase the risk of central venous catheter-related thrombosis in adult acute myeloid leukemia. <i>Thrombosis Research</i> , 2013, 132, 511-514.	1.7	41
56	FC $\gamma$ 3 Chimeric Receptor-Engineered T Cells: Methodology, Advantages, Limitations, and Clinical Relevance. <i>Frontiers in Immunology</i> , 2017, 8, 457.	4.8	41
57	A Comparative Analysis of FISH, RT-PCR, and Cytogenetics for the Diagnosis of <i>bcr-abl</i> Positive Leukemias. <i>American Journal of Clinical Pathology</i> , 1998, 109, 24-31.	0.7	39
58	Identification of emerging <i>FLT3 ITD</i> -positive clones during clinical remission and kinetics of disease relapse in acute myeloid leukaemia with mutated nucleophosmin. <i>British Journal of Haematology</i> , 2013, 161, 533-540.	2.5	39
59	Involvement of central nervous system in adult patients with acute myeloid leukemia: Incidence and impact on outcome. <i>Seminars in Hematology</i> , 2018, 55, 209-214.	3.4	39
60	Therapeutic Choice in Older Patients with Acute Myeloid Leukemia: A Matter of Fitness. <i>Cancers</i> , 2020, 12, 120.	3.7	39
61	Intensive treatment of patients age 60 years and older with De novo acute myeloid leukemia: Analysis of prognostic factors. , 1996, 77, 2476-2488.		38
62	Thrombosis in adult patients with acute leukemia. <i>Current Opinion in Oncology</i> , 2017, 29, 448-454.	2.4	38
63	An Allele-Specific RT-PCR Assay to Detect Type A Mutation of the Nucleophosmin-1 Gene in Acute Myeloid Leukemia. <i>Journal of Molecular Diagnostics</i> , 2008, 10, 212-216.	2.8	36
64	Cytoplasmic nucleophosmin is not detected in blastic plasmacytoid dendritic cell neoplasm. <i>Haematologica</i> , 2009, 94, 285-288.	3.5	36
65	A monoclonal antibody against mutated nucleophosmin 1 for the molecular diagnosis of acute myeloid leukemias. <i>Blood</i> , 2010, 116, 2096-2102.	1.4	35
66	Technical Aspects of Flow Cytometry-based Measurable Residual Disease Quantification in Acute Myeloid Leukemia: Experience of the European LeukemiaNet MRD Working Party. <i>HemaSphere</i> , 2022, 6, e676.	2.7	35
67	O6-(4-Bromothienyl)guanine (PaTrin-2), a novel inhibitor of O6-alkylguanine DNA alkyl-transferase, increases the inhibitory activity of temozolomide against human acute leukaemia cells in vitro. <i>Pharmacological Research</i> , 2006, 53, 317-323.	7.1	34
68	P-glycoprotein and terminal transferase expression identify prognostic subsets within cytogenetic risk classes in acute myeloid leukemia. <i>Leukemia Research</i> , 1999, 23, 451-465.	0.8	33
69	Invasive fungal diseases during first induction chemotherapy affect complete remission achievement and long-term survival of patients with acute myeloid leukemia. <i>Leukemia Research</i> , 2014, 38, 469-474.	0.8	33
70	P-glycoprotein and BCL-2 levels predict outcome in adult acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2003, 121, 730-738.	2.5	32
71	CD69 is independently prognostic in chronic lymphocytic leukemia: a comprehensive clinical and biological profiling study. <i>Haematologica</i> , 2012, 97, 279-287.	3.5	32
72	Standard dose and prolonged administration of azacitidine are associated with improved efficacy in a real-world group of patients with myelodysplastic syndrome or low blast count acute myeloid leukemia. <i>European Journal of Haematology</i> , 2016, 96, 344-351.	2.2	31

#	ARTICLE	IF	CITATIONS
73	Chromosomal Aberration of the 11q23 Locus in Acute Leukemia and Frequency of MLL Gene Translocation Results in 378 Adult Patients. <i>American Journal of Clinical Pathology</i> , 2004, 122, 298-306.	0.7	31
74	High sensitivity of flow cytometry improves detection of occult leptomeningeal disease in acute lymphoblastic leukemia and lymphoblastic lymphoma. <i>Annals of Hematology</i> , 2014, 93, 1509-1513.	1.8	30
75	Minimal residual disease negativity in elderly patients with acute myeloid leukemia may indicate different postremission strategies than in younger patients. <i>Annals of Hematology</i> , 2015, 94, 1319-1326.	1.8	30
76	<i>In vitro</i> elimination of epidermal growth factor receptor $\alpha$ -overexpressing cancer cells by CD32 $\alpha$ -chimeric receptor T cells in combination with cetuximab or panitumumab. <i>International Journal of Cancer</i> , 2020, 146, 236-247.	5.1	30
77	P-Glycoprotein Expression in De Novo Acute Myeloid Leukemia. <i>Leukemia and Lymphoma</i> , 1997, 27, 257-274.	1.3	29
78	Long-term survival data from a phase 3 study of Filgrastim as an adjunct to chemotherapy in adults with de novo acute myeloid leukemia. <i>Leukemia</i> , 2006, 20, 404-409.	7.2	28
79	A prognostic model for patients with lymphoma and COVID-19: a multicentre cohort study. <i>Blood Advances</i> , 2022, 6, 327-338.	5.2	28
80	Minimally differentiated acute myeloid leukemia (AML-MO): a distinct clinico-biologic entity with poor prognosis. <i>Annals of Hematology</i> , 1996, 72, 208-215.	1.8	27
81	Comparison between conventional banding analysis and FISH screening with an AML-specific set of probes in 260 patients. <i>The Hematology Journal</i> , 2003, 4, 263-270.	1.4	27
82	CD90/Thy-1 is preferentially expressed on blast cells of high risk acute myeloid leukaemias*. <i>British Journal of Haematology</i> , 2004, 125, 203-212.	2.5	26
83	Elacytarabine has single-agent activity in patients with advanced acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2012, 158, 581-588.	2.5	26
84	Liposomal amphotericin B (AmBisome $\text{\textcircled{R}}$ ) at beginning of its third decade of clinical use. <i>Journal of Chemotherapy</i> , 2017, 29, 131-143.	1.5	26
85	<i>In vitro</i> down-regulation of bcl-2 expression by all-trans retinoic acid in AML blasts. <i>Annals of Hematology</i> , 1997, 75, 145-147.	1.8	25
86	Mutational landscape of patients with acute promyelocytic leukemia at diagnosis and relapse. <i>American Journal of Hematology</i> , 2019, 94, 1091-1097.	4.1	25
87	The emerging role of measurable residual disease detection in AML in morphologic remission. <i>Seminars in Hematology</i> , 2019, 56, 125-130.	3.4	25
88	Monitoring of minimal residual disease in acute myeloid leukemia. <i>Current Opinion in Oncology</i> , 2009, 21, 582-588.	2.4	24
89	Alternative novel therapies for the treatment of elderly acute myeloid leukemia patients. <i>Expert Review of Hematology</i> , 2013, 6, 767-784.	2.2	23
90	Iron-chelating therapy with deferasirox in transfusion-dependent, higher risk myelodysplastic syndromes: a retrospective, multicentre study. <i>British Journal of Haematology</i> , 2017, 177, 741-750.	2.5	23

#	ARTICLE	IF	CITATIONS
91	Real life experience with frontline azacitidine in a large series of older adults with acute myeloid leukemia stratified by MRC/LRF score: results from the expanded international E-ALMA series (E-ALMA+). <i>Leukemia and Lymphoma</i> , 2018, 59, 1113-1120.	1.3	23
92	Prevention, recognition, and management of adverse events associated with gemtuzumab ozogamicin use in acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2020, 13, 137.	17.0	23
93	GIMEMA AIDA 0493 amended protocol for elderly patients with acute promyelocytic leukaemia. Long-term results and prognostic factors. <i>British Journal of Haematology</i> , 2011, 154, 564-568.	2.5	22
94	Deferasirox chelation therapy in patients with transfusion-dependent <scp>MDS</scp>: a "real-world"™ report from two regional Italian registries: Gruppo Romano Mielodisplasie and Registro Basilicata. <i>European Journal of Haematology</i> , 2015, 95, 52-56.	2.2	22
95	Role of Minimal (Measurable) Residual Disease Assessment in Older Patients with Acute Myeloid Leukemia. <i>Cancers</i> , 2018, 10, 215.	3.7	22
96	Clinical Relevance of Minimal Residual Disease Detection in Adult Acute Myeloid Leukemia. <i>Journal of Hematotherapy and Stem Cell Research</i> , 2002, 11, 349-357.	1.8	21
97	A hematology consensus agreement on antifungal strategies for neutropenic patients with hematological malignancies and stem cell transplant recipients. <i>Hematological Oncology</i> , 2013, 31, 117-126.	1.7	21
98	Pre-transplant persistence of minimal residual disease does not contraindicate allogeneic stem cell transplantation for adult patients with acute myeloid leukemia. <i>Bone Marrow Transplantation</i> , 2017, 52, 473-475.	2.4	21
99	Minimal residual disease as a biomarker for outcome prediction and therapy optimization in acute myeloid leukemia. <i>Expert Review of Hematology</i> , 2018, 11, 307-313.	2.2	21
100	Novel Agents for Acute Myeloid Leukemia. <i>Cancers</i> , 2018, 10, 429.	3.7	21
101	Combined analysis of bcl-2 and MDR1 proteins in 256 cases of acute myeloid leukemia. <i>Haematologica</i> , 2004, 89, 934-9.	3.5	20
102	Apoptosis and immaturity in acute myeloid leukemia. <i>Hematology</i> , 2005, 10, 25-34.	1.5	19
103	Combination antifungal therapy for invasive mould diseases in haematologic patients. An update on clinical data. <i>Journal of Chemotherapy</i> , 2015, 27, 1-12.	1.5	19
104	Novel role of triazenes in haematological malignancies: Pilot study of Temozolomide, Lomeguatrib and IL-2 in the chemo-immunotherapy of acute leukaemia. <i>DNA Repair</i> , 2007, 6, 1179-1186.	2.8	18
105	M4 acute myeloid leukemia: the role of eosinophilia and cytogenetics in treatment response and survival. The GIMEMA experience. <i>Haematologica</i> , 2008, 93, 1025-1032.	3.5	18
106	MINIMAL RESIDUAL DISEASE IN ACUTE MYELOID LEUKEMIA OF ADULTS: DETERMINATION, PROGNOSTIC IMPACT AND CLINICAL APPLICATIONS.. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2016, 8, 2016052.	1.3	18
107	Validation of the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 Summary Score in Patients With Hematologic Malignancies. <i>Value in Health</i> , 2019, 22, 1303-1310.	0.3	18
108	Venetoclax: Bcl-2 inhibition for the treatment of chronic lymphocytic leukemia. <i>Drugs of Today</i> , 2016, 52, 249.	1.1	18

#	ARTICLE	IF	CITATIONS
109	Clinical significance of soluble p53 protein in B-cell chronic lymphocytic leukemia. <i>Haematologica</i> , 2004, 89, 1468-75.	3.5	18
110	Phase II Study of Bortezomib as a Single Agent in Patients with Previously Untreated or Relapsed/Refractory Acute Myeloid Leukemia Ineligible for Intensive Therapy. <i>Leukemia Research and Treatment</i> , 2013, 2013, 1-6.	2.0	17
111	Early intracranial haemorrhages in acute promyelocytic leukaemia: analysis of neuroradiological and clinico-biological parameters. <i>British Journal of Haematology</i> , 2021, 193, 129-132.	2.5	17
112	Epidemiology of acute promyelocytic leukemia in Italy. <i>Annals of Oncology</i> , 1991, 2, 405-408.	1.2	16
113	Autologous stem-cell transplantation for patients with acute myeloid leukemia aged over 60 years. <i>European Journal of Haematology</i> , 2002, 69, 200-204.	2.2	16
114	Spontaneous apoptosis and proliferation detected by BCL-2 and CD71 proteins are important progression indicators within ZAP-70 negative chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2010, 51, 95-106.	1.3	16
115	Emerging strategies for the treatment of older patients with acute myeloid leukemia. <i>Annals of Hematology</i> , 2016, 95, 1583-1593.	1.8	16
116	Early and sensitive detection of PML-A216V mutation by droplet digital PCR in ATO-resistant acute promyelocytic leukemia. <i>Leukemia</i> , 2019, 33, 1527-1530.	7.2	16
117	Feasibility of peripheral blood stem cell rescue as intensification in elderly patients with acute myelocytic leukaemia: a pilot study from the Gimema Group. <i>British Journal of Haematology</i> , 2000, 111, 334-337.	2.5	16
118	The genotype nucleophosmin mutated and FLT3-ITD negative is characterized by high bax/bcl-2 ratio and favourable outcome in acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2010, 149, 383-387.	2.5	15
119	Comparative analysis of azacitidine and intensive chemotherapy as front-line treatment of elderly patients with acute myeloid leukemia. <i>Annals of Hematology</i> , 2018, 97, 1767-1774.	1.8	15
120	Enhancement of anti-leukemia activity of NK cells in vitro and in vivo by inhibition of leukemia cell-induced NK cell damage. <i>Oncotarget</i> , 2016, 7, 2070-2079.	1.8	15
121	High-dose chemotherapy in adult acute myeloid leukemia: Rationale and results. <i>Leukemia Research</i> , 1996, 20, 535-549.	0.8	14
122	A microgranular variant of acute promyelocytic leukemia with atypical morpho-cytochemical features and an early myeloid immunophenotype. <i>Leukemia Research</i> , 1997, 21, 575-580.	0.8	14
123	Biological Features of Acute Myeloid Leukemia in the Elderly. <i>Blood</i> , 1998, 92, 697-699.	1.4	14
124	Risk of invasive fungal infection in patients affected by acute promyelocytic leukaemia. A report by the SEIFEM registry. <i>British Journal of Haematology</i> , 2015, 170, 434-439.	2.5	14
125	Applications and efficiency of flow cytometry for leukemia diagnostics. <i>Expert Review of Molecular Diagnostics</i> , 2019, 19, 1089-1097.	3.1	14
126	Breakthrough invasive fungal diseases in acute myeloid leukemia patients receiving mould active triazole primary prophylaxis after intensive chemotherapy: An Italian consensus agreement on definitions and management. <i>Medical Mycology</i> , 2019, 57, S127-S137.	0.7	14



#	ARTICLE	IF	CITATIONS
127	Clinical significance of occult central nervous system disease in adult acute lymphoblastic leukemia. A multicenter report from the Campus ALL Network. <i>Haematologica</i> , 2020, 106, 39-45.	3.5	14
128	Should persons with acute myeloid leukemia (AML) in 1st histological complete remission who are measurable residual disease (MRD) test positive receive an allotransplant?. <i>Leukemia</i> , 2020, 34, 963-965.	7.2	14
129	New reciprocal translocation t(6;10) (q27;q11) associated with idiopathic myelofibrosis and eosinophilia. <i>Leukemia Research</i> , 2001, 25, 349-351.	0.8	13
130	Mini-extracorporeal circulation minimizes coagulation abnormalities and ameliorates pulmonary outcome in coronary artery bypass grafting surgery. <i>Perfusion (United Kingdom)</i> , 2013, 28, 298-305.	1.0	13
131	Procalcitonin is a reliable marker of severe systemic infection in neutropenic haematological patients with mucositis. <i>American Journal of Hematology</i> , 2010, 85, 380-383.	4.1	12
132	Minimal residual disease as biomarker for optimal biologic dosing of <scp>ARA</scp>â€œ<scp>C</scp> in patients with acute myeloid leukemia. <i>American Journal of Hematology</i> , 2015, 90, 125-131.	4.1	12
133	Impact of induction regimen and allogeneic hematopoietic cell transplantation on outcome in younger adults with acute myeloid leukemia with a monosomal karyotype. <i>Haematologica</i> , 2019, 104, 1168-1175.	3.5	12
134	Consistency matters: measurement invariance of the EORTC QLQ-C30 questionnaire in patients with hematologic malignancies. <i>Quality of Life Research</i> , 2020, 29, 815-823.	3.1	12
135	Fluorescence in situ hybridization and conventional cytogenetics for the diagnosis of 11q23+ /mll + translocation in leukaemia. <i>British Journal of Haematology</i> , 2003, 121, 953-955.	2.5	11
136	Multidimensional Flow Cytometry for Detection of Minimal Residual Disease in Acute Myeloid Leukemia. <i>Leukemia and Lymphoma</i> , 2003, 44, 445-450.	1.3	11
137	â€œReal-lifeâ€™ analysis of the role of antifungal prophylaxis in preventing invasive aspergillosis in AML patients undergoing consolidation therapy: Sorveglianza Epidemiologica Infezioni nelle Emopatie (SEIFEM) 2016 study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1062-1068.	3.0	11
138	Cytopenia Management in Patients With Newly Diagnosed Acute Myeloid Leukemia Treated With Venetoclax Plus Azacitidine in the VIALE-A Study. <i>Blood</i> , 2020, 136, 51-53.	1.4	10
139	Long Term Follow-Up of the Gimema GSI 103 AMLE Randomized Trial: Daunoxome Seems To Improve Disease-Free Survival (DFS) of Elderly Patients with Acute Myelogenous Leukemia (AML).. <i>Blood</i> , 2006, 108, 1979-1979.	1.4	10
140	Contribution of immunophenotypic and genotypic analyses to the diagnosis of acute leukemia. <i>Annals of Hematology</i> , 1995, 71, 13-27.	1.8	9
141	Trisomy 4 as the sole karyotypic anomaly in acute biphenotypic leukemia with B lineage markers and in acute minimally differentiated myeloid leukemia (MO). <i>Cancer Genetics and Cytogenetics</i> , 1995, 80, 66-67.	1.0	9
142	Biological Pattern of AML-M0 Versus AML-M1: Response. <i>Blood</i> , 1997, 89, 345-345.	1.4	9
143	Two Novel Methods for Rapid Detection and Quantification of DNMT3A R882 Mutations in Acute Myeloid Leukemia. <i>Journal of Molecular Diagnostics</i> , 2015, 17, 179-184.	2.8	9
144	Extensive toxic epidermal necrolysis following brentuximab vedotin administration. <i>Annals of Hematology</i> , 2015, 94, 355-356.	1.8	9

#	ARTICLE	IF	CITATIONS
145	Role of KIR and CD16A genotypes in colorectal carcinoma genetic risk and clinical stage. <i>Journal of Translational Medicine</i> , 2016, 14, 239.	4.4	9
146	Characterization of FLT3-ITDmut acute myeloid leukemia: molecular profiling of leukemic precursor cells. <i>Blood Cancer Journal</i> , 2020, 10, 85.	6.2	9
147	Mutational profile of ZBTB16 <sup>hi</sup> CD34 <sup>+</sup> positive acute myeloid leukemia. <i>Cancer Medicine</i> , 2021, 10, 3839-3847.	2.8	9
148	Targeting and Depletion of Acute Myeloid Leukemia Blasts By MEN1112, a Novel Humanized Defucosylated Monoclonal Antibodies with Specificity for Bst1/CD157 Antigen. <i>Blood</i> , 2014, 124, 2235-2235.	1.4	9
149	Improved Overall Survival with Gemtuzumab Ozogamicin (GO) Compared with Best Supportive Care (BSC) in Elderly Patients with Untreated Acute Myeloid Leukemia (AML) Not Considered Fit for Intensive Chemotherapy: Final Results from the Randomized Phase III Study (AML-19) of the EORTC and GIMEMA Leukemia Groups. <i>Blood</i> , 2014, 124, 619-619.	1.4	9
150	Prognostic Value of Cytogenetics and Multidrug Resistance (MDR1) in Elderly Patients With Acute Myeloid Leukemia. <i>Blood</i> , 1998, 92, 695-697.	1.4	9
151	Immunotherapy as a Turning Point in the Treatment of Acute Myeloid Leukemia. <i>Cancers</i> , 2021, 13, 6246.	3.7	9
152	High interleukin-6 plasma levels in acute promyelocytic leukemia. <i>Annals of Hematology</i> , 1992, 64, 303-304.	1.8	8
153	All-trans retinoic acid plus low doses of cytarabine for the treatment of "poor-risk" acute myeloid leukemias. <i>Annals of Hematology</i> , 1993, 66, 59-60.	1.8	8
154	Heterogeneity in the therapeutic approach to relapsed elderly patients with acute myeloid leukaemia: a survey from the Gruppo Italiano Malattie Ematologiche dell' Adulto (GIMEMA) Acute Leukaemia Working Party. <i>Hematological Oncology</i> , 2008, 26, 104-107.	1.7	8
155	Simultaneous Occurrence of Monoclonal Gammopathy and Acute Secondary Leukemia with Overexpression of P-Glycoprotein. <i>Tumori</i> , 1992, 78, 403-406.	1.1	7
156	Recombinant Interferon $\gamma$ 2a, Thymopentin and Low Doses of Cytosine Arabinoside for the Treatment of Myelodysplastic Syndromes: A Pilot Study. <i>Leukemia and Lymphoma</i> , 1995, 16, 335-342.	1.3	7
157	Positive selection of CD34+ cells by immunoadsorption: factors affecting the final yield and hematopoietic recovery in patients with hematological malignancies and solid tumors. <i>Transfusion and Apheresis Science</i> , 2002, 26, 103-110.	1.0	7
158	Evaluation of the prognostic relevance of sLe <sup>x</sup> and ICAM1 expression in myelodysplastic syndromes. <i>European Journal of Haematology</i> , 2008, 80, 107-114.	2.2	7
159	Thoracic Cord Compression Caused by Epidural Extramedullary Hematopoiesis During Erythroid-Stimulating Agent Therapy in Two Patients With Myelodysplastic Syndromes. <i>Journal of Clinical Oncology</i> , 2013, 31, e189-e191.	1.6	7
160	Recurrence of a t(8;21)-Positive Acute Myeloid Leukemia in the Form of a Granulocytic Sarcoma Involving Cranial Bones: A Diagnostic and Therapeutic Challenge. <i>Case Reports in Hematology</i> , 2013, 2013, 1-5.	0.4	7
161	All-trans retinoic acid (ATRA) in non-promyelocytic acute myeloid leukemia (AML): results of combination of ATRA with low-dose Ara-C in three elderly patients with NPM1-mutated AML unfit for intensive chemotherapy and review of the literature. <i>Clinical Case Reports (discontinued)</i> , 2016, 4, 1138-1146.	0.5	7
162	Real-life use of erythropoiesis-stimulating agents in myelodysplastic syndromes: a Gruppo Romano Mielodisplasie (GROM)-multicenter study. <i>Annals of Hematology</i> , 2016, 95, 1059-1065.	1.8	7

#	ARTICLE	IF	CITATIONS
163	Longitudinal detection of <i>DNMT3A</i> <sup>R882H</sup> transcripts in patients with acute myeloid leukemia. <i>American Journal of Hematology</i> , 2018, 93, E120-E123.	4.1	7
164	DIAGNOSTIC PERFORMANCE AND SAFETY OF BRONCHOALVEOLAR LAVAGE IN THROMBOCYTOPENIC HAEMATOLOGICAL PATIENTS FOR ASPERGILLOSIS DIAGNOSIS: A MONOCENTRIC, RETROSPECTIVE EXPERIENCE.. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2019, 11, e2019065.	1.3	7
165	Next-generation sequencing for BCR-ABL1 kinase domain mutations in adult patients with Philadelphia chromosome-positive acute lymphoblastic leukemia: A position paper. <i>Cancer Medicine</i> , 2020, 9, 2960-2970.	2.8	7
166	Role of Human Leukocyte Interferon- $\gamma$ in the Treatment of Patients With Polycythemia Vera. <i>American Journal of the Medical Sciences</i> , 1998, 315, 237-241.	1.1	7
167	Clinical relevance of an objective flow cytometry approach based on limit of detection and limit of quantification for measurable residual disease assessment in acute myeloid leukemia. A post-hoc analysis of the GIMEMA AML1310 trial. <i>Haematologica</i> , 2022, 107, 2823-2833.	3.5	7
168	Possibility of long-term remission in patients with advanced hematologic malignancies after reduced intensity conditioning regimen (RIC) and allogeneic stem cell transplantation. <i>The Hematology Journal</i> , 2004, 5, 24-31.	1.4	6
169	Detection and management of acute myeloid leukemia measurable residual disease. <i>Current Opinion in Hematology</i> , 2020, 27, 81-87.	2.5	6
170	Clinical Relevance of- Limit of Detection (LOD) - Limit of Quantification (LOQ) - Based Flow Cytometry Approach for Measurable Residual Disease (MRD) Assessment in Acute Myeloid Leukemia (AML). <i>Blood</i> , 2020, 136, 37-38.	1.4	6
171	Increased levels of circulating interleukin-6 in patients with newly diagnosed non-Hodgkin's lymphomas. <i>American Journal of Hematology</i> , 1994, 46, 160-161.	4.1	5
172	First report of t(8;21)(q22;q22) in a case of de novo acute monoblastic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 1995, 79, 82-85.	1.0	5
173	Low-dose clofarabine in combination with a standard remission induction in patients aged 18-60 years with previously untreated intermediate and bad-risk acute myeloid leukemia or high-risk myelodysplastic syndrome: combined phase I/II results of the EORTC/GIMEMA AML-14A trial. <i>Haematologica</i> , 2017, 102, e47-e51.	3.5	5
174	An evaluation of enasidenib for the treatment of acute myeloid leukemia. <i>Expert Opinion on Pharmacotherapy</i> , 2019, 20, 1935-1942.	1.8	5
175	Phase 3b Study Assessing the Safety and Efficacy of Midostaurin in Younger and Older Patients with Newly Diagnosed, FLT3-Mutated Acute Myeloid Leukemia (AML) Who Are Eligible for 7+3 or 5+2 Chemotherapy. <i>Blood</i> , 2020, 136, 23-24.	1.4	5
176	Current strategies for detection and approach to measurable residual disease in acute myeloid leukemia. <i>Minerva Medica</i> , 2020, 111, 386-394.	0.9	5
177	Role of immunochemotherapy in the treatment of chronic lymphocytic leukemia. <i>Expert Review of Anticancer Therapy</i> , 2006, 6, 1787-1800.	2.4	4
178	Advances in the treatment of elderly and frail patients with acute myeloid leukemia. <i>Current Opinion in Oncology</i> , 2014, 26, 663-669.	2.4	4
179	Cytogenetic clonal heterogeneity is not an independent prognosis factor in 15-60-year-old AML patients: results on 1291 patients included in the EORTC/GIMEMA AML-10 and AML-12 trials. <i>Annals of Hematology</i> , 2018, 97, 1785-1795.	1.8	4
180	Clofarabine in Combination with a Standard Remission Induction Regimen in Patients 18-60 Years Old with Previously Untreated Intermediate and Bad Risk Acute Myelogenous Leukemia (AML) or High Risk Myelodysplasia (MDS): Combined Phase I/II Results of the EORTC/Gimema AML-14A Trial. <i>Blood</i> , 2014, 124, 3675-3675.	1.4	4

#	ARTICLE	IF	CITATIONS
181	<i>Pneumocystis jirovecii</i> pneumonia in patients with previously untreated acute myeloid leukaemia. <i>Mycoses</i> , 2022, 65, 233-238.	4.0	4
182	Vitamin C Deficiency in Patients With Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	4
183	A Novel t(11;12)(q23;q24) in a Case of Minimally-Differentiated Acute Myeloid Leukemia (AML-M0). <i>Cancer Genetics and Cytogenetics</i> , 2000, 118, 76-79.	1.0	3
184	TREATMENT OF ACUTE MYELOID LEUKEMIA WITH 20-30% BONE MARROW BLASTS. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2013, 5, e2013032.	1.3	3
185	Voriconazole treatment in adults and children with hematological diseases: can it be used without measurement of plasma concentration?. <i>Medical Mycology</i> , 2018, 56, 263-278.	0.7	3
186	Use of Measurable Residual Disease to Evolve Transplant Policy in Acute Myeloid Leukemia: A 20-Year Monocentric Observation. <i>Cancers</i> , 2021, 13, 1083.	3.7	3
187	A Phase 3 Randomized Study (PRIMULA) of the Epigenetic Combination of Pracinostat, a Pan-Histone Deacetylase (HDAC) Inhibitor, with Azacitidine (AZA) in Patients with Newly Diagnosed Acute Myeloid Leukemia (AML) Unfit for Standard Intensive Chemotherapy (IC). <i>Blood</i> , 2019, 134, 2652-2652.	1.4	3
188	MEN1112/OBT357, an Anti Bst1/CD157 Humanized Antibody Inducing Acute Myelogenous Leukemia (AML) Blast Depletion in an Autologous Ex Vivo Assay: A Potential New Targeted Therapy for AML. <i>Blood</i> , 2015, 126, 788-788.	1.4	3
189	A phase 3, randomized study of pracinostat (PRAN) in combination with azacitidine (AZA) versus placebo in patients ≥18 years with newly diagnosed acute myeloid leukemia (AML) unfit for standard induction chemotherapy (IC).. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS7078-TPS7078.	1.6	3
190	The Amount of Apoptosis Predicts Outcome in Ibrutinib-Treated Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2018, 132, 4397-4397.	1.4	3
191	ELN2017 risk stratification improves outcome prediction when applied to the prospective GIMEMA AML1310 protocol. <i>Blood Advances</i> , 2022, 6, 2510-2516.	5.2	3
192	Epstein-Barr virus-positive lymphoma after alemtuzumab therapy for B-cell chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2009, 50, 857-858.	1.3	2
193	Clinical Significance of Apoptosis Is Independent from Proliferation in Acute Myeloid Leukemia (AML).. <i>Blood</i> , 2004, 104, 198-198.	1.4	2
194	Variable Outcome of Allogeneic Stem Cell Transplant According to the Different Levels of Pre-Transplant Minimal Residual Disease, in Adult Patients with Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 3230-3230.	1.4	2
195	Editorial: Metabolic Rewiring in Leukemias. <i>Frontiers in Oncology</i> , 2021, 11, 775167.	2.8	2
196	The Amount of Spontaneous Apoptosis Is An Independent Strong Disease Progression Indicator in B-Cell Chronic Lymphocytic Leukemia (B-CLL). <i>Blood</i> , 2009, 114, 1252-1252.	1.4	2
197	Validation of SIE, Sies, GITMO Operational Criteria for the Definition of Fitness in Elderly Patients Affected with Acute Myeloid Leukemia: A Six-Years Retrospective Real-Life Experience. <i>Blood</i> , 2019, 134, 2150-2150.	1.4	2
198	Diagnostic Workup of Acute Myeloid Leukemia: What Is Really Necessary? An Italian Survey. <i>Frontiers in Oncology</i> , 2022, 12, 828072.	2.8	2

#	ARTICLE	IF	CITATIONS
199	Occult central nervous system involvement guides therapeutic choices in blastic plasmacytoid dendritic cell neoplasms. <i>Leukemia and Lymphoma</i> , 2022, 63, 1754-1757.	1.3	2
200	CD99 as a novel therapeutic target on leukemic progenitor cells in FLT3-ITDmut AML. <i>Leukemia</i> , 2022, , .	7.2	2
201	Leukocyte Alkaline Phosphatase Score in Plasma Cell Dyscrasias: Correlation with Disease Severity and Circulating Levels of Granulocyte-Colony Stimulating Factor. <i>Leukemia and Lymphoma</i> , 1995, 17, 479-483.	1.3	1
202	Fatigue in newly diagnosed acute myeloid leukaemia: general population comparison and predictive factors. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e344-e351.	1.6	1
203	Biological Response Modifiers and Differentiating Agents in Myelodysplastic Syndromes. , 1993, , 171-177.		1
204	Leukemic Stem Cells Persistence Measured By Multiparametric Flow Cytometry Is a Biomarker of Poor Prognosis in Adult Patients with Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 2688-2688.	1.4	1
205	Fulminant B Hepatitis in a Hepatitis B Surface Antigen-Negative Patient after Rituximab Therapy for B-CLL. <i>Blood</i> , 2005, 106, 5025-5025.	1.4	1
206	Genomic Aberrations Dramatically Improve The Strong Prognostic Impact Of IGHV Mutational Status In Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2013, 122, 1370-1370.	1.4	1
207	"ARMY": First-in-human study of the humanized, defucosylated monoclonal antibody (mAb) MEN1112/OBT357 targeting CD157 antigen, in relapsed or refractory (R/R) acute myeloid leukemia (AML).. <i>Journal of Clinical Oncology</i> , 2015, 33, TPS3100-TPS3100.	1.6	1
208	Addition of Rituximab to Fludarabine Improves Progression Free Survival in Untreated ZAP-70 Negative Chronic Lymphocytic Leukemia (CLL).. <i>Blood</i> , 2004, 104, 477-477.	1.4	1
209	ZAP-70 Protein Retains Its Prognostic Significance within Interphase Cytogenetic Groups in B-Cell Chronic Lymphocytic Leukemia (B-CLL).. <i>Blood</i> , 2004, 104, 2806-2806.	1.4	1
210	Epidemiology of Fungemia in Hematological Malignancies: Preliminary Report of Seifem-2015 Survey. <i>Blood</i> , 2015, 126, 4887-4887.	1.4	1
211	Mutational Profile of Leukemic Stem Cells in FLT3-ITD Mutated AML. <i>Blood</i> , 2019, 134, 1458-1458.	1.4	1
212	Minimal residual disease detection in pediatric acute myeloid leukemia: does flow cytometry score a point over molecular biology?. <i>Translational Pediatrics</i> , 2013, 2, 43-5.	1.2	1
213	CD34+CD38-CLL1+ leukemic stem cells persistence measured by multiparametric flow cytometry is a biomarker of poor prognosis in adult patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2021, , 1-5.	1.3	1
214	In BCR-ABL1 Positive B-Cell Acute Lymphoblastic Leukemia, Steroid Therapy Induces Hypofibrinogenemia. <i>Journal of Clinical Medicine</i> , 2022, 11, 1776.	2.4	1
215	Automated Haematology Analysers in Acute and Chronic Leukaemias. <i>Acta Haematologica</i> , 1998, 100, 61-62.	1.4	0
216	P116 Azacitidine for the treatment of lower risk myelodysplastic syndromes: final results from an Italian named patient program. <i>Leukemia Research</i> , 2009, 33, S127.	0.8	0

#	ARTICLE	IF	CITATIONS
217	Rituximab single agent in age-related Epstein-Barr virus associated B cell disorder complicated by autoimmune anemia and pure red cell aplasia. <i>Annals of Hematology</i> , 2014, 93, 1611-1612.	1.8	0
218	Health technology assessment-based approach to flow cytometric immunophenotyping of acute leukemias: a literature classification. <i>Tumori</i> , 2020, 106, 249-256.	1.1	0
219	Management of patients with acute myeloid leukemia undergoing therapy with midostaurin: a focus on antifungal prophylaxis. <i>Hematological Oncology</i> , 2021, 39, 20-26.	1.7	0
220	Future Developments: Measurable Residual Disease. <i>Hematologic Malignancies</i> , 2021, , 317-337.	0.2	0
221	Ponatinib and Risk of Thrombotic Events: In Vitro Study on Platelet Functions. , 2021, 7, 1-8.		0
222	AMELIORATE: early intensification in FLT3-mutated acute myeloid leukemia based on peripheral blast clearance -MYNERVA-GIMEMA AML1919 trial. <i>Future Oncology</i> , 2021, 17, 3787-3796.	2.4	0
223	Prevalence and Genotyping of <i>Pneumocystis jirovecii</i> Pneumonia in Patients with Previously Untreated Acute Myeloid Leukemia. <i>Biology and Life Sciences Forum</i> , 2021, 5, 3.	0.6	0
224	The Kinetic of Reduction of Minimal Residual Disease Impacts on duration of Response and Survival of Patients with Acute Myeloid Leukemia.. <i>Blood</i> , 2004, 104, 399-399.	1.4	0
225	AML-M4: Role of Eosinophilia and Cytogenetics on Treatment Response and Survival. The GIMEMA Experience.. <i>Blood</i> , 2005, 106, 4501-4501.	1.4	0
226	Flow-Cytometric Minimal Residual Disease Determination Is a Surrogate Prognosticator in Adult AML Patients Lacking Specific Molecular Signatures.. <i>Blood</i> , 2007, 110, 3498-3498.	1.4	0
227	Complete Remission Achievement during Long-Term Maintenance with Bortezomib Based Therapy in Multiple Myeloma: A Case Report.. <i>Blood</i> , 2007, 110, 4815-4815.	1.4	0
228	5-Azacytidine in 82 Low/Intermediate-1 IPSS Risk Myelodysplastic Syndromes: Results from the Italian Patient Named Program. <i>Blood</i> , 2008, 112, 2680-2680.	1.4	0
229	Acute Erythroid Leukemia: A Distinctive Subtype of AML? Outcome and Prognostic Factors in Comparison with Non-M6 AML. The Gimema Experience.. <i>Blood</i> , 2009, 114, 1019-1019.	1.4	0
230	MRD-Directed Post-Remissional Therapy Dramatically Improves Outcome of Adult Patients with High Risk AML by Implementing Allogeneic Transplant Option. <i>Blood</i> , 2010, 116, 2702-2702.	1.4	0
231	Clinical Significance of CD69 Expression In Chronic Lymphocytic Leukemia. <i>Blood</i> , 2010, 116, 3574-3574.	1.4	0
232	Normal Fish Cytogenetics and 13q Deletions Unveil Marked Biological and Clinical Heterogeneity In Chronic Lymphocytic Leukemia. <i>Blood</i> , 2010, 116, 2692-2692.	1.4	0
233	Clinical Significance of 13q14 Number of Deleted Cells in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2012, 120, 4581-4581.	1.4	0
234	Intensive Chemotherapy Does Not Prolong Survival Compared to 5-Azacytidine in Patients Aged 70 Years or More with Untreated Acute Myeloid Leukemia. <i>Blood</i> , 2012, 120, 3596-3596.	1.4	0

#	ARTICLE	IF	CITATIONS
235	Biological Pattern of AML-M0 Versus AML-M1: Response. Blood, 1997, 89, 345-345.	1.4	0
236	Incidence of Infectious Complications in MDS/AML Patients Treated with Azacitidine By the Italian Cooperative Groups Gruppo Romano MDS (GROM) and Basilicata MDS Registry. Blood, 2014, 124, 3265-3265.	1.4	0
237	Allogeneic but Not Autologous Stem Cell Transplant Attenuates the Negative Prognostic Impact Dictated By Pretransplant MRD Positivity. Blood, 2014, 124, 2363-2363.	1.4	0
238	Invasive Fungal Infections in Acute Promyelocytic Leukemia Patients. Results of a Prospective Multicenter Study in Italy. Blood, 2014, 124, 3682-3682.	1.4	0
239	Abstract 4050: Association of long term NK cell culture and TIMP3 over-expression with NK cell reduced susceptibility to leukemia and epithelial cancer cell induced damage. , 2015, , .		0
240	Apoptosis and Proliferation Synergistically Determine Overall Survival in Chronic Lymphocytic Leukemia (CLL). Blood, 2015, 126, 1718-1718.	1.4	0
241	Low Bax/Bcl-2 Ratio and NOTCH1 Mutations Represent Powerful and Synergistic Adverse Prognostic Factors within Trisomy 12 Chronic Lymphocytic Leukemia (CLL). Blood, 2016, 128, 3204-3204.	1.4	0
242	Impact of Induction Regimen and of Allogeneic Hematopoietic Cell Transplantation on the Outcome in Younger Adults Patients with Acute Myeloid Leukemia with a Monosomal Karyotype: Results from the EORTC/Gimema AML-10 and AML-12 Trials. Blood, 2016, 128, 2847-2847.	1.4	0
243	Pattern of Central Nervous System (CNS) Involvement in Adult Acute Myeloid Leukemia (AML) and Its Impact on Outcome. Blood, 2016, 128, 2789-2789.	1.4	0
244	Early Intracranial Hemorrhages in Acute Promyelocytic Leukemia: Analysis of Neuroradiological and Clinico-Biological Parameters. Blood, 2019, 134, 5170-5170.	1.4	0
245	Multiparametric Flow-Cytometry Is a Reliable Tool for Measurable Residual Disease Assessment and Risk-Stratification of FLT3-Mutated AML Patients. Blood, 2019, 134, 5083-5083.	1.4	0
246	Validation of ELN2017 Risk Stratification in a Post-Hoc Analysis of the Prospective Biomarker-Based Gimema AML1310 Protocol. Blood, 2020, 136, 34-35.	1.4	0
247	Prevalence and Prognostic Role of IDH Mutations in Acute Myeloid Leukemia: Results of the GIMEMA AML1516 Protocol. Cancers, 2022, 14, 3012.	3.7	0