

Abdelbaset Buhmeida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2513794/publications.pdf>

Version: 2024-02-01

90
papers

1,720
citations

218677

26
h-index

302126

39
g-index

94
all docs

94
docs citations

94
times ranked

3029
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of genetic mutations in patients with breast cancer from Saudi Arabia using Ion AmpliSeq [®] , [†] Cancer Hotspot Panel v.2.0. Biomedical Reports, 2022, 16, 26.	2.0	5
2	The Prognostic Value of the Developmental Gene FZD6 in Young Saudi Breast Cancer Patients: A Biomarkers Discovery and Cancer Inducers OncoScreen Approach. Frontiers in Molecular Biosciences, 2022, 9, 783735.	3.5	4
3	Utility of Circulating Cell-Free DNA in Assessing Microsatellite Instability and Loss of Heterozygosity in Breast Cancer Using Human Identification Approach. Genes, 2022, 13, 590.	2.4	1
4	Assessment of prognostic value of tissue inhibitors of metalloproteinase 3 (TIMP3) protein in ovarian cancer. Libyan Journal of Medicine, 2021, 16, 1937866.	1.6	6
5	Klotho promoter methylation status and its prognostic value in ovarian cancer. Molecular and Clinical Oncology, 2021, 15, 181.	1.0	2
6	Mutational spectrum of BRAF gene in colorectal cancer patients in Saudi Arabia. Saudi Journal of Biological Sciences, 2021, 28, 5906-5912.	3.8	8
7	Prognostic value of E-Cadherin and its tumor suppressor role in Saudi women with advanced epithelial ovarian cancer. Libyan Journal of Medicine, 2021, 16, 1994741.	1.6	3
8	Leptin Protein Expression and Promoter Methylation in Ovarian Cancer: A Strong Prognostic Value with Theranostic Promises. International Journal of Molecular Sciences, 2021, 22, 12872.	4.1	8
9	Molecular characterisation in tongue squamous cell carcinoma reveals key variants potentially linked to clinical outcomes. Cancer Biomarkers, 2020, 28, 213-220.	1.7	4
10	Prognostic value of Osteopontin (SPP1) in colorectal carcinoma requires a personalized molecular approach. Tumor Biology, 2019, 41, 101042831986362.	1.8	21
11	Data mining analysis of human gut microbiota links Fusobacterium spp. with colorectal cancer onset. Bioinformatics, 2019, 15, 372-379.	0.5	14
12	Membranous or Cytoplasmic HER2 Expression in Colorectal Carcinoma: Evaluation of Prognostic Value Using Both IHC & BDISH. Cancer Investigation, 2018, 36, 129-140.	1.3	6
13	Poster abstracts of the 18th Pan Arab Cancer Congress. TUNISIA. April 19-21, 2018. Tunisie Medicale, 2018, 96, 177-182.	0.2	0
14	Assessment of knowledge about biobanking among healthcare students and their willingness to donate biospecimens. BMC Medical Ethics, 2017, 18, 32.	2.4	36
15	Over-expression of β -catenin is associated with high grade of prostatic cancer in Libyan patients. African Journal of Urology, 2017, 23, 133-138.	0.4	1
16	Clinical significance of frequent somatic mutations detected by high-throughput targeted sequencing in archived colorectal cancer samples. Journal of Translational Medicine, 2016, 14, 118.	4.4	33
17	Development of natural sorbent based micro-solid-phase extraction for determination of phthalate esters in milk samples. Analytica Chimica Acta, 2016, 924, 35-44.	5.4	71
18	Prognostic value of HER2 status in bladder transitional cell carcinoma revealed by both IHC and BDISH techniques. BMC Cancer, 2016, 16, 653.	2.6	36

#	ARTICLE	IF	CITATIONS
19	More comprehensive forensic genetic marker analyses for accurate human remains identification using massively parallel DNA sequencing. <i>BMC Genomics</i> , 2016, 17, 750.	2.8	47
20	Cyclin D1 as a therapeutic target of renal cell carcinoma- a combined transcriptomics, tissue microarray and molecular docking study from the Kingdom of Saudi Arabia. <i>BMC Cancer</i> , 2016, 16, 741.	2.6	32
21	Low expression of leptin and its association with breast cancer: A transcriptomic study. <i>Oncology Reports</i> , 2016, 36, 43-48.	2.6	17
22	High expression of matrix metalloproteinases: MMP-2 and MMP-9 predicts poor survival outcome in colorectal carcinoma. <i>Future Oncology</i> , 2016, 12, 323-331.	2.4	38
23	p16 protein is upregulated in a stepwise fashion in colorectal adenoma and colorectal carcinoma. <i>Saudi Journal of Gastroenterology</i> , 2016, 22, 435.	1.1	9
24	The prognostic significance of HER2/neu, p27 and sonic hedgehog proteins in urothelial cell carcinoma of the bladder in Saudi Arabia.. <i>Journal of Clinical Oncology</i> , 2016, 34, e16020-e16020.	1.6	0
25	Enhancement of Pathologist's Routine Practice: Reuse of DNA Extracted from Immunostained Formalin-fixed Paraffin-embedded (FFPE) Slides in Downstream Molecular Analysis of Cancer. <i>Cancer Genomics and Proteomics</i> , 2016, 13, 399-406.	2.0	3
26	Immunoexpression of cyclin D1 in colorectal carcinomas is not correlated with survival outcome. <i>Journal of Microscopy and Ultrastructure</i> , 2015, 3, 62-67.	0.4	5
27	Transcriptomics profiling study of breast cancer from Kingdom of Saudi Arabia revealed altered expression of Adiponectin and Fatty Acid Binding Protein4: Is lipid metabolism associated with breast cancer?. <i>BMC Genomics</i> , 2015, 16, S11.	2.8	34
28	c-MET immunostaining in colorectal carcinoma is associated with local disease recurrence. <i>BMC Cancer</i> , 2015, 15, 676.	2.6	45
29	The significance of sonic hedgehog immunohistochemical expression in colorectal carcinoma. <i>Journal of Microscopy and Ultrastructure</i> , 2015, 3, 169.	0.4	6
30	Frequent methylation of the KLOTHO gene and overexpression of the FGFR4 receptor in invasive ductal carcinoma of the breast. <i>Tumor Biology</i> , 2015, 36, 9677-9683.	1.8	25
31	Exome Sequencing of Normal and Isogenic Transformed Human Colonic Epithelial Cells (HCECs) Reveals Novel Genes Potentially Involved in the Early Stages of Colorectal Tumorigenesis. <i>BMC Genomics</i> , 2015, 16, S8.	2.8	24
32	Overexpression of PAK-1 is an independent predictor of disease recurrence in colorectal carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 15895-902.	0.5	8
33	High fibroblast growth factor 19 (FGF19) expression predicts worse prognosis in invasive ductal carcinoma of breast. <i>Tumor Biology</i> , 2014, 35, 2817-2824.	1.8	29
34	P0150 Survivin expression in renal cell carcinoma and its correlation with clinicopathological parameters. <i>European Journal of Cancer</i> , 2014, 50, e51.	2.8	0
35	P0167 E-cadherin expression in libyan patients with colorectal carcinoma. <i>European Journal of Cancer</i> , 2014, 50, e56-e57.	2.8	2
36	P0148 Beta-catenin as a prognostic marker in libyan patients with prostatic carcinoma. <i>European Journal of Cancer</i> , 2014, 50, e51.	2.8	0

#	ARTICLE	IF	CITATIONS
37	Prognostic significance of VEGFR1/Flt-1 immunoeexpression in colorectal carcinoma. <i>Tumor Biology</i> , 2014, 35, 9045-9051.	1.8	10
38	Molecular characterization and identification of predictors of disease outcome in Saudi colorectal carcinoma. <i>BMC Genomics</i> , 2014, 15, .	2.8	0
39	Cell adhesion molecules have prognostic potential in colorectal carcinoma. <i>BMC Genomics</i> , 2014, 15, .	2.8	0
40	Prognostic significance of fibroblast growth factor 19 (FGF19) expression in breast invasive ductal carcinoma. <i>BMC Genomics</i> , 2014, 15, .	2.8	0
41	BioSearch: an in-house developed lab information management system for center of excellence in genomic medicine research. <i>BMC Genomics</i> , 2014, 15, .	2.8	1
42	Gene expression profiling of lymph node positive-negative metastasis of primary breast cancer in Saudi Arabian patients. <i>BMC Genomics</i> , 2014, 15, P55.	2.8	1
43	Mismatch repair genes status in sporadic Saudi colorectal cancer patients. <i>BMC Genomics</i> , 2014, 15, .	2.8	0
44	Expression of matrix metalloproteinases (MMPs) in primary human breast cancer: MMP-9 as a potential biomarker for cancer invasion and metastasis. <i>Anticancer Research</i> , 2014, 34, 1355-66.	1.1	129
45	Prognostic value of bcl-2 expression among women with breast cancer in Libya. <i>Tumor Biology</i> , 2013, 34, 1569-1578.	1.8	8
46	Loss of MUC2 expression predicts disease recurrence and poor outcome in colorectal carcinoma. <i>Tumor Biology</i> , 2013, 34, 621-628.	1.8	24
47	Proliferative Activity in Libyan Breast Cancer with Comparison to European and Central African Patients. <i>BioMed Research International</i> , 2013, 2013, 1-10.	1.9	2
48	Loss of Villin Immunoeexpression in Colorectal Carcinoma Is Associated with Poor Differentiation and Survival. <i>ISRN Gastroenterology</i> , 2013, 2013, 1-7.	1.5	9
49	Survivin Expression in Renal Cell Carcinoma and Its Correlation with Clinicopathological Parameters. <i>Journal of Interdisciplinary Histopathology</i> , 2013, 1, 184.	0.2	0
50	Prognostic Significance of DNA Image Cytometry in Libyan Breast Cancer. <i>Oncology</i> , 2012, 83, 165-176.	1.9	7
51	Methylation of the Polycomb Group Target Genes Is a Possible Biomarker for Favorable Prognosis in Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2069-2075.	2.5	24
52	Apoptotic activity in Libyan breast cancer. <i>World Journal of Surgical Oncology</i> , 2012, 10, 102.	1.9	5
53	Diagnosis delay in Libyan female breast cancer. <i>BMC Research Notes</i> , 2012, 5, 452.	1.4	104
54	Serum tumour markers as a diagnostic and prognostic tool in Libyan breast cancer. <i>Tumor Biology</i> , 2012, 33, 2371-2377.	1.8	25

#	ARTICLE	IF	CITATIONS
55	Prognostic Value of Proliferation Markers: Immunohistochemical Ki-67 Expression and Cytometric S-Phase Fraction of Women with Breast Cancer in Libya. <i>Journal of Cancer</i> , 2012, 3, 421-431.	2.5	28
56	Expression of Cell Cycle Regulators P21 and P27 as Predictors of Disease Outcome in Colorectal Carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2012, 43, 279-287.	1.3	22
57	Loss of E-cadherin expression predicts disease recurrence and shorter survival in colorectal carcinoma. <i>Apmis</i> , 2012, 120, 539-548.	2.0	35
58	Cyclooxygenase-2 expression as a predictor of outcome in colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2012, 18, 1793.	3.3	32
59	Decreased immunoexpression of standard form of CD44 is an independent favourable predictor of nodal metastasis in colorectal carcinoma. <i>Anticancer Research</i> , 2012, 32, 3455-61.	1.1	11
60	Estrogen receptor, progesterone receptor, and nuclear size features in female breast cancer in Libya: correlation with clinical features and survival. <i>Anticancer Research</i> , 2012, 32, 3485-93.	1.1	7
61	Breast cancer patients in Libya: Comparison with European and central African patients. <i>Oncology Letters</i> , 2011, 2, 323-330.	1.8	31
62	Biomarkers in cancer: is omics™ the way to go. <i>Libyan Journal of Medicine</i> , 2011, 6, 5982.	1.6	0
63	Prognostic value of mitotic counts in breast cancer of Saudi Arabian patients. <i>Anticancer Research</i> , 2011, 31, 97-103.	1.1	2
64	RASSF1A methylation is predictive of poor prognosis in female breast cancer in a background of overall low methylation frequency. <i>Anticancer Research</i> , 2011, 31, 2975-81.	1.1	26
65	MMP-9 (Gelatinase B) Expression is Associated With Disease-Free Survival and Disease-Specific Survival in Colorectal Cancer Patients. <i>Cancer Investigation</i> , 2010, 28, 38-43.	1.3	76
66	Image DNA cytometry in FNABs of Libyan breast disease. <i>Anticancer Research</i> , 2010, 30, 175-81.	1.1	3
67	Nuclear morphometry in prognostication of breast cancer in Saudi Arabian patients: comparison with European and African breast cancer. <i>Anticancer Research</i> , 2010, 30, 2185-91.	1.1	3
68	Evaluation of HER-2/neu gene amplification by fluorescence in situ hybridization and immunohistochemistry in Saudi female breast cancer. <i>Anticancer Research</i> , 2010, 30, 4081-8.	1.1	6
69	PLA2 (group IIA phospholipase A2) as a prognostic determinant in stage II colorectal carcinoma. <i>Annals of Oncology</i> , 2009, 20, 1230-1235.	1.2	41
70	Prognostic Significance of Matrix Metalloproteinase-9 (MMP-9) in Stage II Colorectal Carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2009, 40, 91-7.	1.3	32
71	Correlation of nuclear morphometry of breast cancer in histological sections with clinicopathological features and prognosis. <i>Anticancer Research</i> , 2009, 29, 1771-6.	1.1	33
72	Expression of the cell-cell adhesion molecule β -catenin in colorectal carcinomas and their metastases. <i>Apmis</i> , 2008, 116, 1-9.	2.0	15

#	ARTICLE	IF	CITATIONS
73	Intense cytoplasmic ezrin immunoreactivity predicts poor survival in colorectal cancer. <i>Human Pathology</i> , 2008, 39, 1737-1743.	2.0	80
74	Nuclear β -catenin expression as a prognostic factor in advanced colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2008, 14, 3866.	3.3	53
75	Up-regulation of a-catenin is associated with increased lymph node involvement in colorectal cancer. <i>World Journal of Gastroenterology</i> , 2008, 14, 4903.	3.3	6
76	VEGF-1 expression in colorectal cancer is associated with disease localization, stage, and long-term disease-specific survival. <i>Anticancer Research</i> , 2008, 28, 3865-70.	1.1	70
77	Nuclear morphometry in FNABs of breast disease in Libyans. <i>Anticancer Research</i> , 2008, 28, 3985-9.	1.1	10
78	MMP-1 (collagenase-1) expression in primary colorectal cancer and its metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 1473-1478.	1.5	33
79	Stage II colorectal cancer: lack of prognostic model. <i>Libyan Journal of Medicine</i> , 2007, 2, 19-20.	1.6	0
80	Stage II colorectal cancer: lack of prognostic model. <i>Libyan Journal of Medicine</i> , 2007, 2, 19-20.	1.6	1
81	Stage II Colorectal Cancer: Lack of Prognostic Model. <i>Libyan Journal of Medicine</i> , 2007, 2, 19-20.	1.6	1
82	Prognostic factors in prostate cancer. <i>Diagnostic Pathology</i> , 2006, 1, 4.	2.0	77
83	DNA Image Cytometry Is a Useful Adjunct Tool in the Prediction of Disease Outcome in Patients with Stage II and Stage III Colorectal Cancer. <i>Oncology</i> , 2006, 70, 427-437.	1.9	5
84	Quantitative Pathology: Historical Background, Clinical Research and Application of Nuclear Morphometry and DNA Image Cytometry. <i>Libyan Journal of Medicine</i> , 2006, 1, 126-139.	1.6	4
85	DNA IMAGE CYTOMETRY IN PROGNOSTICATION OF COLORECTAL CANCER: PRACTICAL CONSIDERATIONS OF THE TECHNIQUE AND INTERPRETATION OF THE HISTOGRAMS. <i>Image Analysis and Stereology</i> , 2006, 25, 1.	0.9	1
86	Quantitative Pathology: Historical Background, Clinical Research and Application of Nuclear Morphometry and DNA Image Cytometry. <i>Libyan Journal of Medicine</i> , 2006, 1, 126-139.	1.6	4
87	DNA Image cytometry as a prognostic tool in stage II and stage III colorectal cancer. <i>Journal of Clinical Oncology</i> , 2006, 24, 13565-13565.	1.6	0
88	Nuclear size as prognostic determinant in stage II and stage III colorectal adenocarcinoma. <i>Anticancer Research</i> , 2006, 26, 455-62.	1.1	10
89	Nuclear area is a prognostic determinant in advanced colorectal cancer. <i>Anticancer Research</i> , 2005, 25, 3083-8.	1.1	3
90	Influence of Sampling Practices on the Appearance of DNA Image Histograms of Prostate Cells in FNAB Samples. <i>Analytical Cellular Pathology</i> , 1999, 18, 95-102.	2.1	6